BRAXTON HARRIS

Product Catalog

VOLUME 4.3

Over 15,000 SKUs

10 CATEGORIES



Manufacturer of Quality Plumbing Products

1417 Commerce Boulevard, Anniston, AL 36207
Phone: 800-226-9198 • Fax: 800-749-8329
www.braxtonharris.com



Braxton Harris Co., Inc. is a family owned company that has seen three generations during its 37 years. Braxton Harris, Sr. founded BHC based on a dire industry need for excellent products, service, and loyalty that was not offered by the competition. Today, those same founding principles are still the foundation of business at BHC.

Our distribution center is located in Anniston, AL (1 hour east of Birmingham and 1.5 hours west of Atlanta). An expansion is underway of the current 83,000 square foot operations center to add 55,000 additional square feet for a total of 138,000 square feet. In addition, a location has been secured for a full-service west coast distribution center in Arizona that will allow us to expand our west coast operations.

With our broad product offering of over 15,000 skus, same day shipping policy, excellent fill rates, personal service, and consistency in offering a quality product, BHC strives to be the best all-in-one supplier and keep our customers coming back!

1417 Commerce Boulevard, Anniston, AL 36207
Phone: 800-226-9198 • Fax: 800-749-8329
www.braxtonharris.com



IN MEMORY OF BRAXTON HARRIS, SR.
1947-2021

BRAXTON HARRIS



REPAIR PARTS & KITS
SECTION A
Pages A1 - A76



BATHROOM & KITCHEN
SECTION B
Pages B1 - B70



APPLIANCES
SECTION C
Pages C1 - C26



TOOLS, GAUGES, TAPES, ELECTRICAL & SAFETY
SECTION D
Pages D1 - D48



FITTINGS, COUPLINGS, CLAMPS & VALVES
SECTION E
Pages E1 - E62



HANGERS, PIPE STRAPS, STUD GUARDS & FASTENERS
SECTION F
Pages F1 - F16



TUBULAR & BATH WASTES
SECTION G
Pages G1 - G18



PLASTIC, BRASS & CAST IRON SPECIALTIES
SECTION H
Pages H1 - H44



CHEMICALS, HEATING CABLES, PIPE INSULATION & ROOF FLASHINGS
SECTION I
Pages I1 - I11



WATERNITY

DECORATIVE SPECIALTIES
Over 22 finishes available!

Manufacturer of Quality Plumbing Products

1417 Commerce Boulevard, Anniston, AL 36207
Phone: 800-226-9198 • Fax: 800-749-8329 • www.braxtonharris.com

©2022 - Braxton Harris Company, Inc.

OEM REFERENCE NUMBER INDEX

OEM #	BHC #	Page #
000021-40	TS2140	A66
000078-4	TSBWH4CH	A67
000821-40	TS82140	A66
000888-45	TS88845	A66
001121-45	TS112145	A66
001636-45	TSB9K	A67
001637-45	TSB9K	A67
002711-40	TS271140	A68
002712-40	TS271240	A68
002851-40	TS285140	A67
002856-40	TS285640	A66
7	S05020	A26, A61
007861-45	TS786145	A66
00788-20	TS64L	A68
00789-20	TS66L	A68
00A5013	SA5013	A62
00A5023	SA5023	A62
01 Series	S05010	A26, A61
014193-40	TS238A	A67
3	BB10, M6307066	A39
301168	SA71	A30, A57, A74
307043	SG1003A	A57
307044	SG1002A	A57
323005	SV551A	A29, A56, A73
0323120PK	SV553A	A59
04 Series	S05010	A26, A61
5010	S05010	A26, A61
5020	S05020	A26, A61
5030	S05030	A61
05-0305	SP050305	A60, B65
5050	S05050	A61
05-0775	SP050775	A60, B65
5200	K71906, S05200	A33, A61
5300	K71906, S05300	A33, A61
55	SA055	A56
56	SA056	A55
060X	TS060X	A67
061X	TS061X	A67
062N0378	DA62N1285	A22, A25, A75, A76
062N1285	DA62N1285	A22, A25, A75, A76
063X	TS063X	A67
064L	TS64L	A68
066L	TS66L	A68
068X	TS068X	A67
9	BB10, M6307066	A39
09 Series	PP940240	A46
92	SA092	A56
1.0-A-42-A	SCMPK	A57, A74
1.5-A-37-A	SCMPK	A57, A74
1.6-A	SCMPK	A57, A74
100	FM242, FM242HD	A25
1000490	KHF	A36, B26
1006958	C53356, C53316	A36
10089	MO10089	A42
101099	MO101099	A42
101310	MO101310	A42
1016546	KCFF	A36, B26
1-028	DA62N1285	A22, A25, A75, A76
1039444	KCF	A36, B25
1042313	KCFF	A36, B26
1079948	C53356, C53316	A36, B26
108-25	ST10825	A36, B26
10927	MOSLFH	A42
10C-5	ERSUX6750L, ERSUX6750R	A22
10L-11HC	CEK3CT	A10
10L-3D	SA8106	A62
1-100XTJKNF	CF1100XT	A11
1137-1149	CERK	A10
1150	F1150	A75
11709	UB1709	A69
11868	H11868	A32
11869-3	H118693	A32
11869-4	H118694	A32
11B-1HC	G98673	A26
11B-4D	G98726	A26
11C-11HC	CEK2CS	A10
11C-1D	AS5072207	A1
11C-3CH	AS7285507	A1
11C-5HC	CEK2CT	A10
12	M6305699	A39
1200	MTVRK	A41
1200B	MOPCC, MO13092, MO13094, MO1200B, MOT470, MO3270, MO13291, MO13291S	A40
120-149	CERK	A10
1222B	MO1222B, MO14732, MOPTCP	A40, A42, A43, D13
1224B	MO1224B	A42
1225B	MOPCC, MO13092, MO13094, MO1225B, MOT470, MO3270, MO13291, MO13291S	A40, A41, A42
12314	PDSM5	A43, B46
12770	CF277	A11
12971-007	AS12971007	A4
12C-1D	AS7285607	A2
12H-2HC	PP910374	A47
12H-4D	PP910385	A47
12L-1D	CEK2DT	A10
1300	DRP19804	A17
13092	MO13092	A40
13106	MO13106	A41
13291	MO13291, MO13291S	A42
1400	DRP19804	A17
14732	MO14732	A42
14800	MO14800	A42, A76
14998	ST15003HC	A64
1500-3H&C	ST15003HC	A64
1600	DRP2392	A18
165	CE165	A11, B64
1709	UB1709	A69
174-14	AS17414	A4, B64
1800 Series	AS6628807	A2
1805C	ST1805C	A64
1805H	ST1805H	A64
1839A	UB1839A	A69
1848-07	AS184807	A4
18766	UFK	A6, A17, A24, A31, A38, H25
1-99XTJKNF	CF199XT	A11
1B1	C55010, C71666	A12
1B-1	SAK4500H, SAK4500C	A54
1B1A	C1B1AK	A12
1B1P	C55010	A12
1B1X	K84499BF, C55214, K84499, C71866	A4, A9, A12, A24, A37
1B-2	G98688, G98689	A26
1C-3	K20786, K20785	A33
1C-6C	CESU353EL	A10
1C-6H	CESU353ER	A10
200A	FM242, FM242HD	A25
203-1	MAF	A39, B26
20336-08	AS2033608	A2
2038	TLASS	A7, B19
2042-44	SAK4500H, SAK4500C	A54
20563-08	AS2056308	A2
2071	TLASS	A7, B19
20731-02	AS2056308, AS2033608	A2
20774	K20774	A35, B65
2078	DRP3614	A19, A44
20785	K20785	A33
20786	K20786	A33
208	M6304837	A39
209	M6304837	A39
20904	K20904	A33
20905	K20905	A33
2093	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28
20986H & C	K20986HC	A34
210	M7410009	A39
2108	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
2109	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
211	M7410009	A39
212	DRP2391, DRP2389, FM242, FM242HD, DRP1619	A18, A25, A43
2120	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
2131	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
2138	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
2139	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
21451-02	AS2033608, AS2056308	A2
21666-02	AS2033608, AS2056308	A2
22092	B22092	A9, B64
22379	B22379	A9, B64
22-F23D	BP740D	A9, A55
22-F23H & C	BP740	A9, A55
22-F79/23C	BP740	A9, A55
22-F79/23H	BP740	A9, A55
22-F79D	BP740D	A9, A55
22-F79H & C	BP740	A9, A55
23004	K23004	A35, B65
2350 Series	AS6628807	A2
238A	TS238A	A67
242	FM242, FM242HD	A25
2521F/23 H & C	BP737	A9, A55
2521F57/23H	BP737	A9, A55
2521FS7/23C	BP737	A9, A55
26000B	SV551A	A29, A56, A73
263	CE263, UR263	A11, A70, B64
2632	UB2632	A69, B65
2634	UB2634	A69, B65
2653	DRP17730	A20
267	UR267	A70
2683	DRP17730	A20
2734	E2734	A23, B64
277	CF277	A11
280	SAK4500H, SAK4500C	#N/A
28-380	G99571KT	A28, A59, B18
2885	DRP17730	A20
2990H & C	S2990HC	A63
2H-1HC	PP910392	A47
2J-6	ST1805H, ST1805C	A64
2K-1	AS7295017, AS7295017L, AS7295117, AS7295117L	A1
2L-4	SA8079, SA8080	A61
3.5-A-38-A	SCMPK	A57, A74
30000	K30000H, K30000C	A34
300-0050	BP303	A8, A32, A61
30005D	K30005D	A34
30005HC	K30005HC	A34
300-0760	BP303	A8, A32, A61
3010	AS833907	A4
30100	K30100	A37
30124	PDSK	A35, B45
30134	K30134	A33
30135	K30135	A33
30166	K30166	A37
30253	K30253	A35
30324	TL8	A38, B19
30413	K77548	A32
30673	K84499BF, K83650, K84499	A37
308	SAK13C, SAK13H, SAK13D	A54
30-F-92	SA092	A56
311	TLUR	A70, B20
31344-04	AS2033608, AS2056308	A2
3156	TL4, AS8162	A5, A7, A9
3158 Series	AS47089, AS33642	A5
3159 Series	AS73380	A5
3270	MO3270	A41
3301036	SA38A	A30, A58, A74
3301037	SA37A	A30, A58, A74
3301038	SA38A	A30, A58, A74
3305043	SEL128A	A56
3308790	SH1009A	A58, A75
3308791	SH1010A	A58, A75
3308853	SH541ASD	A30, A58, A74
3308856	SH543ASD	A30, A58, A74
3317001	SR1001A	A30, A58, A74
3317002	SR1002A	A30, A58, A74
3317003	SR1003A	A30, A58, A75
3323192	SV551A	A29, A56, A73
33459	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
33582-07UA	AS33582	A4
3360	KHF	A36, B26
33642-07	AS33642	A5
33643-07	AS3364607, SDTBC	A4
3378	K84499BF, K83650, K84499	A37
3385	K84499BF, K83650, K84499	A37
3386	KHF	A36, B26
3397	K84499BF, K83650, K84499	A37
3401	K84499BF, K83650, K84499	A37
3402	K84499BF, K83650, K84499	A37
3408	K84499BF, K83650, K84499	A37
3434	KHF	A36, B26
343DA	CERK	A10
34597-07	AS6628807	A2
35	TL6	A40, B19
35-010 through 35-420	PP910392	A47
3500-3H & C	ST35003HC	A64
3521-011	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
3521-145	TLASN4-8, TLASN4-8W	A7, B19
3526-019	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
353S	CERK	A10
38	CERK	A10
3S-8HC	DRP1740	A20, A45
3z-2hc	VV6804	A22, A71
4.5-A-36-A	SCMPK	A57, A74
400 SERIES	FM542	A25
40069	VVP1964-LF	A10, A22, A70
400A	FM242, FM242HD	A25
40602	K40602	A35, B65
4098	AS738473	A7, A59, B18
4099	AS738473	A7, A59, B18
41	TL6	A40, B19
41 Series	PP940240	A46
41-A	SCMPK	A57, A74
42	TL5	A40, B19
420-22	SAK4500H, SAK4500C	A54
42148	BP303	A8, A32, A61
42178	BP303	A8, A32, A61
42388	KRF	A36, B26
42393	C55214	A4, A9, A12, A24, A37, A70
42482	C71866	A12, A37
427A	SV551A	A29, A56, A73
43-100 through 43-124	PP910392	A47
44249-07	AS4424907	A2
44-4AJ	CDSOVRK	A14
4522	DRP3614	A19, A44
47	CERK	A10
47062-07	AS47089	A5
47080000	DA62N1285	A22, A25, A75, A76
47089-07	AS47089	A5
47107-07A	AS47107	A4
47147-0020	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
47148-02	TLAS4-8,	

OEM REFERENCE NUMBER INDEX

OEM #	BHC #	Page #
	TLAS4-8W	A7, A16, A24, A25, A28, B18
47148-03	TLAS6	A7, B18
4719-0020A	TLASN4-8, TLASN4-8W	A7, B19
490-4332-00	ERTB	A23, B29
490-4333-00	MRGE	A24, B32
490-6200-00	EFHA	A23
490-6499-00	PDSE	A23, B46
490-6512-00	ETFA	A23, B25
490-6750-02	ERSUX6750R, ERSUX6750L	A22
49114	KRF	A36, B26
495-2704	TL7, TLT	A24, A68, B16, B20
495-6029-00	ERF	A23, B25
495-6077-00	ELTF	A23, B25
4-MA	CE4MA	A11
5	TL5	A40, B19
500189	TTL	A38, A68, B19
500520	K76851	A33
501 Series	SC100500K	A6, A29, A59
501A Series	SC100500K	A6, A29, A59
501B Series	SC100500K	A6, A29, A59
503	SC100500K	A6, A29, A59
50722-07	AS5072207	A1
50729-07	AS5072907	A1
50VB	SV500AA34, SV500AA114, SV500AA112	A13
51	TL6	A40, B19
51250	K30100	A37
51394	TTL	A38, A68, B19
51748	K30100	A37
521-B	CE521B	A11
523C	CE523HC	A11
523H	CE523HC	A11
5257	E5257	A23, B64
528	L528R	A76
5301058	SA19AC	A29, A57, A73
5301059	SA19AU	A29, A57, A73
5301111	SA15A	A29, A56, A73
5301170	SA156A	A29, A58, A73
5301188	SA156A	A29, A58, A73
5301236	SA163AP	A58, A75
5302279	SB32A	A57, A73
5302297	SB39	A56, A73
5302305	SB50A	A57, A73
5323005	SV500AA34	A13, A31, A57, A72
5323006	SV500AA114	A13, A31, A57, A72
5323007	SV500AA112	A13, A31, A57, A72
53246	C53376	A13, B24
53316	C53316	A5, A13, A36, A68, B24
53356	C53356	A5, A13, A36, A68, B24
53366	C53366	A13, A36, A37, B24
53376	C53376	A13, B24
53396	C53376	A13, B24
542	FM542	A25
55010	C55010	A12
55014	C55010	A12
55074	C55074	A12
55114	C55114	A12
55194	C55194	A12
55214	C55214	A4, A9, A12, A24, A37, A70
55477	C53316	A36
56534-07	AS5653407	A4, B64
57	3WF	A16
57281-07	AS5728107	A4, B64
57583-07	AS5758307	A1
57864-07	AS5786407	A1
59	CE59	A11, B64
590-0	IB5900	B65
5A-1	CFB8553, CFB8552	A16
600	DRP90, DRP5883K	A18, A19, A44, A71
612	L528R	A76
620	SAK4500H, SAK4500C	A54
630-4837	M6304837	A39
630-5699	M6305699	A39
630-5702	M6305702	A39
630-7066	M6307066	A39
630-7984	M6307984	A39
6-3301-5-4	DA62N1285	A22, A25, A75, A76
638-0	IB6380	B65
63827-07	AS6382707	A1
6458-021	AS6458021	A2
6458-023	AS6458021	A2
6459-021	AS6459021	A2
6459-023	AS6459021	A2
64803-07	AS6480307	A1
64804-07	AS6480407	A1
66288-07	AS6628807	A2
665101-0020A	AS665101	A3
69332-07	AS6933207	A1
6N-1	K30135, K30134	A33
6S-2	CF1100XT, CF199XT	A11
70	DRP2393, DRP90, DRP70P, DRP70B, DRP70	A18, A43
70127	K77548	A32
70415	K77548	A32
70437-0200	TL4, TLASN4-8, TLASN4-8W	A7, A9, A24, B18 B19
7137	CERK	A10
7137D	CERK	A10
7138	CERK	A10
7139	CERK	A10
7147	CERK	A10
7148	CERK	A10
7149	CERK	A10
714D	CERK	A10
715-27	AS71527	A4
71666	C71666	A12
71736	C71736	A12
71866	C71866	A12, A37
71906	K71906	A33, A61
720-723	CERK	A10
722-27	AS72227	A5
72855-07	AS7285507, ASDW	A1, A3
72856-07	AS7285607, ASAS	A2
72940-07	AS7294007	A2
72950-17	AS7295017, AS7295017L	A1
72951-17	AS7295117, AS7295117L	A1
72F48	BP072	A55
72F73	BP072	A55
730283-0020A	TLASS	A7, B19
73069-07	AS7306907	A4
73070-07	AS7307007	A4
73216-07	SRGAKC	A6, A9, A16, A38, A39, B32
73383-07	AS7338307, SDTBC	A4, B29
73392-02	TL4	A7, A9, A24, B18
73439-02	TLASN4-8, TLASN4-8W	A7, B19
738003-300	C53356, C53316	A5, A36
738071-0070A	C53356, C53316	A5, A36
738254-0020A	AS738254	A7, A59, B18
738473-0020A	AS738473	A7, A59, B18
738651-0070A	AS738651	A6, A31, B28
738772-0020A	AS738772	A7, B18
73880-07	AS7380	A5
738903-0020A	AS738903	A7, B18
738920-0070A	ASCF	A6, B24
738920-0070P	ASF	A6, B24
741-0009	M7410009	A39
746-749	CERK	A10
76671	K76671	A33
76672	K76672	A33
76851	K76851	A33
77548	K77548	A32
77759	K76851	A33
77886	K77886	A33
77T	CERK	A10
77U	CERK	A10
78T	CERK	A10
7S-4D	DRP17730	A20
7S-4DEX	DRP12631	A20
80079	UB1839A	A69
80080	UB1839A	A69
8121-1AS	A1, A52, A50	A32, B22
81217	C53356	A36
8121-AVAS	H11868	A32
8121-R	H11868	A32
81609	K81609	A38, B17
8162-07	AS8162	A5
820	SAK4500H, SAK4500C	A54
83064	KRFN	A36, B26
8321-07	AS832107	A5
8339-07	AS833907	A4
83725	TFAK	A37, B17
83888	SRGK	A38, B31
84	CERK	A10
84138	KSFF	A36, B26, B28
84498	K84499BF, K84499	A37
84499	K84499BF, K84499	A37
84503	K84499	A37
84995	KHF	A36, B26, B28
85	CERK	A10
85501	N85501	A64, A76
85655	KSFF	A36, B26, B28
862-14	AS86214	A4, B64
87449	C53366	A37, B24
877	B877	A9, B64
887170	WA887170	A76
887171	WA887171	A76
887172	WA887172	A76
892-202	CF892202	A11
89825	KSFF	A36, B26, B28
8L-1HC	SA8105	A61
90-021	G90021	A9, A26
90-116	G90116	A25, A41
90-160	G90160	A28, B64
90-380	G90380	A27, A62
90-400	G90400HC	A27
90-400D	G90400D	A27
90-401	G90400HC	A27
90-711	G90400D	A27
91	B91	A9, B64
910001	A1	A32, B22
910002	A50	A32, B22
910004	A52	A32, B22
910-372	PP910372	A47
910-374	PP910374	A47
910-385	PP910385	A47
910-392	PP910392	A47
910-681	PP910900	A47
910-691	PP910900	A47
910-900	PP910900	A47
91-590	G91590HC	A27
91-591	G91590HC	A27
920055	FVI	A32, B22
920077	FV	A32, B22
94	CERK	A10
9400 Series	TTL	A38, A68
940-071A	PP940090	A51
940-072A	PP940120	A51
940-090	PP940090, PP940090D	A51
940-120	PP940120	A51
940-510A	PP940510A, PP940510AD	A52
940-520A	PP940520A	A52
940-730A	PP940730A	A51
940-740A	PP940740A, PP940740AD	A51
940-950A	PP940240, PP940950A	A46, A47
941-045A	PP940950A	A47
941-061A	PP940090	A51
941-062A	PP940120	A51
941-081A	PP940090D	A51
941-320	PP941320	A52
941-330	PP941330	A52
941-340	PP941340	A52
960-080A	PP960080A	A49
960-110A	PP960110A	A49
960-160A	PP960160A	A50
960-280A	PP960280A	A49
960-370	PP960370	A46
962-260	PP962260	A46
96790	MOSLFH	A42
96791	MO96791	A41
96797	MO96884	A41
96884	MO96884	A41
970-500	PP970500	A53, B65
970-510	PP970510	A53, B65
971-100A	PP971100A	A50
97-142	G97142	A25
972-110	PP972110	A50
972-691	PDSP	A53, B46
972-692A	PP972692A	A53
974-292	PP974292N, PP974292	A46
974-690	PP962260	A46
97-510	DA62N1285	A22, A25, A75, A76
97-600	G97600	A9, A26, A35
97-731	PDSGE	A28, A56, B46
98-672	G98673	A26
98-673	G98673	A26
98-688	G98688OS,G98688, G98797HC	A26, A27
98-689	G98689OS, G98689, G98797HC	A26, A27
98-710	G98710	A26
98-711	G98711	A26
98-726	G98726	A26
98-793H & C	G98902PR	A28
98-794D	G98794D	A28
98-797H & C	G98797HC	A27
98-813D	G98813D	A28
98-813H & C	G98900PR	A28
98-900PR	G98900PR	A28
98-902PR	G98902PR	A28
99523	GRF	A29
99-571-KT	G99571KT	A28, A59, B18
99B0493	S99B0493	A63
99S-0369	S99S0369	A63, B65
9B-3	SAK13H, SAK13C	A54
9B-5	SAK13D	A54
9C-23HC	AS5072907	A1
9C-7	K20905, K20904	A33

A

A003	SAA003	A56, B65
A049	BA049, BA049N	A55
A-1	H11868	A32
A1382H & C	S2990HC	A63
A156A	SA156A	A29, A58, A73
A-15-A	SA15A	A29, A56, A73
A163A	SA163AP	A58, A75
A-19-AC	SA19AC	A29, A57, A73
A-19-AU	SA19AU	A29, A57, A73
A-36-A	SA36A	A30, A58, A74
A-37-A	SA37A	A30, A58, A74
A-38-A	SA36A	A30, A58, A74
A-50	H11868	A32
A-52	H11868	A32
A-56-A	SA156A	A29, A58, A73
A-60	H11868	A32
A-71	SA71	A30, A57, A74
A8079	SA8079	A61
A8080	SA8080	A61
A8106	SA8106	A62
A8107	PPRE	A50, A55, A60, A63, A64
A8250	SA8250HC	A62
A8251	SA8250HC	A62

OEM REFERENCE NUMBER INDEX

OEM #	BHC #	Page #
A8252	SA8252	A62
A8253	SA8253HC	A62
A8254	SA8253HC	A62
A8676H & C	SA8676HC	A63
AP300104-L32	G99571KT	A28, A59, B18
B		
B-0044-H	TSB44H	A66
B-0060-H	TSB60H	A66
B-0068-H	TSB72H	A66
B-0072-H	TSB72H	A66
B-0107	TS786145, TSB0107	A66
B-0109-01	TSB010901	A66
B-0133	TS786145	A66
B-0177	TS786145	A66
B-0502	TSB0502	A67
B-0509	TSB0509	A67
B-0968	TSB0968RK01	A67
B-0968-RK01	TSB0968RK01	A67
B-0969	TSB0969RK01	A67
B-0969-RK01	TSB0969RK01	A67
B-121		A68
B-121 through		
B-124	TS64L, TS66L, TS271240, TS271140	A68
B-1421	TS786145	A66
B-32-A	SB32A	A57, A73
B-39	SB39	A56, A73
B-50-A	SB50A	A57, A73
B-850 through		
B-894	TS271240, TS271140, TS64L, TS66L	A68
BR-5	H11868	A32
B-WH4C & H	TSBWH4CH	A67
C		
C-100500-K	SC100500K	A6, A29, A59
E		
E039	PDSSA	A56, B46
E-9030	ERSUX6750R, ERSUX6750L	A22
E-9031	ERSUX6750R, ERSUX6750L	A22
E-9035	ERSUX6750R, ERSUX6750L	A22
E-9036	ERSUX6750R, ERSUX6750L	A22
E-9040	ERSUX6750R, ERSUX6750L	A22
E-9045	ERSUX6750R, ERSUX6750L	A22
E-907C	ERSUX6750R, ERSUX6750L	A22
EL-128-A	SEL128A	A56
F		
F059	BF059, BF059N	A55
F060	BF060, BF060N	A55
F12975	CF12975	A16
F141-16ACQ	CDF20	A13
F141-3ACQ	CDF20, CDF1413ACQ	A14
F141ACQ	CDF20	A13
F141AU	CDF20	A13
F141-AU	CDF20, CDF141AU	A14
F141-KC	CDF141KC	A14
F141-KU	CDF141KU	A14
F143-16ACQ	CDF20	A13
F143-1AU	CDF20	A13
F143-3ACQ	CDF20	A13
F143AU	CDF20	A13
F20	CDF20	A13
F222-3	CDF2223	A14
F223-2	CDF2232	A14
FB8552	CFB8552	A16
FB8553	CFB8553	A16
FHC-3D	PP940740AD	A51
G		
G04-0244	SPTSRH	A60
G04-0278	SPTSRH	A60
G04-0296-PC	SPTSRH	A60
G05-0349	SPG050349	A60
G05-0350	SPG05030	A60
G05-0412	SPTSRH	A60
G-1002-A	SG1002A	A57
G-1003-A	SG1003A	A57
G-75-AC	SG1003A	A57
G-76-AU	SG1002A	A57
GP1039444	KCF	A36, B25
GP1078440	KCFF	A36, B26
GP1078441	KCFF	A36, B26
GP30000	K30000H, K30000C	A34
GP3002	K30135	A33
GP3004	K30134	A33
GP30413	K77548	A32
GP49114	KRF	A36
GP51487	KCW	A38
GP52050	KCW	A38
GP76671	K76671	A33
GP76672	K76672	A33
GP76851	K76851	A33
GP77548	K77548	A32
GP77886	K77886	A33
GP83064	KRFN	A36, B26
GP83888	SRGK	A38, B31
GP84995	KHF	A36, B26
GP85160	C53356, C53316	A36
GP88925	KSFF	A36
H		
H-1009-A	SH1009A	A58, A75
H-1010-A	SH1010A	A58, A75
H28	DRP6062	A21
H-541-ASD	SH541ASD	A30, A58, A74
H-543-ASD	SH543ASD	A30, A58, A74
I		
IDA49	SAK13D	A54
J		
JP1996-SFVB-RK	ZVB	A72
K		
K-10800	K20786, K20785	A33
K1-3	SAK13H, SAK13C, SAK13D	A54
K-2-CS	CEK2CS	A10
K-2-CT	CEK2CT	A10
K-2-DT	CEK2DT	A10
K-3-CT	CEK3CT	A10
K4500	SAK4500H, SAK4500C	A54
K6950	K30135, K30134	A33
K6960	K30135, K30134	A33
K-70920-25	K20786, K20785	A33
K7400	K30135, K30134	A33
K7401T	K30135, K30134	A33
K7780	K30135, K30134	A33
K7782	K30135, K30134	A33
K7825T	K30135, K30134	A33
K7827T	K30135, K30134	A33
K-9404-L	TL8	A38, B19
M		
M961107-0020A	ASM961107	A3
N		
N-3025	AS12971007	A4
N-3055	AS7306907	A4
N3075V	TLAS4-8, TLAS4-8W	A7, A16, A24, A25, A28, B18
O		
OR123	SCMPK	A57, A74
P		
P002	SAK13H	A54
P004	SAK13C	A54
P006	SAK13D	A54
P035-6561	BRP0356561	A8
P056-625	BRP056625, BRS650001	A8
P068	SAK4500H	A54
P069	SAK4500C	A54
P071C & H	BP071	A54
P072	BP072	A55
P1070	SAP300	A54
P107-1.6ACQ	CDP10716ACQ	A15, A16
P107-1KU	CDP1071KU	A14
P107-3.5ACQ	CDP1073ACQ	A15, A16
P107-KC	CDP107KC	A14
P300	SAP300	A54
P303	BP303	A8, A32, A61
P311	SA056	A55
P737	BP737	A9, A55
P740	BP740	A9, A55
P740D	BP740D	A9, A55
P8184	URP9354	A69
P9354	URP9354	A69
PF141553-PK	FPF141553	A75
R		
R-1001-A	SR1001A	A30, A58, A74
R-1002-A	SR1002A	A30, A58, A74
R1003	URR1003	A70
R-1003-A	SR1003A	A30, A58, A75
R1005	URR1005	A69
R107-1KU	CDP1071KU	A14
R107-KC	CDP107KC	A14
R1019	URR1019	A70
R107-1.6AC	CDR10716AC	A14
R107-3AC	CDR1073AC	A14
R427	CD427A	A13
RP12631	DRP12631	A20
RP15659	DRP19659	A21, A45
RP1740	DRP1740	A20, A45
RP1740 Series	DRP1740, DRP12631, DRP2390	A20, A21, A44, A45
RP1740MBS	DRP1740	A20, A45
RP17449	DRP2389	A18, A44
RP17451	DRP2391	A18, A44
RP17655	DRP2392	A18
RP17730	DRP17730	A20
RP18627	DRP12631	A20
RP19659	DRP19659	A21, A45
RP1974	DRP1974, DCCDH	A20, A21, A44, A45
RP19804	DRP19804, DTSHA	A17, A19
RP1991	DRP1991	A17
RP1991MBS	DRP1991	A17
RP212	DRP212P, DRP212B, DRP212	A18, A43
RP2389	DRP2389	A18, A44
RP2390	DRP2390	A21
RP2391	DRP2391	A18, A44
RP2392	DRP2392	A18
RP2393	DRP2393	A18, A44, A71
RP2692	DRP19659	A21, A45
RP2865	DRP2865	A17, A44
RP320	DRP320, DRP320B	A17
RP330	MTAA1516	A3, A21
RP3550	DRP3550	A17
RP3614	DRP3614	A19, A44
RP3616	DRP3616	A19, A44
RP4993	DRP4993	A21, A44
RP50	DRP50	A19
RP5648	DRP5648	A21, A45, B45
RP5649	DRP5649	A17, A44
RP5692	DRP19659	A21, A45
RP5693	DRP5693	A21, A45
RP5883	DRP5883	A19
RP6062	DRP6062	A21
RP6399	DRP6399	A17
RP70	DRP70, DRP70P, DRP70B	A18, A43
RP8230	DRP8230	A20, A45
RP8230	DRP8230	A20, A45
RP90	DRP90	A18, A44, A71
RSUX6750L	ERSUX6750L	A22
RSUX6750R	ERSUX6750R	A22
S		
S53-053/90-75	BRS65074, BRS65115	A8
S53-058/90-75	BRS65074, BRS65115	A8
S53-082/90-75	BRS65074, BRS65115	A8
S53-295/90-75	BRS65074, BRS65115	A8
S65-074	BRS65074	A8
S65-115	BRS65115	A8
SC100500K	PACET	A6, A29, A59, D12
SL01	SCMPK	A57, A74
SL07K	SCMPK	A57, A74
SL08	SCMPK	A57, A74
SL09	SCMPK	A57, A74
SL-13A	SCMPK	A57, A74
SL16	SCMPK	A57, A74
ST723	TTL	A38, A68, B19
SU-353-EL	CESU353EL	A10
SU-353-ER	CESU353ER	A10
SU-353-EWC	CESU353EWC	A10
SU-353-EWH	CESU353EWH	A10
T		
T-1	SYTA4	A65
T-19	SYT1920	A65
T-2	SYTA4	A65
T-20	SYT1920	A65
T-29A	SYT29C	A65
T-29C	SYT29C	A65
T-3	SYTA4	A65
T-30	SYT30	A65
T-308	SAK13D, SAK13H, SAK13C	A54
T-31	SYT31	A65
T-32	SYT65	A65
T-33	SYT65	A65
T470	MOT470	A41
T-65	SYT65	A65
TA-10	SYTA4, SYTA10, SYCH, SYT65, SYT31, SYT30	A65
TA-4	SYTA4	A65
THU004	TLT	A24, A68, B19
THU068	TLT2	A24, A68, B20
THU084	TTL	A38, A68, B19
THU140S	TOBF	A68, B27
THU175S	TORF	A68, B27
TII	DA62N1285	A22, A25, A75, A76
V		
V001 Series	VV1001, VV7059	A71
V003	VV7059	A71
V1001CD	VV1001	A71
V1112	VV1001	A71
V1165	DRP90	A18, A44, A71
V3416	PDSV	A64, A69, A72, B46
V4268	VV4268	A71
V5002	VV5002	A61, A71
V500AA	SV500AA34, SV500AA114, SV500AA112	A13, A31, A57, A72
V-551-A	SV551A	A29, A56, A73
V-553-A	SV553A	A59
V651A	SV551A	A29, A56, A73
V6639	VV6679	A22, A71
V6679	VV6679	A22, A71
V6680	VV6680	A10, A22, A70
V6804	VV6804	A22, A71
V7059	VV7059	A71
V7800	VV7800	A72
V7815	VV7815	A72
VP1964	VVP1964-LF	A10, A22, A70
VP1965	VVP1965	A10, A22, A71
W		
W1003	URR1003	A70
W1005	URR1005	A69
W1019	URR1019	A70
WFG-1	SCMPK	A57, A74
X		
XQ16	M6307066	A39
Z		
Z6000	ZZ6000	A72
Z6000B	SV551A	A29, A56, A73
Z6000C	SH541ASD	A30, A58, A74
Z6000-EC	ZZ6000EC	A72
Z6000-EU	ZZ6000EU	A73

BRAXTON HARRIS CO., INC.


6.1.25

LOCATER CHART FOR STEMS/CARTRIDGES/HANDLES

STEP 1: Find exact match of broach on "Broach Key".
STEP 2: Find manufacturers with this type broach.
STEP 3: Place stem/cartridge/handle on "Stem/Cartridge/Handle Length Chart" to get actual length.
STEP 4: Locate manufacturers identified in step 2 (which are located in alphabetical order in catalog, Section A) to identify your specific item. All stems, cartridges & handles in this catalog have broach type & overall length listed.


STEP 1: BROACH KEY (DETAILED VIEW, NOT ACTUAL SIZE)

POINTED BROACHES



OTHER BROACH STYLES


(detailed view, not actual size)



STEP 2: LOCATE MANUFACTURER

A- Bradley*, Kohler*, Sterling*
B- Crane*, Price Pfister*, Symmons*
C- Eljer*, Gerber*, Grohe*, Danfoss*
D- American Standard*, Briggs*, Central Brass*, Eljer*, Gerber*, Kohler*, Sayco*, Sterling*
E- Moen*, Streamway*, Nibco*
F- Union Brass*
G- Kohler*
H- Speakman*, T&S Brass*
I- American Standard*
J- American Standard*, Chicago Faucet*, Kohler*, Sterling*
K- Delta*, Peerless*
L- Delta*, Moen*, Sayco*
M- Price Pfister*
N- Kohler*
O- Delta*, Eljer*, Peerless*, Valley*
P- Central Brass*, Delta*, Eljer*, Peerless*, Sterling*, Valley*
Q- Kohler*, Moen*, Universal Rundle*
R- Central Brass*, Eljer*, Valley*

STEP 3: STEM/CARTRIDGE/HANDLE LENGTH (ACTUAL LENGTH)



6.1.25

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

SECTION A ..... REPAIR PARTS / KITS

AMERICAN STANDARD* A1
BRADLEY* A8
BRIGGS* A9
CAROMA* A75
CENTRAL BRASS* A10
CHICAGO* A11
COAST* A12
COYNE-DELANY* A13
CRANE* A15
DELTA*/DELEX* A17
ELJER* A22
FERGUSON* A75
FILLPRO* A75
FLUIDMASTER* A25
GERBER* A25
GROHE* A75
HOOV-R-LINE* A32
HUNTER*/LAVELLE* A76
KOHLER* A32
MANSFIELD* A39
MOEN* A40
NIBCO* A76
PEERLESS* A43
PRICE PFISTER* A46
REPAL* A76
SAYCO* A54
SLOAN* A56
SPEAKMAN* A60
STERLING* A61
STREAMWAY* A64
SYMMONS* A65
TEMPRESS II*/DANFOSS* A76
T&S BRASS* A66
TOTO* A68
UNION BRASS* A69
UNIVERSAL RUNDLE* A69
VALLEY* A70
VORTENS* A76
WATTS* A76
ZURN* A72

NOTES

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (AMERICAN STANDARD*)

CARTRIDGE FOR AQUARIAN*



- Fits American Standard* Aquarian* one-handle kitchen faucets
- 2-3/8" overall length
- ■ broach

PART #	DESCRIPTION	PKG./CTN.
AS5786407	(Replaces # 57864-07)	1


4 GALLON SEAL SET FOR AQUARIAN*



- Fits American Standard* Aquarian* one-handle kitchen faucets

PART #	DESCRIPTION	PKG./CTN.
AS5758307	(Replaces # 57583-07)	1

SPOUT SEAL KIT FOR AQUARIAN*



- Fits American Standard* Aquarian* one-handle kitchen faucets

PART #	DESCRIPTION	PKG./CTN.
AS6933207	(Replaces # 69332-07)	1

CARTRIDGE SEAL SET FOR AQUAMIX*



- Fits American Standard* Aquamix* one-handle faucet
- Set of three lower seals

PART #	DESCRIPTION	PKG./CTN.
AS6382707	(Replaces # 63827-07)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (AMERICAN STANDARD*)

STEMS FOR COLONY*



- Fits American Standard* two-handle lavatory & kitchen faucets
- 16 pt. broach
- 1-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
AS6480307	Hot (Replaces # 64803-07)	1
AS6480407	Cold (Replaces # 64804-07)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (AMERICAN STANDARD*)

STEMS FOR AQUA-SEAL* & HERITAGE*



- Fits American Standard* two-handle lavatory & kitchen faucets & two/three-handle tub/shower valves
- 22 pt. broach
- Stem 1-13/16" overall length
- (Ref. # 2K-1)

PART #	DESCRIPTION	PKG./CTN.
AS7295017	Hot, less locknut (Replaces # 72950-17)	1
AS7295117	Cold, less locknut (Replaces # 72951-17)	1
AS7295017L	Hot, with locknut (Replaces #72950-17)	1
AS7295117L	Cold, with locknut (Replaces # 72951-17)	1

SHORT PATTERN STEM FOR COLONY*



- Fits American Standard* two & three-handle tub/shower valves
- With stainless steel bibb screw
- 16 pt. broach • 4-3/8" overall length
- (Ref. # 9C-23HC)

PART #	DESCRIPTION	PKG./CTN.
AS5072907	Hot or cold (Replaces # 50729-07)	1

SHORT PATTERN DIVERTER STEM FOR COLONY*



- Fits American Standard* three-handle tub/shower diverter valve
- 16 pt. broach • 5" overall length
- (Ref. # 11C-1D)

PART #	DESCRIPTION	PKG./CTN.
AS5072207	(Replaces # 50722-07)	1

LONG PATTERN STEM FOR COLONY*



- Fits American Standard* two & three-handle tub/shower valve
- With stainless steel bibb screw
- 16 pt. broach • 5-1/8" overall length
- (Ref. # 11C-3CH)

PART #	DESCRIPTION	PKG./CTN.
AS7285507	Hot or cold (Replaces # 72855-07)	1

BRAXTON HARRIS CO., INC.

6.1.25

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (AMERICAN STANDARD*)

LONG PATTERN DIVERTER STEM FOR COLONY*



- Fits American Standard* three-handle tub/shower diverter valve
- 16 pt. broach • 5-3/4" overall length
- (Ref. # 12C-1D)

PART #	DESCRIPTION	PKG./CTN.
AS7285607	(Replaces # 72856-07)	1


BARREL



- Fits American Standard* two & three-handle tub/shower valves
- 7/8" dia. x 1-1/2" overall length
- Use with American Standard* stem #s 20731-02, 21451-02, 31344-04 & 21666-02

PART #	DESCRIPTION	PKG./CTN.
AS2033608	Hot (Replaces # 20336-08)	1
AS2056308	Cold (Replaces # 20563-08)	1

STEM FOR CADET*



- Fits American Standard* two-handle lavatory, kitchen faucets & two/three-handle tub/shower valves
- 16 pt. broach • 1-3/4" overall length
- Fits 2350 series lav., 1800 series bath

PART #	DESCRIPTION	PKG./CTN.
AS6628807	Hot or cold (Replaces #s 66288-07 & 34597-07)	1

CANOPY HANDLES FOR HERITAGE* LAVATORY & KITCHEN



- Fits American Standard* two-handle lavatory & kitchen faucets
- Chrome plated canopy
- Includes buttons & screws
- 22 pt. broach. • 1-9/16" overall height

PART #	DESCRIPTION	PKG./CTN.
AS6458021	Hot & cold (Replaces #s 6458-021 & 6458-023)	1 pr.

CANOPY HANDLES FOR HERITAGE* WIDESPREAD LAV. & TUB/SHOWER



- Fits American Standard* two-handle wide spread lavatory & two/three-handle tub/shower valves
- Chrome plated canopy. • Priced per pair
- Includes buttons & screws
- 22 pt. broach • 1-5/8" overall height

PART #	DESCRIPTION	PKG./CTN.
AS6459021	Hot & cold (Replaces #s 6459-021 & 6459-023)	1 pr.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (AMERICAN STANDARD*)

DIVERTER HANDLE FOR HERITAGE* TUB/SHOWER



- Fits American Standard* three-handle tub/shower diverter valve
- Includes button & screw
- Chrome plated canopy
- 1-5/8" overall height • 22 pt. broach

PART #	DESCRIPTION	PKG./CTN.
AS64590221	Diverter (Replaces # 6459-0221)	1

THREADED ESCUTCHEON NIPPLE



- Fits American Standard*, Central Brass*, Eljer*, Harcraft*, Indiana* & Savoy*
- 9/16" dia. x 2-1/4" overall length
- 20 TPI

PART #	DESCRIPTION	PKG./CTN.
CETEN	Brass	1

UNIVERSAL-FIT ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin
- Fits two-handle wide spread lavatory & two/three-handle tub/shower valves
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* w/thread inside packing nut
  - 5/8" x 24: Sterling* w/old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

TOP-HAT WASHER FOR CADET*



- Fits American Standard* two-handle lavatory & kitchen faucets & two/three-handle tub/shower valves
- Nu-Seal rubber diaphragm washer

PART #	DESCRIPTION	PKG./CTN.
AS4424907	(Replaces # 44249-07)	10

TOP-HAT WASHER FOR AQUA-SEAL*



- Fits American Standard* two-handle lavatory & kitchen faucets & two/three-handle tub/shower valves
- New-style rubber diaphragm washer

PART #	DESCRIPTION	PKG./CTN.
AS7294007	(Replaces # 72940-07)	1

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (AMERICAN STANDARD*)

COLONY* TUB & SHOWER VALVE REBUILD KIT



- Fits American Standard* Colony* three-handle tub/shower valves
- Kit is self-contained with all the necessary parts
- Includes handle trim
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
ASCTSVRK	Complete rebuild kit	1

AQUA-SEAL*/HERITAGE* LAVATORY FAUCET REBUILD KIT



- Rebuilds American Standard* two-handle lavatory faucets. Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, helpful tools & required tools are featured on package
- Stem 1-13/16" overall length
- Locknut 15/16" dia. x 9/16" overall length

PART #	DESCRIPTION	PKG./CTN.
ASLFRK	Complete rebuild kit	1

REPAIR KIT FOR AQUA-SEAL*



- Fits American Standard* two-handle lavatory & kitchen faucets & tub/shower valves
- Kit contains top-hat washers & stem o-rings

PART #	DESCRIPTION	PKG./CTN.
ASAS	(Replaces # 72940-07)	1

REPAIR KIT FOR COLONY*



- Fits American Standard* Colony* three-handle tub/shower diverter valve
- 2-pc. diverter washer

PART #	DESCRIPTION	PKG./CTN.
ASDW	(Repairs # 72855-07)	1 set

FAUCET REPAIR PARTS (AMERICAN STANDARD*)

AERATOR ADAPTER



- Fits American Standard* & Delta* faucet spouts
- Chrome plated brass with washer
- 2.2 GPM (60 PSI) • Regular male thread

PART #	DESCRIPTION	PKG./CTN.
MTAA1516	55/64" x 27 male thread 15/16" x 27 female thread	1

POP-UP BASIN DRAIN STOPPER



- Fits American Standard*
- 1.48" stopper OD x 4.71" overall height
- Chrome plated stopper
- ABS with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
ASPDS	Pop-up drain stopper	1

POP-UP BASIN DRAIN PLUG WASHER/SEAL RING



- Fits American Standard* pop-up basin drain stopper & BHC # ASPDS stopper

PART #	DESCRIPTION	PKG./CTN.
ASPUPW	Seal washer	1

VACUUM BREAKER REBUILD KIT (ORIGINAL-STYLE)



- Fits American Standard* institutional & commercial faucets & ballcocks

PART #	DESCRIPTION	PKG./CTN.
AS665101	(Replaces # 665101-0020A)	1

VACUUM BREAKER REBUILD KIT (NEW-STYLE)



- Fits American Standard* institutional & commercial faucets only

PART #	DESCRIPTION	PKG./CTN.
ASM961107	(Replaces # M961107-0020A)	1

BRAXTON HARRIS CO., INC.

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (AMERICAN STANDARD*)

SEATS



- Fits American Standard* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
AS5653407	1/2" x 20 x 3/8"	56534-07	2
AS5728107	1/2" x 20 x 7/16"	57281-07 (Colony*)	2
AS86214	7/16" x 24 x 13/32"	862-14 (Aquaseal*)	2
AS17414	9/16" x 24 x 3/8"	174-14	2
AS184807	9/16" x 18 x 3/8"	1848-07	2

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

SEAT DISC TANK BALLS


AS7338307


AS3364307

- Fits all American Standard* small-tilt flush valves
- Black rubber
- Shipped with protective cover

PART #	DESCRIPTION	PKG./CTN.
AS7338307	Screw-on style (Replaces # 73383-07)	1
AS3364307	Snap-on style (Replaces # 33643-07)	1

COMBO SEAT DISC TANK BALL



- Fits American Standard* small tilt flush valves
- Combination seat disc, screw-on & snap-on
- Brass adapter permits use as snap-on or thread
- Black rubber
- Shipped with protective cover

PART #	DESCRIPTION	PKG./CTN.
SDTBC	Combo screw-on or snap-on (Replaces #s 73383-07 & 33643-07)	1

FLUSH VALVE SEALS


AS7306907


AS71527

- Fits American Standard* flush valves
- Rubber seals for old-style flush valves

PART #	DESCRIPTION	PKG./CTN.
AS7306907	Fits # N-3055 (Replaces # 73069-07)	1
AS71527	Fits old-style # 4 flush valve (Replaces # 715-27)	1

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

BALLCOCK REPAIR PARTS


AS833907


AS12971007


AS7307007

- Fits American Standard* ballcocks

PART #	DESCRIPTION	PKG./CTN.
AS833907	Plastic ballcock plunger w/ thumb hole. Fits # 3010 ballcock. (Replaces # 8339-07)	1
AS12971007	Plastic cap & plunger w/ seat ballcock kit. (New-style) Fits # N-3025. (Replaces # 12971-007)	1
AS7307007	2-hole diaphragm (only) for # AS12971007 above. Black rubber. (Replaces # 73070-07)	10

BALLCOCK PISTON REPAIR KIT FOR COAST* # 1B1X



- Repairs Coast* # 1B1X anti-siphon ballcocks. (Ballcocks with 3 screws)
- Also fits American Standard*, Briggs*, Eljer*, Kohler* & Universal Rundle* high-end, low-boy closets
- 2-3/16" OD x 1-3/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55214	(Replaces # 55214)	1

COMPLETE #4 NEW-STYLE FLUSH VALVE



- Fits American Standard* # 3161 series.
- Without overflow tube
- With plastic seat
- Complete short actuator with disc, chain, clip & grommet
- White

PART #	DESCRIPTION	PKG./CTN.
AS47107	(Replaces # 47107-07A)	1

LOW PROFILE #5 & #6 NEW-STYLE WATER SAVER ACTUATING UNIT



- Fits American Standard* Ellise*, Roma* & other one & two-piece closets
- With half-open float
- Complete with disc, chain, clip & grommet
- White with blue cap

PART #	DESCRIPTION	PKG./CTN.
AS33582	(Replaces # 33582-07UA)	1

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

HIGH PROFILE ACTUATING UNIT FOR #4 OLD-STYLE, 1-PC LOW-BOY*



- Fits American Standard* # 3156 series
- With plastic support legs
- With closed float
- Complete with disc, chain, clip, grommet & legs
- Black

PART #	DESCRIPTION	PKG./CTN.
AS8162	(Replaces # 8162-07)	1

COMPLETE #5 FLUSH VALVE FOR STANDARD 2-PC CLOSETS



- Fits American Standard* # 3158 series
- Tall unit
- Black

PART #	DESCRIPTION	PKG./CTN.
AS47089	(Replaces #s 47089-07 & 47062-07)	1

HIGH PROFILE ACTUATING UNIT FOR #6 OLD-STYLE (W/DISC)



- Fits American Standard* # 3159 series
- With half-open float
- Complete with disc, chain, clip & grommet
- Black

PART #	DESCRIPTION	PKG./CTN.
AS73880	(Replaces # 73880-07)	1

LOW PROFILE ACTUATING UNIT FOR #5 NEW-STYLE



- Fits American Standard* # 3158 series
- With closed float
- Complete with disc, chain, clip & grommet
- Black

PART #	DESCRIPTION	PKG./CTN.
AS33642	(Replaces # 33642-07)	1

ACTUATOR LIFT CHAIN KIT



- Fits all American Standard* actuating units
- Complete with chain, rubber grommet & clip

PART #	DESCRIPTION	PKG./CTN.
AS832107	(Replaces # 8321-07)	1

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

PLASTIC SUPPORT LEGS FOR #4 OLD-STYLE FLUSH VALVE



- Fits American Standard*
- Fits BHC # AS8162

PART #	DESCRIPTION	PKG./CTN.
AS72227	(Replaces # 722-27)	1

"U" FLUSH VALVE GASKET



- Fits American Standard* flush valves
- Tank & bowl gasket

PART #	DESCRIPTION	PKG./CTN.
ASUFVG	"U" flush valve gasket	1

RED FLAPPER (REPLACES ACTUATING UNIT)



- Replaces American Standard* actuating unit
- Fits 2" flush valve
- Made of TPR (thermoplastic rubber to resist chlorine)
- With kink resistant stainless steel chain and adapter

PART #	DESCRIPTION	PKG./CTN.
ASFR-BP	Individually blister packed†	1/10
ASFR-BX	Individually boxed †	1/10

COAST* FLAPPER FOR ONE-PIECE CLOSET (WITH FLOAT)



- Fits American Standard*, Kohler* & some Toto* one-pc. closets
- Fits 2" flush valve • 1.6 GPF • New-style
- (Replaces Coast* # 53356)
- (Replaces Am. Std.* #s 738071-0070A & 738003-300)

PART #	DESCRIPTION	PKG./CTN.
C53356-BP	Individually blister packed†	1/10
C53356-BX	Individually boxed †	1/10

COAST* FLAPPER FOR ONE-PIECE CLOSET (WITHOUT FLOAT)



- Fits American Standard*, Kohler* & some Toto* one-pc. closets
- Fits 2" flush valve • 1.6 GPF • New-style
- (Replaces Coast* # 53316)
- (Replaces Am. Std.* #s 738003-300 & 738071-0070A)

PART #	DESCRIPTION	PKG./CTN.
C53316-BP	Individually blister packed †	1/10
C53316-BX	Individually boxed †	1/10

BRAXTON HARRIS CO., INC.

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

1.6 GPF BLUE FLAPPER WITH FOAM FLOAT



- Fits American Standard* Cadet*, Glen York*, Plebe* & Renaissance* closets
- Fits 2" flush valve
- With foam float
- Made of TPR (thermoplastic rubber to resist chlorine)
- Stainless steel chain & hook
- (Ref. # 738920-0070P)

PART #	DESCRIPTION	PKG./CTN.
ASF-BP	Individually blister packed	1/10
ASF-BX	Individually boxed	1/10

JUMBO 3" FLAPPER FOR CADET III*



- Fits American Standard* Cadet III*
- Fits 3" flush valve
- Ball chain with full-loop hook
- Hard white body with chemical resistant black seal ring
- (Ref. # 738920-0070A)

PART #	DESCRIPTION	PKG./CTN.
ASCF-BP	Individually blister packed †	1/10
ASCF-BX	Individually boxed †	1/10

TANK-TO-BOWL BOLT SETS



TBBWA TBBHA

- Fits American Standard*, Crane*, Eljer*, Kohler* & Borg Warner*
- Set includes: 2 ea. 5/16" x 3" tank bolts, 1 ea. # SRGAKC sponge rubber gasket, 4 ea. cloth inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TBBWA2	Brass bolts w/ wing nuts	25/250
TBPWA2	Brass plated bolts w/ wing nuts	25/250
TBBHA2	Brass bolts w/ hex nuts	25/250
TBPHA2	Brass plated bolts w/ hex nuts	25/250

3-PIECE TANK-TO-BOWL BOLT SET



- Fits American Standard*
- 5/16" x 3" bolts
- Complete with bolts, nuts, washers & # SRGAKC sponge rubber gasket

PART #	DESCRIPTION	PKG./CTN.
TBPHA3S NEW	Brass plated bolts w/ wing nuts	1/25
TBPWA3S	Brass plated bolts w/ wing nuts	25/250

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

RECESSED TANK-TO-BOWL GASKET



- Fits American Standard*, Borg Warner*, Crane* & Mansfield* closets
- 3-3/8" OD x 2-1/8" ID x 1-3/16" thick
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
SRGAKC	Sponge rubber (Replaces # 73216-07)	25/250

PRESSURE ASSIST CARTRIDGE



- Fits Sloan* Flushmate* for American Standard*, Gerber*, Kohler*, Mansfield*, Orion*, St. Thomas* & Western* tanks
- Same installation, same adjustments, same flush, American made, 100% individually tested, bagged with instructions
- Fits #s 501, 501A, 501B & 503 series Flushmate* system
- Used on all series except 200

PART #	DESCRIPTION	PKG./CTN.
SC100500K	(Replaces Sloan* # C-100500-K)	1

PRESSURE ASSIST CARTRIDGE EXTRACTOR TOOL



- Easy-in/easy-out extractor tool for Sloan* cartridge in American Standard* Flushmate* tanks
- Eliminates broken cartridges and skinned knuckles
- Use with any 3/8" socket wrench to install or remove # SC100500K listed above

PART #	DESCRIPTION	PKG./CTN.
PACET	Cartridge extractor tool	1

FLUSH VALVE SEAL RING



- Fits American Standard* Champion* & Gerber* Flushmate* cartridges
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
AS738651	3-1/4" Seal ring (Orange) Ref. # 738651-0070A	1
AS7301111	4-1/4" Seal ring (Blue) Ref. # 7301111-0070A	1

BRASS URINAL FLANGE KIT



- Complete kit
- Fits American Standard*, Crane*, Eljer*, Gerber* & Kohler*

PART #	DESCRIPTION	PKG./CTN.
UFK	2" IPS x 4-1/4"	1

†Call for bulk pricing.

AMERICAN STANDARD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

TANK LEVER WITH 4" ARM



- Fits American Standard*, Briggs* & Eljer* 1-pc. closets. (For beaded or link chain)
- 4-1/4" plastic arm with molded spud & nut
- C.P. plastic handle
- For # 3156 flush valves

PART #	DESCRIPTION	PKG./CTN.
TL4	(Replaces #s 73392-02 & 70437-0200)	1

TANK LEVER WITH 6" ARM (4° ANGLE)



- Fits American Standard* Plebe* & Cadet* closets
- With molded spud & nut
- 6" plastic handle has slight (4°) angle
- C.P. plastic handle, spud, nut & arm

PART #	DESCRIPTION	PKG./CTN.
TLAS6	(Replaces # 47148-03)	1

COMBINATION TANK LEVERS (45° ANGLE)



- Fits American Standard* Carlyle* & New Cadet* closets
- With plastic spud & nut
- Cut-to-length / 4", 6" or 8"
- (Replaces #s 70437-0200 (4"), 73439-02 (6"), 3521-145 (6") & 4719-0020A (6"))

PART #	DESCRIPTION	PKG./CTN.
TLASN4-8	CP plastic handle, spud, nut & arm	1
TLASN4-8W	White plastic handle, spud, nut & arm	1

COMBINATION TANK LEVERS (28° ANGLE)



- Fits American Standard* closets
- With plastic spud & nut
- Cut-to-length / 4", 6" or 8"

PART #	DESCRIPTION	PKG./CTN.
TLAS28	CP plastic handle, spud, nut & arm	1
TLAS28W	White plastic handle, spud, nut & arm	1

COMBINATION TANK LEVERS



- Fits American Standard*, Crane*, Eljer*, Fluidmaster* & Gerber*
- With plastic spud & nut
- Cut-to-length / 4", 6" or 8"
- Fit-all tank lever
- (Replaces Glenwall* # 2093, Cadet* #s 2108, 2109, 2120, 2131, 2138, 2139 & Aquameter*)
- (Repairs # 33459 or # 3526-019 or # N3075V (4"), # 47147-0020 (chrome), # 47148-02 (white), # 3521-011)

PART #	DESCRIPTION	PKG./CTN.
TLAS4-8	CP plastic handle	1
TLAS4-8W	White plastic handle	1

CLOSET REPAIR PARTS (AMERICAN STANDARD*)

TANK LEVER FOR CHAMPION*



- Fits American Standard* Champion* closet tanks
- Chrome plated metal handle with brass arm

PART #	DESCRIPTION	PKG./CTN.
AS738772	(Replaces # 738772-0020A)	1

PRESSURE ASSIST TANK LEVER WITH LINKAGE (FITS FLUSHMATE*)



- Fits Sloan* Flushmate* for American Standard* tanks
- Chrome plated metal handle with brass arm (Look-design-construction - same as OEM)

PART #	DESCRIPTION	PKG./CTN.
AS738254	(Replaces # 738254-0020A)	1

PRESSURE ASSIST TANK LEVER (FITS FLUSHMATE*)



- Fits American Standard* Champion* closets
- Chrome plated metal handle with brass arm (Look-design-construction - same as OEM.)
- For #s 4098 & 4099 American Standard* tanks

PART #	DESCRIPTION	PKG./CTN.
AS738473	(Replaces # 738473-0020A)	1

TANK LEVER FOR CADET III*



- Fits American Standard* Cadet III* closet tanks
- CP plastic handle, spud, nut & arm

PART #	DESCRIPTION	PKG./CTN.
AS738903	(Replaces # 738903-0020A)	1

SIDE-MOUNT TANK LEVER



- Fits American Standard* Heritage*, Antiquity* models & other side-mount Porcher*/American Standard* closets
- Fits #s 2038 & 2071 one-piece closet tanks
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TLASS	(Replaces # 730283-0020A)	1

BRADLEY* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

WASH STATION REPAIR PARTS (BRADLEY*)

FOOT VALVE FOR BRADLEY*



- Fits Bradley* wash station
- Uses same repair kit as factory
- All parts interchange with OEM
- All valves are 100% individually tested
- Made from the same materials as the OEM
- Brass body, arm & seat

PART #	DESCRIPTION	PKG./CTN.
BRP056625	(Replaces # P056-625)	1

REPAIR KIT FOR OLD-STYLE FOOT VALVE



- Repairs Bradley* old-style foot valve with screw (manufactured from 1963-2003)

PART #	DESCRIPTION	PKG./CTN.
BRP0356561	(Replaces # P035-6561)	1

REPAIR KIT FOR NEW-STYLE FOOT VALVE



- Repairs Bradley* new-style foot valve OEM # P056-625 or BHC # BRP0356561 (Manufactured after 2003)

PART #	DESCRIPTION	PKG./CTN.
BRS650001	(Replaces # S65-0001)	1

WASH STATION REPAIR PARTS (BRADLEY*)

METERING CARTRIDGE FOR MECHANICAL METERING FAUCETS



- Fits Bradley*:
  - # S53-053/90-75 w/ 4" center set,
  - # S53-082/90-75 w/4" center set & 8" trim plate,
  - # S53-058/90-75 w/4" center shank,
  - # S53-295/90-75 w/4" center shank & 8" trim plate
- Includes: cartridge, 2 ea. service wrenches, silicone lubricant packs, inlet filter disc, felt soap guard washer & instructions
- Push-button cartridge

PART #	DESCRIPTION	PKG./CTN.
BRS65074	Preset 10-12 seconds. (Replaces # S65-074)	1
BRS65115	Preset 5-7 seconds. (Replaces # S65-115)	1

BRAD-TROL* CARTRIDGE



- Fits Bradley*, Briggs*, Kohler* & Sterling* old-style one-handle lavatory, kitchen faucets & tub/shower valves
- 3-1/2" overall length
- ✿ broach
- (Replaces Kohler* # 42148 (# 42178) & Briggs* # P303)

PART #	DESCRIPTION	PKG./CTN.
BP303	(Replaces #s 300-0050 & 300-0760)	1

WE SHIP SAME DAY.

BRIGGS* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (BRIGGS*)

ESCUTCHEON WITH SET SCREW



- Fits Briggs*, Gerber* & Kohler* two & three-handle tub/shower valves
- 1-1/8" ID x 2-3/4" OD, 1/2" height
- (Use with BHC # G90021 sleeve)
- Chrome plated flange

PART #	DESCRIPTION	PKG./CTN.
G97600	(Replaces Gerber* # 97-600)	1

ESCUTCHEON SLEEVE



- Fits Briggs* & Gerber*
- 1-1/8" OD x 3-3/4" overall length
- (Use with BHC # G97600 escutcheon)
- Chrome plated sleeve

PART #	DESCRIPTION	PKG./CTN.
G90021	(Replaces Gerber* # 90-021)	1

CANOPY HANDLES FOR LAVATORY



- Fits Sayco* Space-Age* & Briggs* two-handle lavatory & kitchen faucets
- Chrome plated with buttons & screws
- 16 pt. broach • 1-5/8" overall height
- Priced per pair • (Sayco* # 2521F/23H&C)

PART #	DESCRIPTION	PKG./CTN.
BP737	(Replaces # P737)	1 pr.

CANOPY TUB/SHOWER HANDLES



- Fits Briggs* & Sayco* Space-Age* two & three-handle tub/shower valves
- Chrome plated with buttons & screws
- 16 pt. broach • 2-1/4" overall height
- Hot & cold • (Sayco* # 22-F79/23H&C)

PART #	DESCRIPTION	PKG./CTN.
BP740	(Replaces # P740)	1 pr.

CANOPY DIVERTER HANDLE



- Fits Briggs* & Sayco* three-handle tub/shower diverter valves
- Chrome plated • 16 pt. broach • 2-1/4" overall height
- (Replaces Sayco* #s 22-F79D & 22-F23D)

PART #	DESCRIPTION	PKG./CTN.
BP740D	(Replaces # P740D)	1

BALLCOCK REPAIR KIT (FOR HIGH-END, LOW-BOY CLOSETS)



- Fits Briggs*, American Standard*, Coast*, Eljer*, Kohler* & Universal Rundle* anti-siphon ballcocks (Ballcocks with 3 screws)
- 2-3/6" OD x 1-3/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55214	(Replaces Coast* # 55214, repairs # 1B1X)	1

CLOSET REPAIR PARTS (BRIGGS*)

SEATS



- Fits Briggs* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	**OEM #**	
B22092	1/2" x 20 x 7/16"	22092	2
B91	5/8" x 20 x 13/16"	91	2
B22379	5/8" x 24 x 7/16"	22379	2
B877	9/16" x 20 x 3/8"	877	2

UNIVERSAL-FIT ESCUTCHEON NIPPLE (NYLON)



- New & improved unbreakable resin.
- Fits two-handle wide spread lavatory & two/three-handle tub/shower valves
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* w/thread inside packing nut
  - 5/8" x 24: Sterling* w/ old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*), Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

RECESSED TANK-TO-BOWL GASKET



- Fits Briggs*, American Standard*, Borg Warner*, Crane*, Kohler*, Mansfield* & Western Pottery* closets
- 3-3/8" OD x 2-1/8" ID x 1-3/16" thick
- Sponge rubber • Recessed
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
SRGAKC	(Replaces Am. Std.* # 73216-07)	25/250

TANK LEVER FOR 1-PC CLOSETS



- Fits Briggs*, American Standard* & Eljer* 1-pc closets
- 4-1/4" plastic arm w/ molded spud & nut
- Use with beaded or link chain
- For # 3156 flush valve
- C.P. plastic handle

PART #	DESCRIPTION	PKG./CTN.
TL4	(Replaces Am. Std.* #s 73392-02 & 70437-0200)	1

**Other Briggs* Handles & Index Buttons located in Sayco* section.*

BRAXTON HARRIS CO., INC.

6.1.25

CENTRAL BRASS* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (CENTRAL BRASS*)

CARTRIDGE (OLD-STYLE)



- Fits Central Brass*, Aqualine*, Eljer*, Sears*, U.S. Brass* & Valley* one-handle lavatory/kitchen faucets & tub/shower valves
- ● broach • 2-3/8" overall length

PART #	DESCRIPTION	PKG./CTN.
VV6680	(Replaces Valley* # V6680)	1

CARTRIDGE (NEW-STYLE, NON-DIVERTER)



- Fits Central Brass*, Aqualine*, Eljer*, Sears*, U.S. Brass* & Valley* one-handle lavatory, kitchen faucets & tub/ shower valves
- ■ broach • 2-15/16" overall length • (Ref. # 40069)

PART #	DESCRIPTION	PKG./CTN.
VVP1964-LF	(Replaces Valley* # VP1964)	1

CARTRIDGE (NEW-STYLE, DIVERTER)



- Fits Central Brass*, Aqualine*, Eljer*, Sears* & U.S. Brass* & Valley* one-handle lavatory, kitchen faucets & tub/shower valves
- ■ broach • 2-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
VVP1965	(Replaces Valley* # VP1965)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (CENTRAL BRASS*)

STEMS (BRASS)



- Fits Central Brass* two-handle lavatory faucets
- With stainless steel bibb screw
- 16 pt. broach • 1-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
CESU353ER	Hot (Replaces #s SU-353-ER & 1C-6H)	1
CESU353EL	Cold (Replaces #s SU-353-EL & 1C-6C)	1

WASHERLESS STEMS (BRASS)



- Fits Central Brass* two-handle lavatory faucets
- 16 pt. broach • 2-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
CESU353EWH	Hot (Replaces # SU-353-EWH)	1
CESU353EWC	Cold (Replaces # SU-353-EWC)	1

OLD-STYLE TUB/SHOWER STEM (BRASS)



- Fits Central Brass* two & three-handle tub/shower valves
- 16 pt. broach • 5-1/2" overall length

PART #	DESCRIPTION	PKG./CTN.
CEK2CS	Hot or cold (Replaces #s K-2-CS) (Ref. # 11C-11HC)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (CENTRAL BRASS*)

OLD-STYLE TUB/SHOWER STEM (BRASS)



- Fits Central Brass* two & three-handle tub/shower valves
- 16 pt. broach • 5-3/8" overall length

PART #	DESCRIPTION	PKG./CTN.
CEK2CT	Hot or cold (Replaces # K-2-CT) (Ref. # 11C-5HC)	1

NEW-STYLE TUB/SHOWER STEM (BRASS)



- Fits Central Brass* two & three-handle tub/shower valves
- 16 pt. broach • 5" overall length

PART #	DESCRIPTION	PKG./CTN.
CEK3CT	Hot or cold (Replaces # K-3-CT) (Ref. # 10L-11HC)	1

OLD-STYLE DIVERTER STEM (BRASS)



- Fits Central Brass* old-style two & three-handle tub/shower diverter valves
- 16 pt. broach • 6" overall length

PART #	DESCRIPTION	PKG./CTN.
CEK2DT	Diverter stem (Replaces # K-2-DT) (Ref. # 12L-1D)	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Central Brass* two-handle lavatory faucets
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
CELFRK	Complete rebuild kit	1

WASHERLESS CONVERSION/ REPAIR KIT



- Fits Central Brass* two-handle faucets
- Works on either hot or cold side
- Converts standard faucet to washerless operation
- Just remove the bibb seat & replace with this kit
- Repairs sink #s 77T, 77U, 78T, 720-723, 746-749, lav. #s 7137, 7137D, 7138, 7139, 7147, 714D, 7148 & 7149 • Plastic
- Converts sink #s 38, 47, 120-149, lav. #s 1137-1149, laundry #s 84, 85 & 94 • Complete with packing, two gaskets, disc & sleeve

PART #	DESCRIPTION	PKG./CTN.
CERK	(Converts #s SU-353-ER/EL, Repairs #s SU-353-EWH/EWC)	1

CENTRAL BRASS* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (CENTRAL BRASS*)

BELL ESCUTCHEON



- Fits Central Brass* two & three-handle tub/shower valves
- 9/16"-20 thread
- 9/16" ID x 2-3/4" OD at base x 2-1/4" overall length
- Chrome plated plastic

PART #	DESCRIPTION	PKG./CTN.
CE521B	(Replaces # 521-B)	1

THREADED ESCUTCHEON NIPPLE



- Fits American Standard*, Central Brass*, Eljer*, Harcraft*, Indiana* & Savoy*
- 9/16" dia. x 2-1/4" overall length • 20 TPI

PART #	DESCRIPTION	PKG./CTN.
CETEN	Brass	1

CANOPY LEVER HANDLES



- Fits Central Brass* two-handle lavatory faucet
- Chrome plated • Includes screws
- 1-1/8" overall height • 16 pt. broach
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
CE523HC	Hot & cold (Replaces #s 523H & 523C)	1 pr.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (CENTRAL BRASS*)

SHOWER DIVERTER WASHER



- Fits Central Brass* shower diverter valve
- White plastic
- .81" OD x .52" ID x .067" H
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CE4MA	(Replaces # 4-MA)	10

SEATS



- Fits Central Brass* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	OEM #	
CE263	1/2" x 24 x .418"	263	2
CE165	5/8" x 24 x 23/32"	165	2
CE59	9/16" x 27 x 13/32"	59	2

CHICAGO FAUCET* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

TWO-HANDLE FAUCET REPAIR PARTS (CHICAGO FAUCET*)

QUATURN* CARTRIDGE (NEW-STYLE)



- Fits Chicago Faucet* two-handle lavatory & kitchen faucets
- Brass • ■ broach • 2-11/16" overall length
- (Ref. # 6S-2)

PART #	DESCRIPTION	PKG./CTN.
CF1100XT	Hot (Replaces # 1-100XTJKNF)	1
CF199XT	Cold (Replaces # 1-99XTJKNF)	1

STEM REPAIR KIT FOR QUATURN*



- Fits Chicago Faucet* two-handle lavatory, kitchen faucets & tub/shower valves
- Repairs both old & new-styles (slow compression)
- Repairs one cartridge

PART #	DESCRIPTION	PKG./CTN.
CF277	(Replaces #s 277 & 12770)	1

TWO-HANDLE FAUCET REPAIR PARTS (CHICAGO FAUCET*)

COMMERCIAL VACUUM BREAKER



- Fits Chicago Faucet*, Quaturn* & Slow-Close* faucets

PART #	DESCRIPTION	PKG./CTN.
CF892202	(Replaces # 892-202)	1

FAUCET REPAIR PARTS (CHICAGO FAUCET*)

NON-SLOTTED AERATORS



- Fits Chicago Faucet*, Kohler*, Price Pfister*, Speakman*, T&S Brass* & Union Brass* faucet spout
- With removable low-flow disc • Chrome plated brass
- 2.2 GPM (60 PSI)

PART #	DESCRIPTION	PKG./CTN.
FAFT34	Female thds.: 3/4" x 27 inside thds.	1

FEMALE FAUCET AERATOR ADAPTER



- Adapts 13/16" -24 female threads to 55/64" -27 male threads

PART #	DESCRIPTION	PKG./CTN.
FTAA1316	Chrome plated brass	1


BRAXTON HARRIS CO., INC.

COAST* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (COAST*)

BALLCOCK REPAIR KIT FOR COAST* #s 1B1 & 1B1P



- Repairs Coast* #s 1B1 & 1B1P anti-siphon ballcocks (Standard large head kit for ballcocks with 3 screws)
- 2-3/16" OD x 1-13/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55010	(Replaces #s 55010 & 55014)	1

BALLCOCK PISTON REPAIR KIT FOR COAST* # 1B1A



- Repairs Coast* # 1B1A anti-siphon ballcocks made for Ace* (Ballcocks with 3 screws)
- Smaller head kit, 1-3/4" OD x 1-7/16" ID

PART #	DESCRIPTION	PKG./CTN.
C1B1AK	(Repairs #1B1A)	1


BALLCOCK PISTON REPAIR KIT FOR COAST* # 1B1X



- Repairs Coast* #1B1X anti-siphon ballcocks (Ballcocks with 3 screws)
- Also fits American Standard*, Briggs*, Eljer*, Kohler* & Universal Rundle* high-end, low-boy closets
- 2-3/16" OD x 1-3/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55214	(Replaces # 55214)	1

BALLCOCK REPAIR KIT FOR MARK II*



- Fits Coast* Mark II* ballcock (with screw-down large top) & large clip
- 2-3/16" OD x 1-13/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55074	(Replaces # 55074)	1

CLOSET REPAIR PARTS (COAST*)

BALLCOCK REPAIR KIT FOR MARK III*



- Fits Coast* Mark III* ballcock (with screw-down small top) & small clip
- 1-3/4" OD x 1-7/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55114	(Replaces # 55114)	1

BALLCOCK REPAIR KIT FOR MARK IV*



- Fits Coast* Mark IV* ballcock (with screw-down small top) & small clip
- 1-3/8" OD x 1-7/16" ID

PART #	DESCRIPTION	PKG./CTN.
C55194	(Replaces # 55194)	1

TOP ASSEMBLY (BONNETS)



C71666 C71736 C71866

- Fits Coast* ballcocks with twist-off tops, black clips & red clips

PART #	DESCRIPTION	PKG./CTN.
C71666	Fits anti-siphon # 1B1 (Replaces # 71666)	1
C71736	Fits non-anti-siphon Coastmaster* Mark III* ballcock cap (Replaces # 71736)	1
C71866	Fits # 1B1X (Replaces # 71866)	1

FLUSH VALVE SEAL RING



- Replaces seal for Coast* Certain Flush and Crane* Sure Seal canister flush valves
- OD: 4" ID: 1" Thickness: .122"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
CCFVS	4" Seal ring (Red)	1

†***Call for bulk pricing.***

COAST* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (COAST*)

COAST* FLAPPER FOR ONE-PIECE CLOSET (WITH FLOAT)



- Fits American Standard*, Kohler* & some Toto* one-pc. closets
- 1.6 GPF • New-style
- (Replaces Coast* # 53356)

PART #	DESCRIPTION	PKG./CTN.
C53356-BP	Individually blister packed †	1/10
C53356-BX	Individually boxed †	1/10

COAST* FLAPPER FOR ONE-PIECE CLOSET (WITHOUT FLOAT)



- Fits American Standard*, Kohler* & some Toto* one-pc. closets
- 1.6 GPF
- New-style
- (Replaces Coast* # 53316)

PART #	DESCRIPTION	PKG./CTN.
C53316-BP	Individually blister packed †	1/10
C53316-BX	Individually boxed †	1/10

CLOSET REPAIR PARTS (COAST*)

BLUE FLAPPER WITH RIBBED TOP



- Fits Coast* 2" flush valves
- Made of TPR (thermoplastic rubber to resist chlorine)
- With kink resistant stainless steel chain & hook
- Without trunion
- (Replaces # 53376)
- (Ref. #s 53396, 53246)

PART #	DESCRIPTION	PKG./CTN.
C53376-BP	Individually blister packed †	1/10
C53376-BX	Individually boxed †	1/10

BLUE FLAPPER



- Fits Coast*, American Standard* & Kohler* 2" flush valves
- Made of TPR (thermoplastic rubber to resist chlorine)
- With kink resistant stainless steel chain & hook
- (Replaces # 53366)

PART #	DESCRIPTION	PKG./CTN.
C53366-BP	Individually blister packed †	1/10
C53366-BX	Individually boxed †	1/10

†Call for bulk pricing.

COYNE-DELANY* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

CLOSET/URINAL REPAIR PARTS (COYNE-DELANY*)

VACUUM BREAKERS



SV500AA34



SV500AA114



SV500AA112

- Fits Coyne-Delany*, Gerber*, Sloan* & Zurn* flush valves

PART #	DESCRIPTION	PKG./CTN.
SV500AA34	3/4" x 9" (Replaces CD* #s 50VB & V500AA)	1
SV500AA114	1-1/4" x 9" (Replaces CD* #s 50VB & V500AA)	1
SV500AA112	1-1/2" x 9" (Replaces CD* #s 50VB & V500AA)	1

VACUUM BREAKER ASSEMBLY



- Fits Coyne-Delany* flush valves

PART #	DESCRIPTION	PKG./CTN.
CD427A	(Replaces # R427)	1

CLOSET/URINAL REPAIR PARTS (COYNE-DELANY*)

RELIEF AUXILIARY VALVE



- **Fits Coyne-Delany* Flushboy* flush valves:**
  - **- 4.5 GPF CLOSET** - *With seat:* # F141ACQ
    Without seat: # F141-3ACQ
  - **- 3.5 GPF CLOSET** - *With seat*: # F141-3ACQ
    Without seat: # F143-3ACQ
  - **- 1.6 GPF CLOSET** - *With seat*: # F141-16ACQ
    Without seat: # F143-16ACQ
  - **- 1.5 GPF URINAL** - *With seat*: # F141AU
    Without seat: # F143AU
  - **- 1.0 GPF URINAL** - *With seat*: # F141-AU
    Without seat: # F143-1AU

PART #	DESCRIPTION	PKG./CTN.
CDF20	(Replaces # F20)	1

BRAXTON HARRIS CO., INC.

COYNE-DELANY* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (COYNE-DELANY*)

HANDLE OPERATING STEM



- Fits Coyne-Delany* Flushboy* & New Presto* flush valves
- 1-15/16" overall length • New-style long • Brass

PART #	DESCRIPTION	PKG./CTN.
CDF2232	(Replaces # F223-2)	1

FLEXER/HANDLE SEAL



- Fits Coyne-Delany* flush valves
- For flush valve handle • Rubber

PART #	DESCRIPTION	PKG./CTN.
CDF2223	(Replaces # F222-3)	1

LEATHER REPAIR KIT (URINAL)



- Fits Coyne-Delany* Presto* urinal flush valves
- For valves with 1.0 GPF equipment

PART #	DESCRIPTION	PKG./CTN.
CDP1071KU	(Replaces # (R) P107-1KU)	1

LEATHER REPAIR KIT (CLOSET)



- Fits Coyne-Delany* Presto* closet flush valves
- For valves w/ 1" supply or larger

PART #	DESCRIPTION	PKG./CTN.
CDP107KC	(Replaces # (R) P107-KC)	1

LEATHER REPAIR KIT (URINAL)



- Fits Coyne-Delany* Flush Boy* urinal flush valves
- For low consumption valves w/ 3/4" supply or smaller

PART #	DESCRIPTION	PKG./CTN.
CDF141KU	(Replaces # F141-KU)	1

LEATHER REPAIR KIT (CLOSET)



- Fits Coyne-Delany* Flush Boy* closet flush valves
- For valves w/ 1" supply or larger

PART #	DESCRIPTION	PKG./CTN.
CDF141KC	(Replaces # F141-KC)	1

WE SHIP SAME DAY.

CLOSET/URINAL REPAIR PARTS (COYNE-DELANY*)

MASTER REBUILD KIT FOR REX* CLOSET



- Fits Coyne-Delany* flush valves
- Small leather diaphragm for valves w/ 1.6 GPF equipment

PART #	DESCRIPTION	PKG./CTN.
CDR10716AC	Closet (Replaces R107-1.6AC)	1

MASTER REBUILD KIT FOR REX* CLOSET



- Fits Coyne-Delany* flush valves
- Small leather diaphragm for valves w/ 3.5 GPF equipment

PART #	DESCRIPTION	PKG./CTN.
CDR1073AC	Closet (Replaces R107-3AC)	1

OLD-STYLE MASTER REBUILD KIT FOR FLUSHBOY* URINAL



- Fits Coyne-Delany* Flushboy* old-style urinal flush valves
- Large leather diaphragm • 1.5 GPF urinal
- Complete kit including seat assembly
- For valves w/ a 3/4" supply or smaller

PART #	DESCRIPTION	PKG./CTN.
CDF141AU	(Replaces # F141-AU)	1

OLD-STYLE MASTER REBUILD KIT FOR FLUSHBOY* CLOSET



- Fits Coyne-Delany* Flushboy* old-style closet flush valves
- Large leather diaphragm
- 3.5 GPF closet
- Complete kit including seat assembly
- For water saver values w/ 1" supply or larger and Turn-to-Silence equipment

PART #	DESCRIPTION	PKG./CTN.
CDF1413ACQ	(Replaces # F141-3ACQ)	1

SHUT-OFF VALVE REBUILD KIT



- Rebuilds Coyne-Delaney* Flush Boy* shut-off valve # 44-4AJ
- (Ref. # 44-4AJ)

PART #	DESCRIPTION	PKG./CTN.
CDSOVRK	Shut-off valve rebuild kit	1

COYNE-DELANY* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (COYNE-DELANY*)

MASTER REBUILD KIT FOR PRESTO*/ URINAL (1.5 GPF)/CLOSET (1.6 GPF)



- Fits Coyne-Delany* Presto*, Empire* & Crane* closet flush valves
- Small leather diaphragm
- For valves w/ 1.6 GPF closet & 1.5 GPF urinal

PART #	DESCRIPTION	PKG./CTN.
CDP10716ACQ	(Replaces # P107-1.6ACQ)	1

MASTER REBUILD KIT FOR PRESTO* CLOSET (3.5 GPF)



- Fits Coyne-Delany* Presto*, Empire* and Crane* closet flush valves
- Small leather diaphragm
- For valves with 3.5 GPF equipment

PART #	DESCRIPTION	PKG./CTN.
CDP1073ACQ	(Replaces # P107-3.5ACQ)	1

CLOSET/URINAL REPAIR PARTS (COYNE-DELANY*)

FLUSHOMETER WRENCH



- Angled to fit in cramped spaces.
- Smooth jaws protect chrome finish
- Fits 1-1/8" - 2-5/8"
- Use anywhere that you need to protect the finish

PART #	DESCRIPTION	PKG./CTN.
FW	Wrench	1

EASY-OUT MAIN SEAT REMOVAL TOOL



- Fits all Coyne-Delany* & Crane* main valve seats
- Use with any 3/8" socket wrench

PART #	DESCRIPTION	PKG./CTN.
EOMSRT	Valve seat removal tool	1

CRANE* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (CRANE*)

DIAL-EZE SEAL KIT



- Fits Crane* Dial-Eze* two-handle lavatory, kitchen faucet & two & three-handle tub/shower valves
- Kit contains 2 ea. washers, 2 ea. fiber discs, 2 ea. o-rings & 2 ea. washers
- Plastic insert for diverter & canopy handles

PART #	DESCRIPTION	PKG./CTN.
CSK	Complete kit	1

FLUSH VALVE SEAL RING



- Replaces seal for Coast Certain Flush flush valve

PART #	DESCRIPTION	PKG./CTN.
CCFVS	4" Seal ring (Red)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (CRANE*)

UNIVERSAL-FIT ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin
- Fits two-handle wide-spread lavatory & two & three-handle tub/shower valves
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* with thread inside packing nut
  - 5/8" x 24: Sterling* w/ old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

BRAXTON HARRIS CO., INC.

6.1.25

CRANE* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (CRANE*)

DIAL-EZE STEMS



- Fits Crane* Dial-Eze* two-handle lavatory, kitchen faucets & two & three-handle tub/shower valves
- 2-5/16" overall length
- Brass
- 12 pt. broach/5/16" small
- (Ref. # 5A-1)

PART #	DESCRIPTION	PKG./CTN.
CFB8553	Hot (Replaces # FB8553)	1
CFB8552	Cold (Replaces # FB8552)	1

FLAPPER FOR CRANE*



- Fits Crane* 2" flush valves
- With styrene float & 9" stainless chain & hook
- Made of TPR (thermoplastic rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
CRF-BP	Individually blister packed †	1
CRF-BX	Individually boxed †	1

†Call for bulk pricing.

3-WAY FLAPPER



- Fits Crane* old # 57 flush valves
- Also fits plastic & brass flush valves
- Vinyl with stainless steel chain & hook

PART #	DESCRIPTION	PKG./CTN.
3WF	3-way flapper	1

BALLCOCK DIAPHRAGM



- Fits Crane* plastic & brass ballcocks
- 1-1/8" OD x 1/8" thick

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CF12975	(Replaces # F12975)	10

TANK-TO-BOWL BOLT SETS



- Fits Crane*, American Standard*, Borg Warner*, Eljer*, Kohler* closets
- Set includes: 2 ea. 5/16" x 3" tank bolts, 1 ea. #SRGAKC sponge rubber gasket, 4 ea. cloth inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TBBWA2	Brass bolts w/ wing nuts	25/250
TBPWA2	Brass plated bolts w/ wing nuts	25/250
TBBHA2	Brass bolts w/ hex nuts	25/250
TBPHA2	Brass plated bolts w/ hex nuts	25/250

CLOSET/URINAL REPAIR PARTS (CRANE*)

TANK-TO-BOWL GASKET



- Fits Crane*
- 3-3/16" OD x 2-1/6" ID x 1-1/16" thick
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
SRGC	Sponge rubber	10

RECESSED TANK-TO-BOWL GASKET



- Fits Crane*, American Standard*, Borg Warner*, Briggs*, Kohler*, Mansfield* & Western Pottery* closets
- 3-3/8" OD x 2-1/8" ID x 1-3/16" thick
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
SRGAKC	Sponge rubber (Replaces # 73216-07)	10

COMBINATION TANK LEVERS


TLAS4-8


TLAS4-8W

- Fits American Standard*, Crane*, Eljer*, Fluidmaster* & Gerber* closets
- With plastic spud & nut
- Cut-to-length / 4", 6" or 8"
- Fit-all tank lever
- (Replaces Glenwall* # 2093, Cadet* #s 2108, 2109, 2120, 2131, 2138, 2139, Aquameter*)
- Repairs # 33459 or # 3526-019 or # N3075V (4"), # 47147-0020 (chrome), # 47148-02 (white), # 3521-011

PART #	DESCRIPTION	PKG./CTN.
TLAS4-8	C.P. plastic handle	1
TLAS4-8W	White plastic handle	1

MASTER REBUILD KIT FOR CRANE* CLOSET (1.6 GPF) / URINAL (1.5 GPF)



- Fits Crane* & Coyne-Delany* Presto*, Empire* closets & urinals. 1.6 GPF closet 1.5 GPF flush urinal
- Small leather diaphragm

PART #	DESCRIPTION	PKG./CTN.
CDP10716ACQ	(Replaces # P107-1.6 ACQ)	1

MASTER REBUILD KIT FOR CRANE* CLOSET (3.5 GPF)



- Fits Crane* & Coyne-Delany* Presto* & Empire* closets
- For valves w/ 3.5 GPF equipment
- Small leather diaphragm

PART #	DESCRIPTION	PKG./CTN.
CDP1073ACQ	(Replaces # P107-3.5ACQ)	1

CRANE* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (CRANE*)

BRASS URINAL FLANGE KIT



- Complete kit
- Fits Crane*, American Std.*, Eljer*, Gerber* & Kohler*

PART #	DESCRIPTION	PKG./CTN.
UFK	2" IPS x 4-1/4"	1

CLOSET/URINAL REPAIR PARTS (CRANE*)

EASY-OUT MAIN SEAT REMOVAL TOOL



- Fits all Crane* & Coyne-Delany* main valve seats
- Use with any 3/8" socket wrench

PART #	DESCRIPTION	PKG./CTN.
EOMSRT	Valve seat removal tool	1

DELTA*/DELEX* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

CARTRIDGE FOR SLO-CLOZ*



- Fits Delta* single-side Slo-Cloz* lavatory faucet
- 3-1/2" overall length
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP6399	(Replaces # RP6399)	1

NEW-STYLE PRESSURE BALANCE CARTRIDGE



- Fits Delta* Monitor* one-handle tub/shower valve
- Complete assembly w/ stainless steel plate
- For # 1300 & # 1400 series
- ● broach • 4-1/8" overall height

PART #	DESCRIPTION	PKG./CTN.
DRP19804	(Replaces # RP19804)	1

SCALD-GUARD* CARTRIDGES



DRP1991



DRP3550

- Fits Delta* Delex* & Peerless* one-handle pressure balance tub/shower valves
- Fits valves with rectangular faceplates
- All plastic for extra corrosion resistance
- Complete with seats & springs
- ● broach • 2-1/8" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP1991	All plastic (Replaces #s RP1991 & RP1991MBS)	1
DRP3550	With brass stem (Replaces # RP3550)	1

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

SPRAY DIVERTER



DRP320



DRP320B

- Fits Delta* one-handle lavatory, kitchen faucets & tub/shower valves
- 15/16" overall height
- (Replaces # RP320)

PART #	DESCRIPTION	PKG./CTN.
DRP320	Plastic	1
DRP320B	Brass	1

TUB/SHOWER PUSH-BUTTON DIVERTER CARTRIDGE



- Fits Delta* Delex* & Peerless* one-handle tub/shower valve diverters
- Fits Scald Guard* & some Monitor* models
- 3-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP5649	(Replaces # RP5649)	1

DIVERTER CONVERTER PLUG



- Fits Delta* Delex* & Peerless* Scald Guard* & some Monitor* model one-handle tub/shower valves with push-button diverters
- Converts tub/shower valve bodies with push-button diverters to diverter tub spout
- Simply remove diverter stem, screw in diverter converter plug & add tub spout with diverter

PART #	DESCRIPTION	PKG./CTN.
DRP2865	(Replaces # RP2865)	1

BRAXTON HARRIS CO., INC.

6.1.25

DELTA*/DELEX* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

SCALD-GUARD* FAUCET HANDLE



- Fits Delta* Delex* Scald-Guard* # 1600 one-handle tub/shower valves
- Clear acrylic
- ▮ broach
- Includes button & screw
- 2-1/4" overall height

PART #	DESCRIPTION	PKG./CTN.
DRP2392	(Replaces old # RP2392 & new # RP17655)	1

CLEAR ACRYLIC LAVATORY



- Fits Delta*/Peerless* one-handle lavatory faucets that use a # 212 ball
- Complete with button & screw
- 2-1/4" overall height
- ◆ broach

PART #	DESCRIPTION	PKG./CTN.
DRP2389	(Replaces old # RP2389 & new # RP17449)	1

CLEAR ACRYLIC TUB/ SHOWER HANDLE



- Fits Delta*/Peerless* one-handle tub/shower valves that use a # 212 ball
- With new-style cap
- 2-1/8" overall height
- ◆ broach

PART #	DESCRIPTION	PKG./CTN.
DRP2391	(Replaces old # RP2391 & new # RP17451)	1

METAL LEVER HANDLES



- Fits Delta*/Peerless*, U.S. Brass* & Valley* one-handle lavatory & kitchen faucets
- Fits # 70 ball
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP2393	Kitchen, 4-1/2" (Replaces Delta* # RP2393)	1
DRP90	Lavatory, 3-1/4" (Replaces Delta* # RP90) For 600 series faucets	1

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

70 STYLE PLASTIC BALL



- Fits Delta* Delex* & Peerless* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach
- 1-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP70P	(Replaces # RP70)	1

70 STYLE BRASS BALL



- Fits Delta* Delex* & Peerless* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach
- 1-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP70B	(Replaces # RP70)	1

70 STYLE STAINLESS STEEL BALL



- Fits Delta* Delex* & Peerless* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach
- 1-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP70	(Replaces # RP70)	1

212 STYLE PLASTIC BALL



- Fits Delta* Delex* & Peerless* single-knob lavatory, kitchen faucets & tub/shower valves
- ◆ broach
- 2" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP212P	(Replaces # RP212)	1

212 STYLE BRASS BALL



- Fits Delta* Delex* & Peerless* single-knob lavatory, kitchen faucets & tub/shower valves
- ◆ broach
- 2" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP212B	(Replaces # RP212)	1

212 STYLE STAINLESS STEEL BALL



- Fits Delta* Delex* & Peerless* single-knob lavatory, kitchen faucet & tub/shower valves
- ◆ broach
- 2" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP212	(Replaces # RP212)	1

DELTA*/DELEX* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

TUB/SHOWER REPLACEMENT HANDLE ADAPTER



- Fits Delta* Scald-Guard* & Monitor* one-handle tub/shower valves, Delta* # RP19804, BHC # DRP19804

PART #	DESCRIPTION	PKG./CTN.
DTSHA	Handle adapter	1

ACRYLIC INDEX BUTTON



- Fits Delta*, Delex* & Peerless* one-handle lavatory, kitchen faucets & tub/shower valves

PART #	DESCRIPTION	PKG./CTN.
DSHIB	Index button	1/10

TUB VALVE REBUILD KIT



- Rebuilds Delta* one-handle tub valve
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
DTVRK	Complete rebuild kit	1

TUB OR SHOWER TRIM KIT



- Fits Delta* 600 series (less diverter) one-handle tub or shower valve
- Kit includes 1 ea. 6-3/4" OD brass escutcheon, 1 ea. clear acrylic Delta*-style handle, 1 ea. brass escutcheon tube, cap assy. & 2 ea. brass screws
- If replacing with diverter use our # DRP2865 to convert to tub spout diverter
- Available in decorative finishes

PART #	DESCRIPTION	PKG./CTN.
DRP5883K	(Replaces # RP5883 escutcheon) Also includes handle, tube, cap assy. screws	1

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)


LAVATORY FAUCET REBUILD KIT



- Rebuilds Delta* one-handle lavatory faucet
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
DLFRK	Complete rebuild kit	1

NEW # 1 REPAIR KIT (INCLUDES BOTH CAMS)



- Repairs all Delta* single-lever & single-knob lavatory, kitchen faucets & tub/shower valves
- 17 total pieces

PART #	DESCRIPTION	PKG./CTN.
DRP3614	(Replaces # RP3614 old # 1 & new # 1 repair kits)	1

OLD REPAIR KIT #2



- Repairs all Delta* single-knob lavatory, kitchen faucets & tub/shower valves
- Kit includes teflon-lined slotted cam
- 11 total pieces

PART #	DESCRIPTION	PKG./CTN.
DRP3616	(Replaces RP3616)	1

CAP ASSEMBLY



- Fits Delta* one-handle lavatory, kitchen faucets & tub/shower valves
- Chrome metal cap with plastic top ring
- Fits all single lever & knob faucets

PART #	DESCRIPTION	PKG./CTN.
DRP50	(Replaces # RP50)	1

BRAXTON HARRIS CO., INC.

DELTA*/DELEX* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

KITCHEN FAUCET REBUILD KIT



- Rebuilds Delta* one-handle kitchen faucet
- Includes handle trim
- Conveniently packaged with all necessary parts
- Each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
DKFRK	Complete rebuild kit	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

OLD-STYLE WASHERLESS CARTRIDGE



- Fits Delta* Delex*, Peerless* two-handle lavatory, kitchen faucets & tub/shower valves
- All plastic for extra corrosion resistance
- ◖ broach
- 1-7/8" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP1974	Hot or cold (Replaces # RP1974)	1

NEW-STYLE WASHERLESS CARTRIDGE



- Fits Delta* Delex*, Peerless* two-handle lavatory, kitchen faucets & tub/shower valves
- With stainless steel bottom
- ◖ broach
- 1-7/8" overall length
- (Ref. # 3S-8HC)

PART #	DESCRIPTION	PKG./CTN.
DRP1740	Hot or cold (Replaces #s RP1740 & RP1740MBS)	1

WASHERLESS CARTRIDGE WITH BRASS STEM



- Fits Delta* Delex*, Peerless* (prior to 2004) washerless acrylic two-handle lavatory, kitchen faucets
- Brass stem with stainless steel seat
- ◖ broach • 1-7/8" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP8230	(Replaces # RP8230)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

STEM EXTENDER



- Fits Delta* Delex* two & three-handle tub/shower valves
- Allows Delta* # RP1740 & BHC # DRP1740 cartridge to be used on bath models
- 3-1/8" overall length • ◖ broach
- (Ref. # 7S-4DEX)

PART #	DESCRIPTION	PKG./CTN.
DRP12631	Hot or cold (Replaces #s RP12631 & RP18627)	1

DIVERTER STEM



- Fits Delta* Delex* three-handle tub/shower diverter valve
- 3-1/8" overall length • ◖ broach
- (Ref. # 7S-4D)
- (Replaces bath diverter #s 2653, 2683, 2885)

PART #	DESCRIPTION	PKG./CTN.
DRP17730	(Replaces # RP17730)	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Delta* Delex* two-handle lavatory faucets. Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
DLF2RK	Complete rebuild kit	1

CLEAR ACRYLIC HANDLES



- Fits Delta* Delex*, Peerless two-handle lavatory/kitchen faucets & two & three-handle tub/shower valves
- With hot & cold buttons & screws
- ◖ broach • 2" overall height
- Fits # RP1974-type stems

PART #	DESCRIPTION	PKG./CTN.
DCCH	Hot & cold	1 pr.

CLEAR ACRYLIC DIVERTER HANDLE



- Fits Delta* Delex* & Peerless* three-handle tub/shower diverter valves
- ◖ broach • 2" overall height
- Fits # RP1974-type stems

PART #	DESCRIPTION	PKG./CTN.
DCCDH	Clear acrylic diverter handle	1

DELTA*/DELEX* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (DELTA*/DELEX*)

CANOPY LEVER HANDLES



- Fits Delta* Delex* two-handle lavatory & kitchen faucets
- Chrome plated
- Includes buttons & screws
- 1-7/8" overall height
- broach

PART #	DESCRIPTION	PKG./CTN.
DRP6062	Hot & cold (Replaces old # RP6062 & new # H28)	1 pr.

CLEAR ACRYLIC HANDLES



- Fits Delta* Delex* two-handle widespread Roman tub valves
- Includes buttons & screws
- Fits # RP1740-type stems
- 2" overall height • broach

PART #	DESCRIPTION	PKG./CTN.
DRP2390	Hot & cold (Replaces # RP2390/Delex*)	1 pr.

CLEAR ACRYLIC HANDLES



- Fits Delex* two-handle lavatory, kitchen faucets & tub/shower valves
- Also replaces old-style
- 1-7/8" overall height • broach

PART #	DESCRIPTION	PKG./CTN.
DRP5693	Hot & cold (Replaces #RP5693)	1 pr.

ACRYLIC INDEX BUTTONS



- Fits Delta* Delex* & Peerless* two-handle lavatory, kitchen faucets & tub/shower valves
- 1" diameter • Hot & cold buttons

PART #	DESCRIPTION	PKG./CTN.
DRP19659	(Replaces new # RP19659 & old # RP5692	1 pr.

SEAT ASSEMBLY



- Fits both one & two-handle Delta* Delex* & Peerless* faucets
- Kit contains 4 ea. TPR seats to fit old & new-style & 2 ea. old & 2 ea. new-style stainless steel springs

PART #	DESCRIPTION	PKG./CTN.
DRP4993	(Replaces # RP4993 new & old-style)	1

FAUCET REPAIR PARTS (DELTA*/DELEX*)

FAUCET REPLACEMENT HANDLE ADAPTER



- Adapts any Delex* or Peerless* handle to fit any Delta* faucet
- Fits Delta* Delex* & Peerless* one & two-handle faucets & tub/shower valves (Delta* Delex*, Peerless*, #s RP1974, RP1740 & BHC #s DRP1974 & DRP1740)

PART #	DESCRIPTION	PKG./CTN.
DFHA	Lever handle bushing	1

AERATOR ADAPTER



- Fits Delta* & American Standard* faucet spouts
- Chrome plated brass with washer
- 2.2 GPM (60 PSI) • Regular male thread
- Adapts 55/64" x 27 male thread to 15/16" x 27 female thread

PART #	DESCRIPTION	PKG./CTN.
MTAA1516	(Replaces # RP330)	1

POP-UP BASIN DRAIN STOPPER



- Fits Delta* & Peerless*
- Chrome plated stopper
- ABS with stainless steel trim
- 1-3/8" stopper OD x 5" overall height

PART #	DESCRIPTION	PKG./CTN.
DRP5648	(Replaces # RP5648)	1

POP-UP SEAL RING



- Fits Delta* pop-up basin drain stoppers

PART #	DESCRIPTION	PKG./CTN.
DPUSR	Seal ring	1

FLEXIBLE S.S. FAUCET CONNECTORS



- Fits Delta* faucet
- Hot & cold water
- Neoprene o-ring seal
- Working pressure 600 PSI @ 150°F
- 3/8" OD (female) comp. x 3/8" OD copper
- Stainless steel braided
- With chrome plated nut
- Burst pressure 2400 PSI
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FFCS012-LF	12" length	1
FFCS016-LF	16" length	1
FFCS020-LF	20" length	1

FLEXIBLE REINFORCED PVC FAUCET CONNECTORS

- Fits Delta* faucet
- Working pressure is 75 PSI
- Lead free
- With nylon insert
- Tested at 180 PSI

PART #	DESCRIPTION	PKG./CTN.
FFCP012-LF	12" length	1/25
FFCP016-LF	16" length	1/25
FFCP020-LF	20" length	1/25

ELJER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (ELJER*)

CARTRIDGE (OLD-STYLE)



- Fits Eljer*, Aqualine*, Central Brass*, Sears*, U.S. Brass* & Valley* one-handle lavatory, kitchen faucets & tub/shower valves
- Comes with seats
- ● broach
- 2-3/8" overall length

PART #	DESCRIPTION	PKG./CTN.
VV6680	(Replaces Valley* # V6680)	1


CARTRIDGE (NEW-STYLE)



- Fits Eljer*, Aqualine*, Central Brass*, Sears*, U.S. Brass* & Valley* one-handle kitchen faucets & tub/shower valves
- For faucet without spray diverter
- ● broach
- 2-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
VVP1964-LF	Non-diverter (Replaces Valley* # VP1964)	1

CARTRIDGE (NEW-STYLE)



- Fits Eljer*, Aqualine*, Central Brass*, Sears*, U.S. Brass* & Valley* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach
- 2-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
VVP1965	With diverter for spray (Replaces Valley* # VP1965)	1

PRESSURE BALANCING CARTRIDGE



- Tempress II* (TII) fits Eljer*, Gerber* & Grohe* one-handle tub/shower valves
- Comes with o-ring (# 062N0378)
- ◢ 15 pt. broach
- 3-7/16" overall length
- (Replaces Danfoss* # 062N1285, Brasstech* # 1-028, Gerber # 97-510 & Grohe* #s 6-3301-5-4, 47080000)

PART #	DESCRIPTION	PKG./CTN.
DA62N1285	Pressure balancing cartridge	1

ONE-HANDLE FAUCET REPAIR PARTS (ELJER*)

THREADED ESCUTCHEON NIPPLE



- Fits Eljer*, American Standard*, Central Brass*, Harcraft*, Indiana* & Savoy*
- 9/16" dia. x 2-1/4" overall length
- 20 TPI

PART #	DESCRIPTION	PKG./CTN.
CETEN	Brass	1

OLD-STYLE CLEAR ACRYLIC HANDLE




- Fits Eljer*, Aqualine* & some Sears*, Valley* single-handle lavatory faucet & tub/shower valves
- With set screw
- ● broach
- 1-3/8" overall height

PART #	DESCRIPTION	PKG./CTN.
VV6679	(Replaces Valley* # V6679)	1

TWO-HANDLE FAUCET REPAIR PARTS (ELJER*)

TUB/SHOWER STEMS (NEW-STYLE)



- Fits Eljer* two & three-handle tub/shower valves (new-style)
- 4-1/4" overall length
- 16 pt. broach
- (Ref. #s 490-6750-02; E-9030, 31, 35, 36, 40, 45, 7C; Lustra* & Regatta*)
- (Ref. # 10C-5)

PART #	DESCRIPTION	PKG./CTN.
ERSUX6750R	Hot (Replaces # RSUX6750R)	1
ERSUX6750L	Cold (Replaces # RSUX6750L)	1

CARTRIDGES (OLD-STYLE)



- Fits Eljer*, some Ace Hardware*, Aqualine*, Sears*, U.S. Brass* & Valley* two-handle lavatory & kitchen faucets
- Complete with seat, spring & insert
- 1-7/8" overall length
- ● broach
- Priced per piece

PART #	DESCRIPTION	PKG./CTN.
VV6804	Hot or cold (Replaces Valley* # V6804)	1

ELJER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

†Call for bulk pricing.

FAUCET REPAIR PARTS (ELJER*)

SEATS



- Fits Eljer* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
E5257	1/2" x 20 x 3/8"	5257	2
E2734	1/2" x 27 x 1/2"	2734	2

POP-UP BASIN DRAIN STOPPER



- Fits Eljer*
- 1.29" stopper OD x 4.15" overall height
- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSE	(Replaces # 490-6499-00)	1

CLOSET/ REPAIR PARTS (ELJER*)

FLAPPER



- Fits Eljer* Canterbury* Aqualine*, Patrician*, Patriot* & Windsor* Low-Boy* closets 2" flush valves
- One-piece white plastic with styrene float, rubber washer & beaded chain
- (Replaces # 495-6029-00)

PART #	DESCRIPTION	PKG./CTN.
ERF-BP	Individually blister packed †	1
ERF-BX	Individually boxed †	1

TITAN* JUMBO FLAPPER



- Fits Eljer* Titan* 3" flush valves
- Blue color
- Made of TPR (thermoplastic rubber) to resist chlorine
- Stainless steel chain & hook
- (Replaces # 495-6077-00)

PART #	DESCRIPTION	PKG./CTN.
ETF-BP	Individually blister packed †	1
ETF-BX	Individually boxed †	1

CLOSET REPAIR PARTS (ELJER*)

TOUCH-FLUSH* ASSEMBLY



- Fits Eljer* closets
- 11-pc. assembly
- Complete with tank lever, tank, ball & arm

PART #	DESCRIPTION	PKG./CTN.
ETFA	(Replaces # 490-6512-00)	1

FLUSH HANDLE ASSEMBLY (ONLY)



- Fits Eljer* Touch-Flush* closet assembly

PART #	DESCRIPTION	PKG./CTN.
EFHA	(Replaces # 490-6200-00)	1

TANK BALL



- Fits Eljer* Touch-Flush* assembly & BHC # ETFA

PART #	DESCRIPTION	PKG./CTN.
ERTB	(Replaces # 490-4332-00)	1

TANK-TO-BOWL BOLT SETS



TBBHA2



TBBWA2

- Fits Eljer*, American Standard*, Borg Warner*, Crane* & Kohler* closets
- Set includes: 2 ea. 5/16" x 3" tank bolts, 1 ea. # SRGAKC sponge rubber gasket, 4 ea. cloth-inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TBBWA2	Brass bolts w/ wing nuts	25/250
TBPWA2	Brass plated bolts w/ wing nuts	25/250
TBBHA2	Brass bolts w/ hex nuts	25/250
TBPHA2	Brass plated bolts w/ hex nuts	25/250

ELJER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (ELJER*)

MOLDED RUBBER TANK-TO-BOWL GASKET



- Fits Eljer* closets
- 3-1/8" OD x 2-5/16" ID x 3/8" thick
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
MRGE	(Replaces # 490-4333-00)	10

TANK LEVER FOR 1-PC. CLOSETS



- Fits Eljer*, American Standard* & Briggs* 1-pc. closets. (For beaded or link chain)
- With plastic spud & nut
- C.P. plastic handle
- 4-1/4" plastic arm with molded spud & nut

PART #	DESCRIPTION	PKG./CTN.
TL4	(Replaces Am. Std.* #s 73392-02 & 70437-0200)	1

COMBINATION TANK LEVERS



TLAS4-8



TLAS4-8W

- Fits Eljer*, American Standard*, Crane*, Fluidmaster* & Gerber* closets
- With plastic spud & nut.
- Cut-to-length/ 4", 6" or 8"
- Fit-all tank lever
- (Replaces Glenwall* # 2093, Cadet* #s 2108, 2109, 2120, 2131, 2138, 2139, Aquameter*)
- (Repairs #s 33459 or 3526-019 or N3075V (4"), 47147-0020 (chrome), 47148-02 (white), # 3521-011)

PART #	DESCRIPTION	PKG./CTN.
TLAS4-8	C.P. plastic handle	1
TLAS4-8W	White plastic handle	1

SIDE-MOUNT TANK LEVER



- Fits Eljer* side-mount tank
- Chrome plated, heavy-duty, die cast handle w/ plastic spud & nut
- 9" brass rod arm

PART #	DESCRIPTION	PKG./CTN.
TL7	(Replaces # 495-2704)	1

CLOSET/URINAL REPAIR PARTS (ELJER*)

SIDE-MOUNT TANK LEVER



- Fits Eljer* & Toto* (Carlyle*, Carolina*, Supreme*, Ultimate* & Ultramax*) closets
- With 10" brass arm
- Chrome plated handle
- Removable handle can be used on factory arm
- Plastic spud & nut
- Decorative finishes available
- (Replaces Toto* # THU004)

PART #	DESCRIPTION	PKG./CTN.
TLT	(Replaces # 495-2704)	1

SIDE-MOUNT TANK LEVER WITH PRE-BENT ARM



- Fits Eljer* & Toto* (Bristol*, Drake* & Vespin*) closets
- With brass arm
- Chrome plated metal handle
- Plastic spud & nut
- Decorative finishes available
- (Replaces Toto* # THU068)

PART #	DESCRIPTION	PKG./CTN.
TLT2	Side-mount	1

BALLCOCK REPAIR KIT (FOR HIGH-END, LOW-BOY CLOSETS)



- Fits Eljer*, American Standard*, Briggs*, Coast*, Kohler* & Universal Rundle* anti-siphon ballcocks (Ballcocks with 3 screws)
- 2-3/6" OD x 1-3/16 ID

PART #	DESCRIPTION	PKG./CTN.
C55214	(Replaces Coast* # 55214, repairs # 1B1X)	1

BRASS URINAL FLANGE KIT



- Complete kit
- Fits Eljer*, American Std.*, Crane*, Gerber* & Kohler*

PART #	DESCRIPTION	PKG./CTN.
UFK	2" IPS x 4-1/4"	1

FLUIDMASTER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (FLUIDMASTER*)

DIAPHRAGM



- Fits Fluidmaster* #s 100, 200A & 400A series fill valves

PART #	DESCRIPTION	PKG./CTN.
FM242	(Replaces seal #s 242 & 212)	1

DIAPHRAGM (HEAVY-DUTY/WHITE)



- Fits Fluidmaster* #s 100, 200A & 400A series fill valves
- New heavy-duty design for hard water & chloramines

PART #	DESCRIPTION	PKG./CTN.
FM242HD	(Replaces seal #s 242 & 212)	1

DIAPHRAGM KIT



- Fits Fluidmaster* 400 series fill valve
- 3-piece diaphragm kit

PART #	DESCRIPTION	PKG./CTN.
FM542	(Replaces # 542)	1

CLOSET REPAIR PARTS (FLUIDMASTER*)

COMBINATION TANK LEVERS





- Fits Fluidmaster*, American Standard*, Crane*, Eljer* & Gerber* closets
- With plastic spud & nut
- Cut-to-length / 4", 6" or 8"
- Fit-all tank lever fits brands that require an offset
- (Replaces Glenwall* # 2093, Cadet* #s 2108, 2109, 2120, 2131, 2138, 2139, Aquameter*)
- (Repairs # 33459 or # 3526-019 or # N3075V (4"), # 47147-0020 (chrome), # 47148-02 (white), # 3521-011)

PART #	DESCRIPTION	PKG./CTN.
TLAS4-8	C.P. plastic handle	1
TLAS4-8W	White plastic handle	1

GERBER* REPAIR PARTS

ONE-HANDLE FAUCET REPAIR PARTS (GERBER*)


CARTRIDGE



- Fits Gerber* one-handle lavatory, kitchen faucets & tub/shower valves
- All plastic
- 2-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
G97142	(Replaces # 97-142)	1

CARTRIDGE SEAL REBUILD KIT



- Fits Gerber* & Moen* old-style Stanadyne* one-handle lavatory, kitchen faucets & tub/shower valve cartridge
- Kit includes 12 seals with lube

PART #	DESCRIPTION	PKG./CTN.
G90116	(Replaces # 90-116)	1

ONE-HANDLE FAUCET REPAIR PARTS (GERBER*)

PRESSURE BALANCING CARTRIDGE



- Tempress II* (TII) fits Gerber*, Eljer* & Grohe* one-handle tub/shower valve
- Comes with o-ring (# 062N0378)
- 15 pt. broach
- 3-7/16" overall length
- (Replaces Danfoss* # 062N1285, Brasstech* # 1-028, Gerber* # 97-510 & Grohe* #s 6-3301-5-4 & 47080000)

PART #	DESCRIPTION	PKG./CTN.
DA62N1285	Pressure balancing cartridge	1

BRAXTON HARRIS CO., INC.

GERBER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (GERBER*)


KITCHEN FAUCET REPAIR KIT



- Fits Gerber*, Rockwell* & Sterling* one-handle kitchen faucets
- Complete with 10 ea. o-rings, 2 ea. springs, 1 ea. tube, 2 ea. split rings, 1 ea. clip, 2 ea. seats, 1 ea. screw, 1 ea. hex wrench & lubricant capsule
- (Ref. # 007)

PART #	DESCRIPTION	PKG./CTN.
S05020	(Replaces Sterling* # 05020)	1

LAVATORY TUB/SHOWER REPAIR KIT




- Fits Gerber*, Rockwell* & Sterling* one-handle lavatory faucets & tub/shower valves
- Complete with 10 ea. o-rings, 2 ea. springs, 1 ea. tube, 2 ea. split rings, 1 ea. clip, 2 ea. seats, 1 ea. socket screw, 1 ea. hex wrench & lubricant capsule
- (Ref. #s Lavatory/04, tub/01)

PART #	DESCRIPTION	PKG./CTN.
S05010	(Replaces Sterling* # 05010)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (GERBER*)

OLD-STYLE CARTRIDGES



- Fits Gerber* two-handle lavatory & kitchen faucets
- Brass
- 16 pt. broach
- 1-5/8" overall length

PART #	DESCRIPTION	PKG./CTN.
G98688OS	Hot (Replaces # 98-688 old-style)	1
G98689OS	Cold (Replaces # 98-689 old-style)	1

NEW-STYLE CARTRIDGES



- Fits Gerber* two-handle lavatory & kitchen faucets
- Brass
- 16 pt. broach
- 1-5/8" overall length
- (Ref. # 1B-2)

PART #	DESCRIPTION	PKG./CTN.
G98688	Hot (Replaces # 98-688 new-style)	1
G98689	Cold (Replaces # 98-689 new-style)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (GERBER*)

TUB/SHOWER STEM



- Fits Gerber* two & three-handle tub/shower valves
- Brass
- 16 pt. broach
- 5-3/8" overall length
- (Ref. # 11B-1HC)

PART #	DESCRIPTION	PKG./CTN.
G98673	Hot or cold (Replaces #s 98-673 & 98-672)	1

DIVERTER STEM (NEW-STYLE)



- Fits Gerber* three-handle tub/shower diverter valve
- Brass
- 16 pt. broach
- 5-3/4" overall length
- (Ref. # 11B-4D)

PART #	DESCRIPTION	PKG./CTN.
G98726	Diverter (Replaces # 98-726)	1

WASHERLESS CARTRIDGES



- Fits Gerber* two-handle washerless lavatory & kitchen faucets
- Can be used to convert standard faucets to washerless
- Remove seat & use in place of BHC # G98688 or # G98689 previously listed
- 16 pt. broach
- 1-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
G98710	Hot (Replaces # 98-710)	1
G98711	Cold (Replaces # 98-711)	1

SET-SCREW ESCUTCHEON



- Fits Gerber*, Briggs* & Kohler* two & three-handle tub/shower valves
- Chrome plated flange w/ set-screw
- 1-1/8" ID x 2-3/4" OD
- (Use with BHC # G90021 sleeve)

PART #	DESCRIPTION	PKG./CTN.
G97600	(Replaces # 97-600)	1

ESCUTCHEON SLEEVE



- Fits Gerber* & Briggs* two & three-handle tub/shower valves
- 1-1/8" OD x 3-3/4" overall length
- Chrome plated sleeve
- (Use with BHC # G97600 escutcheon)

PART #	DESCRIPTION	PKG./CTN.
G90021	(Replaces # 90-021)	1

GERBER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (GERBER*)

TUB & SHOWER VALVE REBUILD KIT



- Rebuilds Gerber* three-handle tub/shower valves
- Includes handle trim
- Kit is self-contained with all the necessary parts
- Installation instructions, along with helpful & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
GTSVRK	Complete rebuild kit	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Gerber* two-handle lavatory faucets
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
GLFRK	Complete rebuild kit	1

REPAIR KIT



- Repair kit for Gerber* two-handle lavatory & kitchen faucets
- Repairs one faucet stem

PART #	DESCRIPTION	PKG./CTN.
GRK	Complete kit	1

TOP SEAT WASHER FOR DIVERTER



- Fits all Gerber* & Sterling* three-handle tub/shower diverter stems
- .95" OD

PART #	DESCRIPTION	PKG./CTN.
G90380	(Replaces # 90-380)	10

UNIVERSAL-FIT ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* w/thread inside packing nut
  - 5/8" x 24: Sterling* w/old style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16 x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (GERBER*)

OLD-STYLE CANOPY LEVER HANDLES



- Fits all Gerber* two-handle lavatory & kitchen faucets
- Chrome plated metal
- 1-1/8" overall height
- 16 pt. broach
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
G91590HC	Hot & cold (Replaces #s 91-590 (hot) & 91-591 (cold))	1 pr.

FOUR-ARM CANOPY HANDLES FOR TUB/SHOWER VALVES



- Fits all Gerber* three-handle tub/shower valves
- Chrome plated metal
- 1" overall height
- 16 pt. broach
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
G90400HC	Fits tub/shower valve, hot & cold (Replaces #s 90-400 (hot) & 90-401 (cold))	1 pr.

CANOPY DIVERTER HANDLE



- Fits all Gerber* two & three-handle tub/shower diverter valves
- Use with # G90400HC handles listed above
- Chrome plated metal
- 1-1/16" overall height
- 16 pt. broach

PART #	DESCRIPTION	PKG./CTN.
G90400D	Fits tub/shower diverter (Replaces #s 90-400D & 90-711)	1

CANOPY LEVER HANDLES



- Fits all Gerber* two-handle lavatory & kitchen faucets
- Fits #s 98-688 & 98-689 stems
- Chrome plated metal
- With hot & cold buttons
- 1-1/2" overall height
- 16 pt. broach
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
G98797HC	Hot & cold (Replaces # 98-797H&C)	1 pr.

BRAXTON HARRIS CO., INC.

GERBER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (GERBER*)

CANOPY HANDLES WITH LONG BROACH



- Fits Gerber* two & three-handle tub/shower valves & widespread lavatory faucets
- With hot & cold buttons & screws
- 2-1/2" overall height
- 16 pt. broach
- Chrome plated metal
- Priced per pair • Hot & cold

PART #	DESCRIPTION	PKG./CTN.
G98902PR	(Replaces #s 98-902PR & 98-793H&C)	1 pr.

CANOPY DIVERTER HANDLE WITH LONG BROACH



- Fits Gerber* three-handle tub/shower diverter valves
- With screw
- 2-1/2" overall height
- 16 pt. broach
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
G98794D	(Replaces # 98-794D)	1

CANOPY HANDLES WITH SHORT BROACH



- Fits Gerber* two & three-handle tub/shower valves
- Chrome plated metal
- With hot & cold buttons
- 16 pt. broach
- 2-1/2" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
G98900PR	Hot & cold (Replaces #s 98-900PR & 98-813H&C)	1 pr.

CANOPY DIVERTER HANDLE WITH SHORT BROACH



- Fits Gerber* three-handle tub/shower diverter valves
- Chrome plated metal
- With screw
- 16 pt. broach
- 2-1/2" overall height

PART #	DESCRIPTION	PKG./CTN.
G98813D	Diverter (Replaces # 98-813D)	1

FAUCET REPAIR PARTS (GERBER*)

SEAT



- Fits Gerber* two-handle faucets & two & three-handle tub/shower valves
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
G90160	5/8" x 20 x 27/64"	90-160	2

POP-UP BASIN DRAIN STOPPER



- Fits Gerber*
- Plastic body with stainless steel trim
- 1-1/4" stopper OD x 4-1/8" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSGE	(Replaces # 97-731)	1

CLOSET REPAIR PARTS (GERBER*)

PRESSURE ASSIST TANK LEVER WITH LINKAGE (FITS FLUSHMATE*)



- Fits Sloan* Flushmate* for Gerber* tanks (# 28-380)
- Chrome plated metal handles with brass arms (Look-design-construction - same as OEM)
- Flushmate* # AP300104-L32

PART #	DESCRIPTION	PKG./CTN.
G99571KT	(Replaces # 99-571-KT)	1

COMBINATION TANK LEVERS





- Fits Gerber*, American Standard*, Crane*, Eljer*, & Fluidmaster* closets
- With plastic spud & nut
- Cut-to-length/4", 6" or 8"
- Fit-all tank lever
- (Replaces Glenwall* # 2093, Cadet* #s 2108, 2109, 2120, 2131, 2138, 2139, Aquameter*)
- (Repairs # 33459 or # 3526-019 or # N3075V (4"), 47147-0020 (chrome), 47148-02 (white), 3521-011)

PART #	DESCRIPTION	PKG./CTN.
TLAS4-8	C.P. plastic handle	1
TLAS4-8W	White plastic handle	1

GERBER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (GERBER*)

HIGH DOME FLAPPER



- Fits Gerber* regular & water-saving tanks
- With 9" stainless chain & hook
- Special high dome design
- Only flapper that works properly with Gerber* flush valves
- Also works well on all flush valves

PART #	DESCRIPTION	PKG./CTN.
GRF	Black vinyl. (Replaces # 99523)	1

3" FLAPPER FOR GERBER AVALANCHE



- Fits Gerber Avalanche (tanks #21-011, 28-180, 28-186, 28-535)
- Made of TPR (thermoplastic rubber) to resist chlorine
- Comes w/ stainless steel beaded chain and large bulb with hole

PART #	DESCRIPTION	PKG./CTN.
G99770-BP NEW	Replaces 99-827(old)/ 99-770(new)	1

3" FLAPPER FOR GERBER HE TOILETS



- Fits several Gerber HET (High Efficiency Toilets)
- * Comes with time tips to regulate gallons per flush
- Fits tanks# 21-014, 21-017, 28-183, 28-530, 28-570, 28-580, 28-585, 28-890, 28-894, 28-895, 28-970, 28-980, 28-990, 28-994, 28-995
- Made of TPR (thermoplastic rubber) to resist chlorine
- No hole in the bulb

PART #	DESCRIPTION	PKG./CTN.
G99788-BP	Replaces: 99-788, 99-827	1

PRESSURE ASSIST CARTRIDGE



- Fits Sloan* Flushmate* for American Standard*, Gerber*, Kohler*, Mansfield*, Orion*, St. Thomas* & Western* tanks.
- Same installation, same adjustments, same flush, American made, 100% individually tested, bagged with instructions
- Fits #s 501, 501A, 501B & 503 series Flushmate* system
- Used on all series except 200

PART #	DESCRIPTION	PKG./CTN.
SC100500K	(Replaces Sloan* # C-100500-K)	1

PRESSURE ASSIST CARTRIDGE EXTRACTOR TOOL



- Easy-in/easy-out extractor tool for Sloan* Flushmate* cartridge in American Standard* Flushmate* tanks
- Eliminates broken cartridges and skinned knuckles
- Use with any 3/8" socket wrench to install or remove # SC100500K listed above

PART #	DESCRIPTION	PKG./CTN.
PACET	Cartridge extractor tool	1

CLOSET/URINAL REPAIR PARTS (GERBER*)

TANK-TO-BOWL GASKET



- Fits all late model Gerber* free-standing closets
- 3-1/4" OD x 2-1/8" ID x 1-3/16" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRGG	Sponge rubber	25/25

FLUSH VALVE DISC TOP WASHER



- Fits Gerber*, Sloan* & Zurn* flush valves
- A companion to the diaphragm

PART #	DESCRIPTION	PKG./CTN.
SA15A	(Replaces Sloan* #s A-15-A & 5301111)	1

VACUUM BREAKER ASSEMBLY



- Fits Gerber*, Sloan* & Zurn* flush valves
- (Ref. #s V651A, Z6000B, 427A, 0323005)

PART #	DESCRIPTION	PKG./CTN.
SV551A	(Replaces Sloan* #s V-551-A & 3323192)	1

CLOSET RELIEF VALVE (STEM)



- Fits Gerber* & Sloan* Royal* closet flush valves

PART #	DESCRIPTION	PKG./CTN.
SA19AC	(Replaces Sloan* #s A-19-AC & 5301058)	1

URINAL RELIEF VALVE (STEM)



- Fits Gerber* & Sloan* Royal* urinal flush valves

PART #	DESCRIPTION	PKG./CTN.
SA19AU	(Replaces Sloan* #s A-19-AU & 5301059)	1

FLUSH VALVE DIAPHRAGM



- Fits Gerber*, Sloan* & Zurn* flush valves
- With brass segments bonded to rubber
- Time-tested
- Perfect performance

PART #	DESCRIPTION	PKG./CTN.
SA156A	(Replaces Sloan* #s A-156-A, 5301188, A-56-A & 5301170)	1

GERBER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (GERBER*)

NEW-STYLE PLASTIC INSIDE COVER



- Fits Gerber*, Sloan* Royal*, Regal* & Zurn* flush valves
- Plastic

PART #	DESCRIPTION	PKG./CTN.
SA71	(Replaces Sloan* #s A-71 & 0301168)	1

CLOSET REPAIR KIT FOR SLOAN (1.6 GPF)



- Fits Sloan*

PART #	DESCRIPTION	PKG./CTN.
SA41A	(Replaces Sloan* # A41A)	1

URINAL REPAIR KIT FOR SLOAN (1.0 GPF)



- Fits Sloan Royal and Gerber Urinal Flush Valves Includes: relief valve, disc, segment diaphragm and guide assembly

PART #	DESCRIPTION	PKG./CTN.
SA42A	(Replaces Sloan* # A42A)	1

URINAL SHUT-OFF VALVE REPAIR KIT



- Fits Gerber*, Sloan* & Zurn* urinal flush valves
- 3/4" screwdriver stop repair kit

PART #	DESCRIPTION	PKG./CTN.
SH543ASD	(Replaces Sloan* #s H-543-ASD & 3308856)	1

CLOSET SHUT-OFF VALVE REPAIR KIT



- Fits Gerber*, Sloan* & Zurn* closet flush valves
- 1" screwdriver stop repair kit

PART #	DESCRIPTION	PKG./CTN.
SH541ASD	(Replaces Sloan* #s H-541-ASD& 3308853)	1

URINAL FLUSH VALVE REPAIR KIT (1.5 GPF)



- Fits Gerber*, Sloan* Royal* & Zurn* urinal flush valves
- Post 1971

PART #	DESCRIPTION	PKG./CTN.
SA37A	(Replaces Sloan* #s A-37-A & 3301037)	1

CLOSET/URINAL REPAIR PARTS (GERBER*)

CLOSET FLUSH VALVE REPAIR KIT (4.5 GPF)



- Fits Gerber*, Sloan* Royal* & Zurn* closet flush valves

PART #	DESCRIPTION	PKG./CTN.
SA36A	(Replaces Sloan* #s A-36-A & 3301036)	1

CLOSET/URINAL WATER-SAVER REPAIR KIT (3.5 GPF)



- Fits Gerber*, Sloan* Royal* & Zurn* closet/urinal flush valves

PART #	DESCRIPTION	PKG./CTN.
SA38A	(Replaces Sloan* #s A-38-A & 3301038)	1

URINAL FLUSH VALVE MASTER REPAIR KIT (1.5 GPF)



- Fits Gerber*, Sloan* Royal* & Zurn* urinal flush valves

PART #	DESCRIPTION	PKG./CTN.
SR1002A	(Replaces Sloan* #s R-1002-A & 3317002)	1

CLOSET FLUSH VALVE MASTER REPAIR KIT (4.5 GPF)



- Fits Gerber*, Sloan* Royal* & Zurn* closet flush valves

PART #	DESCRIPTION	PKG./CTN.
SR1001A	(Replaces Sloan* #s R-1001-A & 3317001)	1

CLOSET/URINAL WATER-SAVER MASTER REPAIR KIT (3.5 GPF)



- Fits Gerber*, Sloan* Royal* & Zurn* closet/urinal flush valves

PART #	DESCRIPTION	PKG./CTN.
SR1003A	(Replaces Sloan* #s R-1003-A & 3317003)	1

GERBER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (GERBER*)

VACUUM BREAKERS



• Fits Gerber*, Coyne-Delany*, Sloan* & Zurn*

PART #	DESCRIPTION	PKG./CTN.
SV500AA34	3/4" x 9" (Replaces #s V-500-AA & 5323005)	1
SV500AA114	1-1/4" x 9" (Replaces #s V-500-AA & 5323006)	1
SV500AA112	1-1/2" x 9" (Replaces #s V-500-AA & 5323007))	1

FLUSHOMETER WRENCH



• Angled to fit in cramped spaces
• Smooth jaws protect chrome finish
• Fits 1-1/8" - 2-5/8"
• Use anywhere that you need to protect the finish

PART #	DESCRIPTION	PKG./CTN.
FW	Wrench	1


FLUSH VALVE SEAL RING



• Fits Gerber* & American Standard* Champion* Flushmate* cartridges
• (Ref. # 738651-0070A)

PART #	DESCRIPTION	PKG./CTN.
AS738651	Seal ring (Orange)	1

BRASS URINAL FLANGE KIT



• Complete kit
• Fits Gerber*, American Standard*, Crane*, Eljer* & Kohler*

PART #	DESCRIPTION	PKG./CTN.
UFK	2" IPS x 4-1/4"	1

TUB/SHOWER REPAIR PARTS (GERBER*)

TRIP LEVER DRAIN



• Fits Gerber*
• Zinc die cast body with stainless steel strainer
• Tapped 10/24
• Includes drain washer
• 2-7/8" diameter strainer

PART #	DESCRIPTION	PKG./CTN.
SBD	1-1/2" x 11-1/2 course threads	1
SBD138	1-3/8" (1-1/4") x 16 fine threads	

BATH DRAIN STRAINER



• Fits Gerber*-style trip lever drain above
• 2-7/8" diameter

PART #	DESCRIPTION	PKG./CTN.
GBDS	Tapped 10/24 x 1-3/4" screw	1

BATH DRAIN STRAINER BODY



• Fits Gerber*
• Chrome plated zinc
• Die cast body
• Tapped 10/24

PART #	DESCRIPTION	PKG./CTN.
GBDB	1-3/8" (1-1/4") x 16 fine threads	1

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

6.1.25

HOOV-R-LINE* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (HOOV-R-LINE*)

BALLCOCKS



- Hoov-R-Line* style
- With 8" brass floating rod, coupling nut, flange nut, synthetic washer, refill tube & tube holder
- Non-corroding, rugged, dependable & quiet
- Replaceable valve seat
- Positive snap shut-off
- Adjustable water level
- 10" and 12" ballcocks meet A.S.S.E. 1002 & G.S.A. requirements
- Ref. # 8121-1AS

PART #	DESCRIPTION	PKG./CTN.
A1	8-1/2" regular ballcock (# 910001)	1
A52	10" anti-siphon ballcock (# 910004)	1
A50	12" anti-siphon ballcock (# 910002)	1

PLASTIC FLUSH VALVES




- Hoov-R-Line* style
- Douglas*-type
- Includes flapper, chain, locknut & washer
- Non-metallic
- No-kink C-style stainless steel chain (9" length)

PART #	DESCRIPTION	PKG./CTN.
FVI	8-3/4" height (# 920055)	1
FV	10-5/8" height (# 920077)	1

CLOSET REPAIR PARTS (HOOV-R-LINE*)

BALLCOCK REPAIR KIT



- Fits Hoov-R-Line* & AmerLine* ballcocks
- Fits #s A-1, A-60, BR-5, A-50, A-52, 8121-R, 8121-AVAS

PART #	DESCRIPTION	PKG./CTN.
H11868	(Replaces # 11868)	1

REGULAR TOP ASSEMBLY BONNET



- Fits Hoov-R-Line* regular ballcocks

PART #	DESCRIPTION	PKG./CTN.
H118693	(Replaces # 11869-3)	1

ANTI-SIPHON TOP ASSEMBLY BONNET



- Fits Hoov-R-Line* anti-siphon ballcocks since Oct. '85

PART #	DESCRIPTION	PKG./CTN.
H118694	(Replaces # 11869-4)	1

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ONE-HANDLE FAUCET REPAIR PARTS (KOHLER*)

OLD-STYLE CARTRIDGE



- Fits Kohler*, Bradley*, Briggs*, Cole* & Sterling* old-style one-handle lavatory, kitchen faucets & tub/shower valves
- 3-1/2" overall length
- ✪ broach
- (Replaces Bradley* # 300-0050 & Briggs* # P303)

PART #	DESCRIPTION	PKG./CTN.
BP303	(Replaces #s 42148 & 42178)	1

ONE-HANDLE FAUCET REPAIR PARTS (KOHLER*)

CARTRIDGE FOR CORALAIS*



- Fits Kohler* Coralais* one-handle lavatory & kitchen faucet
- Plastic
- ■ broach
- 2-7/8" overall length
- (Ref. #s 70127 & 70415)

PART #	DESCRIPTION	PKG./CTN.
K77548	(Replaces #s 77548, GP77548, 30413 & GP30413)	1

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (KOHLER*)

TUB/SHOWER VALVE WITH PRESSURE BALANCING SPOOL



- Fits Kohler* Rite-Temp* one-handle tub/shower valve
- 19 pt. broach
- 5-1/4" overall length
- (Ref. #s 77759 & 500520)

PART #	DESCRIPTION	PKG./CTN.
K76851	(Replaces #s 76851 & GP76851)	1

TUB/SHOWER MIXER VALVE CARTRIDGE ASSEMBLY



- Fits Kohler* one-handle tub/shower valve
- Mixer cap with flat collar
- ■ broach
- 3-3/8" overall length

PART #	DESCRIPTION	PKG./CTN.
K77886	(Replaces #s 77886 & GP77886)	1

TUB/SHOWER MIXER VALVE CARTRIDGE ASSEMBLY



S05200



S05300

- Fits Kohler* & Sterling* one-handle tub/shower valves
- ■ broach
- 3-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
S05200	(Replaces Sterling* # 05200)	1
S05300	With brass stem (Replaces Sterling* # 05300)	1

STEM EXTENDER



- Fits Kohler* & Sterling* one-handle tub/shower cartridges # 77886 (BHC # K77886), # 05200 (BHC # K05200) & # 05300 (BHC # K05300)
- ■ broach
- 2" overall length

PART #	DESCRIPTION	PKG./CTN.
K71906	(Replaces # 71906)	1

TWO-HANDLE FAUCET REPAIR PARTS (KOHLER*)

CARTRIDGES FOR CORALAIS*



- Fits Kohler* Coralais* two-handle lavatory, kitchen faucets
- 1-7/8" overall length
- ● broach

PART #	DESCRIPTION	PKG./CTN.
K76672	Hot (Replaces #s 76672 & GP76672)	1
K76671	Cold (Replaces #s 76671 & GP76671)	1

STEMS



- Fits Kohler* Trend* & Shoreham* two-handle lavatory (K-10800) & kitchen faucets (K-70920-25)
- With stainless steel bibb screws
- 16 pt. broach
- 1-1/2" overall length
- (Ref. # 1C-3)

PART #	DESCRIPTION	PKG./CTN.
K20786	Hot (Replaces # 20786)	1
K20785	Cold (Replaces # 20785)	1

STEMS



- Fits Kohler* Valvet* two-handle lavatory (#s K6950, K6960, K7400, K7401T), kitchen faucets (#s K7780, K7782, K7825T & K7827T) & tub/shower valves
- With stainless steel bibb screws
- With brass plunger
- 19 pt. broach
- 2-1/2" overall length
- (Ref. # 6N-1)

PART #	DESCRIPTION	PKG./CTN.
K30135	Hot (Replaces #s 30135 & GP3002)	1
K30134	Cold (Replaces #s 30134 & GP3004)	1

TUB STEMS



- Fits Kohler* Shoreham* & Trend* two-handle tub/shower valves
- 16 pt. broach
- 4-1/4" overall length
- (Ref. # 9C-7)

PART #	DESCRIPTION	PKG./CTN.
K20905	Hot (Replaces # 20905)	1
K20904	Cold (Replaces # 20904)	1

BRAXTON HARRIS CO., INC.

6.1.25

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO-HANDLE FAUCET REPAIR PARTS (KOHLER*)


CANOPY HANDLES FOR TREND* LAVATORY & KITCHEN FAUCETS



- Fits Kohler* Trend* two-handle lavatory & kitchen faucets
- Chrome plated canopy
- Priced per pair
- 16 pt. broach
- 1-3/4" overall height

PART #	DESCRIPTION	PKG./CTN.
K20986HC	Hot & cold (Replaces #s 20986H & 20986C)	1 pr.

CANOPY HANDLES FOR TREND* TUB/SHOWER VALVES




- Fits Kohler* Trend* two & three-handle tub/shower valves
- Chrome plated canopy
- Priced per pair
- 16 pt. broach
- 2" overall height

PART #	DESCRIPTION	PKG./CTN.
K30005HC	Hot & cold (Replaces #s 30005H & 30005C)	1 pr.

WE SHIP SAME DAY.

TWO-HANDLE FAUCET REPAIR PARTS (KOHLER*)

CANOPY HANDLE FOR TREND* TUB/SHOWER DIVERTER



- Fits Kohler* Trend* three-handle tub/shower diverter valves
- Chrome plated canopy
- 16 pt. broach
- 2" overall height

PART #	DESCRIPTION	PKG./CTN.
K30005D	Diverter (Replaces # 30005D)	1

ACRYLIC INDEX BUTTONS



- Fits Kohler* two-handle lavatory & kitchen faucets & two & three-handle tub/shower valves
- 13/16" top diameter
- (Replaces #s 30000 & GP30000)

PART #	DESCRIPTION	PKG./CTN.
K30000H	Hot button	1
K30000C	Cold button	1

UNIVERSAL-FIT ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin
- Fits two-handle wide spread lavatory & two/three-handle tub/shower valves
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* w/thread inside packing nut
  - 5/8" x 24: Sterling* w/old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (KOHLER*)

SEATS



K20774
K40602



K23004

- Fits Kohler* faucets & tub/shower valves
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	OEM #	
K20774	1/2" x 27 x 318"	20774	2
K40602	1/2" x 27 x 3/8"	40602	2
K23004	Push-in x 348" (Nickel plated)	23004	2

AERATOR ADAPTERS



MTAA1316



FMTAA1316

- Fits Kohler* faucet spouts
- Chromed brass
- With washer

PART #	DESCRIPTION	PKG./CTN.
MTAA1316	Male 55/64" x 27 inlet thds. Also fits Union* & Savoy*	1
FMTAA1316	Female 3/4" x 27 inlet thds. Male 13/16" x 27 outlet thds. Also fits Price Pfister*	1

NON-SLOTTED AERATOR



- Fits Kohler*, Chicago Faucets*, Price Pfister*, Speakman*, T&S Brass* & Union Brass* faucet spouts
- With removable low-flow disc
- Chromed brass

PART #	DESCRIPTION	PKG./CTN.
FAFT34	Female thds. 3/4" x 27 inside thds. Also fits Price Pfister*	1

FAUCET REPAIR PARTS (KOHLER*)

SET SCREW ESCUTCHEON



- Fits Kohler*, Gerber* & Briggs* two & three handle tub/shower valves
- 1-1/8" ID x 2-3/4" OD.
- Use with BHC # G90021 sleeve

PART #	DESCRIPTION	PKG./CTN.
G97600	Chrome plated flange w/ set screw	1


STOPPER (FITS KOHLER*)



- Plastic body with stainless steel trim
- (Replaces # 30124)

PART #	DESCRIPTION	PKG./CTN.
PDSK	1-1/4" OD x 4-1/8" overall height	1

VACUUM BREAKER KIT



- Fits Kohler* commercial faucets

PART #	DESCRIPTION	PKG./CTN.
K30253	(Replaces # 30253)	1

BRASS TUB DRAIN BUSHING (KOHLER*-STYLE)



- 2-3/16" 18 tpi x 1-7/8" 14 tpi threaded
- 15/16" height

PART #	DESCRIPTION	PKG./CTN.
TDB2316-178	2-3/16" MPT x 1-7/8" FPT	1

BRAXTON HARRIS CO., INC.

6.1.25

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (KOHLER*)

FLUSH VALVE SEAL RING

- Replaces seal for Class Five/Six canister (GP1059291)
- OD: 3.41" ID: 2.75" Thickness: .0635"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
KCFVS	3-7/16" Seal ring (Yellow) Ref. #1059291	1

COAST* FLAPPERS FOR ONE-PIECE CLOSETS



- Fits American Standard*, Kohler* & some Toto* one-pc. closets
- 1.6 GPF • White plastic • New-style
- (Replaces Kohler* #s GP85160, 1006958, 1079948, Am. Std*. #s 738071-0070A & 738003-300, Coast* #s 53356 & 53316)

PART #	DESCRIPTION	PKG./CTN.
C53356-BP	With float Individually blister packed † (Replaces # 81217)	1/10
C53356-BX	With float Individually boxed † (Replaces # 81217)	1/10
C53316-BP	Without float Individually blister packed † (Replaces # 55477)	1/10
C53316-BX	Without float Individually boxed † (Replaces # 55477)	1/10

CIMARRON* JUMBO FLAPPER (NEW-STYLE)



- Fits Kohler* Cimarron* 3-1/4" fill valve for one-piece closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- Red color • Kink resistant stainless steel chain & hook
- (Replaces # GP1039444 & 1039444)

PART #	DESCRIPTION	PKG./CTN.
KCF-BP	Individually blister packed †	1/10
KCF-BX	Individually boxed †	1/10

CLASS FIVE* JUMBO FLAPPER (NEW-STYLE)



- Fits Kohler* Class Five* 3-1/4" fill valve for two-piece closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- Red color • Kink resistant stainless steel chain & hook
- (Replaces #s GP1078440, GP1078441, 1016546 & 1042313)

PART #	DESCRIPTION	PKG./CTN.
KCFF-BP	Individually blister packed †	1/10
KCFF-BX	Individually boxed †	1/10

CLOSET REPAIR PARTS (KOHLER*)

"T"-BACK HINGED FLAPPER (NEW-STYLE)



- Fits Kohler* San Raphael*, Rialto* (# 3386), Rosario* (# 3434) & Revival* (# 3360) closets
- Red color • Kink resistant stainless steel chain & hook
- Made of TPR (thermoplastic rubber) to resist chlorine
- (Replaces #s GP84995, 84995 & 1000490)

PART #	DESCRIPTION	PKG./CTN.
KHF-BP	Individually blister packed †	1/10
KHF-BX	Individually boxed †	1/10

SHARK-FIN FLAPPER



- Fits Kohler* San Raphael*, Rialto*, Santa Rosa*, Revival*, Gabrielle*, Memoirs* & Portrait* closets
- Red color
- Kink resistant stainless steel chain & hook
- Made of TPR (thermoplastic rubber) to resist chlorine
- (Replaces #s 84314, 84318, 84138, 85655, 89825)

PART #	DESCRIPTION	PKG./CTN.
KSFF-BP	Individually blister packed †	1/10
KSFF-BX	Individually boxed †	1/10

RIALTO* FLAPPER (OLD-STYLE - PRE 1998)



- Fits Kohler* Rialto*, San Raphael*, Rosario* & Santa Martine* closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- 1.6 GPM flush • Big bulb
- Kink resistant stainless steel chain & hook
- (Replaces # 49114)

PART #	DESCRIPTION	PKG./CTN.
KRF-BP	Individually blister packed †	1/10
KRF-BX	Individually boxed †	1/10

RIALTO* FLAPPER (NEW-STYLE - POST 1998)



- Fits Kohler* Rialto*, San Raphael*, Rosario* & Santa Martine* one-piece closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- Long arm
- New-style flapper with foam insert
- Kink resistant stainless steel chain & hook
- (Replaces # 83064)

PART #	DESCRIPTION	PKG./CTN.
KRFN-BP	Individually blister packed †	1/10
KRFN-BX	Individually boxed †	1/10

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (KOHLER*)

BLUE FLAPPER



- Fits Kohler*, American Standard* & Coast* flush valves
- Made of TPR (thermoplastic rubber to resist chlorine)
- With stainless steel chain & hook
- (Replaces Kohler* # 87449 & Coast* # 53366)

PART #	DESCRIPTION	PKG./CTN.
C53366-BP	Individually blister packed †	1/10
C53366-BX	Individually boxed †	1/10

†Call for bulk pricing.

BALLCOCK KIT/FLOAT ASSEMBLY (COMPLETE)



- Fits Kohler* #s K-9269, 30673, San Raphael* (3397), Rialto* (3402), Pillow Talk* (3378), Palarre*, Rochelle* (3385), Cabernet* (3401, 3408) one-piece closets
- Kit includes front rim ballcock diverter valve w/ tube, float rod & tank float (flush valve & flapper not included)
- 3.5 GPF retrofit assembly
- 1B1X style

PART #	DESCRIPTION	PKG./CTN.
K84499BF	(Replaces # 84499, 84498 (less flush valve))	1

FLUSH VALVE KIT FOR RIALTO*



- Fits Kohler* #s K-9269, 30673, San Raphael* (3397), Rialto* (3402), Pillow Talk* (3378), Palarre*, Rochelle* (3385), Cabernet* (3401, 3408) one-piece closets
- Kit contains flush valve w/ lugs, sponge gaskets to fit both round hole & triangle hole & flapper

PART #	DESCRIPTION	PKG./CTN.
K83650	(Replaces # 83650)	1

FLUSH VALVE W/LUGS & BALLCOCK KIT/FLUSH ASSEMBLY



- Fits Kohler* #s K-9269, 30673, San Raphael* (3397), Rialto*(3402), Pillow Talk* (3378), Palarre*, Rochelle*, (3385), Cabernet* (3401, 3408) one-piece closets
- Kit includes front rim ballcock diverter valve w/ tube, float rod, tank float & flush valve w/ lugs, sponge gaskets to fit both round hole & triangle hole & flapper
- 3.5 GPF retrofit assembly
- 1B1X style

PART #	DESCRIPTION	PKG./CTN.
K84499	(Replaces #s 84499, 84498 & 84503)	1

CLOSET REPAIR PARTS (KOHLER*)

TOP ASSEMBLY (BONNET)



- Fits Coast* ballcocks # 1B1X with twist-off tops for Kohler* San Raphael*, Rialto*, etc. one-piece closets
- (Replaces Coast* # 71866)

PART #	DESCRIPTION	PKG./CTN.
C71866	(Replaces # 42482)	1

BALLCOCK REPAIR KIT



- Coast*-type kit for Kohler* Rialto* & San Raphael* one-piece closets
- Also fits American Standard* Briggs*, Coast*, Eljer* & Universal Rundle* high-end, low-boy closets
- (Repairs Coast* # 1B1X ballcock)
- (Replaces Coast* # 55214)

PART #	DESCRIPTION	PKG./CTN.
C55214	(Replaces # 42393)	1

BALLCOCK REPAIR KIT



- Fits Kohler* ballcocks
- Plunger & washer repair kit
- 4-piece kit

PART #	DESCRIPTION	PKG./CTN.
K30166	(Replaces # 30166)	1

BALLCOCK PLUNGER WITH CAP SEAL



- Fits Kohler* ballcocks
- Black
- (Includes plunger # 51748 & gasket # 51250)

PART #	DESCRIPTION	PKG./CTN.
K30100	Complete kit (Replaces # 30100)	1

TOP-MOUNT FLUSH-ACTUATOR TANK LEVER



- Fits Kohler* top-mount flush activated closets
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TFAK	(Replaces # 83725)	1

KOHLER* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (KOHLER*)

TANK TRIP LEVER FOR RIALTO*



- Fits Kohler* Rialto* & San Raphael* closets
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
K81609	(Replaces # 81609)	1

SIDE-MOUNT TANK LEVER



- Fits Kohler* Wellworth* (pre-2011) & Barrington* series closets
- Side-mount (45°), chrome plated, die cast handle, plastic spud, nut & arm
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TL8	(Replaces #s 30324 & K-9404-L)	1

8" FRONT-MOUNT TANK LEVER



- Fits Kohler* 9400 series
- Chrome plated
- 8" cast brass arm, metal nut & spud

PART #	DESCRIPTION	PKG./CTN.
TL12	(Replaces # 500189)	1

DELUXE FRONT-MOUNT TANK LEVER



- Fits Kohler* 9400 series, # 51394 Memoirs* & Toto* Promenade* # ST723 closets
- All brass
- Decorative finishes available
- (Replaces Toto* # THU084)

PART #	DESCRIPTION	PKG./CTN.
TTL	(Replaces # 500189)	1

TANK-TO-BOWL BOLT SETS



- Fits Kohler*, American Standard*, Borg Warner*, Crane* & Eljer* closets
- Set includes: 2 ea. 5/16" x 3" tank bolts, 1 ea. # SRGAKC sponge rubber gasket, 4 ea. cloth inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TBBWA2	Brass bolts w/ wing nuts	25/250
TBPWA2	Brass plated bolts w/ wing nuts	25/250
TBBHA2	Brass bolts w/ hex nuts	25/250
TBPHA2	Brass plated bolts w/ hex nuts	25/250

CLOSET/URINAL REPAIR PARTS (KOHLER*)

SPONGE RUBBER TANK-TO-BOWL GASKET



- Fits Kohler* Alamo* & other integral units with two-piece closets
- 3-3/4" OD x 2-1/2 ID x 3/4" thick
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
SRGK	(Replaces #s GP83888 & 83888)	10

MOLDED RUBBER TANK-TO-BOWL GASKET



- Fits Kohler* closets
- 4-3/16" OD x 3-3/4" top ID x 2-3/8 " bottom ID x 11/16" thick
- Used on flush valve to seal tank-to-bowl connection

PART #	DESCRIPTION	PKG./CTN.
MRGK	Molded rubber	10

RECESSED TANK-TO-BOWL GASKET



- Fits Kohler*, American Standard*, Briggs*, Borg Warner*, Crane*, Mansfield* & Western Pottery* closets
- 3-3/8" OD x 2-1/8" ID x 1-3/16" thick.
- Used on flush valve to seal tank to bowl.
- (Replaces Am. Std.* # 73216-07)

PART #	DESCRIPTION	PKG./CTN.
SRGAKC	Sponge rubber	25/250


BRASS URINAL FLANGE KIT



- Complete kit
- Fits Kohler*, American Standard*, Crane*, Eljer* & Gerber*
- 2" IPS x 4-1/4"

PART #	DESCRIPTION	PKG./CTN.
UFK	(Replaces # 18766)	1

TANK-TO-BOWL CONVERSION WASHERS (REPLACES TRIANGLE-SHAPED GASKET)



- Fits Kohler* closets
- Double-beveled
- 9-pc. complete washer set:
  - 6 large (.9900 OD, .3720 ID)
  - 3 small (.7445 OD, .2875 ID)
- This converts from triangle gasket (# GP51487)

PART #	DESCRIPTION	PKG./CTN.
KCW	(Replaces #s GP52050 & 52050 (washers only))	1

MANSFIELD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (MANSFIELD*)

BRASS BALLCOCK



- Fits Mansfield*
- Brass body & shank
- Renewable porcelain seat
- Including water level adjustment screw, refill tube, flange nut, coupling nut & 8" brass float rod

PART #	DESCRIPTION	PKG./CTN.
BB10	(Ref. #s 03 & 09)	1

BALLCOCK REPAIR KIT FOR #03, #09 & #XQ16



- Fits Mansfield* #s 03, 09 & XQ16 ballcocks

PART #	DESCRIPTION	PKG./CTN.
M6307066	(Replaces # 630-7066)	1

BALLCOCK REPAIR KIT FOR # 07



- Fits Mansfield* # 07 ballcocks

PART #	DESCRIPTION	PKG./CTN.
M6305702	(Replaces # 630-5702)	1

BALLCOCK REPAIR KIT FOR # 08



- Fits Mansfield* # 08 ballcocks
- Kit includes upper & lower diaphragms

PART #	DESCRIPTION	PKG./CTN.
M6307984	(Replaces # 630-7984)	1

BALLCOCK REPAIR KIT FOR #12



- Fits Mansfield* # 12 ballcocks

PART #	DESCRIPTION	PKG./CTN.
M6305699	(Replaces # 630-5699)	1

FLUSH VALVE REPLACEMENT



- Fits Mansfield
- Instant shut-off
- 3.5 gallon toilet
- Rust and corrosion resistant

PART #	DESCRIPTION	PKG./CTN.
M210	(Replaces # 300210000)	1

FLUSH VALVE SEAL DIAPHRAGM



- Fits Mansfield* flush valves
- Black rubber
- (Ref. #s 208 & 209)

PART #	DESCRIPTION	PKG./CTN.
M6304837	(Replaces # 630-4837)	1

CLOSET REPAIR PARTS (MANSFIELD*)

FLUSH VALVE DISK/SEAL



- Fits Mansfield* flush valves
- Grey rubber
- (Ref. #s 210 & 211)

PART #	DESCRIPTION	PKG./CTN.
M7410009	(Replaces # 741-0009)	1

3-PC TANK-TO-BOWL BOLT SETS



- Fits Mansfield* 3-bolt model closets with recessed sponge rubber gasket
- Set includes:
  - 3 ea. 5/16" tank bolts, hex nuts & wing nuts
  - 1 ea. #SRGAKC sponge rubber gaskets
  - 1 ea. ballcock coupling nut
  - 6 ea. metal washers & cloth inserted washers

PART #	DESCRIPTION	PKG./CTN.
TBBWM3	With brass bolts	25/250
TBPWM3	With brass plated bolts	25/250

TANK-TO-BOWL GASKET



- Fits Mansfield* late model free standing water closets
- Sponge rubber
- 2-1/2" ID x 3-5/8" OD x 3/4" thick

PART #	DESCRIPTION	PKG./CTN.
SRGM NEW	Sponge rubber	10

RECESSED TANK-TO-BOWL GASKET



- Fits Mansfield*, American Standard*, Borg Warner*, Briggs*, Crane* & Kohler* closets
- 3-3/8" OD x 2-1/8" ID x 1-3/16" thick

PART #	DESCRIPTION	PKG./CTN.
SRGAKC	Sponge rubber (Replaces # 73216-07)	10

JUMBO BLUE FLAPPER



- Fits Mansfield* oversized 3" flush valve
- Made of TPR (thermoplastic rubber) to resist chlorine
- Stainless steel chain & hook
- Blue color
- (Replaces # 203-1)

PART #	DESCRIPTION	PKG./CTN.
MAF-BP	Individually blister packed †	1/10
MAF-BX	Individually boxed †	1/10

†Call for bulk pricing.

MANSFIELD* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET REPAIR PARTS (MANSFIELD*)

OLD-STYLE TANK LEVER



- Fits Mansfield* # 5 closet tank
- Use with Mansfield* water-saver ballcock
- Chrome metal handle with plastic spud & nut
- 10-1/4" round brass arm

PART #	DESCRIPTION	PKG./CTN.
TL5	(Replaces # 42)	1

UNIVERSAL-FIT TANK LEVER



- Fits Mansfield* closets
- Chrome plated plastic handle
- 9" plastic arm, plastic spud & nut

PART #	DESCRIPTION	PKG./CTN.
TL6	(Replaces #s 35, 41 & 51)	1

MOEN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ONE-HANDLE FAUCET REPAIR PARTS (MOEN*)

ORIGINAL-STYLE CARTRIDGE



- Fits Moen* one-handle lavatory, kitchen faucets & tub/shower valves
- Solid brass body • broach
- 3-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
MO1200B	(Replaces # 1200B)	1

CLEAR MAGNUM* CARTRIDGE WITH BRASS STEM



- Fits Moen* / Stanadyne* one-handle lavatory, kitchen faucets & tub/shower valves
- New soft-touch, easy-on/easy-off design
- broach
- 3-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
MO1225B	(Replaces # 1225B)	1

NEW-STYLE CARTRIDGE FOR POSI-TEMP*



- Fits Moen* Posi-temp* one-handle tub/shower valves
- Brass stem assembly
- Teflon balancing spool
- Permanently lubricated bearing surface
- Chemical-resistance seal
- Self-cleaning design • Pressure balancing
- broach • 4-1/8" overall length

PART #	DESCRIPTION	PKG./CTN.
MO1222B	(Replaces # 1222B)	1

INDEX BUTTON REPLACEMENT



- Fits single handle lavatory, kitchen and bath handle for Boutique/ Legend faucets
- Made of acrylic
- 1-5/8" OD top diameter

PART #	DESCRIPTION	PKG./CTN.
M15613	(Replaces # 15613)	10/40

ONE-HANDLE FAUCET REPAIR PARTS (MOEN*)

POSI-CLOSE* REPLACEMENT CARTRIDGE WITH HANDLE (PATENTED)



- Fits Moen* Posi-Close* one-handle lavatory, kitchen faucets & tub/shower valves
- Replacement for # 1200B & # 1225B series cartridges
- High-temp. permanently lubricated casing for trouble-free life, even in commercial hot water applications
- Brass stem
- Self-closing cartridge with "push" handle
- Can save thousands of gallons of water!
- Perfect for faucets in public restrooms
- broach • 4-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
MOPCC	(Replaces Posi-Close* cartridge)	1

OLD-STYLE/SHORT BROACH HANDLE



- Fits Moen* one-handle Boutique* & Legend* lavatory faucets
- Clear acrylic canopy • broach
- 1-3/4" overall height
- Fits # 1200B & # 1225B stems • Recessed fit

PART #	DESCRIPTION	PKG./CTN.
MO13092	(Replaces # 13092)	1

OLD-STYLE/LONG BROACH HANDLE



- Fits Moen* one-handle Boutique*, Legend*, Moentrol* & tub/shower valves
- Fits # 1200B & # 1225B stems
- Clear acrylic canopy
- broach • 1-11/16" overall height
- Flush-fit


PART #	DESCRIPTION	PKG./CTN.
MO13094	(Replaces # 13094)	1

MOEN* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (MOEN*)

CARTRIDGE SEAL REBUILD KIT



- Fits Moen*, Gerber* & old-style Stanadyne* one-handle lavatory, kitchen faucets & tub/shower valve cartridge
- Kit includes 12 seals with lube

PART #	DESCRIPTION	PKG./CTN.
G90116	(Replaces # 90-116)	1

REPAIR KIT



- Fits Moen* one-handle lavatory, kitchen faucets & tub/shower valves
- Kit contains cap & spout seals, cartridge seals & lubricant

PART #	DESCRIPTION	PKG./CTN.
MRK	Complete kit	1

TUB VALVE REBUILD KIT (CHATEAU*)



- Rebuilds Moen* Posi-Temp* one-handle tub valve (less diverter)
- Kit is self-contained with all the necessary parts making it a smart choice for contractors & do-it-yourselfers. Includes handle trim
- Installation instructions, along with helpful tools & required tools are featured on package
- Comes w/ Moen* # 1200 cartridge

PART #	DESCRIPTION	PKG./CTN.
MTVRK	Complete rebuild kit	1

TUB OR SHOWER TRIM KIT (CHATEAU*)



- Fits Moen* Posi-Temp* one-handle tub or shower valve (less diverter)
- Kit includes 1 ea. 7" brass CP escutcheon, 1 ea. shallow-broach single acrylic handle, 1ea. brass escutcheon tube & 2 ea. brass screws
- Decorative finishes available
- Fits Moen* # 1225B & # 1200B cartridges

PART #	DESCRIPTION	PKG./CTN.
MOT470	(Replaces # T470)	1

TUB OR SHOWER TRIM KIT (LEGEND*)



- Fits Moen* Moentrol* one-handle tub or shower valve (less diverter)
- Kit includes 1 ea. 7" brass OD escutcheon, 1 ea. Posi-temp*-type single acrylic handle, 1 ea. brass escutcheon tube & 2 ea. brass screws
- Fits Moen* # 1225B & # 1200B cartridges

PART #	DESCRIPTION	PKG./CTN.
MO3270	(Replaces # 3270)	1

ONE-HANDLE FAUCET REPAIR PARTS (MOEN*)

DEEP DISH TRIM PLATE (OLD-STYLE LEGEND*)



- Fits Moen* one-handle tub/shower valves
- 1-1/8" ID x 7" OD
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
MO13106	(Replaces # 13106)	1

4-IN-1 COMBO TRIM KIT (NEW-STYLE)



- Replaces four different Moen* escutcheons:
  (1) Flat (Chateau*/Legend*)
  (2) Deep Dish (Chateau*/Legend*)
  (3) Deep Dish (Moentrol*)
  (4) Flat (Moentrol*)
- Push-button
- 7" OD

PART #	DESCRIPTION	PKG./CTN.
MOEK	4-in-1 escutcheon kit	1

NEW-STYLE/SHORT BROACH TEARDROP CLEAR ACRYLIC HANDLE



- Fits Moen* one-handle Boutique*, Chateau* & Moentrol* lavatory faucets
- Includes button & screw
- Recess fit
- Acrylic canopy
- 1-5/8" overall height
- ▮ broach

PART #	DESCRIPTION	PKG./CTN.
MO96791	(Replaces # 96791)	1

NEW-STYLE/LONG BROACH TEARDROP CLEAR ACRYLIC HANDLE



- Fits Moen* one-handle Chateau* & Posi-Temp* tub/shower valves
- Includes button & screw
- Flush fit
- Acrylic canopy
- 2-1/8" large dia. (stem end) x 1-5/8" overall height
- ▮ broach

PART #	DESCRIPTION	PKG./CTN.
MO96884	(Replaces #'s 96884 & 96797)	1

BRAXTON HARRIS CO., INC.

MOEN* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (MOEN*)

ESCUTCHEON SLEEVE (STOP TUBE)



- Fits four different Moen* escutcheons:
  (1) Flat (Chateau*/Legend*)
  (2) Deep Dish (Chateau*/Legend*)
  (3) Deep Dish (Moentrol*)
  (4) Flat (Moentrol*)
- Fits BHC 4-in-1 combo escutcheon # MOEK
- Chrome plated • 2-1/16" L x 1-1/16" OD

PART #	DESCRIPTION	PKG./CTN.
MO10089	(Replaces # 10089)	1

ONE-HANDLE TUB/SHOWER HANDLE



- Fits Moen* Posi-Temp* one-handle tub/shower valve
- Includes screw & screw cover
- Fits # 1222B stem
- Chrome plated • broach
- 4-3/4" overall width x 1-5/8" overall height

PART #	DESCRIPTION	PKG./CTN.
MO14732	(Replaces # 14732)	1

COMMERCIAL ONE-HANDLE FAUCET HANDLE (LEVER)



- Fits Moen* commercial one-handle lavatory faucet
- Fits #s 1200B & 1225B stems
- Chrome plated
- broach
- 4" overall width x 2" overall height

PART #	DESCRIPTION	PKG./CTN.
MO13291	(Replaces # 13291)	1

COMMERCIAL TUB/SHOWER HANDLE (LEVER)



- Fits Moen* commercial one-handle tub/shower valve
- Fits #s 1200B & 1225B stems
- Chrome plated
- broach
- 4" overall width x 2" overall height

PART #	DESCRIPTION	PKG./CTN.
MO13291S	(Replaces # 13291)	1

HANDLE PIVOT REPAIR KITS (NEW-STYLE)


MO101099


MO101310

- Fits Moen* one-handle kitchen faucets

PART #	DESCRIPTION	PKG./CTN.
MO101099	4-pc. repair kit (Replaces # 101099)	1
MO101310	5-pc. repair kit (Replaces # 101310)	1

ONE-HANDLE FAUCET REPAIR PARTS (MOEN*)

SINGLE LEVER KITCHEN FAUCET HANDLE (COMPLETE ASSEMBLY)



- Fits Moen* Chateau* one-handle kitchen faucets.
- Includes handle, handle cap & cover
- 3-1/2" overall length
- Chrome plated • broach
- 5" overall width x 2-3/4" overall height

PART #	DESCRIPTION	PKG./CTN.
MOSLFH	(OEM # 96790 handle assembly & # 10927 handle lever)	1

KITCHEN FAUCET REBUILD KIT



- Rebuilds Moen* one-handle kitchen faucets
- Kit is self-contained with all the necessary parts making it a smart choice for contractors & do-it-yourselfers. Includes handle trim
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
MOKFRK	Complete rebuild kit	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (MOEN*)

NEW-STYLE WASHERLESS CARTRIDGE



- Fits Moen* new-style two-handle lavatory & kitchen faucets
- Fits all two-handle faucets
- broach • (Ref. # 6S-1)
- 2-5/8" overall length

PART #	DESCRIPTION	PKG./CTN.
MO1224B	Hot or cold (Replaces # 1224B)	1

OLD-STYLE WASHERLESS CARTRIDGE



- Fits Moen* Aquastream*, Lifetime*, Midcor*, old-style Nibco* & Streamway* two-handle lavatory & kitchen faucets
- Fits all two-handle faucets • 17 pt. broach
- With brass stem • 1-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
MO14800	Hot or cold (Replaces # 14800)	1

TWO-HANDLE ADAPTER KIT



- Fits Moen* Posi-Temp* two-handle tub/shower valve
- Includes screw & screw cover
- Hot & cold

PART #	DESCRIPTION	PKG./CTN.
MOTHAK	8-pc. repair kit	1

MOEN* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (MOEN*)

CARTRIDGE PULLER



- Moen* cartridge puller
- Removes stem & cartridge from faucet & shower valves

PART #	DESCRIPTION	PKG./CTN.
MCP	For all standard models	1

POSI-TEMP* CARTRIDGE PULLER



- Fits Moen* Posi-Temp* # 1222B & standard tub/shower valves

PART #	DESCRIPTION	PKG./CTN.
MOPTCP	Posi-Temp* cartridge puller	1

FAUCET REPAIR PARTS (MOEN*)

POP-UP BASIN DRAIN STOPPERS



- Fits Moen*
- Plastic body with stainless steel trim
- # PDSM5 replaces # 12314

PART #	DESCRIPTION	PKG./CTN.
PDSM	1-5/16" OD x 4" overall height	1
PDSM435	1-5/16" OD x 4.35" overall height	1
PDSM5	1-5/16" OD x 5" overall height (Replaces # 12314)	1

POP-UP SEAL RING



- Fits Moen* pop-up basin drain stoppers

PART #	DESCRIPTION	PKG./CTN.
MOPUSR	Seal ring	1

PEERLESS* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ONE-HANDLE FAUCET REPAIR PARTS (PEERLESS*)

70 STYLE PLASTIC BALL



- Fits Peerless* & Delta* Delex* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP70P	(Replaces # RP70)	1

70 STYLE BRASS BALL



- Fits Peerless* & Delta* Delex* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP70B	(Replaces # RP70)	1

70 STYLE STAINLESS STEEL BALL



- Fits Peerless* & Delta* Delex* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP70	(Replaces # RP70)	1

ONE-HANDLE FAUCET REPAIR PARTS (PEERLESS*)

212 STYLE PLASTIC BALL



- Fits Peerless* & Delta* Delex* single-knob lavatory, kitchen faucets & tub/shower valves
- ◆ broach

PART #	DESCRIPTION	PKG./CTN.
DRP212P	(Replaces # RP212)	1

212 STYLE BRASS BALL



- Fits Peerless* & Delta* Delex* single-knob lavatory, kitchen faucets & tub/shower valves
- ◆ broach

PART #	DESCRIPTION	PKG./CTN.
DRP212B	(Replaces # RP212)	1

212 STYLE STAINLESS STEEL BALL



- Fits Peerless* & Delta* Delex* single-knob lavatory, kitchen faucets & tub/shower valves
- ◆ broach

PART #	DESCRIPTION	PKG./CTN.
DRP212	(Replaces # RP212)	1


BRAXTON HARRIS CO., INC.

PEERLESS* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (PEERLESS*)

REPAIR KIT #1 FOR PEERLESS*



- Repairs all Peerless* kitchen models with ball & slotted cam
- Also repairs spout
- With short springs & teflon-lined cam & wrench
- (Ref. #s 2078 & 45202)

PART #	DESCRIPTION	PKG./CTN.
DRP3614	(Replaces Delta* # RP3614)	1

REPAIR KIT #2



- Fits all Peerless* lavatory faucets & tub/shower valves & Delta* faucets with clear acrylic handle
- Teflon liner on cam with hex wrench

PART #	DESCRIPTION	PKG./CTN.
DRP3616	(Replaces Delta* # RP3616)	1

CLEAR ACRYLIC LAVATORY HANDLE



- Fits Delta*/Peerless* one-handle lavatory faucets that use a # 212 ball
- Complete with button & screw
- 2-1/4" overall height
- ◆ broach

PART #	DESCRIPTION	PKG./CTN.
DRP2389	(Replaces old # RP2389 & new # RP17449)	1

CLEAR ACRYLIC TUB/SHOWER HANDLE



- Fits Peerless* & Delta* one-handle tub/shower valves that use a # 212 ball
- With new-style cap
- 2-1/8" overall height
- ◆ broach
- Offset broach
- 600 series

PART #	DESCRIPTION	PKG./CTN.
DRP2391	(Replaces # RP2391 old-style & # RP17451 new-style)	1

WE SHIP SAME DAY.

ONE-HANDLE FAUCET REPAIR PARTS (PEERLESS*)

METAL LEVER HANDLES



- Fits Peerless*/Delta*, U.S. Brass* & Valley* one-handle lavatory & kitchen faucets
- Fits # 70 ball
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP2393	Kitchen, 4-1/2" (Replaces Delta* # RP2393)	1
DRP90	Lavatory, 3-1/4" (Replaces Delta* # RP90) For 600 series faucets	1

SEATS & SPRINGS ASSEMBLY



- Fits both one & two-handle Peerless*, Delta* & Delex* lavatory, kitchen faucets & tub/shower valves
- Kit contains 2 new & 2 old-style springs, 2 new & 2 old-style seats

PART #	DESCRIPTION	PKG./CTN.
DRP4993	(Replaces # RP4993 + old springs/seats)	1

TUB/SHOWER PUSH-BUTTON DIVERTER CARTRIDGE



- Fits Peerless*, Delta* & Delex* one-handle tub/shower valve diverters
- Fits Scald Guard* & some Monitor* models
- ● broach
- 3-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP5649	(Replaces # RP5649)	1

DIVERTER CONVERTER PLUG



- Fits Peerless*, Delta* & Delex* Scald Guard* & some Monitor* models one-handle tub/shower valves with push-button diverters
- Converts tub/shower valve bodies with push-button diverters to standard valve bodies which use a standard diverter tub spout
- Simply remove diverter stem, screw in diverter converter plug & add tub spout with diverter

PART #	DESCRIPTION	PKG./CTN.
DRP2865	(Replaces # RP2865)	1

FAUCET REPLACEMENT HANDLE ADAPTER



- Adapts any Peerless* or Delex* handle to fit any Delta* faucet
- Fits Peerless* & Delta* Delex* one & two-handle faucets & tub/shower valves (Delta* Delex*, Peerless*, #s RP1974, RP1740 & BHC #s DRP1974 & DRP1740)

PART #	DESCRIPTION	PKG./CTN.
DFHA	Lever handle bushing	1

PEERLESS* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE HANDLE FAUCET REPAIR PARTS (PEERLESS*)

CLEAR ACRYLIC HANDLE



- Fits Peerless*, Delta* & Delex* two-handle lavatory/kitchen faucets & two & three-handle tub/shower valves
- With hot & cold buttons & screws
- broach

PART #	DESCRIPTION	PKG./CTN.
DCCH	Hot & cold	1 pr.

ACRYLIC INDEX BUTTONS



- Fits Peerless*, Delta* & Delex* two-handle lavatory, kitchen faucets & tub/shower valves
- 1" diameter
- Hot & cold buttons

PART #	DESCRIPTION	PKG./CTN.
DRP19659	(Replaces new # RP19659 & old # RP5692)	1 pr.

CLEAR ACRYLIC DIVERTER HANDLE



- Fits Peerless*, Delta* & Delex* three-handle tub/shower diverter valve
- broach

PART #	DESCRIPTION	PKG./CTN.
DCCDH	Clear acrylic diverter handle	1

CLEAR ACRYLIC HANDLES



- Fits Peerless*, Delta* & Delex* two-handle lavatory, kitchen faucets & tub/shower valves
- Also replaces old-style
- broach
- 1-7/8" overall height

PART #	DESCRIPTION	PKG./CTN.
DRP5693	Hot & cold (Replaces # RP5693)	1 pr.

TWO & THREE HANDLE FAUCET REPAIR PARTS (PEERLESS*)

OLD-STYLE WASHERLESS CARTRIDGE



- Fits Peerless*, Delta* & Delex* two-handle lavatory, kitchen faucets tub/shower valves
- With stainless steel seat
- broach
- 1-7/8" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP1974	Hot or cold (Replaces # RP1974)	1

NEW-STYLE WASHERLESS CARTRIDGE



- Fits Peerless*, Delta* & Delex* two-handle lavatory, kitchen faucets & tub/shower valves
- All plastic for extra corrosion resistance
- With stainless steel seat
- broach
- 1-7/8" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP1740	Hot or cold (Replaces #s RP1740 & RP1740MBS)	1

WASHERLESS CARTRIDGE WITH BRASS STEM



- Fits Peerless*, Delta* & Delex* washerless acrylic two-handle lavatory / kitchen faucets
- Brass stem with stainless steel seat
- Hot or cold
- broach
- 1-7/8" overall length

PART #	DESCRIPTION	PKG./CTN.
DRP8230	(Replaces Delta* # RP8230)	1

POP-UP BASIN DRAIN STOPPER



- Fits Peerless* & Delta*
- Chrome plated stopper
- ABS with stainless steel trim
- 1-3/8" stopper OD x 5" overall height

PART #	DESCRIPTION	PKG./CTN.
DRP5648	(Replaces # RP5648)	1

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

CARTRIDGE FOR AVANTE* (OLD-STYLE)



- Fits Price Pfister* Avante*/Bedford* one-handle lavatory, kitchen faucets & tub/shower valves
- Includes spout seals & lube
- Washerless
- broach
- 4" overall length

PART #	DESCRIPTION	PKG./CTN.
PP974292	(Replaces # 974-292)	1

CARTRIDGE KIT FOR AVANTE* (NEW-STYLE)



- Fits Price Pfister* Avante*/Bedford* one-handle lavatory, kitchen faucets & tub/shower valves
- Includes spout seals & lube
- Washerless
- broach
- 4" overall length

PART #	DESCRIPTION	PKG./CTN.
PP974292N	(Replaces # 974-292)	1

HANDLE YOKE & RETAINER RING FOR AVANTE*



- Fits Price Pfister* Avante* one-handle kitchen faucet lever handle
- With screw

PART #	DESCRIPTION	PKG./CTN.
PP962260	(Replaces # 962-260 (ring) & # 974-690 (yoke))	1

ONE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

HEX ESCUTCHEON/FACE PLATE FOR AVANTE*



- Fits Price-Pfister* Avante* one-handle shower valve
- 1-1/2" ID x 8" W x 5-1/2" H

PART #	DESCRIPTION	PKG./CTN.
PP960370	(Replaces # 960-370)	1

ROUND ESCUTCHEON/FACE PLATE FOR FLOWMATIC*



- Fits Price-Pfister* Flowmatic* one-handle shower valve

PART #	DESCRIPTION	PKG./CTN.
PPFRE	Round escutcheon	1

NEW-STYLE/LONG BROACH HANDLE FOR AVANTE* (CLEAR ACRYLIC)



- Fits Price Pfister* Avante* new-style one-handle lavatory faucet (41 series) & tub/shower valves (09 series)
- broach
- Fits BHC # PP974292 (new & old) cartridge

PART #	DESCRIPTION	PKG./CTN.
PP940240	(Replaces # 940-240, old # 940-950A)	1

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

OLD-STYLE/LONG BROACH HANDLE FOR AVANTE* (CLEAR ACRYLIC)



- Fits Price Pfister* Avante* old-style one-handle lavatory faucet & tub/shower valves
- ♠ broach
- 2" overall height
- Fits BHC # PP974292 (new & old) cartridge
- (Ref. # 941-045A)

PART #	DESCRIPTION	PKG./CTN.
PP940950A	(Replaces # 940-950A)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

LAVATORY & KITCHEN FAUCET STEM



- Fits Price Pfister* two-handle lavatory & kitchen faucets
- Fits lavatory faucet # 43-010 through 43-124, sink faucet # 35-010 through 35-420; Verve*, Windsor*, Contempra* & Contessa*
- 12 pt. broach
- 1-5/8" overall length
- (Ref. # 2H-1HC)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PP910392	Hot or cold (Replaces # 910-392)	1

WASHERLESS FAUCET STEM




- Fits Price Pfister* two-handle lavatory & kitchen faucets (Verve*, Windsor*, Contempra* & Contessa*).
- Washerless, quarter-turn design
- 12 pt. broach
- 1-7/8" overall length
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PP910900	Hot or cold (Replaces # 910-900 (new) or 910-681 (cold) & 910-691 (hot))	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

TUB/SHOWER STEM (NEW-STYLE)



- Fits Price Pfister* two-handle tub/shower valves
- 12 pt. broach
- 5-1/2" overall length
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PP910372	Hot or cold (Replaces # 910-372)	1

TUB/SHOWER STEM (OLD-STYLE)



- Fits Price Pfister* Verve*, Contessa* & Windsor* two-handle tub/shower valves (old-style)
- 12 pt. broach
- 5-1/2" overall length
- (Ref. # 12H-2HC)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PP910374	Hot or cold (Replaces # 910-374)	1

DIVERTER STEM



- Fits Price Pfister* Verve* & Windsor* two-handle tub/shower diverter valves
- 12 pt. broach
- 5-1/2" overall length
- (Ref. # 12H-4D)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PP910385	Diverter (Replaces # 910-385)	1

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)


TWO-HANDLE TUB/SHOWER VALVE REBUILD KIT FOR VERVE*



- Rebuilds Price Pfister* Verve* two-handle tub or shower valve.
- Kit includes: 2 ea. chrome plated canopy handles (12-pt. broach) with screws & buttons, 2 ea. brass tub or shower stems (12-pt. broach), 2 ea. escutcheon nipples, 2 ea. brass seats, 2 ea. chrome plated escutcheon flanges

PART #	DESCRIPTION	PKG./CTN.
PPVTSVRK	Verve* tub or shower valve rebuild kit	1/10

THREE-HANDLE TUB/SHOWER VALVE REBUILD KIT FOR VERVE*



- Rebuilds Price Pfister* Verve* three-handle tub/shower valve
- Kit includes: 2 ea. chrome plated canopy handles (12-pt. broach) with screws & buttons, 1 ea. chrome plated canopy diverter handle (12-pt. broach) with screw & button, 2 ea. brass tub/shower stems (12-pt. broach), 1 ea. brass diverter stem (12-pt. broach), 3 ea. escutcheon nipples, 3 ea. brass seats, 3 ea. chrome plated escutcheon flange

PART #	DESCRIPTION	PKG./CTN.
PPVTSVRKD	Verve* tub or shower valve rebuild kit	1/10

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

THREE-HANDLE TUB/SHOWER VALVE REBUILD KIT FOR WINDSOR*



- Rebuilds Price Pfister* Windsor* three-handle tub/shower valve
- Includes handle trim.
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
PPWTSVRK	Windsor* tub/shower valve rebuild kit	1

ESCUTCHEON NIPPLE FOR SHOWER VALVE

- Fits Price Pfister* Windsor*, Verve* and other tub and shower valves
- 21/32" diameter, 18 threads per inch, 2-3/4" length
- Made of nylon

PART #	DESCRIPTION	PKG./CTN.
PPEN	(Replaces # RP5648)	10/40

WE SHIP SAME DAY.

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

LAVATORY FAUCET REBUILD KITS



PPVLFRK



PPWLFRK



PPMLFRK

- Rebuilds Price Pfister* two-handle lavatory faucets. Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
PPVLFRK	Verve* rebuild kit	1
PPWLFRK	Windsor* rebuild kit	1
PPMLFRK	Marquis* rebuild kit	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

ROUND ESCUTCHEON (FLANGE)



- Fits Price Pfister*, Verve* & Windsor* two & three-handle tub/shower valves
- 2-1/4" overall length, 1-1/16" OD x 5/8" ID handle end, 2-3/4" OD valve end
- 21/32"-18 TPI
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
PP960110A	(Replaces # 960-110A)	1

TEARDROP FLANGE WITH ADAPTER



- Fits Price Pfister* two & three-handle tub/shower valves
- 2-3/16" overall length, 1-1/16" OD x 5/8" ID handle end, 4" OD x 2-1/8" OD valve end
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
PP960080A	(Replaces # 960-080A)	1
PPPFN	Plastic flange nut (only) 21/32"-18 TPI	1

OLD-STYLE HEXAGON FLANGE



- Fits Price Pfister* two & three-handle old-style tub/shower valves
- 1-3/4" overall length, 1/2" OD x 5/8" ID handle end, 2-1/2" OD valve end
- 21/32"-18 TPI
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
PP960280A	(Replaces # 960-280A)	1

BRAXTON HARRIS CO., INC.

6.1.25

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

NEW-STYLE FLANGE



- Fits Price Pfister* two & three-handle new-style tub/shower valves
- 1-1/2" overall length, 1-5/16" ID, 2-3/4" OD valve end
- 2-piece reversible chrome plated metal flange

PART #	DESCRIPTION	PKG./CTN.
PPNSF	New-style flange	1

WIDESPREAD LAVATORY FAUCET FLANGE



- Fits Price Pfister* two-handle widespread lavatory faucets
- Chrome plated metal
- 1-1/4" height, 1-1/8" OD handle end width, 2-1/2" OD x 1-3/16" ID valve end, 1" x 20 TPI

PART #	DESCRIPTION	PKG./CTN.
PP960160A	(Replaces # 960-160A)	1

ROUND ESCUTCHEON WITH SET-SCREW




- Fits Price Pfister*, Sayco*, Sterling *, Speakman* & Streamway* two & three-handle tub/shower valves
- 1-1/4" ID x 2-3/4" OD x 5/8" overall height
- Use with BHC # PP971100A escutcheon tube listed below
- (Ref. # A8107)

PART #	DESCRIPTION	PKG./CTN.
PPRE	Chrome plated zinc	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

ESCUTCHEON TUBE (SLEEVE)



- Fits Price Pfister*
- Chrome plated
- 1-1/4" OD x 3-1/4" overall length
- Use with BHC # PPRE escutcheon listed above

PART #	DESCRIPTION	PKG./CTN.
PP971100A	(Replaces # 971-100A)	1

ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin.
- Fits two-handle wide spread lavatory & two/three-handle tub/shower valves
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* w/thread inside packing nut
  - 5/8" x 24: Sterling* w/ old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.
- 3-1/4" L x 5/8" OD

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

ESCUTCHEON NIPPLE (NYLON)



- Fits Price Pfister* & others
- Nylon
- 21/32" -18 TPI x 2-3/4" length
- Used with Windsor* & Verve* tub & shower valves

PART #	DESCRIPTION	PKG./CTN.
PP972110	(Replaces # 972-110)	1

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

CLEAR ACRYLIC HANDLES FOR WINDSOR* LAVATORY & KITCHEN FAUCETS (SMALL)



- Fits Price Pfister* Windsor* two-handle lavatory & kitchen faucets
- Includes both hot & cold index buttons & screws
- 12 pt. broach • 1-7/8" overall height • Priced per pair

PART #	DESCRIPTION	PKG./CTN.
PP940730A	Hot & cold (Replaces # 940-730A)	1 pr.

CLEAR ACRYLIC HANDLES FOR WINDSOR* TUB/SHOWER VALVES (LARGE)



- Fits Price Pfister* Windsor* two & three-handle tub/ shower valves
- Includes both hot & cold index buttons & screws
- 12 pt. broach • 2-7/8" overall height • Priced per pair

PART #	DESCRIPTION	PKG./CTN.
PP940740A	Hot & cold (Replaces # 940-740A)	1 pr.

CLEAR ACRYLIC HANDLE FOR WINDSOR* TUB/SHOWER DIVERTER



- Fits Price Pfister* Windsor* three-handle tub/shower diverter valves
- Includes index button & screw
- 12 pt. broach
- 2-7/8" overall height
- (Ref. # FHC-3D)

PART #	DESCRIPTION	PKG./CTN.
PP940740AD	Diverter (Replaces # 940-740A)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

CLEAR ACRYLIC HANDLES FOR MARQUIS* LAVATORY & KITCHEN FAUCETS



- Fits Price Pfister* Marquis* two-handle lavatory & kitchen faucets
- Includes both hot & cold index buttons & screws
- 12 pt. broach • 2" overall height • Priced per pair

PART #	DESCRIPTION	PKG./CTN.
PP940120	Hot & cold (Replaces # 940-120, # 941-062A (cold), # 941-072A (hot))	1 pr.

CLEAR ACRYLIC HANDLES FOR MARQUIS* TUB/SHOWER VALVES



- Fits Price Pfister* Marquis* two & three-handle tub/shower valves
- Includes both hot & cold index buttons & screws
- 12 pt. broach • 2-7/8" overall height • Priced per pair

PART #	DESCRIPTION	PKG./CTN.
PP940090	Hot & cold (Replaces # 940-090, # 941-061A (cold), # 941-071A (hot))	1 pr.

CLEAR ACRYLIC HANDLE FOR MARQUIS* TUB/SHOWER DIVERTER



- Fits Price Pfister* Marquis* three-handle tub/shower diverter valves
- Includes index button & screw
- 12 pt. broach
- 2-7/8" overall height

PART #	DESCRIPTION	PKG./CTN.
PP940090D	Diverter (Replaces #s 940-090 & 941-081A)	1

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

CANOPY HANDLES FOR VERVE* LAVATORY & KITCHEN FAUCETS



- Fits Price Pfister* Verve* two-handle lavatory & kitchen faucets
- Includes both hot & cold index buttons & screws
- Old-style
- 12 pt. broach
- 1-5/8" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
PP940520A	Hot & cold (Replaces # 940-520A)	1 pr.

CANOPY HANDLES FOR VERVE* TUB/SHOWER VALVES



- Fits Price Pfister* Verve* two & three-handle tub/shower valves
- Includes hot, cold & diverter index buttons with screws
- 12 pt. broach
- 2-1/2" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
PP940510A	Hot & cold (Replaces # 940-510A)	1 pr.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (PRICE PFISTER*)

CANOPY HANDLE FOR VERVE* TUB/SHOWER DIVERTER



- Fits Price Pfister* Verve* three-handle tub/shower diverter valves
- Includes index buttons & screw
- 12 pt. broach
- 2-1/2" overall height

PART #	DESCRIPTION	PKG./CTN.
PP940510AD	Diverter (Replaces # 940-510A)	1

ACRYLIC INDEX BUTTONS FOR VERVE*



PP941330



PP941320



PP941340

- Fits Price Pfister* two-handle lavatory, kitchen faucets & tub/shower valves
- 15/16" top diameter
- For large & small handles

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PP941330	Hot (Replaces # 941-330)	10
PP941320	Cold (Replaces # 941-320)	10
PP941340	Diverter (Replaces # 941-340)	10

PRICE PFISTER* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (PRICE PFISTER*)

SEATS



- Fits Price Pfister* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION THD WIDTH x TPI x HEIGHT	OEM #	PKG./CTN.
PP970510	1/2" x 20 x 3/8"	970-510	2
PP970500	.650" x 18 x 3/8"	970-500	2

NON-SLOTTED AERATOR



- Fits Price Pfister*, Chicago Faucet*, Kohler*, Speakman*, T&S Brass* & Union Brass* faucet spouts
- With removable low-flow disc
- Chrome plated brass
- 2.2 GPM (60 PSI)

PART #	DESCRIPTION	PKG./CTN.
FAFT34	Female thds.: 3/4" x 27 inside thds.	1

AERATOR ADAPTERS



MTAA1316



FMTAA1316

- Fits Kohler* faucet spouts
- Chromed brass
- With washer

PART #	DESCRIPTION	PKG./CTN.
MTAA1316	Male 55/64" x 27 inlet thds. Also fits Union* & Savoy*	1
FMTAA1316	Female 3/4" x 27 inlet thds. Male 13/16" x 27 outlet thds. Also fits Price Pfister*	1

WE SHIP SAME DAY.

FAUCET REPAIR PARTS (PRICE PFISTER*)

POP-UP BASIN DRAIN STOPPER



- Fits Price Pfister*
- Plastic body with stainless steel trim
- 1-1/4" stopper OD x 3-3/4" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSP	Plastic (Replaces # 972-691)	1

POP-UP BASIN DRAIN PLUG WASHER/ SEAL RING



- Fits Price-Pfister* pop-up basin drain stopper & BHC # PDSP stopper

PART #	DESCRIPTION	PKG./CTN.
PPPUPW	Pop-up plug washer	1

POP-UP BASIN DRAIN PLUG WITH OVERSIZED HEAD



- Fits Price-Pfister*
- Stainless steel top
- 2.5" stopper OD x 3.79" overall height

PART #	DESCRIPTION	PKG./CTN.
PP972692A	(Replaces # 972-692A)	1

LIFT & TURN DRAIN



- Fits Price Pfister*
- Tapped 10/24
- Brass body
- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
LTDP138	1-3/8" x 16 fine thds.	1

BRAXTON HARRIS CO., INC.

6.1.25

SAYCO* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR (SAYCO*)

CLEAR ACRYLIC HANDLE



- Fits Sayco* one-handle faucets
- Delta*-look
- ● broach
- Fits # P1070 cartridge

PART #	DESCRIPTION	PKG./CTN.
SAP300	(Replaces # P300)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (SAYCO*)

LAVATORY & KITCHEN FAUCET STEMS (BRASS)



- Fits Sayco* two-handle lavatory (#s 420-22, 2042-44) & kitchen faucets (#s 280, 620, 820)
- 16 pt. broach
- 1-1/2" overall length
- With stainless steel bibb screw
- (Ref. # 1B-1)

PART #	DESCRIPTION	PKG./CTN.
SAK4500H	Hot (Replaces #s K4500 & P068)	1
SAK4500C	Cold (Replaces # K4500 & P069)	1

TUB/SHOWER STEMS (BRASS)



- Fits Sayco* two & three-handle tub/shower valves (#s 308 & T-308)
- 16 pt. broach
- 4-3/4" overall length
- With stainless steel bibb screw
- (Ref. # 9B-3)

PART #	DESCRIPTION	PKG./CTN.
SAK13H	Hot (Replaces #s K1-3 & P002)	1
SAK13C	Cold (Replaces #s K1-3 & P004)	1

DIVERTER STEM



- Fits Sayco* three-handle tub/shower diverter valves (#s 308, T-308)
- 16 pt. broach
- 4-3/4" overall length
- With stainless steel bibb screw
- (Ref. # 9B-5)

PART #	DESCRIPTION	PKG./CTN.
SAK13D	Diverter (Replaces #s K1-3, 1DA49 & P006)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (SAYCO*)

TUB & SHOWER VALVE REBUILD KIT



- Rebuilds Sayco* three-handle tub/shower valves
- Includes chrome plated handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
SATSVRK	Complete rebuild kit	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Sayco* two-handle lavatory faucets
- Includes chrome plated handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
SALFRK	Complete rebuild kit	1

UNIVERSAL-FIT ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin
- Fits two-handle wide spread lavatory & two/three-handle tub/shower valves
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, old-style Kohler* w/thread inside packing nut
  - 5/8" x 24: Sterling* w/old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft*, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

CANOPY LAVATORY HANDLES FOR CITATION* (THREE-POINT-STYLE)



- Fits Sayco* (Briggs*) Citation* two-handle lavatory & kitchen faucets
- Chrome plated with buttons & screws
- 16 pt. broach
- 1" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
BP071	Hot & cold (Replaces # P071C/H)	1 pr.

SAYCO* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (SAYCO*)

CANOPY TUB/SHOWER HANDLES FOR CITATION* (THREE-POINT-STYLE)



- Fits Sayco* Citation* two & three-handle tub/shower valves
- Chrome plated with buttons & screws
- 16 pt. broach
- 1-1/2" overall height
- Priced per pair
- (Replaces Briggs* # P072)

PART #	DESCRIPTION	PKG./CTN.
BP072	Hot & cold (Replaces #s 72F48 & 72F73)	1 pr.

CANOPY LAVATORY HANDLES



- Fits Sayco* Space-Age* & Briggs* two-handle lavatory, kitchen faucets
- Chrome plated with buttons & screws
- 16 pt. broach
- 1-5/8" overall height
- Priced per pair
- (Replaces Briggs* # P737)

PART #	DESCRIPTION	PKG./CTN.
BP737	Hot & cold (Replaces #s 2521F57/23H & 2521F57/23C)	1 pr.

CANOPY TUB/SHOWER HANDLES



- Fits Sayco* Space-Age* & Briggs* two & three-handle tub/shower valves
- Chrome plated with buttons & screws
- 16 pt. broach
- 2-1/4" overall height
- Priced per pair
- (Replaces Briggs* # P740)

PART #	DESCRIPTION	PKG./CTN.
BP740	Hot & cold (Replaces #s 22-F79/23H & 22-F79/23C)	1 pr.

CANOPY DIVERTER HANDLE



- Fits Sayco* & Briggs* three-handle tub/shower diverter valves
- Chrome plated
- 16 pt. broach
- 2-1/4" overall height
- (Replaces Briggs* # P740D)

PART #	DESCRIPTION	PKG./CTN.
BP740D	(Replaces #s 22-F79D & 22-F23D)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (SAYCO*)

ACRYLIC INDEX BUTTONS



BF059 BF060 BA049

- Fits Sayco* two-handle lavatory, kitchen faucets & tub/shower valves
- 1-1/4" top diameter

PART #	DESCRIPTION	PKG./CTN.
BF059	Hot (Replaces Briggs* # F059)	10
BF060	Cold (Replaces Briggs* # F060)	10
BA049	Diverter (Replaces Briggs* # A049)	10

NEW-STYLE ACRYLIC INDEX BUTTONS



BF059N BF060N BA049N

- Fits Sayco* two-handle lavatory, kitchen faucets & tub/shower valves

PART #	DESCRIPTION	PKG./CTN.
BF059N	Hot (Replaces Briggs* # F059)	10
BF060N	Cold (Replaces Briggs* # F060)	10
BA049N	Diverter (Replaces Briggs* # A049)	10

ROUND ESCUTCHEON WITH SET-SCREW (FLANGE)



- Fits Sayco*, Price Pfister*, Speakman*, Sterling* & Streamway* two & three-handle tub/shower valves
- 1-1/4" ID x 2-3/4" OD x 5/8" overall height
- Use with BHC # SA092 escutcheon sleeve

PART #	DESCRIPTION	PKG./CTN.
PPRE	Chrome plated zinc	1

ROUND ESCUTCHEON (FLANGE)



- Fits Sayco* two & three-handle tub/shower valves
- 1-1/4" ID x 2-3/4" OD x 5/8" overall height
- Chrome plated metal flange with plastic sleeve
- Use with BHC # SA092 escutcheon sleeve

PART #	DESCRIPTION	PKG./CTN.
SA056	(Replaces #s 056 & P311)	1

SAYCO* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (SAYCO*)

OVAL ESCUTCHEON (FLANGE)



- Fits Sayco* two & three-handle tub/shower valves
- 1-1/4" ID, 4-1/4" overall length x 5/8" overall height
- With plastic sleeve
- Use with BHC # SA092 escutcheon sleeve listed below

PART #	DESCRIPTION	PKG./CTN.
SA055	(Replaces # 055)	1

ESCUTCHEON SLEEVE (TUBE)



- Fits Sayco* two & three-handle tub/shower valves
- Chrome plated
- 1-1/8" dia. thread end x 1-1/4" dia. non-thread end x 3" overall length
- Use with BHC #s PPRE, SA056 & SA055 escutcheons

PART #	DESCRIPTION	PKG./CTN.
SA092	(Replaces #s 092 & 30-F-92)	1

FAUCET REPAIR PARTS (SAYCO*)

SEAT



- Fits Sayco* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
SAA003	1/2" x 20 x 5/16"	A003	2

POP-UP BASIN DRAIN STOPPER


PDSSA


PDSGE

- Fits Sayco*
- Plastic body with stainless steel trim
- 1-1/4" stopper OD x 4-1/8" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSSA	Plastic (Replaces # E039)	1
PDSGE	(Replaces # 97-731)	1

SLOAN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

CLOSET/URINAL REPAIR PARTS (SLOAN*)

MOLDED DISC



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* flush valves
- A companion to the diaphragm

PART #	DESCRIPTION	PKG./CTN.
SA15A	(Replaces #s A-15-A & 5301111)	1

VACUUM BREAKER ASSEMBLY



- Fits Sloan* & Zurn* flush valves
- (Ref. #s V651A, 427A, 26000B & 0323005)

PART #	DESCRIPTION	PKG./CTN.
SV551A	(Replaces #s V-551-A & 3323192)	1

CLOSET/URINAL REPAIR PARTS (SLOAN*)

HYCAR HANDLE SEAL



- Fits Sloan* & Zurn* flush valves

PART #	DESCRIPTION	PKG./CTN.
SB39	(Replaces #s B-39 & 5302297)	1

SOLENOID SUB-ASSEMBLY ACTUATOR CARTRIDGE



- Fits Sloan* flush valves
- Kit includes guide, spring, piston, split piston ring, 2 o-rings & cup

PART #	DESCRIPTION	PKG./CTN.
SEL128A	(Replaces #s EL-128-A & 3305043)	1

SLOAN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (SLOAN*)

HANDLE ASSEMBLY



- Fits Sloan* & Zurn* flush valves
- Tru-Safe* handicap/ADA replacement handle
- OEM style
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
SB32A	(Replaces #s B-32-A & 5302279)	1

HANDLE REPAIR/SEAL KIT



- Fits Sloan* & Zurn* flush valve handles

PART #	DESCRIPTION	PKG./CTN.
SB50A	(Replaces #s B-50-A & 5302305)	1

CLOSET RELIEF VALVE (STEM)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* 4.5 & 3.5 GPF closet flush valves
- White

PART #	DESCRIPTION	PKG./CTN.
SA19AC	(Replaces #s A-19-AC & 5301058)	1

URINAL RELIEF VALVE (STEM)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* 1.5 GPF urinal flush valves
- Black

PART #	DESCRIPTION	PKG./CTN.
SA19AU	(Replaces #s A-19-AU & 5301059)	1

VACUUM BREAKERS



SV500AA34



SV500AA114




SV500AA112

- Fits Sloan*, Coyne-Delany*, Gerber* & Zurn* flush valves

PART #	DESCRIPTION	PKG./CTN.
SV500AA34	3/4" x 9" (Replaces #s V-500-AA & 5323005)	1
SV500AA114	1-1/4" x 9" (Replaces #s V-500-AA & 5323006)	1
SV500AA112	1-1/2" x 9" (Replaces #s V-500-AA & 5323007)	1

CLOSET/URINAL REPAIR PARTS (SLOAN*)

COMBO MASTER PRO REBUILD KIT



- This kit repairs most Sloan* Royal*/Regal* & Zurn* flush valves
- Rebuilds #s 4.5-A - 36-A, 3.5-A - 38-A, 1.6-A, 41-A closets & 1.5-A - 37-A, 1.0-A - 42-A urinals
- Kit contains 1 each. of the following:
  - 4.5 GPF inside parts kit (SL-13A); Vac. breaker kit (SL01); handle seal kit (SL07K); 1" shut-off cup seal (SL08); 3/4" shut-off cup seal (SL09); tailpiece o-ring (OR123); GPF reducer adapter set (SL16); silicone lube capsule (WFG-1)

PART #	DESCRIPTION	PKG./CTN.
SCMPK	Master pro rebuild kit	1

NEW-STYLE PLASTIC INSIDE COVER



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* flush valves

PART #	DESCRIPTION	PKG./CTN.
SA71	(Replaces #s A-71 & 0301168)	1

URINAL PISTON ASSEMBLY CARTRIDGE



- Fits Sloan* Gem* urinal flush valves
- Old # G-76-AU

PART #	DESCRIPTION	PKG./CTN.
SG1002A	(Replaces #s G-1002-A & 0307044)	1

CLOSET PISTON ASSEMBLY CARTRIDGE



- Fits Sloan* Gem* closet flush valves.
- Old # G-75-AC

PART #	DESCRIPTION	PKG./CTN.
SG1003A	(Replaces #s G-1003-A & 0307043)	1

SLOAN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (SLOAN*)

URINAL SHUT-OFF VALVE REPAIR KIT



- Fits Sloan* & Zurn* urinal flush valves
- 3/4" screwdriver stop repair kit (H-600 3/4")

PART #	DESCRIPTION	PKG./CTN.
SH543ASD	(Replaces #s H-543-ASD & 3308856)	1

CLOSET SHUT-OFF VALVE REPAIR KIT



- Fits Sloan* & Zurn* closet flush valves
- 1" screwdriver stop repair kit (H-600 1" & all H-700)

PART #	DESCRIPTION	PKG./CTN.
SH541ASD	(Replaces #s H-541-ASD & 3308853)	1

URINAL FLUSH VALVE INSIDE PARTS REPAIR KIT (1.5 GPF)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* urinal flush valves
- Post 1971

PART #	DESCRIPTION	PKG./CTN.
SA37A	(Replaces #s A-37-A & 3301037)	1

FLUSH VALVE DIAPHRAGM



- Fits Sloan*, Gerber* & Zurn* flush valves
- With brass segments bonded to rubber
- Time-tested
- Perfect performance

PART #	DESCRIPTION	PKG./CTN.
SA156A	(Replaces #s A-156-A, 5301170 & A-56-A & 5301188)	1

CLOSET FLUSH VALVE INSIDE PARTS REPAIR KIT (4.5 GPF)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* closet flush valves
- Post 1971

PART #	DESCRIPTION	PKG./CTN.
SA36A	(Replaces #s A-36-A & 3301036)	1

CLOSET & URINAL FLUSH VALVE INSIDE PARTS REPAIR KIT (3.5 GPF)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* closet & urinal flush valves

PART #	DESCRIPTION	PKG./CTN.
SA38A	(Replaces #s A-38-A & 3301038)	1

CLOSET/URINAL REPAIR PARTS (SLOAN*)

URINAL FLUSH VALVE MASTER REPAIR KIT (1.5 GPF)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* urinal flush valves
- Boxed

PART #	DESCRIPTION	PKG./CTN.
SR1002A	(Replaces #s R-1002-A & 3317002)	1

CLOSET FLUSH VALVE MASTER REPAIR KIT (4.5 GPF)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* closet flush valves
- Boxed

PART #	DESCRIPTION	PKG./CTN.
SR1001A	(Replaces #s R-1001-A & 3317001)	1

CLOSET & URINAL FLUSH VALVE MASTER REPAIR KIT (3.5 GPF)



- Fits Sloan* Royal*/Regal*, Gerber* & Zurn* closet & urinal flush valves
- Boxed

PART #	DESCRIPTION	PKG./CTN.
SR1003A	(Replaces #s R-1003-A & 3317003)	1

GUIDE



- Fits Sloan* Royal*/Regal* & Zurn* flush valves

PART #	DESCRIPTION	PKG./CTN.
SA163AP	Plastic. (Replaces #s A-163-A & 5301236)	1

VANDAL-PROOF SHUT-OFF COVERS/ VALVE GUARDS



- Fits Sloan* & Zurn* flush valves
- Chrome plated with set screw
- Vandal-proof control stop cap

PART #	DESCRIPTION	PKG./CTN.
SH1009A	3/4" cover (Replaces #s H-1009-A & 3308790)	1
SH1010A	1" cover (Replaces #s H-1010-A & 3308791)	1

SLOAN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (SLOAN*)

COWL NUT



- Fits Sloan* flush valves

PART #	DESCRIPTION	PKG./CTN.
SV553A	(Replaces #s V-553-A & 0323120PK)	1


FLUSHOMETER WRENCH



- Angled to fit in cramped spaces
- Smooth jaw protects special finishes
- Use anywhere that you need to protect the finish

PART #	DESCRIPTION	PKG./CTN.
FW	Fits 1-1/8" - 2-5/8"	1

PRESSURE ASSIST TANK LEVER WITH LINKAGE (FITS SLOAN* FLUSHMATE* TANKS)



- Fits Sloan* Flushmate* for Gerber* tanks (# 28-380)
- Chrome plated metal handles with brass arms (Look-design & construction - same as OEM)
- Flushmate* # AP300104-L32

PART #	DESCRIPTION	PKG./CTN.
G99571KT	(Replaces # 99-571-KT)	1

PRESSURE ASSIST TANK LEVER WITH LINKAGE (FITS SLOAN* FLUSHMATE* TANKS)



- Fits Sloan* Flushmate* for American Standard* closets
- Chrome plated metal handle with brass arm (Look-design-construction - same as OEM)

PART #	DESCRIPTION	PKG./CTN.
AS738254	(Replaces # 738254-0020A)	1

CLOSET/URINAL REPAIR PARTS (SLOAN*)

PRESSURE ASSIST TANK LEVER (FITS SLOAN* FLUSHMATE* TANKS)



- Fits American Standard* Champion* closets
- Chrome plated metal handle with brass arm (Look-design-construction - same as OEM)
- For #s 4098 & 4099 American Standard* tanks

PART #	DESCRIPTION	PKG./CTN.
AS738473	(Replaces # 738473-0020A)	1

PRESSURE ASSIST CARTRIDGE



- Fits Sloan* Flushmate* for American Standard*, Gerber*, Kohler*, Mansfield*, Orion*, St. Thomas* & Western* tanks
- Same installation, same adjustments, same flush, American-made, 100% individually tested, bagged with instructions
- Fits #s 501, 501A, 501B & 503 series Flushmate* systems
- Used on all series except 200

PART #	DESCRIPTION	PKG./CTN.
SC100500K	(Replaces # C-100500-K)	1

PRESSURE ASSIST CARTRIDGE EXTRACTOR TOOL

H



- Easy-in/easy-out extractor tool for Sloan* Flushmate* cartridge in American Standard* Flushmate* tanks
- Eliminates broken cartridges and skinned knuckles
- Use with any 3/8" socket wrench to install or remove # SC100500K listed above

PART #	DESCRIPTION	PKG./CTN.
PACET	Cartridge extractor tool	1

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

SPEAKMAN* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (SPEAKMAN*)

REPLACEMENT HANDLE




- Fits Speakman* Sentinel*, Mark III*, Royale* & Regal* tub/shower valves
- Fits 4 handles in 1 design
- Chrome plated non-metallic
- Fits # G05-0412 cartridge
- 20 pt. broach
- 1-1/4" overall height

PART #	DESCRIPTION	PKG./CTN.
SPTSRH	(Replaces #s G04-0278, G04-0244 & G04-0296-PC)	1

TWO-HANDLE FAUCET REPAIR PARTS (SPEAKMAN*)

STEMS



- Fits Speakman* Kent* two-handle lavatory & kitchen faucets
- 20 pt. broach
- 1-5/8" overall length

PART #	DESCRIPTION	PKG./CTN.
SPG050350	Hot (Replaces # G05-0350)	1
SPG050349	Cold (Replaces # G05-0349)	1

HANDLES



- Fits Speakman* two-handle lavatory & kitchen faucets
- Chrome plated canopy lever
- 20 pt. broach
- Includes screws
- 1-1/4" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
SP040407HC	Hot & cold (Replaces #s 04-0407H & 04-0407C)	1 pr.

ROUND ESCUTCHEON WITH SET-SCREW (FLANGE)



- Fits Speakman*, Price Pfister*, Sayco*, Sterling* & Streamway* two & three-handle tub/shower valves
- 1-1/4" ID x 2-3/4" OD x 5/8" overall height
- (Ref. # A8107)

PART #	DESCRIPTION	PKG./CTN.
PPRE	Chrome plated zinc	1

FAUCET REPAIR PARTS (SPEAKMAN*)

SEATS



- Fits Speakman* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	**OEM #**	
SP050775	7/16" x 27 x 11/32"	05-0775	2
SP050305	9/16" x 28 x 3/8"	05-0305	2

NON-SLOTTED AERATOR



- Fits Speakman*, Chicago Faucet*, Kohler*, Price Pfister*, T&S Brass* & Union Brass* faucet spouts
- With removable low-flow disc
- Chromed brass
- 2.2 GPM (60 PSI)

PART #	DESCRIPTION	PKG./CTN.
FAFT34	Female thds.: 3/4" x 27 inside thds.	1

VACUUM BREAKER FOR COMMERCIAL FAUCETS



- Fits Speakman* commercial faucets/ ballcocks

PART #	DESCRIPTION	PKG./CTN.
SPCFVB	Vacuum breaker	1


WE SHIP SAME DAY.

STERLING* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (STERLING*)


KITCHEN FAUCET REPAIR KIT



- Fits Sterling*, Gerber* & Rockwell* one-handle kitchen faucets
- Complete with 10 ea. o-rings, 2 ea. springs, 1 ea. tube, 2 ea. split rings, 1 ea. clip, 2 ea. seats, 1 ea. screw, 1 ea. hex wrench & lubricant capsule
- (Ref. # 007)

PART #	DESCRIPTION	PKG./CTN.
S05020	(Replaces # 05020)	1

LAVATORY TUB/SHOWER REPAIR KIT



- Fits Sterling*, Gerber* & Rockwell* one-handle lavatory faucets & tub/shower valves
- Complete with 10 ea. o-rings, 2 ea. springs, 1 ea. tube, 2 ea. split rings, 1 ea. clip, 2 ea. seats, 1 ea. socket screw, 1 ea. hex wrench & lubricant capsule
- (Ref. #s Lavatory/04, Tub/01)

PART #	DESCRIPTION	PKG./CTN.
S05010	(Replaces # 05010)	1

OLD-STYLE CARTRIDGE



- Fits Sterling*, Bradley*, Briggs* & Kohler* old-style one-handle lavatory, kitchen faucets & tub/shower valves
- 3-1/2" overall length • ✿ broach
- (Replaces Bradley* # 300-0050)

PART #	DESCRIPTION	PKG./CTN.
BP303	(Replaces Kohler* #s 42148 & 42178)	1

STEM EXTENDER



- Fits Sterling* & Kohler* one-handle tub/shower cartridges # 77886 (BHC # K77886), # 05200 (BHC # K05200) & # 05300 (BHC # K05300)

PART #	DESCRIPTION	PKG./CTN.
K71906	(Replaces # 71906)	1

TUB/SHOWER MIXER VALVE CARTRIDGE ASSEMBLY



- Fits Sterling* & Kohler* one-handle tub/shower valves
- ■ broach
- K05200 - 3-1/4" overall length
- K05300 - 2-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
S05200	(Replaces # 05200)	1
S05300	W/ brass stem (Replaces # 05300)	1

ONE-HANDLE FAUCET REPAIR PARTS (STERLING*)

NEW-STYLE CLEAR ACRYLIC HANDLE



- Fits Sterling* & Valley* one-handle lavatory faucets & tub/shower valves
- With index button & screw
- 1-5/8" overall height
- ● broach

PART #	DESCRIPTION	PKG./CTN.
VV5002	(Replaces Valley* # V5002)	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (STERLING*)

KITCHEN CARTRIDGE KIT



- Fits Sterling* & Rockwell* two-handle kitchen faucets
- With seats, springs & seals
- 1-5/8" overall length

PART #	DESCRIPTION	PKG./CTN.
S05050	Hot or cold (Replaces # 05050)	1

TUB/SHOWER CARTRIDGE KIT



- Fits Sterling* two & three-handle tub/shower valves
- With seats, springs & seals
- 3-9/16" overall length
- ■ broach

PART #	DESCRIPTION	PKG./CTN.
S05030	Hot or cold (Replaces # 05030)	1

FAUCET STEMS (BRASS)



- Fits Sterling* two-handle lavatory, kitchen faucets
- 16 pts. broach
- 1-7/8" overall length • (Ref. # 2L-4)

PART #	DESCRIPTION	PKG./CTN.
SA8079	Hot (Replaces # A8079)	1
SA8080	Cold (Replaces # A8080)	1

STEM (OLD-STYLE)



- Fits Sterling* two & three-handle tub/shower valves
- Short pattern • Brass
- 16 pt. broach • 4-3/4" overall length
- (Ref. #8L-1HC)

PART #	DESCRIPTION	PKG./CTN.
SA8105	Hot or cold (Replaces # A8105)	1

STERLING* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (STERLING*)

DIVERTER STEM (OLD-STYLE)



- Fits Sterling* three-handle tub/shower diverter valves
- Short pattern • 16 pt. broach
- 4-3/4" overall length
- (Ref. # 10L-3D)

PART #	DESCRIPTION	PKG./CTN.
SA8106	Diverter (Replaces # A8106)	1

CARTRIDGES



- Fits Sterling* Rockwell* & some Gerber* one-handle kitchen faucets
- ■ broach
- 2-1/2" overall length

PART #	DESCRIPTION	PKG./CTN.
SA5013	Non-diverter, less spray (Replaces # 00A5013)	1
SA5023	With diverter (Replaces # 00A5023)	1

TUB & SHOWER VALVE REBUILD KIT



- Rebuilds Sterling* three-handle tub/shower valves
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
STSVRK	Complete rebuild kit	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Sterling* two-handle lavatory faucets
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
SLFRK	Complete rebuild kit	1

REPAIR KIT



- Fits Sterling* lavatory & kitchen faucets

PART #	DESCRIPTION	PKG./CTN.
SRK	Complete kit	1

TWO & THREE-HANDLE FAUCET REPAIR PARTS (STERLING*)

TUB/SHOWER DIVERTER SEAL/WASHER



- Fits all Sterling* & Gerber* three-handle tub/shower diverter stems
- .95" OD

PART #	DESCRIPTION	PKG./CTN.
G90380	(Replaces Gerber* # 90-380)	1

UNIVERSAL-FIT ESCUTCHEON NIPPLE (RUBBER)



- New & improved unbreakable resin
- Universal fit:
  - 3/8" IPS: Price Pfister*, Arrowhead*, etc.
  - 5/8" x 18: Crane*, Repcal*, w/ old-style Kohler* w/ thread inside packing nut
  - 5/8" x 24: Sterling* w/ old-style packing nut, Royal*, Dick Bros*, Briggs*, Sayco*, Gerber*, AM Brass*, old-style Harcraft*, etc.
  - 9/16" x 20: American Standard* (Tractline*) Central*, Indiana*, Eljer*, Speakman*, some old-style Harcraft, etc.

PART #	DESCRIPTION	PKG./CTN.
FAN	Fit-all nipple, 3-1/4" L x 5/8" OD	1

CANOPY HANDLES FOR LAVATORY & KITCHEN FAUCETS



- Fits Sterling* two-handle lavatory & kitchen faucets
- Chrome plated
- Includes screws • 16 pt. broach
- 1-1/4" overall height • Priced per pair

PART #	DESCRIPTION	PKG./CTN.
SA8253HC	Hot & cold (Replaces #s A8253 & A8254)	1 pr.

CANOPY HANDLES FOR TUB/SHOWER VALVES



- Fits Sterling* Rockwell* two & three-handle tub/shower valves
- Chrome plated
- Includes screws
- 16 pt. broach
- 1-1/4" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
SA8250HC	Hot & cold (Replaces #s A8250 & A8251)	1 pr.

CANOPY HANDLE FOR TUB/SHOWER DIVERTER



- Fits Sterling* Rockwell* three-handle tub/shower diverter valves
- Chrome plated • Includes screw
- 16 pt. broach • 1-1/4" overall height

PART #	DESCRIPTION	PKG./CTN.
SA8252	Diverter (Replaces # A8252)	1

STERLING* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (STERLING*)

LEVER HANDLES



- Fits Sterling* & some Central Brass* two-handle faucets
- Chrome plated zinc die cast
- 16 pt. broach
- 2-1/2" overall length
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
SA8676HC	Hot & cold (Replaces #s A8676H & A8676C)	1 pr.

CLEAR ACRYLIC HANDLES



- Fits Sterling* Gemini* two-handle lavatory & kitchen faucets
- Includes buttons & screws
- ■ broach
- 2-1/8" overall height
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
S2990HC	Hot & cold (Replaces old #s A1382H & A1382C & new #s 2990H & 2990C)	1 pr.

ROUND ESCUTCHEON WITH SET-SCREW (FLANGE)



- Fits Sterling*, Price Pfister*, Sayco*, Speakman* & Streamway* two & three-handle tub/shower valves
- 1-1/4" ID x 2-3/4" OD x 5/8" overall height
- Use with BHC # SET214 or # S99B0493 escutcheon tubes listed below
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
PPRE	(Replaces # A8107)	1

WE SHIP SAME DAY.

FAUCET REPAIR PARTS (STERLING*)

ESCUTCHEON TUBE (SLEEVE)



- Fits Sterling* two & three-handle tub/shower valves
- Chrome plated zinc
- Use with BHC # PPRE escutcheon

PART #	DESCRIPTION	PKG./CTN.
SET214	1-1/4" dia. thread end x 1-1/8" non-thread end x 2-1/4" overall length	1
S99B0493	1-1/4" dia. thread end x 1-1/8" non-thread end x 2-1/2" overall length (Replaces # 99B0493)	1

SEAT



- Fits Sterling* faucets & tub/shower valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
S99S0369	1/2" x 24 x 3/8"	99S-0369	2

POP-UP BASIN DRAIN STOPPER (STYLE-A/OLD-STYLE)



- Fits Sterling*
- Plastic body with stainless steel trim
- 1-3/8" OD x 4-5/16" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSS	Style-A (Replaces # 2048)	1

POP-UP BASIN DRAIN STOPPER (STYLE-B/NEW-STYLE)



- Fits Sterling*
- Plastic body with stainless steel trim
- 1-1/4" OD x 4-1/4" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSSB	Style-B	1

BRAXTON HARRIS CO., INC.

STREAMWAY* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (STREAMWAY*)

WASHERLESS CARTRIDGE



- Fits Streamway*, Indiana*, Kelwin*, Lifetime*, Nibco* & Phoenix* two-handle lavatory & kitchen faucets
- 17 pt. broach
- 2" overall length
- (Replaces Nibco* # 85501)

PART #	DESCRIPTION	PKG./CTN.
N85501	Hot or cold	1

STEMS



- Fits Streamway* two-handle lavatory & kitchen faucets
- 20 TPI
- 17 pt. broach
- 1-3/4" overall length
- (Ref. # 2J-6)

PART #	DESCRIPTION	PKG./CTN.
ST1805H	Hot (Replaces # 1805H)	1
ST1805C	Cold (Replaces # 1805C)	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Streamway* two-handle lavatory faucets
- Includes handle trim
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
STLFRK	Complete rebuild kit	1

CLEAR ACRYLIC HANDLES (LARGE)



- Fits Streamway* two-handle lavatory & kitchen faucets & tub/shower valves
- 17 pt. broach • 2-1/4" overall height
- Priced per pair • Delta*-look

PART #	DESCRIPTION	PKG./CTN.
ST35003HC	Hot & cold (Replaces #s 3500-3H & 3500-3C)	1 pr.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (STREAMWAY*)

CLEAR ACRYLIC HANDLES (SMALL)



- Fits Streamway* & Jameco* two-handle faucets
- Delta*-look • Priced per pair
- 1-7/8" overall height • 17 pt. broach
- (Ref. # 14998)

PART #	DESCRIPTION	PKG./CTN.
ST15003HC	Hot & cold (Replaces #s 1500-3H & 1500-3C)	1 pr.

CANOPY HANDLES



- Fits Streamway* & Jameco* two-handle faucets
- Chrome plated metal
- Delta*-look • Priced per pair
- 1-3/4" overall height • 17 pt. broach

PART #	DESCRIPTION	PKG./CTN.
STCH	Hot & cold	1 pr.

ROUND ESCUTCHEON WITH SET-SCREW (FLANGE)



- Fits Streamway*, Price Pfister*, Sayco*, Sterling* & Speakman* two & three-handle tub/shower valves
- 1-1/4" ID x 2-3/4" OD x 5/8" overall height
- (Ref. # A8107)

PART #	DESCRIPTION	PKG./CTN.
PPRE	Chrome plated zinc	1

FAUCET REPAIR PARTS (STREAMWAY*)

SEAT



- Fits Streamway* faucets & tub/shower valves • All brass
- Priced per piece **(CARTON QUANTITY ONLY)**

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	**OEM #**	
ST10825	1/2" x 24 x 11/32"	108-25	2

POP-UP BASIN DRAIN STOPPER



- Fits Streamway*, Union*, Valley* & Royal*
- Plastic body with stainless steel trim
- 1-1/2" stopper OD x 3-3/4" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSV	Plastic	1

SYMMONS* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (SYMMONS*)

CARTRIDGE



- Fits Symmons* Temptrol* one-handle tub/shower valves
- Complete Temptrol* spindle assembly
- For valves produced after 1965
- 12 pt. 3/8" broach
- 4-1/2" overall length

PART #	DESCRIPTION	PKG./CTN.
SYTA10	(Replaces # TA-10)	1

SAFETYMIX* TYPE CARTRIDGE



- Fits Symmons* Safetymix* one-handle tub/shower valves
- 12 pt. 1/2" broach
- 5-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
SYC5	(Replaces # C-5)	1

SEAT REPAIR KIT



- Fits Symmons* Temptrol* # TA-10 spindle assembly
- 2-pc. repair kit
- Includes OEM #s T-1, T-2 & T-3

PART #	DESCRIPTION	PKG./CTN.
SYTA4	(Replaces #s TA-4, T-1, T-2 & T-3)	1

CLEAR ACRYLIC HANDLE WITH CAP & O-RING



- Fits Symmons* Temptrol* # TA-10 spindle assembly or BHC # SYTA10 cartridge
- 12 pt. 3/8" broach
- 1-1/2" overall height

PART #	DESCRIPTION	PKG./CTN.
SYCH	Clear acrylic handle	1

BI-CANOPY HANDLE



- Fits Symmons* Temptrol* # TA-10 spindle assembly or BHC # SYTA10 cartridge
- With button
- Includes screw (# T-32) & plug button (# T-33)
- 12 pt. 3/8" broach

PART #	DESCRIPTION	PKG./CTN.
SYT65	(Replaces # T-65)	1

ONE-HANDLE FAUCET REPAIR PARTS (SYMMONS*)

TRI-CANOPY HANDLE



- Fits Symmons* Temptrol* # TA-10 spindle assembly
- Chrome plated
- With cap & screw
- 1-1/4" overall height
- 12 pt. broach

PART #	DESCRIPTION	PKG./CTN.
SYT31	(Replaces # T-31)	1

SMALL LEVER DIVERTER HANDLE



- Fits Symmons* Temptrol* # TA-10 spindle assembly
- Chrome plated
- With clip
- 2" overall height

PART #	DESCRIPTION	PKG./CTN.
SYT30	(Replaces # T-30)	1

THREADED DOME ESCUTCHEON



- Fits Symmons* Temptrol*
- Chrome plated
- 3/4" x 20 ID threads
- 1-5/8" H x 2-1/16" OD
- New-style

PART #	DESCRIPTION	PKG./CTN.
SYT1920	(Replaces #s T-19/20, T-19 & T-20)	1

COMBO ESCUTCHEONS/ FACE PLATES

SYT29A



SYT29C



- Fits Symmons* Temptrol*
- Caulk grooves for water tight installation
- Comes with escutcheon (not shown) & face plate
- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
SYT29A	(Replaces model A, diverter control # T-29A)	1
SYT29C	(Replaces model C, shower only # T-29C)	1

T&S BRASS* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (T&S BRASS*)

NON-SLOTTED AERATOR



- Fits T&S Brass*, Chicago Faucet*, Kohler*, Price Pfister*, Speakman* & Union Brass* faucet spouts
- With removable low-flow disc
- Chromed brass
- 2.2 GPM (60 PSI)

PART #	DESCRIPTION	PKG./CTN.
FAFT34	Female thds.: 3/4" x 27 inside thds.	1

PRE-RINSE HOSE ASSEMBLIES



- Fits T&S Brass* & Dormont*
- Stainless steel flexible hose
- Food service grade
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TSB44H	44" length (Replaces # B-0044-H)	1
TSB60H	60" length (Replaces # B-0060-H)	1
TSB72H	70" length (Replaces #s B-0068-H & B-0072-H)	1

SPRAY VALVE BONNET ASSEMBLY



- Fits T&S Brass* & Dormont*
- Chrome plated brass
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS285640	(Replaces # 002856-40)	1

PRE-RINSE SPRAY VALVE ASSEMBLY



- Fits T&S Brass* & Dormont*
- Heavy-duty
- Includes locking ring
- Interchangeable with other major brands
- 1.42 GPM @ 60 PSI

PART #	DESCRIPTION	PKG./CTN.
TSB0107	(Replaces # B-0107)	1

SPRAY VALVE FACE PLATE (PLASTIC)



- Fits T&S Brass* & Dormont*
- Interchangeable with other major brands
- Grey plastic

PART #	DESCRIPTION	PKG./CTN.
TS112145	(Replaces # 001121-45)	1

FAUCET REPAIR PARTS (T&S BRASS*)

RUBBER BUMPER RING FOR SPRAY VALVE HEAD



- Fits T&S Brass* (model #s B-0107, B-0133, B-0177, B-1421) & Dormont*
- Fits BHC # TSB0107 spray valve assembly
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS786145	(Replaces # 007861-45)	1

PRE-RINSE RISER HOOK (UNIVERSAL FIT)



- Fits T&S Brass* & Dormont*
- 3/8" riser hook
- Chrome plated brass
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS2140	(Replaces # 000021-40)	1

PRE-RINSE UNIT SPRING



- Fits T&S Brass* & Dormont*
- Heat treated steel
- Chrome plated
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS88845	(Replaces # 000888-45)	1

PRE-RINSE UNIT WALL BRACKET (UNIVERSAL FIT)



- Fits T&S Brass*, Dormont* & Chicago*
- Chrome plated
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TSB010901	12" length. (Replaces # B-0109-01)	1

PRE-RINSE SPRING RETAINER



- Fits T&S Brass* & Dormont*
- Chrome plated brass
- Fits standard 3/8" riser
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS82140	(Replaces # 000821-40)	1

T&S BRASS* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (T&S BRASS*)

DOUBLE FLOOR VALVE ASSEMBLY



- Fits T&S Brass* & Dormont*
- Rough chrome plated body
- Self-closing valves
- 1/2" FPT inlets/outlet
- Interchangeable with other major brands
- Red & blue indexed brass pedals with chrome finish
- For use with spout outlet bases
- Operating pressure 20 to 125 PSI
- Operating temp. 40°F to 140°F

PART #	DESCRIPTION	PKG./CTN.
TSB0502	5-5/8" W x 4-7/8" depth (Replaces # B-0502)	1

DOUBLE KNEE VALVE ASSEMBLY



- Fits T&S Brass* & Dormont*
- Chrome plated body
- Self-closing valves
- 1/2" FPT inlets/ outlet
- Interchangeable with other major brands
- Red & blue indexed brass pedals with chrome finish
- For use with spout outlet bases
- Operating pressure 20 to 125 PSI
- Operating temp. 40°F to 140°F

PART #	DESCRIPTION	PKG./CTN.
TSB0509	5-5/8" W x 6" H x 4-3/4" depth (Replaces # B-0509)	1

PRE-RINSE POT FILLER SPRAY VALVE



- Fits T&S Brass* & Dormont*
- Heavy-duty design w/ hook nozzle
- Includes locking pin
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS285140	(Replaces # 002851-40)	1

REPLACEMENT BLADE HANDLE



- Fits T&S Brass* & Dormont*
- Chrome plated
- 20 pt. broach
- 4" overall length
- Finished with red & blue index buttons & screws
- Interchangeable with other major brands
- 4-1/2" overall width x 2" overall height

PART #	DESCRIPTION	PKG./CTN.
TSBWH4CH	(Replaces #s B-WH4C/H & 000078-4)	1

REPLACEMENT BLADE LEVER HANDLE



- Fits T&S Brass* & Dormont*
- Chrome plated
- 20 pt. broach
- Finished with red & blue index buttons & screws
- Interchangeable with other major brands
- 2-7/8" overall width x 1" overall height

PART #	DESCRIPTION	PKG./CTN.
TSB9K	(Replaces #s B-9K, 001637-45 & 001636-45)	1

FAUCET REPAIR PARTS (T&S BRASS*)

COMMERCIAL SWING-SPOUTS



- Fits T&S Brass* & Dormont*
- Heavy-duty brass construction
- Polished chrome plated finish
- Double o-ring swivel spout
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS060X	8" length (Replaces # 060X)	1
TS061X	10" length (Replaces # 061X)	1
TS063X	14" length (Replaces # 063X)	1

COMMERCIAL DOUBLE SWING-SPOUT



- Fits T&S Brass* & Dormont*
- Heavy-duty brass construction
- Polished chrome plated finish
- Double o-ring swivel spout
- 6" x 12" sections (18" overall length)
- Interchangeable with other major brands

PART #	DESCRIPTION	PKG./CTN.
TS068X	(Replaces # 068X)	1

NEW-STYLE METERING CARTRIDGE



- Fits T&S Brass*
- With handle, bonnet & timing wrench
- ⬤ broach
- 3-3/8" overall cartridge length

PART #	DESCRIPTION	PKG./CTN.
TS238A	(Replaces #s 238A (cartridge) & 014193-40 (handle))	1

3/8" COMMERCIAL VACUUM BREAKER



- Fits T&S Brass* commercial faucets
- Repair kit for atmospheric vacuum breaker (B-0968)

PART #	DESCRIPTION	PKG./CTN.
TSB0968RK01	(Replaces # B-0968-RK01, Repairs # B-0968)	1

1/2" COMMERCIAL VACUUM BREAKER



- Fits T&S Brass* commercial faucets
- Repair kit for atmospheric vacuum breaker (B-0969)

PART #	DESCRIPTION	PKG./CTN.
TSB0969RK01	(Replaces # B-0969-RK01) (Repairs # B-0969)	1

T&S BRASS* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FAUCET REPAIR PARTS (T&S BRASS*)

RENU BARREL FOR ETERNA* CARTRIDGE



- Fits T&S Brass* lavatory & sink faucets
- 1-9/16" overall length
- (Ref. #s lav. B-850 through B-894, sink B-121 through B-124)

PART #	DESCRIPTION	PKG./CTN.
TS64L	Hot (Replaces #064L & 00788-20)	1
TS66L	Cold (Replaces #066L & 00789-20)	1

ETERNA* SPINDLE ASSEMBLY



- Fits T&S Brass* lavatory & sink faucets
- With integral spring checks
- 20 pt. broach • 3-1/8" overall length
- (Ref. #s lav. B-850 through B-894, sink B-121 through B-124)

PART #	DESCRIPTION	PKG./CTN.
TS271240	Hot cartridge (Replaces # 002712-40)	1
TS271140	Cold cartridge (Replaces # 002711-40)	1

TOTO* REPAIR PARTS

CLOSET REPAIR PARTS (TOTO*)

JUMBO BLUE FLAPPER (FITS POWER GRAVITY* CLOSETS)



- Fits Toto* oversized 3" flush valve
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blue color
- Kink resistant stainless steel chain & bushing
- (Replaces # THU140S)

PART #	DESCRIPTION	PKG./CTN.
TOBF-BP	Individually blister packed †	1/10
TOBF-BX	Individually boxed †	1/10

JUMBO RED FLAPPER (FITS G-MAX* CLOSETS)



- Fits Toto* oversized 3" flush valve
- Made of TPR (thermoplastic rubber) to resist chlorine
- Red color
- Kink resistant stainless steel chain & hole in bulb
- (Replaces # THU175S)

PART #	DESCRIPTION	PKG./CTN.
TORF-BP	Individually blister packed †	1/10
TORF-BX	Individually boxed †	1/10

COAST* FLAPPERS FOR ONE-PIECE CLOSETS



C53356

- Fits American Standard*, Kohler* & some Toto* one-pc. closets
- 1.6 GPF • White plastic
- With float: (Replaces Coast* # 53356)
- Without float: (Replaces Coast* # 53316)

PART #	DESCRIPTION	PKG./CTN.
C53356-BP	With float Individually blister packed †	1/10
C53356-BX	With float Individually boxed †	1/10
C53316-BP	Without float Individually blister packed †	1/10
C53316-BX	Without float Individually boxed †	1/10

CLOSET REPAIR PARTS (TOTO*)

DELUXE FRONT-MOUNT TANK LEVER



- Fits Toto* Promenade* # ST723, Kohler* 9400 series & # 51394 Memoirs* closets
- All brass
- Decorative finishes available
- (Replaces Toto* # THU084)

PART #	DESCRIPTION	PKG./CTN.
TTL	Chrome plated solid brass handle	1

SIDE-MOUNT TANK LEVER



- Fits Toto* (Carlyle*, Carolina*, Supreme*, Ultimate*, Ultramax*) & Eljer* closets
- Removable handle can be used on factory arm
- Chrome plated handle
- Plastic spud & nut • 10" brass arm
- Decorative finishes available
- (Replaces Eljer* # 495-2704)

PART #	DESCRIPTION	PKG./CTN.
TLT	(Replaces # THU004)	1

SIDE-MOUNT TANK LEVER WITH PRE-BENT ARM



- Fits Toto* (Bristol*, Drake*, Vespin*) & Eljer* closets
- With brass arm
- Chrome plated metal handle
- Plastic spud & nut
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TLT2	(Replaces # THU068)	1

†Call for bulk pricing.

UNION BRASS* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (UNION BRASS*)

WASHERLESS CARTRIDGE



- Fits Union Brass* two-handle lavatory, kitchen faucets
- 18 pt. broach
- 1-1/2" overall length
- Plastic

PART #	DESCRIPTION	PKG./CTN.
UB1839A	Hot or cold (Replaces #s 1839A, 80079 & 80080)	1

ESCUTCHEON SLEEVE



- Fits Union Brass* two & three-handle tub/shower valves
- Chrome plated metal
- 1-1/8" overall length x 5/8" diameter

PART #	DESCRIPTION	PKG./CTN.
UB1709	(Replaces #s 1709 & 11709)	1

FAUCET REPAIR PARTS (UNION BRASS*)

AERATOR ADAPTER



- Fits Union Brass*, Central Brass*, Kohler* & Savoy* faucet spouts
- Chromed plated brass
- With washer

PART #	DESCRIPTION	PKG./CTN.
MTAA1316	Male 55/64" x 27 inlet thds. Male 13/16" x 27 outlet thds.	1

FAUCET REPAIR PARTS (UNION BRASS*)

NON-SLOTTED AERATOR



- Fits Union Brass*, Chicago Faucet*, Kohler*, Price Pfister*, Speakman*, & T&S Brass* faucet spouts
- With removable low-flow disc
- Chrome plated brass
- 2.2 GPM (60 PSI)

PART #	DESCRIPTION	PKG./CTN.
FAFT34	Female thds.: 3/4" x 27 inside thds.	1

SEATS



- Fits Union Brass* valves
- All brass
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
UB2634	5/8" x 18 x 29/32"	2634	2
UB2632	5/8" x 18 x 5/16"	2632	2

POP-UP BASIN DRAIN STOPPER



- Fits Union*, Royal*, Streamway* & Valley*
- Chrome plated stopper
- 1-1/2" stopper OD x 3-3/4" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSV	Plastic	1

UNIVERSAL RUNDLE* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ONE-HANDLE FAUCET REPAIR PARTS (UNIVERSAL RUNDLE*)

NEW-STYLE CARTRIDGE



- Fits Universal Rundle* & some Milwaukee* models one-handle lavatory, kitchen faucets & tub/shower valves
- Includes cartridge & spout seals
- broach
- 2-3/4" overall length

PART #	DESCRIPTION	PKG./CTN.
URR1005	(Replaces #s R1005 & W1005)	1

ONE-HANDLE FAUCET REPAIR PARTS (UNIVERSAL RUNDLE*)

CARTRIDGE REBUILD KIT



- Fits Universal Rundle*, Milwaukee* & Sears* one-handle lavatory, kitchen faucets
- Kit includes stem, seats, springs, o-rings, check valves & lubricant to rebuild one-handle faucets
- broach
- 1-15/16" overall length
- Comes with seats & springs (# P8184)

PART #	DESCRIPTION	PKG./CTN.
URP9354	(Replaces # P9354)	1

BRAXTON HARRIS CO., INC.

6.1.25

UNIVERSAL RUNDLE* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO-HANDLE FAUCET REPAIR PARTS (UNIVERSAL RUNDLE*)

CARTRIDGES



- Fits Universal Rundle*, Milwaukee* & Sears* two-handle lavatory & kitchen faucets
- Includes seats & springs
- ■ broach
- # URR1019- 1-1/8" overall length
- # URR1003- 2-1/4" overall length

PART #	DESCRIPTION	PKG./CTN.
URR1019	Hot or cold (Replaces #s R1019 & W1019)	1
URR1003	Hot or cold (Replaces #s R1003 & W1003)	1

CLOSET REPAIR PARTS (UNIVERSAL RUNDLE*)

FLUSH VALVE DISC



- Fits Universal Rundle* Adjust-A-Tilt* flush valve
- 2-3/4" OD

PART #	DESCRIPTION	PKG./CTN.
UR263	Disc/seal (Replaces # 263)	1

FLUSH VALVE STRAP



- Fits Universal Rundle* Adjust-A-Tilt* valve
- Use with BHC # TLUR handle
- 9-3/4" length

PART #	DESCRIPTION	PKG./CTN.
UR267	(Replaces # 267)	1

CLOSET REPAIR PARTS (UNIVERSAL RUNDLE*)

BALLCOCK REPAIR KIT (FOR HIGH-END, LOW-BOY CLOSETS)



- Fits Universal Rundle*, American Standard*, Briggs*, Coast*, Eljer* & Kohler* anti-siphon ballcocks (Ballcocks with 3 screws)
- 2-3/6" OD x 1-3/16 ID

PART #	DESCRIPTION	PKG./CTN.
C55214	(Replaces Coast* # 55214) (Repairs # 1B1X)	1

FRONT-MOUNT LEVER HANDLE



- Fits Universal Rundle* Adjust-A-Tilt* flush valve
- 8" brass arm curved & slotted to fit lift-strap
- Chrome plated metal handle with molded spud & nut

PART #	DESCRIPTION	PKG./CTN.
TLUR	(Replaces model # 311)	1

WE SHIP SAME DAY.

VALLEY* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ONE-HANDLE FAUCET REPAIR PARTS (U.S. BRASS*/VALLEY*)

CARTRIDGE (OLD-STYLE)



- Fits Valley*, Aqualine*, Central Brass*, Eljer*, Sears* & U.S. Brass* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach
- 2-3/8" overall length

PART #	DESCRIPTION	PKG./CTN.
VV6680	(Replaces # V6680)	1

ONE-HANDLE FAUCET REPAIR PARTS (U.S. BRASS*/VALLEY*)

CARTRIDGE (NEW-STYLE)



- Fits Valley*, Aqualine*, Central Brass*, Eljer*, Sears* & U.S. Brass* one-handle kitchen faucets & tub/shower valves
- ■ broach
- 2-15/16" overall length
- For faucets without spray diverter

PART #	DESCRIPTION	PKG./CTN.
VVP1964-LF	Non-diverter (Replaces # VP1964)	1

VALLEY* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-HANDLE FAUCET REPAIR PARTS (U.S. BRASS*/VALLEY*)

CARTRIDGE (NEW-STYLE)



- Fits Valley*, Aqualine*, Central Brass*, Eljer*, Sears* & U.S. Brass* one-handle lavatory, kitchen faucets & tub/shower valves
- ● broach
- 2-15/16" overall length

PART #	DESCRIPTION	PKG./CTN.
VVP1965	With diverter for spray (Replaces # VP1965)	1

REPAIR KIT



- Fits Valley* one-handle lavatory & kitchen faucets & tub/shower valves
- Kit includes 1 ea. control plate o-ring, 3 ea. spout o-rings, 2 ea. seats, 2 ea. springs, 2 ea. inlet seals, 1 ea. wrench & lubricant
- (Ref. # V1112)

PART #	DESCRIPTION	PKG./CTN.
VV1001	(Replaces # V1001CD) Complete rebuild kit for V001 series	1

OLD-STYLE ACRYLIC HANDLE



- Fits Valley*, Aqualine*, Eljer* & some Sears* one-handle lavatory faucet & tub/shower valves
- ● broach
- 1-3/8" overall height

PART #	DESCRIPTION	PKG./CTN.
VV6679	With side set screw (Replaces #s V6679 & V6639)	1

NEW-STYLE ACRYLIC HANDLE



- Fits Valley* & Sterling* one-handle lavatory faucets & tub/shower valves
- ● broach
- 1-5/8" overall height

PART #	DESCRIPTION	PKG./CTN.
VV5002	With set screw (Replaces # V5002)	1

METAL LEVER HANDLES



- Fits Valley*, Delta*/Peerless* & U.S. Brass* one-handle lavatory & kitchen faucets
- ● broach

PART #	DESCRIPTION	PKG./CTN.
DRP2393	Kitchen, 4-1/2" (Delta* # RP2393)	1
DRP90	Lavatory, 3-1/4" (Replaces # V1165) For Delta* 600 series (Delta* # RP90	1

TWO-HANDLE FAUCET REPAIR PARTS (U.S. BRASS*/VALLEY*)

WASHERLESS CARTRIDGE



- Fits Valley* & some Aqualine*, Ace Hardware*, Eljer*, Sears* & U.S. Brass* two-handle lavatory & kitchen faucets
- Complete with seat, spring & insert
- 1-7/8" overall length • ● broach
- (Ref. # 3Z-2HC)

PART #	DESCRIPTION	PKG./CTN.
VV6804	Hot or cold (Replaces # V6804)	1

ROMAN TUB CARTRIDGE



- Fits Valley* Hi-Flo* two-handle widespread lavatory faucets & two-handle roman tub/shower valves
- Washerless cartridge
- ● broach • 2-1/2" overall length

PART #	DESCRIPTION	PKG./CTN.
VV6860	Hot or cold (Replaces # V6860)	1

PRESSURE BALANCE CARTRIDGE



- Fits Valley* two-handle tub/shower valves
- ● broach • 4" overall length

PART #	DESCRIPTION	PKG./CTN.
VV4268	(Replaces # V4268)	1

LAVATORY FAUCET REBUILD KIT



- Rebuilds Valley* two-handle lavatory faucets
- Conveniently packaged with all necessary parts, each kit is self-contained, making it a smart choice for both contractors & do-it-yourselfers
- Installation instructions, along with helpful tools & required tools are featured on package

PART #	DESCRIPTION	PKG./CTN.
VLFRK	Complete rebuild kit	1

REPAIR KIT



- Fits Valley* two-handle lavatory & kitchen faucets & tub/shower valves
- Kit includes 2 ea. seats, 2 ea. springs & 2 ea. spring inserts
- (Includes OEM #s V001 & V003)

PART #	DESCRIPTION	PKG./CTN.
VV7059	(Replaces # V7059)	1

VALLEY* FAUCET REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TWO & THREE-HANDLE FAUCET REPAIR PARTS (U.S. BRASS*/VALLEY*)

HANDLES



- Fits Valley* Starfire* two-handle lavatory faucets & two/three-handle tub/shower valves
- Clear acrylic canopy
- Includes buttons & screws
- Hot & cold handles priced per pair
- ● broach

PART #	DESCRIPTION	PKG./CTN.
VV7800	Lavatory & kitchen, hot & cold 1-3/8", overall height (Replaces # V7800)	1 pr.
VV7815	Tub/shower & wide spread lavatory, hot & cold, 3" overall height Inserts included (Replaces # V7815)	1 pr.
VV7815D	Diverter, 3-1/4" overall height	1

FAUCET REPAIR PARTS (U.S. BRASS*/VALLEY*)

POP-UP BASIN DRAIN STOPPER



- Fits Valley*, Streamway*, Union* & Royal*
- Chrome plated stopper
- 1-1/2" stopper OD x 3-3/4" overall height

PART #	DESCRIPTION	PKG./CTN.
PDSV	Plastic (Replaces # V3416)	1

ZURN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufactures.

ZURN* REPAIR PARTS

VACUUM BREAKER REPAIR KIT FOR COMMERCIAL FAUCETS



- Fits Zurn* commercial service sink faucets

PART #	DESCRIPTION	PKG./CTN.
ZVB	(Replaces # JP1996-SFVB-RK)	1

VACUUM BREAKERS



- Fits Zurn*, Coyne-Delany*, Gerber* & Sloan* flush valves

PART #	DESCRIPTION	PKG./CTN.
SV500AA34	3/4" x 9" (Replaces # V500AA)	1
SV500AA114	1-1/4" x 9" (Replaces # V500AA)	1
SV500AA112	1-1/2" x 9" (Replaces # V500AA)	1

ZURN* REPAIR PARTS


INSIDE PARTS KIT FOR 3.5 GPF CLOSET



- Fits Zurn* Aqua Flush* closets
- With blue chemical-resistant diaphragm

PART #	DESCRIPTION	PKG./CTN.
ZZ6000EC	(Replaces # Z6000-EC)	1

INSIDE PARTS KIT FOR 1.6 GPF CLOSET



- Fits Zurn* Aqua Flush* closets
- With blue chemical-resistant diaphragm

PART #	DESCRIPTION	PKG./CTN.
ZZ6000	(Ref. # Z6000)	1

ZURN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (ZURN*)

INSIDE PARTS KIT FOR 1.5 GPF URINAL



- Fits Zurn* Aqua Flush* urinals
- With blue chemical-resistant diaphragm

PART #	DESCRIPTION	PKG./CTN.
ZZ6000EU	(Replaces # Z6000-EU)	1

FLUSH VALVE DIAPHRAGM



- Fits Zurn*, Gerber* & Sloan* flush valves
- With brass segments bonded to rubber
- Time-tested
- Perfect performance

PART #	DESCRIPTION	PKG./CTN.
SA156A	(Replaces #s A-156-A, 5301188 & A-56-A, 5301170)	1

VACUUM BREAKER ASSEMBLY



- Fits Zurn*, Gerber* & Sloan* flush valves
- (Ref. #s V651A, V551A, 427A & 0323005)

PART #	DESCRIPTION	PKG./CTN.
SV551A	(Replaces # V-551-A)	1

FLUSH VALVE DISC (ROYAL*)



- Fits Zurn*, Gerber* & Sloan* flush valves
- A companion to the diaphragm

PART #	DESCRIPTION	PKG./CTN.
SA15A	(Replaces # A-15-A)	1

WE SHIP SAME DAY.

CLOSET/URINAL REPAIR PARTS (ZURN*)

HYCAR HANDLE SEAL



- Fits Sloan* & Zurn* flush valves

PART #	DESCRIPTION	PKG./CTN.
SB39	(Replaces #s B-39 & 5302297)	1

HANDLE ASSEMBLY



- Fits Zurn* & Sloan* flush valves
- Tru-Safe* handicap/ADA replacement handle
- OEM-style
- Chrome plated metal

PART #	DESCRIPTION	PKG./CTN.
SB32A	(Replaces #s B-32-A & 53302279)	1

HANDLE REPAIR/SEAL KIT



- Fits Zurn* & Sloan* flush valve handles

PART #	DESCRIPTION	PKG./CTN.
SB50A	(Replaces #s B-50-A & 5302305)	1


CLOSET RELIEF VALVE (STEM)



- Fits Zurn*, Gerber* & Sloan* Royal* 4.5 & 3.5 GPF closet flush valves
- White

PART #	DESCRIPTION	PKG./CTN.
SA19AC	(Replaces #s A-19-AC & 5301058)	1

URINAL RELIEF VALVE (STEM)



- Fits Zurn*, Gerber* & Sloan* Royal* 1.5 GPF urinal flush valves
- Black


PART #	DESCRIPTION	PKG./CTN.
SA19AU	(Replaces #s A-19-AU & 5301059)	1

ZURN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (ZURN*)

COMBO MASTER PRO REBUILD KIT



- This kit repairs most Zurn*, Sloan* Royal* & Regal* flush valves
- Rebuilds 4.5 A - 36-A, 3.5-A - 38-A, 1.6-A, 41-A closets & 1.5-A - 37-A, 1.0-A - 42-A urinals. Kit contains 1 each of the following: 4.5 GPF inside parts kit (SL-13A) Vac breaks kit (SL01), handle seal kit (SL07K), 1" shut-off cup seal (SL08) 3/4" shut-off cup seal (SL09), tailpiece o-ring (OR123), GPF reducer adapter set (SL16) & silicone lube capsule (WFG1)

PART #	DESCRIPTION	PKG./CTN.
SCMPK	(Replaces # V-553-A)	1

NEW-STYLE PLASTIC INSIDE COVER



- Fits Zurn*, Gerber*, Sloan* Royal* & Regal* flush valves
- (Ref. # 0301168)

PART #	DESCRIPTION	PKG./CTN.
SA71	(Replaces # A-71)	1

URINAL SHUT-OFF VALVE REPAIR KIT



- Fits Zurn*, Gerber* & Sloan* urinal flush valves
- 3/4" screwdriver stop repair kit
- (Ref. # 3308856)

PART #	DESCRIPTION	PKG./CTN.
SH543ASD	(Replaces # H-543-ASD)	1

CLOSET SHUT-OFF VALVE REPAIR KIT



- Fits Zurn*, Gerber* & Sloan* closet flush valves
- 1" screwdriver stop repair kit
- (Ref. #s H-541-ASD & 3308853)

PART #	DESCRIPTION	PKG./CTN.
SH541ASD	(Replaces # Z6000C)	1

CLOSET/URINAL REPAIR PARTS (ZURN*)

CLOSET & URINAL FLUSH VALVE INSIDE PARTS REPAIR KIT (3.5 GPF)



- Fits Zurn* & Sloan* Royal* closet & urinal flush valves
- (Ref. # 3301037)

PART #	DESCRIPTION	PKG./CTN.
SA37A	(Replaces # A-37-A)	1

CLOSET FLUSH VALVE INSIDE PARTS REPAIR KIT (4.5 GPF)



- Fits Zurn* & Sloan* Royal* closet flush valves

PART #	DESCRIPTION	PKG./CTN.
SA36A	(Ref. #s A-36-A & 3301036)	1

CLOSET & URINAL FLUSH VALVE INSIDE PARTS REPAIR KIT (3.5 GPF)



- Fits Zurn* & Sloan* Royal* closet & urinal flush valves
- (Ref. #s A-38-A & 3301038)

PART #	DESCRIPTION	PKG./CTN.
SA38A	(Replaces # Z6000EC)	1

\ FLUSH VALVE MASTER REPAIR KIT (1.5 GPF)



- Fits Zurn*, Gerber* & Sloan* Royal* urinal flush valves
- (Ref. # 3317002)

PART #	DESCRIPTION	PKG./CTN.
SR1002A	(Replaces # R-1002-A)	1

CLOSET FLUSH VALVE MASTER REPAIR KIT (4.5 GPF)



- Fits Zurn*, Gerber* & Sloan* Royal* closet flush valves
- (Ref. # 3317001)

PART #	DESCRIPTION	PKG./CTN.
SR1001A	(Replaces # R-1001-A)	1

ZURN* REPAIR PARTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET/URINAL REPAIR PARTS (ZURN*)

CLOSET/URINAL WATER-SAVER MASTER REPAIR KIT (3.5 GPF)



- Fits Zurn*, Gerber* & Sloan* Royal* closet & urinal flush valves
- (Ref. # 3317003)

PART #	DESCRIPTION	PKG./CTN.
SR1003A	(Replaces # R-1003-A)	1

WE SHIP SAME DAY.

CLOSET/URINAL REPAIR PARTS (ZURN*)

GUIDE



- Fits Zurn*, Sloan* Royal* & Regal* flush valves
- (Ref. # 5301236)

PART #	DESCRIPTION	PKG./CTN.
SA163AP	Plastic (Replaces # A-163-A)	1

VANDAL-PROOF SHUT-OFF COVERS/ VALVE GUARDS



- Fits Zurn* & Sloan* flush valves
- Chrome plated with set screw
- Vandal-proof control stop cap

PART #	DESCRIPTION	PKG./CTN.
SH1009A	3/4" cover (Replaces #s H-1009-A & 3308790)	1
SH1010A	1" cover (Replaces #s H-1010-A & 3308791)	1

MISCELLANEOUS

CAROMA* REPAIR PARTS

CANISTER SEAL FOR FLUSH VALVES

- Fits the following Caroma toilets: Adelaide, Bondi, Brisbane, Caravelle two-piece, Colonial, Royale, Somertone, Sydney low-profile & Sydney Smart toilets
- OD: 2.6" ID: 1.02" Thickness: .0615"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
VCFVS NEW	2-5/8" OD (White)	1

FILLPRO* REPAIR PARTS

DIAPHRAGM DISC



- Fits all models of Fillpro* fill valves

PART #	DESCRIPTION	PKG./CTN.
F1150	(Replaces # 1150)	1

FERGUSON* REPAIR PARTS

VACUUM BREAKER REPAIR KIT



- Fits Ferguson* Pro-Flo* service sink faucet

PART #	DESCRIPTION	PKG./CTN.
FPF141553	(Replaces # PF141553-PK)	1

GROHE* REPAIR PARTS

PRESSURE BALANCING CARTRIDGE



- Tempress II* (TII) fits Grohe*, Eljer* & Gerber* one-handle tub/shower valves
- Comes w/ o-ring (# 062NO378)
- 15 pt. broach • 3-7/16" overall length
- (Replaces Danfoss* # 062N1285, Brasstech* # 1-028 & Gerber* # 97-510)

PART #	DESCRIPTION	PKG./CTN.
DA62N1285	(Replaces Grohe* #s 6-3301-5-4 & 47080000)	1

MISCELLANEOUS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

HUNTER*/LAVELLE* REPAIR PARTS

CAP & DIAPHRAGM ASSEMBLY



- Fits Hunter* (# 612) & Lavelle* (# 528) & some Toto* ballcocks
- 2-pc. repair kit

PART #	DESCRIPTION	PKG./CTN.
L528R	Cap & diaphragm	1

NIBCO* REPAIR PARTS

WASHERLESS CARTRIDGE



- Fits Nibco*, Indiana*, Kelwin*, Lifetime*, Phoenix* & Streamway* two-handle lavatory & kitchen faucets
- For non-metallic faucets
- 17 pt. broach
- 2" overall length

PART #	DESCRIPTION	PKG./CTN.
N85501	Hot or cold (Replaces # 85501)	1

OLD-STYLE WASHERLESS CARTRIDGE



- Fits Nibco*, Aquastream*, Midcor*, Moen* & Streamway* old-style two-handle lavatory & kitchen faucets
- Fits all two-handle faucets
- 17 pt. broach
- With brass stem
- 3-1/4" overall height

PART #	DESCRIPTION	PKG./CTN.
MO14800	Hot or cold (Replaces Moen* # 14800)	1

REPAL* REPAIR PARTS

SEAT



- Replaces Ref# 0571301

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
RE916-28-1132	9/16" X 28 X 11/32"	112-18A	1

TEMPRESS II* REPAIR PARTS (DANFOSS*)

PRESSURE BALANCING CARTRIDGE



- Tempress II* (TII) fits Grohe*, Eljer*, Gerber* one-handle tub/shower valves
- 15 pt. broach
- 3-7/16" overall length
- (Replaces Brasstech* # 1-028, Gerber* # 97-510 & Grohe* #s 6-3301-5-4 & 470-80000)

PART #	DESCRIPTION	PKG./CTN.
DA62N1285	(Replaces # 062N1285)	1

UNIVERSAL* REPAIR PARTS

SEAT



- Fits Sears* and Universal Rundle*

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
UN1732-24-38	17/32" X 24 X 3/8"	P692, R12	1

VORTENS* REPAIR PARTS

CANISTER SEAL FOR FLUSH VALVES

- Fits Vortens Dual Flush Valves V221 and V181 on the following toilets: Rhodas (tank #3420, 3436, 3437, 3438), Manchester (tank #3427) toilets
- OD: 2.6" ID: 1.02" Thickness: .0615"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
VCFVS	2-5/8" OD (White) Ref.# 40211712	1

WATTS* REPAIR PARTS

COMMERCIAL VACUUM BREAKERS



- Watts*

PART #	DESCRIPTION	PKG./CTN.
WA887170	3/8" (Replaces # 887170)	1
WA887171	1/2" (Replaces # 887171)	1
WA887172	3/4" (Replaces # 887172)	1

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

SECTION B..... BATHROOM / KITCHEN


B1


B2


B2


B3


B5


B6


B7



B8


B9


B10


B12


B13


B15


B16


B17


B20


B22


B23


B29


B31


B32


B33


B37



B38


B39


B39


B42


B44


B45


B46


B46


B48


B51


B54


B55


B56


B57


B57


B58


B58


B59


B61


B61


B62


B64


B66


B66


B67


B69

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

QUICK REFERENCE GUIDE

SECTION B..... BATHROOM / KITCHEN

FLANGES / FLOOR & CEILING PLATES B1

TUB / SHOWER PRODUCTS..... B3

TANK LEVERS..... B17

TOILET SEATS B20

CLOSET PRODUCTS..... B21

PLUMBING CONNECTORS..... B39

SUPPLY STOPS B41

LAVATORY / SINK PRODUCTS..... B43

BATHROOM ACCESSORIES..... B67

WE SHIP SAME DAY.

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

FLANGES/FLOOR & CEILING PLATES

LOW PATTERN FLANGES (ESCUTCHEONS)



- Sure grip
- Decorative finishes available for LPF058 and LPF12

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
CHROME PLATED STEEL:			
LPF38	3/8" IPS	2-1/2"	25/2000
LPF12	1/2" IPS	2-1/2"	25/2000
LPF34	3/4" IPS	2-1/2"	25/2000
LPF1	1" IPS	2-7/8"	25/1000
LPF114	1-1/4" IPS	2-7/8"	25/1000
LPF112	1-1/2" IPS	2-7/8"	25/1000
LPF112-312	1-1/2" IPS (3-1/2" flange OD)	3-1/2"	25/600
LPF2	2" IPS	3-1/2"	25/1200
LPF012	1/2" OD (3/8" Nom. CTS)	2-1/2"	25/2000
LPF058	5/8" OD (1/2" Nom. CTS)	2-1/2"	25/2000
LPF078	7/8" OD (3/4" Nom. CTS)	2-1/2"	25/2000
LPF0118	1-1/8" OD (1" Nom. CTS)	2-7/8"	25/1000
LPF0138	1-3/8" OD (1-1/4" Nom. CTS)	2-7/8"	25/1000
LPF0158	1-5/8"OD (1-1/2" Nom. CTS)	2-7/8"	25/1000
LPF0114	1-1/4" OD (tubular)	2-7/8"	25/1200
LPF0112	1-1/2" OD (tubular)	2-7/8"	25/1200
LPF02	2" OD (tubular)	3-1/2"	25/500

BELL FLANGES (DEEP)



- Sure grip
- Chrome plated steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
BF38	3/8" IPS	2-3/8"	25/1000
BF12	1/2" IPS	2-3/8"	25/1000
BF34	3/4" IPS	2-3/8"	25/250
BF1	1" IPS	3"	25/1000
BF114	1-1/4" IPS	3"	25/1000
BF112	1-1/2" IPS	3"	25/900
BF038	3/8" OD (1/4" Nom. CTS)	2-3/8"	25/250
BF012	1/2" OD (3/8" Nom. CTS)	2-3/8"	25/250
BF058	5/8" OD (1/2" Nom. CTS)	2-3/8"	25/1000
BF0114	1-1/4" OD (tubular)	3"	25/1000
BF0138	1-3/8" OD (tubular)	3"	25/1000
BF0112	1-1/2" OD (tubular)	3"	25/250

DEEP BOX FLANGES



DBF



DBFP

- Sure grip
- Decorative finishes available

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
CHROME PLATED STEEL:			
DBF114	1-1/4" IPS	3"	5/200
DBF112	1-1/2" IPS	3"	5/200
DBF0114	1-1/4" OD (tubular)	3"	5/200
DBF0112	1-1/2" OD (tubular)	3"	5/200
DBF02	2" OD (tubular)	3"	5/200
WHITE POLYETHYLENE:			
DBFP0114	1-1/4" OD deep box	3"	5/200
DBFP0112	1-1/2" OD deep box	3"	5/200

FLOOR & CEILING PLATES



- Sure grip
- Chrome plated steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
FCP38	3/8" IPS	2-1/2"	12/576
FCP12	1/2" IPS	2-5/8"	12/720
FCP34	3/4" IPS	2-27/32"	12/720
FCP1	1" IPS	3-9/32"	12/576
FCP114	1-1/4" IPS	3-5/8"	12/576
FCP112	1-1/2" IPS	3-15/16"	12/576
FCP2	2" IPS	4-3/8"	12/576
FCP012	1/2" OD (3/8" Nom. CTS)	2-1/2"	12/576
FCP058	5/8" OD (1/2" Nom. CTS)	2-5/8"	12/720
FCP078	7/8" OD (3/4" Nom. CTS)	2-27/32"	12/720
FCP0118	1-1/8" OD (1" Nom. CTS)	3-9/32"	12/576
FCP0138	1-3/8" OD (1-1/4" Nom. CTS)	3-5/8"	12/576
FCP0158	1-5/8" OD (1-1/2" Nom. CTS)	3-15/16"	12/576

BRAXTON HARRIS CO., INC.

6.1.25

FLANGES/FLOOR & CEILING PLATES

HEAVY GAUGE FLOOR & CEILING PLATES



- Chrome plated steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
FCPH38	3/8" IPS	2-1/2"	12/480
FCPH12	1/2" IPS	2-5/8"	12/480
FCPH34	3/4" IPS	2-27/32"	12/480
FCPH1	1" IPS	3-9/32"	12/480
FCPH114	1-1/4" IPS	3-5/8"	12/240
FCPH112	1-1/2" IPS	3-15/16"	12/240
FCPH2	2" IPS	4-3/8"	12/240
FCPH212	2-1/2" IPS	5-7/32"	12/120
FCPH3	3" IPS	5-29/32"	12/120
FCPH312	3-1/2" IPS	6-9/16"	12/120
FCPH4	4" IPS	7-3/16"	12/120
FCPH5	5" IPS	8-7/8"	12/60
FCPH6	6" IPS	10"	12/60
FCPH8	8" IPS	13"	6/48
FCPH10	10" IPS	15"	1/48
FCPH012	1/2" OD (3/8" Nom. CTS)	2-1/8"	12/480
FCPH058	5/8" OD (1/2" Nom. CTS)	2-7/16"	12/480
FCPH078	7/8" OD (3/4" Nom. CTS)	2-21/32"	12/480
FCPH0118	1-1/8" OD (1" Nom. CTS)	2-27/32"	12/480
FCPH0138	1-3/8" OD (1-1/4" Nom. CTS)	3-9/32"	12/240
FCPH0158	1-5/8" OD (1-1/2" Nom. CTS)	3-5/8"	12/240
FCPH0218	2-1/8" OD (2" Nom. CTS)	4-3/16"	12/240
FCPH0258	2-5/8" OD (2-1/2" Nom. CTS)	4-15/16"	6/240
FCPH0318	3-1/8" OD (3" Nom. CTS)	5-3/16"	12/240
FCPH0418	4-1/8" OD (4" Nom. CTS)	6-3/4"	6/240

PLASTIC LOW PATTERN FLANGES (WHITE POLYETHYLENE)



- Ideal for painted walls
- Corrosion resistant
- Cannot pit or rust
- Will not lose original grip

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
LPFP38	3/8" IPS	2-1/2"	50/1000
LPFP12	1/2" IPS	2-1/2"	50/1000
LPFP34	3/4" IPS	2-1/2"	50/1000
LPFP112	1-1/2" IPS	3-1/2"	50/500
LPFP2	2" IPS	3-1/2"	50/500
LPFP012	1/2" OD (3/8" Nom. CTS)	2-1/2"	50/1000
LPFP058	5/8" OD (1/2" Nom. CTS)	2-1/2"	50/1000
LPFP078	7/8" OD (3/4" Nom. CTS)	2-1/2"	50/1000
LPFP0114	1-1/4" OD (tubular)	3-1/2"	25/1000
LPFP0112	1-1/2" OD (tubular)	3-1/2"	25/1000

PLASTIC FLOOR & CEILING PLATES (WHITE POLYETHYLENE)

- 100% rust proof
- Non-breakable
- One-piece construction
- Can be split and placed around pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
FCPP12	1/2" IPS	2-3/4"	12/1080
FCPP34	3/4" IPS	3"	12/1440
FCPP1	1" IPS	3-1/8"	12/1440
FCPP114	1-1/4" IPS	3-1/2"	12/1200
FCPP112	1-1/2" IPS	3-7/8"	12/1200
FCPP2	2" IPS	4-3/8"	12/720
FCPP212	2-1/2" IPS	5-5/16"	12/600
FCPP3	3" IPS	5-7/8"	12/480
FCPP4	4" IPS	5-7/8"	12
FCPP5	5" IPS	8-1/2"	6
FCPP6	6" IPS	9-5/8"	6
FCPP8	8" IPS	13"	6
FCPP058	5/8" OD (1/2" Nom. CTS - 3/8" IPS)	2-1/2"	12/1080
FCPP078	7/8" OD (3/4" Nom. CTS)	2-3/4"	12/1080
FCPP0118	1-1/8" OD (1" Nom. CTS)	3"	12/1080
FCPP0138	1-3/8" OD (1-1/4" Nom. CTS)	3-1/4"	12/1440
FCPP0158	1-5/8" OD (1-1/2" Nom. CTS)	3-1/2"	12/1200
FCPP0218	2-1/8" OD (2" Nom. CTS)	4-1/8"	12/720

FLOOR & CEILING PLATES

PLASTIC FLOOR & CEILING PLATES (CHROME PLATED POLYETHYLENE)



- 100% rust-proof
- Non-breakable
- One-piece construction
- Can be split and placed around pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	FLANGE OD	CTN./MSTR.
FCPPC12	1/2" IPS	2-3/4"	12/1080
FCPPC34	3/4" IPS	3"	12/1440
FCPPC1	1" IPS	3-1/8"	12/1440
FCPPC114	1-1/4" IPS	3-1/2"	12/1200
FCPPC112	1-1/2" IPS	3-7/8"	12/1200
FCPPC2	2" IPS	4-3/8"	12/720
FCPPC212	2-1/2" IPS	4-1/2"	12/600
FCPPC3	3" IPS	4-7/8"	12/480
FCPPC4	4" IPS	5-7/8"	12/240
FCPPC5	5" IPS	8-1/2"	6/240
FCPPC6	6" IPS	9-5/8"	6/120
FCPPC8	8" IPS	13"	6/96
FCPPC058	5/8" OD (1/2" Nom. CTS)	2-1/2"	12/1080
FCPPC078	7/8" OD (3/4" Nom. CTS)	2-3/4"	12/1080
FCPPC0118	1-1/8" OD (1" Nom. CTS)	3"	12/1080
FCPPC0138	1-3/8" OD (1-1/4" Nom. CTS)	3-1/4"	12/1440
FCPPC0158	1-5/8" OD (1-1/2" Nom. CTS)	3-1/2"	12/1200
FCPPC0218	2-1/8" OD (2" Nom. CTS)	4-1/8"	12/720
FCPPC0318	3-1/8" OD (3" Nom. CTS)	5-3/8"	12/240

ADD-A-SHOWER PRODUCTS

ADD-A-SHOWER DIVERTER SPOUT & RISER



- Chrome plated brass
- 3/8" FPT riser inlet
- 61" riser with wall support
- With chrome plated plastic shower head
- Diverter valve

PART #	DESCRIPTION	PKG./CTN.
AASDSR	Complete unit	1

ADD-A-SHOWER BATHCOCK WITH DIVERTER SPOUT




- Bathcock with diverter spout
- 3-3/8" centers
- 61" riser with wall support
- 3/8" FPT riser inlet
- Chrome plated plastic shower head

PART #	DESCRIPTION	PKG./CTN.
AAS	Complete unit	1

BRAXTON HARRIS CO., INC.

ADD-A-SHOWER PRODUCTS

ADD-A-SHOWER WITH ALUMINUM RECTANGULAR ROD/FRAME



- Leg tub converter set with shower enclosure
- Complete unit comes with mounting hardware
- Includes 24" x 42" aluminum shower rod with 36" ceiling support
- Bathcock with diverter spout.
- 61" riser with 10" rod & riser support
- Chrome plated plastic shower head

PART #	DESCRIPTION	PKG./CTN.
AASRRC	Complete unit w/ # AASBDCP diverter	1
AASRR	Complete unit w/ # AASBD diverter	1

ADD-A-SHOWER DIVERTER BATHCOCK



- Chrome plated brass
- 3-3/8" centers
- 3/8" FPT swivel riser inlet

PART #	DESCRIPTION	PKG./CTN.
AASBD	Standard assembly	1

ADD-A-SHOWER CODE-PATTERN BATHCOCK DIVERTER



- Chrome plated brass
- 3-3/8" centers
- 3/8" FPT swivel riser inlet

PART #	DESCRIPTION	PKG./CTN.
AASBDCP	Anti-syphon	1

ADD-A-SHOWER DIVERTER SPOUT (ONLY)



- Chrome plated diverter spout
- 3/8" FPT riser inlet

PART #	DESCRIPTION	PKG./CTN.
AASDS	Diverter spout	1

LEG TUB FAUCET



- Cast brass with deluxe chrome plating
- Renewable seats
- 3-3/8" centers
- 3/4" MPT inlets

PART #	DESCRIPTION	PKG./CTN.
LTF	Regular (trade size 0)	1

LEG TUB FAUCET WITH CODE-PATTERN GOOSE-NECK SPOUT



- Cast brass with deluxe chrome plating
- Renewable seats
- 3-3/8" centers
- 3/4" MPT inlet

PART #	DESCRIPTION	PKG./CTN.
LTFCS	With code spout	1
LTFCSO	Code pattern goose-neck spout (only)	1

UTILITY SHOWER



- Chrome plated brass body with 1/2" union inlets that are 1/2" combination threaded or sweat connections
- Union inlets are on 3" centers
- With shower head, soap dish & 21" galvanized riser
- 24" overall height

PART #	DESCRIPTION	PKG./CTN.
US	Utility shower	1

OFFSET BATH SUPPLIES




- Set of 2 with bell flanges, nuts & washers
- For leg tub faucets
- Chrome plated brass
- Measures 1/2" OD x 22" length

PART #	DESCRIPTION	PKG./CTN.
SOBS	Single offset	1 pr.

TUB/SHOWER PRODUCTS

DOUBLE OFFSET BATH SUPPLIES



- Set of 2, with bell flanges, nuts & washers
- For leg tub faucets
- Chrome plated brass
- Measures 1/2" OD x 22" length
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
OBS	Double offset	1 pr./25 pr.
OBSD	Deluxe, double offset, with cast brass bell flanges, available in decorative finishes	1 pr.

BATH FAUCET COUPLING ELBOWS



- Connects 3/4" bathcock thread to 1/2" MPT
- Nickel plated brass
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
BFCE	Ground joint couplings	1 pr.

CURTAIN ROD PINS



- Holds any shower curtain to rod
- Long-lasting, rust-resistant
- 10 pieces per pack/ctn
- Nickel plated steel
- Priced per piece
- Trade size 3

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SCP	1-3/8"	10/10

STRAIGHT SHOWER RODS



- Polished aluminum
- 1" OD tubing
- Without flange & screws

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SSR1-5	5'	1/50
SSR1-6	6'	1/50
SSR1-5M	5', mini-pak	1/10
SSR1-6M	6', mini-pak	1/10

ALUMINUM SHOWER RODS WITH HOLDERS



- Individually wrapped rods & holders
- Boxed together

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
5' x 1" OD ROD:		
SSR1-5ACRH	With plastic jiffy flange (# ACRH)	50
SSR1-5ACRHDC	With metal jiffy flange (# ACRHDC)	50
SSR1-5CRF1	With round metal flanges (# CRF1)	50
6' x 1" OD ROD:		
SSR1-6CRF1	With round metal flanges (# CRF1)	10

STAINLESS STEEL SHOWER ROD




- 1" polished stainless steel
- .012 wall thickness
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SSRS1-5	1" x 5' (without flange and screws)	10

ADJUSTABLE STRAIGHT SHOWER RODS



- Rod and insert are threaded for length adjustment
- ASSRT1-5 not pictured

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
ASSR1-5	1" x 5' (58"- 61" adjustment)	40
ASSR1-6	1" x 6' (69"- 73" adjustment)	40
ASSRT1-5	1" x 5' (41"- 72" adjustment) with spring tension	20

CURVED SHOWER RODS




- Flanges included
- Adds up to 9" more room
- 22 ga.

PART #	DESCRIPTION	PKG./CTN.
CSR1-5	1" x 5' chrome plated	1/12
CSR1-5S	1" x 5' brushed stainless steel	1/12
CSRF	Flanges only (pair) chrome plated	1

BRAXTON HARRIS CO., INC.

TUB/SHOWER PRODUCTS


"L" BAR SHOWER ROD



- Polished aluminum
- 1" OD tubing
- With jumbo flanges
- With 36" ceiling support and flange
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LBCR1-5	26" W x 5' length (2-piece)	1
LBCR1-6	36" W x 6' length (2-piece)	1

"D" BAR SHOWER ROD



- Polished aluminum
- 1" OD tubing
- 4 pieces, 26" W x 5' L
- With 24" ceiling support & flange

PART #	DESCRIPTION	PKG./CTN.
DBCR1-5	"D" bar shower rod	1

JUMBO SHOWER ROD FLANGE



- Fits rectangular 1" OD rod
- With screws
- Chrome plated zinc die cast
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
JSRF	(One pair per package)	1 pr.

SHOWER ROD FLANGE



- Round
- Fits 15/16" OD & 1" OD rod
- Includes 2 chrome plated steel flanges & 4 wood screws
- Decorative finishes available
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
CRF1	(One pair per package)	1 pr.


ADJUSTABLE SHOWER ROD HOLDERS/JIFFY FLANGES



- Fits 15/16" OD & 1" OD rod
- Rubber pads will not mar or deface any surface
- Just turn to tighten against the wall
- No screws needed
- Priced per set

PART #	DESCRIPTION	PKG./CTN.
ACRH	Chrome plated plastic	1/200
ACRHDC	Chrome plated die cast	1/100

ADD-A-SHOWER ACCESSORIES



- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
CS1-36	Fit-all (6"-36") ceiling support for 1" shower rods	1
CS1-48	Fit-all (6"-48") ceiling support for 1" shower rods	1
AASFWB	Fixed CP plastic wall bracket for risers	1
AASAWB	Adjustable wall bracket for CP brass risers w/ 12" rod (Can be cut to fit)	1
AASR	65", CP brass riser (only) for #s AASDS, AASBD & AASBDCP	1

ECONOMY PLASTIC SHOWER HEAD



- With 2.5 GPM rubber flow restrictor
- Adjustable face plate for fine spray patterns
- 1/2" FPT inlet
- Chrome plated plastic body & ball

PART #	DESCRIPTION	PKG./CTN.
PSH134	1-3/4" adjustable face	1/100

DELUXE DIE CAST SHOWER HEAD



- With 2.5 GPM rubber flow restrictor
- Chrome plated zinc die cast body and ball with plastic face
- Adjustable spray pattern
- 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
DSH134	1-3/4" adjustable face	1/100

HEAVY-DUTY SHOWER HEAD (WITH BRASS BALL)



- With 2.5 GPM rubber flow restrictor
- Chrome plated plastic body with brass ball
- Black face with adjustable spray pattern
- 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
PSHH134	1-3/4" adjustable face	1/100

SHOWER HEADS

SELECT-A-FLOW SHOWER HEAD




- With 2.5 GPM rubber flow restrictor
- Heavy chrome plated zinc die cast body & ball
- Adjustable from needle point to rain shower flow
- 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
ZSH2	2" adjustable face	1/100

WATER SAVER SHOWER HEADS



WSSHVC1



WSSH1

- Chrome plated brass body & ball
- Excellent soft spray
- 1.81 GPM @ 40 PSI or 2.50 GPM @ 80 PSI
- Permanent, built-in water restrictor
- Meets A.N.S.I. specification A112-18-IM 1979
- California Energy Commerce approved
- C.S.A. approved • 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
WSSHVC1	1" face with volume control	1/50
WSSH1	1" face less volume control	1/50

DELUXE BRASS SHOWER HEAD



- Heavy chrome plated brass body & ball
- With 2.5 GPM at 80 PSI
- Removable rubber flow restrictor
- Adjustable spray head
- 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
BSH134	1-3/4" adjustable face	1/100
BSH214	2-1/4" adjustable face	1/100
BSH3	3" adjustable face	1

HYDRA MASSAGE SHOWER HEAD



- Deluxe massage shower head
- Chrome plated plastic with metal ball
- Three-position adjustment
- Pulsating massage, regular spray or combination spray
- With 2.5 GPM @ 80 PSI
- Removable flow restrictor disc
- 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
HSM	3" adjustable pattern face	11

MASSAGE SHOWER HEAD



- 2.5 GPM
- 1/2" FPT inlet
- Chrome plated plastic body with metal ball
- Massage spray adjustments

PART #	DESCRIPTION	PKG./CTN.
MSH	With metal ball joint	1/100

DELUXE MASSAGE SHOWER HEAD



- 2.5 GPM • 1/2" FPT inlet
- Chrome plated plastic body with brass ball
- 5 function settings
- Gray face with self-cleaning rubber spray jets
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
DMSH	With brass ball	1

PULSATING SPRAY MASSAGE SHOWER HEAD



- 2.5 GPM
- 1/2" FPT inlet
- U.P.C. & C.S.A. approved
- Plastic body & brass ball
- Massage or shower spray adjustments

PART #	DESCRIPTION	PKG./CTN.
PSMSH	White & gray plastic body	1

RAIN SHOWER HEAD



- Heavy chrome plated brass
- 2.75 GPM @ 20 to 100 PSI
- Removable flow restrictor
- 1/2" FPT inlet

PART #	DESCRIPTION	PKG./CTN.
RSH4	4" face	1

HAND-HELD SHOWER



- Pulsating massage shower
- Three shower functions: Pulsating massage, regular spray, or combination spray
- With holder adapter and 59" metal hose

PART #	DESCRIPTION	PKG./CTN.
HHS	Hand-held shower	1

BRAXTON HARRIS CO., INC.

SHOWER PRODUCTS

HAND-HELD PERSONAL SHOWER



- With wall bracket
- Durable white ABS
- 2-1/2" dia. shower face, w/ volume control
- 1.8 GPM @ 80 PSI
- 3 spray options

PART #	DESCRIPTION	PKG./CTN.
PS	60" white PVC hose with white body	1

PVC HAND-HELD SHOWER HOSES



- 1/2" FPT x 1/2" FPT thread inlet

PART #	DESCRIPTION	PKG./CTN.
SHS72	72" chrome plated/black PVC	1
SHP59	59" white reinforced PVC	1

HAND-HELD HOLDER ADAPTER



- Chrome
- To be used with BHC # HHS
- Also may be used with WaterPik®

PART #	DESCRIPTION	PKG./CTN.
SMHA	Holder adapter	1

DROP ELBOW & FLANGE



- For hand-held showers
- Mounts directly to wall
- 1/2" FPT

PART #	DESCRIPTION	PKG./CTN.
DEF	Chrome plated	1

SHOWER DIVERTER VALVE



SDV



SDVP

- Chrome plated brass
- Permits use of shower head or hand held shower by installing between arm and shower head

PART #	DESCRIPTION	PKG./CTN.
SDV	Lever-type	1
SDVP	Button-type	1/10

VACUUM BREAKER



- Ideal for shower heads
- Chrome plated brass
- 1/2" FPT x 1/2" MPT
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
VB-CP	Vacuum breaker	1

SELF-CLOSING SHOWER & URINAL VALVE (LEVER HANDLE)



- Chrome plated, heavy brass construction
- Can be used for urinals or outdoor showers
- Supplied with pull chain
- 1/2" FPT inlet & outlet

PART #	DESCRIPTION	PKG./CTN.
SCSUV	Lever handle	1/40
SPA12	Stand pipe assembly for SCSUV	1/4

SELF-CLOSING SHOWER & URINAL VALVE (CROSS HANDLE)



- Chrome plated, heavy brass construction
- Can be used for urinals or outdoor showers
- 1/2" FPT inlet & outlet

PART #	DESCRIPTION	PKG./CTN.
SCSUVC	Cross handle	1/24

LEVER WATER VOLUME CONTROL



- Chrome plated plastic
- 1/2" MPT x 1/2" FPT
- Regulates flow of water at shower head
- Reduces flow to a trickle
- Lever-type

PART #	DESCRIPTION	PKG./CTN.
WVCP	Chrome plated plastic	1

PUSH-BUTTON WATER VOLUME CONTROL



- Regulates flow of water at shower head
- Reduces flow to a trickle
- 1/2" MPT x 1/2" FPT
- Push-type

PART #	DESCRIPTION	PKG./CTN.
WVC	Chrome plated brass	1

SHOWER HEAD FLOW RESTRICTER



- Fits all shower heads
- Reduces flow to constant 2.0 GPM on pressures from 20 lb. to 100 lb.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SHFR	Molded rubber	25/25

SHOWER PRODUCTS


THIN-WALL SHOWER-STALL ELBOW



- Designed to secure shower arm to fiberglass or acrylic shower stall
- Can also be used to secure tub spout nipple
- Eliminates movements of shower arm & tub spout
- For use with copper, iron pipe or compression fittings
- Requires 1-1/8" hole in fiberglass wall
- Combination inlet, 1/2" female sweat or 1/2" MPT, outlet 1/2" FPT

PART #	DESCRIPTION	PKG./CTN.
FSE12	Brass elbow	1/20

90° DROP-EAR ELBOWS



(DE90TE not pictured)

PART #	INLET x OUTLET	MATERIAL	PKG./CTN.
DE90E	1/2" FSWT x 1/2" FPT	Brass	10/100
DE90E-LF	1/2" FSWT x 1/2" FPT	Lead free brass	10/100
DE90EF-LF	1/2" FPT x 1/2" FPT	Lead free brass	10/100
DE90ES-LF	1/2" FSWT x 1/2" FSWT	Lead free brass	10/100
PDEE12-LF	1/2" PEX(F1807) x 1/2" FPT	Lead free brass	10/100
DE90CE	1/2" SLIP x 1/2" FPT	CPVC	10/100
DE90TE	1/2" SLIP x 1/2" FPT	CPVC inlet/S.S. outlet	10/100

BRASS SHOWER ARMS



- Chrome plated
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SA12-6	1/2" x 6" CP brass arm only	1/200
SA12-6-F	1/2" x 6" CP brass arm and flange w/set screw	1
SA12-6F	1/2" x 6" CP brass arm and flange	1
SA12-8	1/2" x 8" CP brass arm only	1/100
SA12-8F	1/2" x 8" CP brass arm and flange	1

PLASTIC SHOWER ARM WITH FLANGE



- Chrome plated plastic arm and flange

PART #	DESCRIPTION	PKG./CTN.
SAP12-6	1/2" x 6"	1

"S" STYLE SHOWER ARMS



- 1/2" MPT chrome plated brass
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SAS12-8	Increases shower head height by 8"	1
SAS12-10	Increases shower head height by 10"	1

90° SHOWER ARM



- For rain-style shower heads
- Shower head inlet 15" from wall
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SAR12-15	Chrome plated brass	1

ADJUSTABLE SHOWER ARM



- Chrome plated brass
- 10" length
- Locking wing nut adjustment

PART #	DESCRIPTION	PKG./CTN.
ASA12	Heavy adjustable shower arm	1

CEILING MOUNT SHOWER ARM WITH FLANGE



- Used with rain-style shower heads mounted from ceiling
- Chrome plated brass arm with heavy-duty flange with set screw
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TBN12-10-F	1/2" FPT x 10" length	1
TBN34-12-F	3/4" FPT x 12" length	1

SHOWER ARM FLANGES



- 2-1/2" OD
- Fits all 1/2" shower arms
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SAF	1/2" FPT polished stainless steel	1/25
SAFS12	1/2" FPT CP zinc die cast w/ set screw	1/40
SAFSP12	1/2" FPT CP plastic w/ set screw	10
SAFO12	1/2" FPT CP CAST brass w/ o-ring	10

BRAXTON HARRIS CO., INC.

TUB SPOUTS

BRASS TUB SPOUT



- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated brass

PART #	DESCRIPTION	PKG./CTN.
BTSO	Wall inlet less diverter	1


BRASS BACK-DIVERTER TUB SPOUT



- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated brass
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
BTSBD	Wall inlet with back-diverter	1
BTSBD-PB	Wall inlet with back-diverter (polished brass)	1

NOSE-DIVERTER TUB SPOUT



- 1/2" FPT thread inlet at spout
- Chrome plated zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSND	Nose inlet with nose-diverter	1/50


BACK-DIVERTER TUB SPOUT



- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSBD	Wall inlet with back-diverter	1/50

NOSE-DIVERTER TUB SPOUT



- 1/2" copper (5/8" OD) slide-on inlet with set-screw at wall-end of spout
- Chrome plated zinc die cast
- Includes hex wrench

PART #	DESCRIPTION	PKG./CTN.
TSNDC	Wall inlet with nose-diverter	1/50

BACK-DIVERTER TUB SPOUT WITH TOP SHOWER ADAPTER



- 1/2" MPT straight thread top adapter for hand-held showers
- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSTSA	Wall inlet with back-diverter	1/50

BACK-DIVERTER TUB SPOUT WITH BOTTOM SHOWER ADAPTER



- 1/2" MPT straight-thread bottom adapter for hand- held showers
- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated zinc die cast
- 1/2" FPT thread outlet for hand-held showers

PART #	DESCRIPTION	PKG./CTN.
TSBSA	Wall inlet with back-diverter	1


BACK-DIVERTER TUB SPOUT WITH SIDE SHOWER ADAPTER



- 1/2" MPT straight thread top adapter for hand-held showers
- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSSSA	Wall inlet with back-diverter.	1


TUB SPOUT WITH SLIDE-ON INLET



- 1/2" copper (5/8" OD) slide-on inlet with set-screw at wall-end of spout
- Chrome plated zinc die cast
- Includes hex wrench

PART #	DESCRIPTION	PKG./CTN.
TSOC	Wall inlet less diverter	1/50

TUB SPOUT



- 1/2" FPT thread inlet at nose-end of spout
- Zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSO	Nose inlet less diverter (chrome plated)	1/50
TSO-PB	Nose inlet less diverter (PVD polished brass)	1

ADJUSTABLE TUB SPOUT WITH FACE BUSHING



- Adjusts up to 1"
- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSA	Wall inlet less diverter	1

TUB SPOUTS/SHOWER PRODUCTS

ADJUSTABLE TUB SPOUT WITH NOSE-DIVERTER



- Adjusts up to 1"
- 3/4" FPT thread inlet with 1/2" FPT thread bushing at wall-end of spout
- Chrome plated zinc die cast

PART #	DESCRIPTION	PKG./CTN.
TSAND	Wall inlet with nose-diverter	1

LONG TUB SPOUT WITH NOSE-DIVERTER (ONE-PIECE BRASS)



- 1/2" FPT thread inlet
- Chrome plated heavy cast brass
- 9" overall length. 7" length from wall to nose threads
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LTSND1	Nose inlet with nose-diverter	1

LONG TUB SPOUT (ONE-PIECE BRASS)



- 1/2" FPT thread inlet
- Chrome plated heavy cast brass
- 9" overall length. 7" length from wall to nose threads
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LTSO1	Nose inlet less diverter	1

LONG TUB SPOUT (TWO-PIECE)



- 1/2" FPT connection at nose end of spout
- Chrome plated die cast zinc

PART #	DESCRIPTION	PKG./CTN.
LTSND10-2	10" length, nose inlet with nose diverter	1
LTSND2	8-1/2" length, nose inlet with nose diverter	1

LONG TUB SPOUT WITH FRONT DIVERTER



- Longer length for larger tubs
- CTS connection includes hex key
- Chrome plated die cast zinc

PART #	DESCRIPTION	PKG./CTN.
LTSND7	7" length, 1/2" FPT nose connection	1
LTSNDC7	7" length, 1/2" CTS slide connection	1

LONG TUB SPOUT



- Longer length for larger tubs
- CTS connection includes hex key
- Chrome plated die cast zinc

PART #	DESCRIPTION	PKG./CTN.
LTSO7	7" length, 1/2" FPT nose connection	1
LTSOC7	7" length, 1/2" CTS slide connection	1

TUB SPOUT EXTENDERS



- For whirlpool & roman tubs
- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
TSE3	3" extender (only)	1
TSE434	4-3/4" extender (only)	1

SLIP/SWEAT MALE ADAPTERS



- Brass
- For use on tub spout ell or closet/urinal stub-out adapter

PART #	DESCRIPTION	PKG./CTN.
SMA12	1/2" female sweat x 1/2" MPT	25/100
SMA34	3/4" female sweat x 3/4" MPT	25/1000
SMA1	1" female sweat x 1" MPT	25/1000

FACE BUSHINGS



- Brass

PART #	DESCRIPTION	PKG./CTN.
TBFB12-38	1/2" MPT x 3/8" FPT	25/1000
TBFB34-12	3/4" MPT x 1/2" FPT	10/1000

TWIN ELBOW



- Brass
- For diverter spouts

PART #	DESCRIPTION	PKG./CTN.
TE12-34	1/2" FPT twin elbow x 3/4" FPT	1

MARVEL ADAPTER



- Used on closet/urinal stub-out adapter

PART #	DESCRIPTION	PKG./CTN.
MA114	1-1/4" SJ x 1-1/4" FSWT	1/25
MA112-114	1-1/2" SJ x 1-1/4" FSWT	1/25
MA112	1-1/2" SJ x 1-1/2" FSWT	1/25
MA2	2" SJ x 2" FSWT	1/25
MA114-0114	1-1/4" SJ x 1-1/4" OD Tubular	1/25
MA112-0112	1-1/2" SJ x 1-1/2" OD Tubular	1/25

BRAXTON HARRIS CO., INC.

TUB/SHOWER PRODUCTS

HANDI-PLUG



- Combination test plug and stub-out for drop eared ell
- No tools required
- No thread seal required
- Reusable – long lasting
- Smooth at thread end for easy plastering
- New and Improved beveled washer for better seal
- Time and labor savings

PART #	DESCRIPTION	PKG./CTN./MSTR.
HP	1/2" combination test plug and stub-out	1/50/300

STUB OUT



- Eliminates extra fittings, nipples, solder, flux or tools for pressure testing
- 1/2" nom. male sweat inlet
- Meets ASTM B-88 specifications
- 1/2" nom. male sweat connection
- Spun closed ends are guaranteed leakproof

PART #	DESCRIPTION		PKG./CTN.
	SIZE	COPPER	
SO12-6M	1/2" x 6"	Type M	100/100
SO12-8L	1/2" x 8"	Type L	100/100

STUB OUT ELBOWS



- Connects tub valves to tub spout in one step
- Full-flow
- 1/2" nom. male sweat inlet
- Spun closed ends are guaranteed leakproof
- Materials and bend meet ANSI and ASTM specifications
- 1/2" nom. male sweat inlet

PART #	DESCRIPTION	PKG./CTN.
SOE12-6	1/2" x 1/2" Cop Swt x 6" L	1
SOE12-8	1/2" x 1/2" Cop Swt x 8" L	1


PEX STUB OUT ELBOWS




- Copper
- Accepts sweat & compression valves
- Easy adapting of copper stub out with installation of PEX
- Stub-out ells combine elbow & cap in one quick & easy fitting
- ASTM 1870 PEX

PART #	DESCRIPTION	PKG./CTN.
SOE12P-6	1/2" PEX(F1807) x 6" L	1
SOE12P-6F	1/2" PEX(F1807) x 6" L w/ flange	1
SOE12P-8	1/2" PEX(F1807) x 8" L	1
SOE34P-8	3/4" PEX(F1807) x 8" L	1

OVERFLOW FACE PLATES



OFP



OFP1

- Round
- Chrome plated zinc die cast
- Includes 2" brass screws
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
OFP	2-hole with screws	1/20
OFP1	1-hole with screw	1/20
OFPLS	2-hole less screws	1
OFP1LS	1-hole less screw	1

OLD-STYLE OVERFLOW FACE PLATE



- Round
- 3-1/4" OD
- Chrome plated metal
- Includes brass screw

PART #	DESCRIPTION	PKG./CTN.
OFPOS	1-hole with screw	1

OVERFLOW FACE PLATE SCREW WITH RING



- For use with old-style chain & stopper
- 1/4" -20 thd x 1-1/2" long
- Chrome plated brass

PART #	DESCRIPTION	PKG./CTN.
OFPSR	Old-style face plate screw	1

TRIP-LEVER OVERFLOW FACE PLATE



- Round
- Chrome plated zinc die cast body
- OFPTL includes 2" chrome plated brass screws
- Coil-type spring
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
OFPTL	2-hole with screws	1/25
OFPTLLS	2-hole less screws	1

FACE PLATE SCREW




- Chrome plated brass
- 1/4"-20 thread x 2" length

PART #	DESCRIPTION	PKG./CTN.
OFPS	Face plate screw	25

TUB/SHOWER PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CONVERSION BAR



- Secures overflow elbow to tub
- Converts two-hole to one-hole face plate

PART #	DESCRIPTION	PKG./CTN.
OFPCB	Conversion bar	1/500

WASTE & OVERFLOW WASHER



- 2-1/8" ID x 3-3/16" OD beveled from 3/16" to 9/16"

PART #	DESCRIPTION	PKG./CTN.
WOW	Sponge rubber	50/500

CHANNELED WASTE & OVERFLOW WASHER



- Channel groove to fit Price Pfister* & Sayco*
- 2-1/8" ID x 3-3/16" OD beveled

PART #	DESCRIPTION	PKG./CTN.
CWOW	Molded rubber	1

WASTE & OVERFLOW SHOE WASHER



- 1-3/4" ID x 2-5/8" OD x 3/32" thick

PART #	DESCRIPTION	PKG./CTN.
WOSW	Black rubber	1

TOE-TOUCH TUB DRAIN



- Complete with washers
- Chrome plated zinc die cast
- 3/8" tapped stem
- Decorative finishes available
- For solid chrome plated brass add -CP to end of part #

PART #	DESCRIPTION	PKG./CTN.
TTD138	1-3/8" (1-1/4") 16 tpi fine threads	1/100
TTD	1-1/2" 11 tpi coarse threads	1/100

TOE-TOUCH REPLACEMENT CARTRIDGES



- Chrome plated plastic body
- Toe-touch-style with rubber seal

PART #	DESCRIPTION	PKG./CTN.
TTRC516	5/16" thread stem	1/250
TTRC38	3/8" thread stem	1/250

GASKET FOR TOE-TOUCH TUB DRAIN



- Replacement gasket for # TTRC516 & # TTRC38 cartridge

PART #	DESCRIPTION	PKG./CTN.
TTRCG	Rubber	1

LIFT & TURN TUB DRAINS



- Chrome plated zinc die cast body
- 2-7/8" OD flange • Tapped 3/8"
- Includes drain washer
- Decorative finishes available

** Add -CP for solid brass body

PART #	DESCRIPTION	PKG./CTN.
LTD114	1-1/4"(1-3/8") x 16 fine thread (1-5/8" thread OD)	1/100
LTD112	1-1/2" x 11-1/2 coarse thread (1-7/8" thread OD)	1/100

LIFT & TURN CONVERSION TUB DRAIN



- Chrome plated zinc die cast body
- 2-7/8" OD flange
- Brass bushing to convert to 1-1/2" threads
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LTD114-112	1-1/4"(1-3/8") x 16 thread (1-5/8" thd OD) or 1-1/2" x 11-1/2 thread (1-7/8" thd OD)	1


TUB DRAIN STOPPER LESS BODY



- 3/8" stem
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
BDS114	1-1/4" chrome plated	1
BDS112	1-1/2" chrome plated	1

STRAINER BODIES FOR TUB DRAINS



- Chrome plated zinc die cast body


PART #	DESCRIPTION	PKG./CTN.
BDT114	3/8" tapped, 1-1/4" (1-3/8") fine thread (Fits #TTRC38, BDS114)	1
BDT112	3/8" tapped, 1-1/2" coarse thread (Fits #TTRC38, BDS112)	1

BRAXTON HARRIS CO., INC.

TUB/SHOWER PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

TRIP LEVER TUB DRAINS (GERBER*-STYLE)



- Complete with strainer & washer
- Zinc die cast body with stainless steel strainer
- Tapped 10/24
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SBD	1-1/2" x 11-1/2 coarse threads	1/100
SBD138	1-3/8"(1-1/4") x 16 fine threads	1/100

TUB DRAIN STRAINER BODY (GERBER*-STYLE)



- Fits Gerber*
- Chrome plated zinc die cast body
- Tapped 10/24

PART #	DESCRIPTION	PKG./CTN.
GBDB	1-3/8"(1-1/4") x 16 fine threads	1

ROUND DOMED TUB DRAIN STRAINER (GERBER*-STYLE)



- Fits Gerber*-style trip lever drain above
- 2-7/8" diameter
- With 1-3/4" length screw

PART #	DESCRIPTION	PKG./CTN.
GBDS	Tapped 10/24	1

BRASS TUB DRAIN CONVERSION BUSHING



- Converts 1-1/4" (1-3/8") tub drain to 1-1/2" coarse threads

PART #	DESCRIPTION	PKG./CTN.
TDB112-114	1-1/2" MPT x 1-1/4" FPT (1-3/8")	1/25

BRASS TUB DRAIN BUSHING (KOHLER*-STYLE)



- 2-3/16" 18 tpi x 1-7/8" 14 tpi threaded
- 15/16" height

PART #	DESCRIPTION	PKG./CTN.
TDB2316-178	2-3/16" MPT x 1-7/8" FPT	1/10

FLIP-IT TUB STOPPER



- Open & close with the flip of a toe
- Chrome plated finish
- Includes 10 different o-rings to fit all brands
- Fits most strainer bodies
- Fits drains 1-3/8" to 1-5/8"
- No tools needed for installation
- One-piece construction of Delrin & plastic
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
FITS	Flip-it stopper	1

(Full & Half Bath Waste Kits available in Section G)

FLAT SUCTION SINK STOPPER



- Held in place by the natural suction of the drain
- Tab makes it easy to remove
- Fit all for kitchen sink & tub

PART #	DESCRIPTION	PKG./CTN.
FSSS	5" diameter	1/50

FLEXIBLE HAIR STRAINER

- Soft white rubber
- Keeps hair out of drain
- Fits over any tub or shower drain

PART #	DESCRIPTION	PKG./CTN.
FHS	Flexible hair strainer	1

FIT-ALL STOPPERS



- White rubber
- Rust-proof ring

PART #	DESCRIPTION	PKG./CTN.
FABS	Fit-all basin stopper, 1" to 1-3/8"	1/25
FATLS	Bathtub & laundry tub, 1-1/2" to 2"	1/25

BASIN & TUB STOPPERS



- White hollow rubber
- Rust-proof ring

PART #	DESCRIPTION	PKG./CTN.
S118	1-1/8"	1/25
S114	1-1/4"	1/25
S138	1-3/8"	1/25
S112	1-1/2"	1/25
S158	1-5/8"	1/25
S134	1-3/4"	1/25
S2	2"	1/25

TUB/SHOWER PRODUCTS

BEADED CHAINS



BC11
BC15



BC100

- Nickel plated brass

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BC11	11" basin chain with "B" couplings on both ends, size 5/32", trade #8	25/25
BC15	15" tub chain with "B" couplings on both ends, size 5/32", trade #8	25/25 1
BC100	100' beaded chain on a reel, size 3/16", trade #10	

COUPLINGS



CA




CB

- Nickel plated brass
- Size 3/16", Trade #10
- Priced each

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CA	Type "A" coupling	100
CB	Type "B" coupling	100

PVC SHOWER PAN LINER



- 40 mil. thickness
- Durable and long lasting
- Meets & surpasses ASTM D4551 for PVC flexible waterproofing membrane
- Ideal for new construction & renovations
- PVC shower pan listed by UPC
- 50% recycled content

PART #	DESCRIPTION	PKG./CTN.
PSPL4-50	4' x 50' roll, 200 sq. ft.	1 roll
PSPL5-40	5' x 40' roll, 200 sq. ft.	1 roll
PSPL5-50	5' x 50' roll, 250 sq. ft.	1 roll
PSPL5-100	5' x 100' roll, 500 sq. ft.	1 roll
PSPL6-50	6' x 50' roll, 300 sq. ft.	1 roll
PSPL6-100	6' x 100' roll, 600 sq. ft.	1 roll


PRE-CUT PVC SHOWER PAN LINER




- 40 mil. thickness
- Durable and long lasting
- Meets & surpasses ASTM D4551 for PVC flexible waterproofing membrane
- Ideal for new construction & renovations
- PVC shower pan listed by UPC
- 50% recycled content
- Kits include pre-cut membrane, 2 inside corners, and 2 outside curb protectors

PART #	DESCRIPTION	PKG./CTN.
PPSPL6-5	6' x 5' pre-cut liner	1
PPSPL6-8	6' x 8' pre-cut liner	1
PPSPL6-5K	6' x 5' pre-cut liner kit	1 kit
PPSPL6-8K	6' x 8' pre-cut liner kit	1 kit

PRE-CUT PVC SHOWER PAN LINER CORNERS & CURBS



PPSPLOC



PPSPLIC

- 40 mil. thickness
- Durable and long lasting
- Meets & surpasses ASTM D4551 for PVC flexible waterproofing membrane
- Ideal for new construction & renovations
- PVC shower pan listed by UPC
- 50% recycled content

PART #	DESCRIPTION	PKG./CTN.
PPSPLOC	Curb protector	1
PPSPLIC	Inside corner	1

PVC SHOWER PAN LINER CEMENT




- Three year shelf life
- Not for PE liner use
- Instant contact strength

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PSPC	One pint	12

COVER PLATES



- Aids in installation of new tub/shower valves with unwanted old valve cut-out holes
- Attach with silicone caulk
- 1/8" thickness
- Do not use abrasive cleaners

PART #	DESCRIPTION	PKG./CTN.
CP1	For single-hole valve, chrome plated S.S. finish, 13-1/2" wide x 7-5/8" high x 5" ID	1
CP1MF	For new single-hole valve, mirror acrylic finish, 14" wide x 8" high x 5" ID	1
CP2	For two handle shower, chrome plated S.S. finish, 13" wide x 7-1/4" high x 1-3/8" ID / both holes	1
CP2MF	For two handle shower, Mirror acrylic finish, 13" wide x 7-1/4" high x 1-3/8" ID / both holes	1
CP3	For new three-hole valve, chrome plated S.S. finish, 14" wide x 6" high x 1-5/8" ID / all 3 holes	1
CP3MF	For new three-hole valve, Mirror acrylic finish, 14" wide x 6" high x 1-5/8" ID / all 3 holes	1
CPTSMF	For new tub spout, mirror acrylic finish 3-1/2" OD x 1-11/16" ID	1

BRAXTON HARRIS CO., INC.

CLOSET/SHOWER PRODUCTS

BATHTUB PROTECTORS



- Heavy-gauge, pre-formed, high-impact plastic
- Soft foam bottom grips tub surface & eliminates abrasive action between protector & tub
- Shockproof & waterproof
- Larger sizes available
- **Freight line only**

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TP14-60-30	Standard, 14" D x 60" L x 30" W, w/ foam	1/35
TP18-72-36	Standard, 18" D x 72" L x 36" W, w/ foam	1/35
TP20-60-42	Standard, 20" D x 60" L x 42" W, w/ foam	1/35
TP20-72-42	Standard, 20" D x 72" L x 42" W, w/ foam	1/35
TP16-60-42	Oval tub, 16" D x 60" L x 42" W, w/ foam	1/35
TP16-60-30	Oval tub, 16" D x 60" L x 30" W w/ foam	1/35
TP16-66-30	Oval tub, 16" D x 66" L x 30" W, w/ foam	1/35
TP16-60-30NF	Cast iron, 16" D x 60" L x 30" W, no foam	1/35
TP18-60-32R	Studio, 18" D x 60" L x 32" W, bathing pool w/ built-in apron (fits right handed drain)	1/35

CORRUGATED TUB BOX


TBCW


TBC

- For rough-in's
- Keeps concrete from pipe
- Made of corrugated cardboard
- Replaces styrofoam, duct tape & coffee can

PART #	DESCRIPTION	PKG./CTN.
TBC12-12-9	Not coated, 12" W x 12" L x 9" D	1/25
TBC12-12-12	Not coated, 12" W x 12" L x 12" D	1/25
TBC	Not coated, 15" W x 12" L x 7" D	16
TBCW	Wax coated, 12" W x 8-1/2" L x 8-1/2" D	1/20
TBCW2	Wax coated, 11-5/16" W x 14-1/2" L x 6" D	1/20

PLASTIC TUB BOX



- For rough-in's
- Saves time on bathtub installations in concrete floors
- Constructed of high-impact plastic
- Will not fall apart in rain
- Easily cut with utility knife for openings
- Can be used individually or in pairs (according to local codes)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TB	13" W x 13" L x 7" D	1/12

STYROFOAM CLOSET FLANGE SPACERS



- Keeps poured concrete away from closet flanges, waste lines & closet bends
- Eliminates need to chip out concrete
- Styrofoam breaks away or melts with flame

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SCFS3	3" spacer	120/120
SCFS4	4" spacer	120/120

TALL CLOSET BEND SPACER



- Fits 3" and 4" waste lines
- Eliminates chipping concrete away from waste lines and closet bends
- Cut top after concrete poured.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CBS6-4	6" OD x 4" tall closet bend spacer	1/20

FOAM CLOSET BEND SPACER



- Foam closet bend protector
- 4" ID and 6" OD

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FS44	4" spacer	60/60

TUB/SHOWER SPLASH GUARDS


MTSG


MXTSG

- Stops water damage and reduces clean-up
- Self adhesive strips for easy installation
- White polystyrene
- Simple, easy installation
- Keeps water from escaping around ends of your shower curtains
- Priced per set

PART #	DESCRIPTION	PKG./CTN.
MTSG	Mini tub splash guard, 7" x 7"	1 set
MXTSG	Maxi tub splash guard, 44" x 9-1/2"	1 set

TANK LEVERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

STANDARD UNIVERSAL-FIT TANK TRIP LEVERS



- Standard single-action handles for front-mount closet tanks
- Chrome plated handle
- 8" arm

PART #	DESCRIPTION	PKG./CTN.
TL1	Metal handle, spud & locknut with brass arm (Available in Dec Fin)	1/25
TL2	Metal handle, arm, spud & locknut w/ brass plated arm	1/25
TL2P	Same as TL2 except w/ plastic spud & nut	1/200
TL3	Plastic handle, arm, spud & locknut	1/25

FIT-ALL QUALITY TANK TRIP LEVER



- 10" flat brass arm

PART #	DESCRIPTION	PKG./CTN.
TL13	Metal handle, spud & locknut w/ brass arm	1/25


TANK LEVER WITH FLAT BRASS OFFSET ARM



- Universal type with flat brass arm that is easy bent or cut to desired length
- Used on American Standard and many other manufacturers
- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
TLOF	Brass arm, metal spud and nut	1/25

DELUXE UNIVERSAL-FIT TANK TRIP LEVERS



- Standard single-action handles for closet tanks
- Deluxe polished chrome heavy metal handle
- 8" brass arm

PART #	DESCRIPTION	PKG./CTN.
TL1D	Metal handle, brass arm w/ plastic spud & locknut	1/20
TL1DM	Metal handle, brass arm w/ metal spud & locknut	1/25

PUSH-BUTTON SIDE-MOUNT TANK TRIP LEVER



- Fits all side-mount push button types, including American Standard*, Briggs*, Crane*, Eljer*, Kohler* & Universal Rundle*
- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
TL9	Plastic handle, spud & locknut w/ 8" brass arm	1/25

PUSH-BUTTON FRONT-MOUNT TANK TRIP LEVER



- Fits all front-mount push button types, including American Standard*, Briggs*, Crane*, Eljer*, Kohler* & Universal Rundle*
- Chrome plated

PART #	DESCRIPTION	PKG./CTN.
TL10	Plastic handle, spud & locknut w/ 8" brass arm	1/25

TOP-MOUNT FLUSH ACTUATOR TANK LEVER



- Fits Kohler* top-mount flush activated closets
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TFAK	Top-mount actuating unit	1

TANK TRIP LEVER FOR RIALTO* (FLUSHMATE*)



- Fits Kohler* Rialto* closets
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
K81609	(Replaces # 81609)	1

BRAXTON HARRIS CO., INC.

TANK LEVERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

PRESSURE ASSIST TANK LEVER WITH LINKAGE (FITS FLUSHMATE*)



- Fits Sloan* Flushmate* for American Standard* tanks
- Chrome plated metal handle with brass arm (Look-design-construction - same as OEM)

PART #	DESCRIPTION	PKG./CTN.
AS738254	(Replaces # 738254-0020A)	1

PRESSURE ASSIST TANK LEVER WITH LINKAGE (FITS FLUSHMATE*)



- Fits Sloan* Flushmate* for Gerber* tanks (# 28-380)
- Chrome plated metal handles with brass arms (Look-design-construction - same as OEM)
- Flushmate* # AP300104-L32

PART #	DESCRIPTION	PKG./CTN.
G99571KT	(Replaces # 99-571-KT)	1

PRESSURE ASSIST TANK LEVER (FITS FLUSHMATE*)



- Fits American Standard* Champion* closets
- Chrome plated metal handle with brass arm (Look-design-construction - same as OEM)
- For #s 4098 & 4099 American Standard* tanks

PART #	DESCRIPTION	PKG./CTN.
AS738473	(Replaces # 738473-0020A)	1

TANK LEVER FOR CHAMPION*



- Fits American Standard* Champion* closets
- Chrome plated metal handle with brass arm

PART #	DESCRIPTION	PKG./CTN.
AS738772	(Replaces # 738772-0020A)	1

TANK LEVER FOR CADET III*



- Fits American Standard* Cadet III* closets
- CP plastic handle, spud, nut & arm

PART #	DESCRIPTION	PKG./CTN.
AS738903	(Replaces # 738903-0020A)	1

TANK TRIP LEVER FOR ONE-PIECE CLOSETS



- Fits American Standard*, Briggs* & Eljer* 1-pc closet
- 5" arm
- Replaces Am. Std.* #s 73392-02 & 70437-0200

PART #	DESCRIPTION	PKG./CTN.
TL4	CP plastic handle, spud, nut & arm	1/25

6" PLASTIC ARM TANK LEVER



- Fits American Standard* Plebe* & Cadet* closets
- With molded spud & nut
- 6" arm has slight (4°) angle
- CP plastic handle, spud, nut & arm

PART #	DESCRIPTION	PKG./CTN.
TLAS6	(Replaces # 47148-03)	1/25

COMBINATION FIT-ALL TANK LEVERS



TLAS4-8



TLAS4-8W

- Fits American Standard*, Crane*, Eljer*, Fluidmaster* & Gerber*
- With spud & nut
- Cut-to-length / 4", 6"or 8"
- Replaces Glenwall* # 2093, Cadet* #s 2108, 2109, 2120, 2131, 2138, 2139 & Aquameter*
- Repairs #s 33459 or 3526-019 or N3075V (4"), 47147-0020 (chrome), 47148-02 (white), 3521-011

PART #	DESCRIPTION	PKG./CTN.
TLAS4-8	CP plastic handle, spud, nut & arm	1
TLAS4-8W	White plastic handle, spud, nut & arm	1

FIT-ALL BENDABLE TANK LEVER



- Replaces 96% of all tank levers
- Shapeable arm bends to fit the needed arm angle
- Arm can be cut to 4", 6", 8" and 9" lengths for a customized fit
- Made of heavy duty ABS plastic
- Sturdy plastic arm, spud and nut

PART #	DESCRIPTION	PKG./CTN.
TLFA	Chrome plated	1/25
TLFA-OB	Oil rubbed bronze	1/25
TLFA-PB	PVD polished brass	1/25
TLFA-SN	PVD satin nickel	1/25
TLFA-WH	White	1/25
TLFA-BO	Bone	1/25

TANK LEVERS

SIDE-MOUNT TANK LEVER



- Fits American Standard* Heritage*, Antiquity* models & other side-mount Porcher*/ American Standard* closets
- Fits #s 2038 & 2071 one-piece closet tanks
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TLASS	(Replaces # 730283-0020A)	1

45° NEO-ANGLE TANK LEVERS FOR AMERICAN STANDARD*



- Fits American Standard* Carlyle* & New Cadet* closets
- Cut-to-length / 4", 6"or 8"
- Replaces #s 70437-0200 (4"), 73439-02 (6"), 3521-145 ("6") & 4719-0020A (6")

PART #	DESCRIPTION	PKG./CTN.
TLASN4-8	CP plastic handle, spud, nut & arm	1
TLASN4-8W	White plastic handle, spud, nut & arm	1

28° PLASTIC ARM TANK LEVERS FOR AMERICAN STANDARD*



- Fits American Standard* closets
- With spud, nut & arm
- Cut-to-length / 4", 6" or 8"

PART #	DESCRIPTION	PKG./CTN.
TLAS28	CP plastic handle, spud, nut & arm	1
TLAS28W	White plastic handle, spud, nut & arm	1

TANK TRIP LEVERS FOR MANSFIELD*



- # TL5 fits Mansfield* # 5, replaces # 42
- # TL6 replaces #s 35, 41 & 51
- Chrome plated handle

PART #	DESCRIPTION	PKG./CTN.
TL5	Metal handle, spud & locknut w/ 10" brass arm Used w/ Mansfield* water saver ballcock	1/100
TL6	Plastic handle, spud & locknut w/ plastic arm	1/50

TANK TRIP LEVER FOR KOHLER*



- Chrome plated
- 8" cast brass arm
- Front mount

PART #	DESCRIPTION	PKG./CTN.
TL12	Cast brass arm, metal nut and spud	1

SIDE-MOUNT TANK TRIP LEVER FOR KOHLER*



- Fits Kohler's* Wellworth* & Barrington* series
- Side-mount (45°), chrome plated, die cast handle
- Available in decorative finishes

PART #	DESCRIPTION	PKG./CTN.
TL8	Metal handle, plastic spud, locknut & arm	1/25

TANK TRIP LEVER FOR KOHLER* & TOTO*



- Fits Kohler* # 51394 Memoirs* & Toto* Promenade* # ST723
- 8-1/2" brass arm scored for desired length
- Heavy-duty solid brass handle
- Decorative finishes available
- Replaces Toto* # THU084

PART #	DESCRIPTION	PKG./CTN.
TTL	Brass handle, spud, nut & arm	1/50

SIDE-MOUNT TANK LEVER FOR TOTO* & ELJER*



- Fits Toto*, Carlyle*, Carolina*, Supreme*, Ultimate*, Ultramax* & Eljer*
- Chrome plated
- 10" brass arm
- Removable handle can be used on factory arm
- Side-mount
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TLT	Metal handle, plastic spud & nut & brass arm	1/50

BRAXTON HARRIS CO., INC.

TANK LEVERS/TOILET SEATS

SIDE-MOUNT TANK LEVER WITH PRE-BENT ARM FOR TOTO* & ELJER*



- Fits Toto*, Bristol*, Drake*, Vespin* & Eljer*
- With brass arm
- Chrome plated handle
- Side-mount
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TLT2	Metal handle, plastic spud & nut & brass arm	1/50

TANK TRIP LEVER FOR ELJER*



- Fits Eljer* side-mount tank
- Replaces #495-2704

PART #	DESCRIPTION	PKG./CTN.
TL7	Chrome plated die cast handle w/ 9" brass rod arm	1/50

FRONT-MOUNT LEVER HANDLE FOR UNIVERSAL RUNDLE*



- Fits Universal Rundle* Adjust-A-Tilt* flush valve
- 8" brass arm curved & slotted to fit lift-strap
- For model # 311

PART #	DESCRIPTION	PKG./CTN.
TLUR	Metal handle, spud & nut w/ brass arm	1

UNIVERSAL DELUXE TANK LEVER



- Fits virtually all closet tanks
- Patented design allows tank lever to be installed on front & side-mount closets on left or right side
- Solid chrome plated brass handle
- Flat brass rod is scored in 1" increments to shorten length from 9.5" to 5"
- Installed w/ included hex key
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
TLU	All brass construction	1/10

WOODEN TOILET SEAT



- Enameled wood composition
- Hardware included
- Closed front

ROUND	ELONGATED	SEAT/HINGE COLOR	PKG./CTN.
SMW-R-WH	SMW-E-WH	White/White	1/6

UTILITY MOLDED WOOD TOILET SEAT



- Durable molded wood
- Hardware included
- Stainless steel screws
- Closed front
- Adjustable color matched hinges

ROUND	ELONGATED	SEAT/HINGE COLOR	PKG./CTN.
—	UMW-E-WH	White/White	1/5

DELUXE RESIDENTIAL PLASTIC TOILET SEAT



- Heavy plastic body
- Hardware included
- Closed front

With Slow Close Feature

ROUND	ELONGATED	SEAT/HINGE COLOR	PKG./CTN.
DRP-SR-WH	DRP-SE-WH	White/White	1/10

STANDARD RESIDENTIAL PLASTIC TOILET SEAT

- Hardware included
- Closed front with cover
- Adjustable color matched hinges

ROUND	ELONGATED	SEAT/HINGE COLOR	PKG./CTN.
SRP-R-WH	SRP-E-WH	White/White	1/5

With Slow Close Feature

ROUND	ELONGATED	SEAT/HINGE COLOR	PKG./CTN.
SRP-SR-WH	SRP-SE-WH	White/White	1/5

OPEN-FRONT PLASTIC TOILET SEAT LESS COVER



- Without cover
- Commercial-grade/heavy-duty
- Heavy weight solid plastic
- Includes external check hinge w/ stainless steel post

ROUND	ELONGATED	SEAT/HINGE COLOR	PKG./CTN.
DCP-RO-WH	DCP-EO-WH	White/White	1/5

TOILET SEATS/CLOSET PRODUCTS

ELONGATED OPEN-FRONT STANDARD COMMERCIAL PLASTIC TOILET SEAT



- Less cover
- Commercial-grade/heavy-duty
- Heavy weight solid plastic
- Includes corrosion-proof nuts & bolts

PART #	DESCRIPTION	PKG./CTN.
SCP-EO-WH	White plastic	1

TOILET SEAT HINGES



- With screws

PART #	DESCRIPTION	PKG./CTN.
TSH	White plastic	1
TSHB	Chrome plated brass	1

TOILET SEAT HINGE STABILIZERS

- No more loose seats
- Tighten once- never again
- Twist & wobble are gone fast
- Easy to install
- Works with all seats & hinge styles
- Priced per bag of 6 pcs.

PART #	DESCRIPTION	PKG./CTN.
TSHS	Closet seat hinge stabilizers	6

TOILET SEAT BOLTS



- Durable plastic - includes nuts
- 2-1/2" long
- Priced per pair


PART #	DESCRIPTION	PKG./CTN.
TSB212	White plastic	1 pr.

WE SHIP SAME DAY.

UNIVERSAL FIT REPLACEMENT TANKS



- Replace tank without hassle of changing closet
- High-impact white resin compound
- Complete with tank, lid, ballcock, handle, flush valve assembly, adapter kit & easy instructions
- Fits most closets, including 2-3-4 bolt, bowl or wall mounted
- Installer sets unit up for either 1.6 or 3.5 gallon flush capacity



PART #	DESCRIPTION	PKG./CTN.
RT	Economy tank	1
RTI	Insulated tank	1

FIT-ALL CLOSET TANK COVER

- Fits most closet tanks
- Fits tanks w/ outside dim. of 21-3/16" x 7-3/8" or less
- High-impact white resin compound

PART #	DESCRIPTION	PKG./CTN.
FATTC	Replacement tank cover	1

CLOSET BASE PLATES





- Cover exposed old floor patterns when replacing a closet or bidet
- Covers unsightly cracked tiles or bare floor underneath an old or new closet or old floor-marks when smaller closet is installed
- Easy installation & permanent solution

PART #	DESCRIPTION	PKG./CTN.
TBPR	For Kohler*, Wellworth* & other round-front models	1
TBPS	For square-front models	1

BRAXTON HARRIS CO., INC.

CLOSET PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

HOOV-R-LINE*-STYLE BALLCOCKS



- With 8" brass floating rod, coupling nut, flange nut, synthetic washer, refill tube & tube holder
- Non-corroding, rugged, dependable & quiet
- Replaceable valve seat
- Positive snap shut-off
- Adjustable water level
- 10" and 12" ballcocks meet A.S.S.E. 1002 & G.S.A. requirements
- Ref. # 8121-1AS

PART #	DESCRIPTION	PKG./CTN.
A1	8-1/2" regular ballcock (# 910001)	1
A52	10" anti-siphon ballcock (# 910004)	1
A50	12" anti-siphon ballcock (# 910002)	1

MANSFIELD*-STYLE BRASS BALLCOCK



- Fits Mansfield*
- Brass body and shank
- Renewable porcelain seat
- Including water level adjustment screw, refill tube, flange nut, coupling nut & 8" brass float rod
- Ref. #s 03 & 09

PART #	DESCRIPTION	PKG./CTN.
BB10	10" anti-siphon	1

BALLCOCK SHANK WASHER



- Rubber
- Beveled
- 1/2" thick

PART #	DESCRIPTION	PKG./CTN.
BSW	7/8" ID 1-11/16" OD	10

BALLCOCK COUPLING NUTS



BCN BCNB



BCNP

- Ballcock to supply line coupling nut
- 7/8" ballcock thread inlet x 5/8" hole-7 threads

PART #	DESCRIPTION	PKG./CTN.
BCN	Zinc die cast	25
BCNB	Brass	25
BCNP	Plastic	25

BALLCOCK SHANK LOCKNUTS



BLN



BLNP

- 15/16" ballcock threads 14 TPI

PART #	DESCRIPTION	PKG./CTN.
BLN	Zinc die cast	25
BLNP	Plastic	25

PLASTIC FLUSH VALVES



- Hoov-R-Line*-style
- Douglas*-type
- Includes flapper, chain, locknut & washer
- Non-metallic
- No-kink C-style stainless steel chain (9" length)

PART #	DESCRIPTION	PKG./CTN.
FVI	8-3/4" height (# 920055)	1/50
FV	10-5/8" height (# 920077)	1/50

FLUSH VALVES/FLAPPERS

BRASS FLUSH VALVE



- Douglas*-type less flapper
- Brass valve & overflow tube

PART #	DESCRIPTION	PKG./CTN.
FVGA	With guide arm	1

SUPERCHARGED FLUSH VALVE (WITH 40% LARGER DIAMETER)



- Upgrades older problematic 2" 1.6 GPF to the technology that makes 3" toilets work better, like Kohler*, American Standard*, Eljer*, Mansfield*, making it into a 1.28/1.6 TOILET POWERHOUSE!
- 2" x 3" convert-a-flush valve for 2-pc. toilets
- With standard Kohler* Class V* style flapper
- 9-pc. complete set with telescoping over-flow tube that adjusts from 7" to 12"

PART #	DESCRIPTION	PKG./CTN.
SFV	Supercharged flush valve	1

FLUSH VALVE REPLACEMENT FOR MANSFIELD (#210)



- Instant shut-off
- Water saver
- 3.5 gallon toilet
- Rust and corrosion resistant

PART #	DESCRIPTION	PKG./CTN.
M210 NEW	(Replaces # 300210000)	1/50

FLUSH VALVE SHANK WASHER



- Rubber
- Beveled
- 3/8" thick

PART #	DESCRIPTION	PKG./CTN.
FVW	2-1/4" ID 3-1/8" OD	10

REGULAR FLAPPER



- Fits 2" flush valve
- Rubber
- Kink resistant 9" stainless chain & hook

PART #	DESCRIPTION	PKG./CTN.
F1-BX	Individually boxed	1/10

BLUE CHEMICAL RESISTANT VINYL FLAPPER



- Fits 2" flush valve
- Made of TPR (Thermoplastic Rubber) to resist chlorine
- Kink resistant 9" stainless chain & hook
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
BVF-BP	Blue chemical resistant vinyl flapper	1/10

3-WAY FLAPPER



- Fits 2" flush valve
- Rubber
- 3-way
- Fits plastic, brass & old Crane* 57 flush valves

PART #	DESCRIPTION	PKG./CTN.
3WF-BX	9" SS chain & hook (Individually boxed)	1/10

3-WAY FLAPPER WITH STRAP



- Fits 2" flush valve
- Made of TPR (Thermoplastic Rubber) to resist chlorine
- 3-way
- Fits plastic, brass & old Crane* 57 flush valves

PART #	DESCRIPTION	PKG./CTN.
3WFVS	with strap	1/10

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

FLAPPERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

JUMBO 3" FLAPPER FOR AMERICAN STANDARD*CADET III*



- Fits 3" flush valve
- Fits American Standard* Cadet III*
- Ball-chain with full loop hook
- Hard white body with chemical-resistant black seal ring
- Ref. # 738920-0070A

PART #	DESCRIPTION	PKG./CTN.
ASCF-BP	Individually blister packed	1/10
ASCF BX	Individually boxed	1/10

AMERICAN STANDARD* RED FLAPPER (REPLACES ACTUATING UNIT)



- Fits 2" flush valve
- Replaces American Standard* actuating unit
- With kink resistant stainless steel chain and adapter
- Red color
- Made of TPR (Thermoplastic Rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
ASFR-BP	Individually blister packed	1/10
ASFR-BX	Individually boxed	1/10

AMERICAN STANDARD* 1.6 GPF BLUE FLAPPER WITH FOAM FLOAT



- Fits 2" flush valve
- Fits American Standard* Cadet*, Glen York*, Plebe* & Renaissance* closets
- With foam float
- Made of TPR (Thermoplastic Rubber) to resist chlorine
- Stainless steel chain & hook
- Ref. # 738920-0070P

PART #	DESCRIPTION	PKG./CTN.
ASF-BP	Individually blister packed	1/10
ASF-BX	Individually boxed	1/10

COAST* TYPE FLAPPERS FOR ONE-PIECE CLOSETS



C53356

- Fits 2" flush valve
- Fits American Standard*, Kohler* & some Toto* 1-pc. closets
- 1.6 GPF
- New-style
- White plastic
- With float: Replaces Coast* # 53356
- Without float: Replaces Coast* # 53316

PART #	DESCRIPTION	PKG./CTN.
C53356-BP	W/ float, individually blister packed	1/10
C53356-BX	W/ float, individually boxed	1/10
C53316-BP	W/o float, individually blister packed	1/10
C53316-BX	W/o float, individually boxed	1/10

COAST* TYPE BLUE FLAPPER



- Fits American Standard*, Coast* & Kohler* 2" flush valves
- Made of TPR (Thermoplastic Rubber) to resist chlorine
- Blue color
- With kink resistant stainless steel chain & hook
- Replaces Kohler* # 87449 & Coast* # 53366

PART #	DESCRIPTION	PKG./CTN.
C53366-BP	Individually blister packed	1/10
C53366-BX	Individually boxed	1/10

COAST* TYPE BLUE FLAPPER WITH RIBBED TOP



- Fits 2" flush valve
- With kink resistant stainless steel chain & hook
- Without trunion
- Made of TPR (Thermoplastic Rubber) to resist chlorine
- Ref. #s 53376 & 53246
- Replaces Coast* # 53396

PART #	DESCRIPTION	PKG./CTN.
C53376-BP	Individually blister packed	1/10
C53376-BX	Individually boxed	1/10

FLAPPERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CRANE* REPLACEMENT FLAPPER



- Fits Crane* 2" flush valve
- With styrene float & 9" stainless chain & hook
- Made of TPR (thermoplastic rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
CRF-BP	Individually blister packed	1/10
CRF-BX	Individually boxed	1/10

3" FLAPPER FOR ELJER* TITAN*



- Fits Eljer* Titan* 3" flush valve
- Blue color
- Stainless steel chain & hook
- Replaces # 495-6077-00
- Made of TPR (thermoplastic rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
ETF-BP	Individually blister packed	1/10
ETF-BX	Individually boxed	1/10

ELJER* TOUCH FLUSH ASSEMBLY



- Fits Eljer* flush valve
- Complete with tank lever, chain, ball & ball arm

PART #	DESCRIPTION	PKG./CTN.
ETFA	Complete touch flush assembly	1/10

ELJER* FLAPPER



- Fits 2" flush valve
- Fits Eljer* Canterbury*, Aqualine*, Patrician*, Patriot* & Windsor* Low-Boy* closets
- One-piece white plastic with styrene float, steel washer & beaded chain
- Replaces # 495-6029-00

PART #	DESCRIPTION	PKG./CTN.
ERF-BP	Individually blister packed	1/10
ERF-BX	Individually boxed	1/10

3" FLAPPER FOR GERBER* AVALANCHE (#99-770)



- Fits 3" flush valve
- Replaces 99-827(old)/ 99-770(new)
- Fits: Gerber Avalanche (tanks #21-011, 28-180, 28-186, 28-535)
- Comes w/ stainless steel beaded chain and large bulb with hole
- Made of TPR (thermoplastic rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
G99770-BP	Individually blister packed	1/10

3" FLAPPER FOR GERBER* HET (HIGH EFFICIENCY TOILETS) #99-788



- Replaces: 99-788, 99-827
- Fits several Gerber HET (High Efficiency Toilets) 3" flush valves
- Comes with time tips to regulate gallons per flush
- Fits tanks# 21-014, 21-017, 28-183, 28-530, 28-570, 28-580, 28-585, 28-890, 28-894, 28-895, 28-970, 28-980, 28-990, 28-994, 28-995
- No hole in the bulb
- Made of TPR (thermoplastic rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
G99788-BP	Individually blister packed	1/10

3-1/4" FLAPPER FOR KOHLER* CIMARRON* (NEW-STYLE)



- Fits Kohler* Cimarron* 3-1/4" flush valve for one-piece closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- Red color
- Kink resistant stainless steel chain and hook
- Replaces #s GP1039444 & 1039444

PART #	DESCRIPTION	PKG./CTN.
KCF-BP	Individually blister packed	1/10
KCF-BX	Individually boxed	1/10

BRAXTON HARRIS CO., INC.

FLAPPERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

3-1/4" FLAPPER FOR KOHLER* CLASS FIVE* (NEW-STYLE)



- Fits Kohler* Class Five* 3-1/4" flush valve for two-piece closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- Red color
- Kink resistant stainless steel chain and hook
- Replaces #s GP1078440, GP1078441, 1016546 & 1042313

PART #	DESCRIPTION	PKG./CTN.
KCFF-BP	Individually blister packed	1/10
KCFF-BX	Individually boxed	1/10

KOHLER* HINGED "T" BACK* FLAPPER (NEW-STYLE)



- Fits 2" flush valve
- Fits Kohler* San Raphael*, Rialto* (# 3386), Rosario* (# 3434) & Revival* (# 3360) closets
- Red color
- Kink resistant stainless steel chain and hook
- Made of TPR (thermoplastic rubber) to resist chlorine
- Replaces #s GP84995, 84995 & 1000490

PART #	DESCRIPTION	PKG./CTN.
KHF-BP	Individually blister packed	1/10
KHF-BX	Individually boxed	1/10

KOHLER* RED SHARK-FIN FLAPPER



- Fits 2" flush valve
- Fits Kohler* San Raphael*, Rialto*, Santa Rosa*, Revival*, Gabrielle*, Memoirs* & Portrait* closets
- Red color
- Kink resistant stainless steel chain and hook
- Made of TPR (thermoplastic rubber) to resist chlorine
- Replaces #s 84138, 84314, 84318, 85655, 89825

PART #	DESCRIPTION	PKG./CTN.
KSFF-BP	Individually blister packed	1/10
KSFF-BX	Individually boxed	1/10

RIALTO* FLAPPER (OLD-STYLE - PRE 1998)



- Fits 2" flush valve
- Fits Kohler* Rialto*, San Raphael*, Rosario* & Santa Martine* closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- 1.6 GPM flush
- Big bulb
- Kink resistant stainless steel chain and hook
- Replaces # 49114

PART #	DESCRIPTION	PKG./CTN.
KRF-BP	Individually blister packed	1/10
KRF-BX	Individually boxed	1/10

RIALTO* FLAPPER (NEW-STYLE - POST 1998)



- Fits 2" flush valve
- Fits Kohler* one-piece closets
- Made of TPR (thermoplastic rubber) to resist chlorine
- Long arm
- New-style flapper with foam insert
- Kink resistant stainless steel chain and hook
- Replaces # 83064

PART #	DESCRIPTION	PKG./CTN.
KRFN-BP	Individually blister packed	1/10
KRFN-BX	Individually boxed	1/10

3" FLAPPER FOR MANSFIELD*



- Fits Mansfield* 3" flush valve
- Blue color
- Stainless steel chain & hook
- Made of TPR (thermoplastic rubber) to resist chlorine
- Ref. # 203-1

PART #	DESCRIPTION	PKG./CTN.
MAF-BP	Individually blister packed	1/10
MAF-BX	Individually boxed	1/10

FLAPPERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

3" FLAPPER FOR TOTO* POWER GRAVITY*



- Fits Toto* oversized 3" flush valve
- Kink resistant stainless steel chain and bushing
- Blue color
- Made of TPR (thermoplastic rubber) to resist chlorine
- Replaces # THU140S
- Fits Power Gravity*

PART #	DESCRIPTION	PKG./CTN.
TOBF-BP	Individually blister packed	1/10
TOBF-BX	Individually boxed	1/10

3" FLAPPER FOR TOTO* G-MAX*



- Fits Toto* oversized 3" flush valve
- Kink resistant stainless steel chain and hole in bulb
- Red color
- Made of TPR (thermoplastic rubber) to resist chlorine
- Replaces # THU175S
- Fits G-Max*

PART #	DESCRIPTION	PKG./CTN.
TORF-BP	Individually blister packed	1/10
TORF-BX	Individually boxed	1/10

THE ORIGINAL BLACK KORKY® FLAPPER (54BP)



- Fits 2" flush valve
- Chemical-resistant
- Eliminates lift-wire misalignment
- No tank centering
- Easy fingertip operation

PART #	DESCRIPTION	PKG./CTN.
KF-BP	Individually blister packed	1/12

KORKY® UNIVERSAL FLAPPER FOR 3" FLUSH VALVES (3060BP)



- Fits 3" flush valve
- Fits Toto*, Gerber*, American Standard* and other brands

PART #	DESCRIPTION	PKG./CTN.
KPUF3-BP	Individually blister packed	1/6

KORKY® BLUE VINYL FLAPPER (52P)



- Fits 2" flush valve
- Fits most flush valves
- 9" stainless steel chain & hook
- Chemical-resistant
- Easily installed – no collars to cut
- Made of Chlorazone® rubber

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
KPVF-BULK	Bulk packaging	**(CTN. QTY. ONLY)**	80

RED KORKY® PLUS FLAPPER (2001BP)



- Fits 2" flush valve
- Chemical-resistant
- Eliminates lift-wire misalignment
- No tank centering
- Easy fingertip operation

PART #	DESCRIPTION	PKG./CTN.
KPF-BP	Individually blister packed	1/12

KORKY® PLUS ADJUSTABLE FLAPPER (2004BP)



- Fits 2" flush valve
- Chemical-resistant
- Adjust flush volume with movable float on chain
- Slide up float for water savings or down for increased flush volume

PART #	DESCRIPTION	PKG./CTN.
KPAF-BP	Individually blister packed	1/12

KORKY® PLUS CLASSIC CHEMICAL RESISTANT FLAPPER (2000BP)



- Resists bacteria, Chloramines, Chlorine, city water treatment, hard water, well water
- Made from chemical resistant Chlorazone material
- Fits 2" flush valve
- Also fits older 5 and 7 gallon toilets
- Stainless steel chain

PART #	DESCRIPTION	PKG./CTN.
KPCF-BP	Individually blister packed	1/12

BRAXTON HARRIS CO., INC.

FLAPPERS/CLOSET PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

KORKY® 1.6 GALLON ADJUSTABLE FLAPPER (100BP)



- Fits 2" flush valve
- Chemical-resistant
- Universal design to fit most popular brands of 1.6 GPF closets
- Adjustable sealing ball for precise water control
- Change flush volume with a twist
- Adjusts in seconds and installs in minutes
- May be used as a water saving device in most standard closets

PART #	DESCRIPTION	PKG./CTN.
KAF-BP	Individually blister packed	1/12

KORKY® FLAPPER FOR AMERICAN STANDARD* CADET (3040BP)



- Fits 3" flush valve
- Replaces American Standard* #738920-0070

PART #	DESCRIPTION	PKG./CTN.
KASCF-BP	Individually blister packed	1/5

KORKY® FLAPPER FOR ELJER* TITAN* (3030BP)



- Fits 3" flush valve
- Replaces Eljer* #495-6077-00

PART #	DESCRIPTION	PKG./CTN.
KETF-BP	Individually blister packed	1/5

KORKY® FLAPPER FOR KOHLER* (58BP)



- Fits 2" flush valve
- Chemical-resistant
- Eliminates lift-wire misalignment
- No tank centering
- Easy fingertip operation
- Made of Chlorazone® rubber
- Replaces Kohler* #49114

PART #	DESCRIPTION	PKG./CTN.
KFK-BP	Individually blister packed	1/10

KORKY® FLAPPER FOR KOHLER* CLASS FIVE (3010BP)



- Fits 3" flush valve
- Larger 3-1/4" replacement flapper
- Replaces Kohler®* No. 1016546 & 1042313
- Engineered materials resist chlorine

PART #	DESCRIPTION	PKG./CTN.
KKCFF-BP	Individually blister packed	1/5

KORKY® FLAPPER FOR KOHLER* RIALTO (2011BP)



- Fits 2" flush valve
- Fits Kohler* Rialto, San Raphael, Rosario and Ankara closets
- Made of red Chlorazine to resist chlorine
- Stainless steel chain and hook included
- Replaces Kohler* #s 84995 and 1000490

PART #	DESCRIPTION	PKG./CTN.
KORF-BP	Individually blister packed	1/10

KORKY® FLAPPER FOR KOHLER* SHARK FIN (2012BP)



- Fits 2" flush valve
- Replaces Kohler* #s 84138, 85655, and 89825

PART #	DESCRIPTION	PKG./CTN.
KKSFF-BP	Individually blister packed	1/10

3-1/4" CANISTER SEAL FOR AMERICAN STANDARD* CHAMPION (OLD STYLE)



- For old style two piece Champion* toilets
- Orange in color
- Replaces: Cadet* (738651-0070)
- OD: 3.25" ID 2.7" Thickness: .0635"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
AS738651	3-1/4" seal ring (Orange) Ref. # 738651-0070A	1

CLOSET PRODUCTS/TANK BALLS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

4-1/4" CANISTER SEAL FOR AMERICAN STANDARD* CHAMPION 4



- Fits American Standard*: Champion 4 (2034014), Champion PRO (211AA004, 211AA005, 4225A004, etc.), Retrospect Champion (212AA104, 212BA104, 212CA104, etc.), Portsmouth Champion (213AA104, 213BA104, 213CA104, 2733014, 2735014, etc.)
- Fits 3174.105-0070A Champion* flush valve
- Fits 4149A tank
- Blue in color
- OD: 4.25" ID: 2.75" Thickness: .1075"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
AS7301111	4-1/4" seal ring (Blue) Ref. # 7301111-0070A	1

FLUSH VALVE SEAL RING FOR COAST*



- Replaces seal for Coast* Certain Flush and Crane* Sure Seal canister flush valves
- OD: 4" ID:1" Thickness: .122"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
CCFVS	4" seal ring (Red)	1

FLUSH VALVE SEAL RING FOR KOHLER*

- Replaces seal for Class Five/Six canister (GP1059291)
- Yellow in color
- OD: 3.41" ID: 2.75" Thickness: .0635"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
KCFVS	3-7/16" seal ring (Yellow) Ref. #1059291	1

CANISTER SEAL FOR CAROMA* AND VORTENS*

- Fits the following Caroma toilets: Adelaide, Bondi, Brisbane, Caravelle two-piece, Colonial, Royale, Somertone, Sydney low-profile & Sydney Smart toilets
- Fits Vortens Dual Flush Valves V221 and V181 on the following toilets: Rhodas (tank #3420, 3436, 3437, 3438), Manchester (tank #3427) toilets
- OD: 2.6" ID: 1.02" Thickness: .0615"
- Made of TPR (thermoplastic rubber) to resist chlorine
- Blister packed

PART #	DESCRIPTION	PKG./CTN.
VCFVS	2-5/8" OD seal ring (White)	1

FIT-ALL TANK BALL



FATB



FATBLG

- Fits all size valves
- Black rubber

PART #	DESCRIPTION	PKG./CTN.
FATB	With guide seat tip	1
FATBLG	Less guide seat tip	1

TRI-SEAL TANK BALL



- Black rubber
- Boxed for protection

PART #	DESCRIPTION	PKG./CTN.
TSTB	2-1/4" to 2-5/8" triple seal tank ball	1/100
TSTB3	3" triple seal tank ball	1/100

SEAT DISC TANK BALLS



AS3364307



AS7338307



SDTBC

- Fits all American Standard* small-tilt flush valves
- Made of TPR (thermoplastic rubber) to resist chlorine
- Shipped with protective cover

PART #	DESCRIPTION	PKG./CTN.
AS7338307	Screw-on style (Replaces # 73383-07)	1
AS3364307	Snap-on style (Replaces # 33643-007)	1
SDTBC	Combination snap-on/screw-on	1

REPLACEMENT TANK BALL FOR ELJER*



- Fits Eljer* Touch-Flush*
- Made of TPR (thermoplastic rubber) to resist chlorine

PART #	DESCRIPTION	PKG./CTN.
ERTB	Tank ball	1/10

BRASS FLOAT RODS

- All brass
- 1/4"- 20 thread (both ends)

PART #	DESCRIPTION	PKG./CTN.
FR14-8	8" length	10/10
FR14-10	10" length	10/10
FR14-12	12" length	10/10

BRAXTON HARRIS CO., INC.

CLOSET PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET TANK FLOAT BALLS


TFB


TFBC

• 4" x 5"

PART #	DESCRIPTION	PKG./CTN.
TFB	Black plastic	1/100
TFBC	Copper	1/10

FLUSH VALVE PIPE SUPPORT



- Chrome plated
- 1/2" OD split ring type
- Mounting hardware included
- 5" from center of pipe to wall

PART #	DESCRIPTION	PKG./CTN.
FVPS	1/2" x 5" flush valve pipe support	1/10

OVERFLOW TUBES



PART #	DESCRIPTION	PKG./CTN.
OFT1	1" x 10", 22 ga. brass	1/10
OFT2	1" x 1-1/8" x 10", 22 ga. brass	1/10
OFT3	1" x 1-1/8" x 10", PVC	1/10

REFILL TUBE



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RFT9	9" copper tube	10/10

LIFT WIRES




• Brass

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LLW412	4-1/2" lower	25/25
LLW512	5-1/2" lower	25/25
ULW8	8" upper	25/25
ULW9	9" upper	25/25
ULLWS	Lift wire set; 1- 8" upper & 1- 5-1/2" lower	1/12

LIFT WIRE GUIDES (FIT-ALL)



• Adjustable ball guides

PART #	DESCRIPTION	PKG./CTN.
ABGP	Plastic	1/10
ABGB	Brass	1/10

WE SHIP SAME DAY.

CLOSET/URINAL SPUDS/GASKETS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET SPUDS



- Cast brass body and locknut
- Complete with rubber washer and metal friction ring

PART #	DESCRIPTION	PKG./CTN.
CS114	1-1/4"	1/25
CS112	1-1/2"	1/25
CS112-114	1-1/2" x 1-1/4"	1/25
CS2	2"	1/25
CS2-114	2" x 1-1/4"	1/25
CS2-112	2" x 1-1/2"	1/25

URINAL SPUDS



- Cast brass body and locknut
- Complete with rubber washer and metal friction ring

PART #	DESCRIPTION	PKG./CTN.
CS1-34	1" x 3/4"	1/25
CS114-34	1-1/4" x 3/4"	1/25
CS112-34	1-1/2" x 3/4"	1/25

CLOSET & URINAL SPUD REPLACEMENT WASHERS



- Rubber
- Fits brass closet spuds

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RSW1-34	1" x 3/4" spud washer	25/25
RSW114	1-1/4" spud washer	25/25
RSW114-34	1-1/4" x 3/4" spud washer	25/25
RSW112	1-1/2" spud washer	25/25
RSW2	2" spud washer	25/25
RSW2-114	2" x 1-1/4" spud washer	25/25
RSW2-112	2" x 1-1/2" spud washer	25/25

CLOSET & URINAL SPUD FRICTION RINGS



- Galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FR1-34	1" x 3/4" friction ring	25/25
FR114	1-1/4" friction ring	25/25
FR112	1-1/2" friction ring	25/25
FR2	2" friction ring	25/25
FR2-114	2" x 1-1/4" friction ring	25/25
FR2-112	2" x 1-1/2" friction ring	25/25

URINAL SPONGE RUBBER GASKET



- Fits most urinals
- Used on flush valve to seal tank-to-bowl connection
- Seals connection of urinal to urinal flange in wall

PART #	DESCRIPTION	PKG./CTN.
USRG	2-1/4" ID x 3-1/4" OD x 1/2" thick (beveled)	25/200
USRGF	2-7/8" ID x 4-3/8"OD x 1/2" thick (flat)	25/200

UNIVERSAL FIT SPONGE RUBBER TANK-TO-BOWL GASKET



- Tank-to-bowl gasket
- 2-1/4" ID 3-5/16" OD 11/16" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRG	Sponge rubber	25/25

SPONGE RUBBER TANK-TO-BOWL GASKET FOR KOHLER*



- Fits Kohler* Alamo* & other integral units with 2-piece closets
- 3-3/4" OD x 2-1/2" ID x 3/4" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRGK	Sponge rubber	25/25

BRAXTON HARRIS CO., INC.

GASKETS/CLOSET/URINAL PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

MOLDED RUBBER TANK-TO-BOWL GASKET FOR KOHLER*



- Fits Kohler* closets
- 4-3/16" OD x 3-3/4" top ID x 2-3/8" bottom ID x 11/16" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
MRGK	Molded rubber	20/20

MOLDED RUBBER TANK-TO-BOWL GASKET FOR ELJER*



- Fits Eljer* closets
- 3-1/8" OD x 2-5/16" ID x 3/8" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
MRGE	Molded rubber	20/20

RECESSED TANK-TO-BOWL GASKET



- Fits American Standard*, Briggs*, Crane*, Kohler*, Mansfield*, Borg Warner* & Western Pottery*
- 3-3/8" OD x 2-1/8" ID x 1-3/16" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRGAKC	Sponge rubber (Replaces # 73216-07)	25/25

TANK-TO-BOWL GASKET FOR CRANE*



- Fits Crane*
- 3-3/16" OD x 2-1/6" ID x 1-1/16" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRGC	Sponge rubber	25/25

TANK-TO-BOWL GASKET FOR GERBER*



- Fits all late model Gerber* free-standing water closets
- 3-1/4" OD x 2-1/8" ID x 1-3/16" thick
- Used on flush valve to seal tank-to-bowl connection

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRGG	Sponge rubber	25/25

TANK-TO-BOWL GASKET FOR MANSFIELD*



- Sponge rubber material
- 2-1/2" ID x 3-5/8" OD x 3/4" thick
- Used on all late model Mansfield free standing water closets.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SRGM	Sponge rubber	1/25

NYLON CLOSET BOLTS



- Contains 2 each: bolts, nut & washers per bag
- Tensile strength exceeds 1100 PSI per bolt
- 100% corrosion proof
- Open end nut fits 1/2" socket
- Fits all closet flange styles
- Fits under most bolt caps
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CB52N2	5/16" x 2-1/2"	1 pr./50 pr.


NYLON CLOSET BOLTS (COUNTER DISPLAY)



- Contains 2 each: bolts, nuts & washers per bag
- Tensile strength exceeds 1100 PSI per bolt
- 100% corrosion proof
- Open end nut fits 1/2" socket
- Fits all closet flange styles
- Fits under most bolt caps
- Priced per display

PART #	DESCRIPTION	PKG./CTN.
CB52N2CD	5/16" x 2-1/2" (50 pr. counter display)	50 pr./50 pr.

ROUND CLOSET BOLT CAPS



- With washer

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TBCR	White (priced per pair)	1 pr./25 pr.
TBCR-BI	Biscuit/ Bone (priced per pair)	1 pr./25 pr.
TBCRB	White (priced each)	1 ea./50 ea.

CLOSET BOLTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

OVAL CLOSET BOLT CAPS



- Less washer

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TBCO	White (priced per pair)	1 pr./25 pr.
TBCOB	White (priced each)	1 ea./50 ea.

CLOSET BOOT™ REMOVAL BAG



- Bag prevents spillage from closet removal
- Universal drawstring adapts to different sized closets
- Disposable

PART #	DESCRIPTION	PKG./CTN.
TBRB	Black removal bag	1/50

WALL-HUNG CLOSET/ URINAL GASKET KITS



- Works with all manufacturers wall-hung units
- Kit includes: chemical resistant sponge gasket, alignment ring & adhesive tape roll

PART #	DESCRIPTION	PKG./CTN.
WHTGK	Closet (5.25" OD x 3.45" ID)	1/12
WHUGK	Urinal (3.50" OD x 2.20" ID)	1/12

CARRIER NUTS & WASHERS


H




- For wall-hung closets & urinals
- Kits include: 4 ea. cast aluminum nuts & 4 ea. white plastic washers
- 5/8" - 11 threads

PART #	DESCRIPTION	PKG./CTN.
CNWK	Standard carrier nut set	1/100
CNWKE	Extended carrier nut set (Works with short wall studs)	1/15

CLOSET BOLTS WITH TINNERMAN* NUTS





- Custom pack contains 2 each: bolts, nickel plated open acorn nuts, washers & Tinnerman* nuts per bag
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED BOLTS WITH ZINC WASHERS:		
CB12PR2SN	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.
CB12PO2SN	1/4" x 2-1/4" oval washers	1 pr./50 pr./400 pr.
CB13PR2SN	1/4" x 3-1/2" round washers	1 pr./50 pr./400 pr.
CB13PO2SN	1/4" x 3-1/2" oval washers	1 pr./50 pr./400 pr.
CB51PR2SN	5/16" x 1-3/4" round washers	1 pr./50 pr./200 pr.
CB52PR2SN	5/16" x 2-1/4" round washers	1 pr./50 pr./200 pr.
CB52PO2SN	5/16" x 2-1/4" oval washers	1 pr./50 pr./200 pr.
CB53PR2SN	5/16" x 3-1/2" round washers	1 pr./50 pr./200 pr.
SOLID BRASS BOLTS WITH S.S. WASHERS:		
CB12BR2SN	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.
CB12BO2SN	1/4" x 2-1/4" oval washers	1 pr./50 pr./400 pr.
CB13BR2SN	1/4" x 3-1/2" round washers	1 pr./50 pr./200 pr.
CB13BO2SN	1/4" x 3-1/2" oval washers	1 pr./50 pr./200 pr.
CB52BR2SN	5/16" x 2-1/4" round washers	1 pr./50 pr./200 pr.
CB52BO2SN	5/16" x 2-1/4" oval washers	1 pr./50 pr./200 pr.
CB53BR2SN	5/16" x 3-1/2" round washers	1 pr./50 pr./200 pr.

CLOSET BOLTS CUSTOM PACKED IN COUNTER DISPLAY (2 PER BAG)






- **Priced per container**
- 150 pair per container

PART #	DESCRIPTION	PKG./CTN.
BRASS PLATED BOLTS, ZINC OVAL WASHERS, OPEN ACORN NUTS:		
CB12PO2CD	1/4" x 2-1/4"	1 pr./150 pr.
CB52PO2CD	5/16" x 2-1/4"	1 pr./150 pr.
CB53PO2CD	5/16" x 3-1/2"	1 pr./150 pr.
BRASS PLATED BOLTS, ZINC ROUND WASHERS, OPEN ACORN NUTS:		
CB12PR2CD	1/4" x 2-1/4"	1 pr./150 pr.
CB52PR2CD	5/16" x 2-1/4"	1 pr./150 pr.
BRASS BOLTS, S.S. OVAL WASHERS, NICKEL PLATED OPEN ACORN NUTS:		
CB12BO2CD	1/4" x 2-1/4"	1 pr./150 pr.
CB52BO2CD	5/16" x 2-1/4"	1 pr./150 pr.
BRASS BOLTS, S.S. ROUND WASHERS, NICKEL PLATED OPEN ACORN NUTS:		
CB12BR2CD	1/4" x 2-1/4"	1 pr./150 pr.
CB52BR2CD	5/16" x 2-1/4"	1 pr./150 pr.

BRAXTON HARRIS CO., INC.

CLOSET BOLTS

CLOSET BOLTS CUSTOM PACK (2 PER BAG)



CB__PO2
CB__BO2


CB__PR2
CB__BR2

- Custom pack contains 2 each: bolts, nuts & washers per bag
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED BOLTS, ZINC OVAL WASHERS, OPEN ACORN NUTS:		
CB11PO2	1/4" x 1-3/4"	1 pr./50 pr./400 pr.
CB12PO2	1/4" x 2-1/4"	1 pr./50 pr./400 pr.
CB13PO2	1/4" x 3-1/2"	1 pr./50 pr./400 pr.
CB51PO2	5/16" x 1-3/4"	1 pr./50 pr./400 pr.
CB52PO2	5/16" x 2-1/4"	1 pr./50 pr./200 pr.
CB53PO2	5/16" x 3-1/2"	1 pr./50 pr./200 pr.
BRASS PLATED BOLTS, ZINC ROUND WASHERS, OPEN ACORN NUTS:		
CB11PR2	1/4" x 1-3/4"	1 pr./50 pr./400 pr.
CB12PR2	1/4" x 2-1/4"	1 pr./50 pr./400 pr.
CB13PR2	1/4" x 3-1/2"	1 pr./50 pr./200 pr.
CB51PR2	5/16" x 1-3/4"	1 pr./50 pr./400 pr.
CB52PR2	5/16" x 2-1/4"	1 pr./50 pr./200 pr.
CB53PR2	5/16" x 3-1/2"	1 pr./50 pr./200 pr.
BRASS BOLTS, S.S. OVAL WASHERS, PLATED OPEN ACORN NUTS:		
CB11BO2	1/4" x 1-3/4"	1 pr./50 pr./400 pr.
CB12BO2	1/4" x 2-1/4"	1 pr./50 pr./400 pr.
CB13BO2	1/4" x 3-1/2"	1 pr./50 pr./400 pr.
CB51BO2	5/16" x 1-3/4"	1 pr./50 pr./400 pr.
CB52BO2	5/16" x 2-1/4"	1 pr./50 pr./400 pr.
CB53BO2	5/16" x 3-1/2"	1 pr./50 pr./200 pr.
BRASS BOLTS, S.S. ROUND WASHERS, PLATED OPEN ACORN NUTS:		
CB11BR2	1/4" x 1-3/4"	1 pr./50 pr./400 pr.
CB12BR2	1/4" x 2-1/4"	1 pr./50 pr./400 pr.
CB13BR2	1/4" x 3-1/2"	1 pr./50 pr./200 pr.
CB51BR2	5/16" x 1-3/4"	1 pr./50 pr./200 pr.
CB52BR2	5/16" x 2-1/4"	1 pr./50 pr./200 pr.
CB53BR2	5/16" x 3-1/2"	1 pr./50 pr./200 pr.

CLOSET BOLTS BULK PACK (100 PER BAG)



CB__PO
CB__BO

CB__PR
CB__BR

- Bulk pack contains 100 each: bolts, nuts & washers per carton
- Priced per bolt

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED BOLTS, ZINC OVAL WASHERS, OPEN ACORN NUTS:		
CB11PO	1/4" x 1-3/4"	100/100/400
CB12PO	1/4" x 2-1/4"	100/100/400
CB13PO	1/4" x 3-1/2"	100/100/400
CB51PO	5/16" x 1-3/4"	100/100/400
CB52PO	5/16" x 2-1/4"	100/100/400
CB53PO	5/16" x 3-1/2"	100/100/400
BRASS PLATED BOLTS, ZINC ROUND WASHERS, OPEN ACORN NUTS:		
CB11PR	1/4" x 1-3/4"	100/100/400
CB12PR	1/4" x 2-1/4"	100/100/400
CB13PR	1/4" x 3-1/2"	100/100/400
CB51PR	5/16" x 1-3/4"	100/100/400
CB52PR	5/16" x 2-1/4"	100/100/400
CB53PR	5/16" x 3-1/2"	100/100/400
BRASS BOLTS, S.S OVAL WASHERS, PLATED OPEN ACORN NUTS:		
CB11BO	1/4" x 1-3/4"	100/100/400
CB12BO	1/4" x 2-1/4"	100/100/400
CB13BO	1/4" x 3-1/2"	100/100/400
CB51BO	5/16" x 1-3/4"	100/100/400
CB52BO	5/16" x 2-1/4"	100/100/400
CB53BO	5/16" x 3-1/2"	100/100/400
BRASS BOLTS, S.S ROUND WASHERS, PLATED OPEN ACORN NUTS:		
CB11BR	1/4" x 1-3/4"	100/100/400
CB12BR	1/4" x 2-1/4"	100/100/400
CB13BR	1/4" x 3-1/2"	100/100/400
CB51BR	5/16" x 1-3/4"	100/100/400
CB52BR	5/16" x 2-1/4"	100/100/400
CB53BR	5/16" x 3-1/2"	100/100/400

CLOSET BOLTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CLOSET BOLTS (DOUBLE NUTS & WASHERS)



- Custom pack: contains 2 bolts, 4 nuts & 4 washers
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED BOLTS, 4 ZINC WASHERS, 4 OPEN ACORN NUTS:		
CB12PR2-4	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.
CB12PO2-4	1/4" x 2-1/4" oval washers	1 pr./50 pr./400 pr.
CB13PR2-4	1/4" x 3-1/2" round washers	1 pr./50 pr./200 pr.
CB13PO2-4	1/4" x 3-1/2" oval washers	1 pr./50 pr./200 pr.
CB51PR2-4	5/16" x 1-3/4" round washers	1 pr./50 pr./200 pr.
CB52PR2-4	5/16" x 2-1/4" round washers	1 pr./50 pr./200 pr.
SOLID BRASS BOLTS, 4 S.S. WASHERS, 4 OPEN ACORN NUTS:		
CB12BR2-4	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.
CB12BO2-4	1/4" x 2-1/4" oval washers	1 pr./50 pr./400 pr.
CB13BR2-4	1/4" x 3-1/2" round washers	1 pr./50 pr./200 pr.
CB13BO2-4	1/4" x 3-1/2" oval washers	1 pr./50 pr./200 pr.
BRASS PLATED BOLTS, 4 ZINC WASHERS, 2 OPEN ACORN NUTS, 2 HEX NUTS:		
CB12PR2-4H	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.
SOLID BRASS BOLTS, 4 S.S. WASHERS, 2 OPEN ACORN NUTS, 2 HEX NUTS:		
CB12BR2-4H	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.

SNAP-OFF CLOSET BOLTS CUSTOM PACK (2 PER BAG)



- Custom pack: contains 2 each per bag: bolts, nuts & washers
- Eliminates hacksaw trimming of bolts
- Just snap-off bolt to make it 1/2" shorter
- Priced per pair
- Similar to the "Johni-Bolt"*
- Solid brass bolts and stainless steel washers

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
SCB12BR2	1/4" x 2-1/4" round washers	1 pr./50 pr./400 pr.
SCB52BR2	5/16" x 2-1/4" round washers	1 pr./50 pr./400 pr.
SCB12BO2	1/4" x 2-1/4" oval washers	1 pr./50 pr./400 pr.
SCB52BO2	5/16" x 2-1/4" oval washers	1 pr./50 pr./400 pr.

HEX ACORN CAP NUTS (BULK)



- Hex acorn cap nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
ON14	1/4" x 7/16" (open) nickel plated steel	100/100/5000
ON516	5/16" x 9/16" (open) nickel plated steel	100/100/3000
ONB516	5/16" x 9/16" (open) nickel plated brass	100/100/3000
CN14	1/4" x 7/16" (closed for closet screws)	100/100/2500
CN516	5/16" x 9/16" (closed for closet screws)	100/100/4000

CLOSET BOLTS (BULK)



- Priced per bolt

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED CLOSET BOLTS:		
B11P	1/4" x 1-3/4" plated	100/100/1200
B12P	1/4" x 2-1/4" plated	100/100/1200
B13P	1/4" x 3-1/2" plated	100/100/700
B51P	5/16" x 1-3/4" plated	100/100/700
B52P	5/16" x 2-1/4" plated	100/100/800
B53P	5/16" x 3-1/2" plated	100/100/600
SOLID BRASS CLOSET BOLTS:		
B11B	1/4" x 1-3/4" brass	100/100/1500
B12B	1/4" x 2-1/4" brass	100/100/1200
B13B	1/4" x 3-1/2" brass	100/100/700
B51B	5/16" x 1-3/4" brass	100/100/1000
B52B	5/16" x 2-1/4" brass	100/100/800
B53B	5/16" x 3-1/2" brass	100/100/500

WASHERS (BULK)





(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
RWZ	Zinc plated, round	100/100/5000
RW	Stainless steel, round	100/100/5000
OWZ	Zinc plated, oval	100/100/5000
OW	Stainless steel, oval	100/100/5000

PLASTIC TINNERMAN* SPEED NUTS (BULK) (LOCKNUT FOR CLOSET BOLTS)



- Retainer washer

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
SN14	1/4"	100/100/3500
SN516	5/16"	100/100/3500

BRAXTON HARRIS CO., INC.

CLOSET SCREWS/TANK BOLT SETS

CLOSET SCREWS (BULK)



S__P




S__B

• Priced per screw

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED CLOSET SCREWS:		
S12P	1/4" x 2-1/2" plated	100/100/1000
S13P	1/4" x 3-1/2" plated	100/100/1000
S52P	5/16" x 2-1/2" plated	100/100/700
S53P	5/16" x 3-1/2" plated	100/100/500
SOLID BRASS CLOSET SCREWS:		
S12B	1/4" x 2-1/2" brass	100/100/800
S13B	1/4" x 3-1/2" brass	100/100/1000
S52B	5/16" x 2-1/2" brass	100/100/1000
S53B	5/16" x 3-1/2" brass	100/100/800

CLOSET SCREWS CUSTOM PACK (2 PER BAG)



CS__PO2 / CS__BO2




CS__PR2 / CS__BR2

• Contains 2 each: closet screws, nuts & washers per bag
• Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
BRASS PLATED CLOSET SCREWS, OVAL ZINC WASHERS, NICKEL PLATED CLOSED ACORN NUTS:		
CS12PO2	1/4" x 2-1/2" oval washers	1 pr./50 pr./200 pr.
CS12PR2	1/4" x 2-1/2" round washers	1 pr./50 pr./400 pr.
CS13PR2	1/4" x 3-1/2" round washers	1 pr./50 pr./200 pr.
CS52PO2	5/16" x 2-1/2" oval washers	1 pr./50 pr./200 pr.
CS52PR2	5/16" x 2-1/2" round washers	1 pr./50 pr./200 pr.
SOLID BRASS CLOSET SCREWS, STAINLESS WASHERS, NICKEL PLATED CLOSED ACORN NUTS:		
CS12BO2	1/4" x 2-1/2" oval washers	1 pr./50 pr./400 pr.
CS12BR2	1/4" x 2-1/2" round washers	1 pr./50 pr./400 pr.
CS13BO2	1/4" x 3-1/2" oval washers	1 pr./50 pr./200 pr.
CS13BR2	1/4" x 3-1/2" round washers	1 pr./50 pr./400 pr.
CS52BO2	5/16" x 2-1/2" oval washers	1 pr./50 pr./200 pr.
CS52BR2	5/16" x 2-1/2" round washers	1 pr./50 pr./200 pr.

CLOSET SCREWS BULK PACK (100 PER BAG)



CS__PO / CS__BO



CS__PR / CS__BR

• Bulk pack contains 100 each: closet screws, nuts & washers per carton
• Priced per screw


(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BRASS PLATED CLOSET SCREWS, OVAL ZINC WASHERS, NICKEL PLATED CLOSED ACORN NUTS:		
CS12PO	1/4" x 2-1/2" oval washers	100/100
CS12PR	1/4" x 2-1/2" round washers	100/100
CS52PO	5/16" x 2-1/2" oval washers	100/100
CS52PR	5/16" x 2-1/2" round washers	100/100
SOLID BRASS CLOSET SCREWS, STAINLESS WASHERS, NICKEL PLATED CLOSED ACORN NUTS:		
CS12BO	1/4" x 2-1/2" oval washers	100/100
CS12BR	1/4" x 2-1/2" round washers	100/100
CS13BR	1/4" x 3-1/2" round washers	100/100
CS52BO	5/16" x 2-1/2" oval washers	100/100
CS52BR	5/16" x 2-1/2" round washers	100/100

TANK-TO-BOWL BOLT SETS



TBPW2/TBBW2



TBPH2/TBBH2

• Set includes: 2 ea. 5/16" x 3" tank bolts, 4 ea. cloth inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
WITH 2 WING NUTS & 2 HEX NUTS:		
TBPW2	With brass plated bolts	1/25/200
TBBW2	With brass bolts	1/50/200
WITH 4 HEX NUTS:		
TBPH2	With brass plated bolts	1/25/200
TBBH2	With brass bolts	1/50/200

TANK BOLT SETS


TANK TO BOWL 3-BOLT SETS



- For closets requiring 3-bolt attachments
- Set includes: 3 ea. 5/16" x 3" tank bolts, hex nuts & wing nuts, 6 ea. cloth inserted rubber washers & stainless round washers

PART #	DESCRIPTION	PKG./CTN./MSTR.
TBPW3	With brass plated bolts	1/25/200
TBBW3	With brass bolts	1/25/200

OFFSET TANK BOLT SETS



- Brass plated
- Contains 1 pair per bag
- Adjustable close coupled bolt used to connect different makes of tanks and bowls where holes are not centered
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
OTB	5/16" x 3"	1/50

3PC BRASS TANK TO BOWL BOLT KIT



- Each Kit Includes:
  3pcs- 5/16" x 3" brass bolts
  6pcs- rubber washers
  6pcs- stainless steel round washers
  6pcs- hex nuts

PART #	DESCRIPTION	PKG./CTN.
TBBH3	5/16" x 3" 3pc brass tank to bowl bolt kit	1/50

TANK TO BOWL BOLT KIT (POLY WINGNUT)



- Each kit includes:
  2pcs- 5/16" x 3" bolts
  2pcs- rubber washers
  2pcs- stainless steel round washers
  2pcs- hex nuts
  2pcs- poly wingnut

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
TBBP2	5/16" x 3" kit (brass bolts)	1/25/200
TBBP2S	5/16" x 3" kit with gasket (brass bolts)	1/25/200
TBPP2	5/16" x 3" kit (brass plated bolts)	1/25/200
TBPP2S	5/16" x 3" kit with gasket (brass plated bolts)	1/25/200

3PC BRASS TANK TO BOWL BOLT KIT FOR AMERICAN STANDARD*




- Each Kit Includes:
  1pc- sponger rubber gasket for American Standard
  3pcs- 5/16" x 3" brass plated bolts
  6pcs- rubber washers
  6pcs- stainless steel round washers
  6pcs- hex nuts

PART #	DESCRIPTION	PKG./CTN./MSTR.
TBPHA3S	5/16" x 3" 3pc brass tank to bowl bolt kit	1/25/200

TANK TO BOWL BOLT SETS WITH UNIVERSAL SPONGE RUBBER GASKET



TBPW2S/TBBW2S



TBPH2S/TBBH2S

- Set includes: 2 ea. 5/16" x 3" tank bolts, 1 ea. # SRGAK sponge rubber gasket, 4 ea. cloth inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
WITH 2 WING NUTS & 2 HEX NUTS:		
TBPW2S	With brass plated bolts	1/25/200
TBBW2S	With brass bolts	1/25/200
WITH 4 HEX NUTS:		
TBPH2S	With brass plated bolts	1/25/200
TBBH2S	With brass bolts	1/25/200

TANK TO BOWL BOLT SETS FOR AMERICAN STANDARD*, CRANE*, ELJER*, KOHLER* & BORG WARNER*



TBBHA2



TBBWA2

- Set includes: 2 ea. 5/16" x 3" tank bolts, 1 ea. # SRGAKC sponge rubber gasket, 4 ea. cloth inserted rubber washers, 4 ea. stainless round washers & 4 ea. nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
WITH 2 WING NUTS & 2 HEX NUTS:		
TBPWA2	With brass plated bolts	1/25/200
TBBWA2	With brass bolts	1/25/200
WITH 4 HEX NUTS:		
TBPHA2	With brass plated bolts	1/25/200
TBBHA2	With brass bolts	1/25/200

BRAXTON HARRIS CO., INC.

6.1.25

TANK BOLT SETS/CLOSET PRODUCTS

3-PIECE TANK-TO-BOWL BOLT SET FOR AMERICAN STANDARD*



- Fits American Standard*
- Set includes: 3 ea. 5/16" x 3" tank bolts, hex nuts & wing nuts, 1 ea. # SRGAKC sponge rubber gasket, 6 ea. metal washers & cloth inserted washers

PART #	DESCRIPTION	PKG./CTN./MSTR.
TBPWA3S	Brass plated bolts w/ wing nuts	1/25/200

3-PC TANK-TO-BOWL BOLT SETS FOR MANSFIELD*



- Fits Mansfield* 3 bolt models w/ recessed sponge rubber gasket
- Set includes: 3 ea. 5/16" x 3" tank bolts, hex nuts & wing nuts, 1 ea. # SRGAKC sponge rubber gasket, 1ea. ballcock coupling nut, 6 ea. metal washers & cloth inserted washers

PART #	DESCRIPTION	PKG./CTN./MSTR.
TBPWM3	With brass plated bolts	1/25/200
TBBWM3	With brass bolts	1/25/200

TANK BOLTS (BULK)



- Priced per bolt

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
T53P	5/16" - 18 x 3" brass plated	100/100/500
T53B	5/16" - 18 x 3" brass	100/100/500

TANK BOLT WASHERS




- Round washers

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RW	Stainless steel washer	100/100
RRW	Red rubber washer	100/100
RWCI	Cloth inserted rubber washer	100/100

TANK BOLT NUTS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WN	Wing nut, 5/16"- 18 brass plated	100/100
WNP	Poly wing nut, 5/16"	100/100
HN	Heavy hex jam nut, 5/16" - 18 x 9/16"	100/100
HNB	Brass hex nut, 5/16"	100/100

WAX CLOSET BOWL RING GASKETS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WR	Universal fit wax ring, standard full size	1/48
WRJ	Jumbo wax ring	1/48
WRP	Wax ring with plastic flange	1/24
WRPJ	Jumbo wax ring with plastic flange	1/24

URINAL WAX RING GASKET



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WRU	Urinal wax ring	1/24

SPONGE CLOSET GASKETS



- For setting most floor-mounted closets
- Seals well on uneven floors
- Replaces wax rings
- Sponge rubber

PART #	DESCRIPTION	PKG./CTN.
SCG34-514	3/4" thick, 3-1/2" ID x 5-1/4" OD	1/10
SCG34-538	3/4" thick, 3-1/2" ID x 5-3/8" OD	1/10
SCG12-514	1/2" thick, 3-1/2" ID x 5-1/4" OD	1/10

SPONGE CLOSET GASKET WITH BOLT HOLES



- For setting most floor-mounted closets
- Replaces wax rings
- Bolt holes help line up gasket for a perfect seal
- Holes can be used to hold gasket in place while installing wall mount closets
- Closed-cell neoprene rubber

PART #	THICKNESS	ID	OD	PKG./CTN.
SCG38-634	3/8"	3-1/2"	6-3/4"	1/10
SCG916-634	9/16"	3-1/2"	6-3/4"	1/10
SCG34-634	3/4"	3-1/2"	6-3/4"	1/10
SCG1-634	1"	3-1/2"	6-3/4"	1/10

ORIGINAL SPANNER FLANGE



- Eliminates the need to replace broken closet flanges, saving time & money
- Simply place the flange under the broken area of the ring & tighten the nut
- Use with brass, copper, plastic or cast iron closet flanges


PART #	DESCRIPTION	PKG./CTN./MSTR.
SF	Repair flange (carded)	1/24/240

CLOSET PRODUCTS/FAUCET CONNECTORS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

SPANNER FLANGE KIT

H



- Same features of # SF above, plus can be fastened to floor to hold repair flange in place
- Includes all necessary parts
- Can be connected to make complete repair ring

PART #	DESCRIPTION	PKG./CTN./MSTR.
SFK	Spanner flange kit (carded)	1/6/72

CLOSET FLANGE SUPPORTS (FOR WOODEN & CONCRETE FLOORS)


H



- Gives added support if floor is rotted or if rough-cut hole is too large
- Easy to install
- Requires only an electric drill and a screwdriver
- Comes complete with screws
- PVC flange support fits 3", 4" & 3" x 4" flange
- Cast iron flange support fits 3" or 4" standard flange

PART #	DESCRIPTION	PKG./CTN./MSTR.
CFSP	Fits PVC, plastic & brass	1/25/50
CFSC	Fits cast iron	1/6

CLOSET FLANGE REPAIR RING



- Replaces most closet rings
- Unique screw table attach to wood or concrete sub-floor
- Can mount on top of broken or old plastic or cast iron ring

PART #	DESCRIPTION	PKG./CTN.
FRR	Flange repair ring	1/10

TWO PIECE CLOSET FLANGE REPAIR RING W/ CLOSET BOLT SET

H



- ***IMPROVED DESIGN!***
- Moss Bay* Style
- Comes with closet bolts, nuts and washers
- Used to repair corroded toilet flanges
- Quick installation
- Stainless steel flange

PART #	DESCRIPTION	PKG./CTN.
FRR2	2-piece flange repair ring	1/40

CLOSET FLANGE SPACER KIT

H



- Reusable toilet gasket
- Used in issues arising from remodeling projects
- Kit includes: 2 gaskets, 1/2" spacer, 1/4" x 3-1/2" closet bolt kit, 2 plastic shims

PART #	DESCRIPTION	PKG./CTN.
CFSK	Closet flange spacer kit	1/10

CLOSET FLANGE EXTENSION KITS (WITH ATTACHED GASKETS)

H



- For replacing, repairing or retiled bathroom floors
- Complete with 2 ea. 3-1/2" closet bolts with washers & nuts
- Anchor closet bolts when closet ring is broken
- No caulking required with gasket

PART #	DESCRIPTION	PKG./CTN.
WITH 1 EA. 1/4" THICK FLANGE & 1 EA. 1/2" THICK FLANGE:		
CFEK14	Complete kit	1
WITH 1 EA. 1/2" THICK FLANGE:		
CFEK12	Complete kit	1
FLANGE (ONLY) :		
CFE14	1/4" thick, with gasket	1/10
CFE14LG	1/4" thick, less gasket	1/10
CFE12	1/2" thick, with gasket	1/10
CFE12LG	1/2" thick, less gasket	1/10

FAUCET CONNECTORS (FLEXIBLE STAINLESS STEEL)



- With chrome plated nuts
- Working temperature 33° F - 158° F
- Burst pressure 1800 PSI at 70° F
- Hose is FDA approved for drinking water
- UPC & CSA listed. Complies with NSF-61
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FFCS9-LF	9" L x 3/8" OD x 1/2" FPT	1/25
FFCS12-LF	12" L x 3/8" OD x 1/2" FPT	1/25
FFCS16-LF	16" L x 3/8" OD x 1/2" FPT	1/25
FFCS20-LF	20" L x 3/8" OD x 1/2" FPT	1/25
FFCS24-LF	24" L x 3/8" OD x 1/2" FPT	1/25
FFCS30-LF	30" L x 3/8" OD x 1/2" FPT	1/25
FFCS36-LF	36" L x 3/8" OD x 1/2" FPT	1/25
FFCS48-LF	48" L x 3/8" OD x 1/2" FPT	1/25
FFCS012-12-12-LF	12" L x 1/2" OD x 1/2" FPT	1/25
FFCS012-12-16-LF	16" L x 1/2" OD x 1/2" FPT	1/25
FFCS012-12-20-LF	20" L x 1/2" OD x 1/2" FPT	1/25
FFCS012-12-30-LF	30" L x 1/2" OD x 1/2" FPT	1/25
FFCS012-12-36-LF	36" L x 1/2" OD x 1/2" FPT	1/25
FFCS12-12-12-LF	12" L x 1/2" FPT x 1/2" FPT	1/25
FFCS12-12-16-LF	16" L x 1/2" FPT x 1/2" FPT	1/25
FFCS12-12-20-LF	20" L x 1/2" FPT x 1/2" FPT	1/25
FFCS12-12-30-LF	30" L x 1/2" FPT x 1/2" FPT	1/25
FFCS12-12-36-LF	36" L x 1/2" FPT x 1/2" FPT	1/25
FFCS38-12-LF	12" L x 3/8" OD x 3/8" OD	1/25
FFCS38-16-LF	16" L x 3/8" OD x 3/8" OD	1/25
FFCS38-20-LF	20" L x 3/8" OD x 3/8" OD	1/25
FFCS38-48-LF	48" L x 3/8" OD x 3/8" OD	1/25
DELTA*-STYLE:		
FFCS012-LF	12" L x 3/8" OD x 3/8" OD cop.	1/25
FFCS016-LF	16" L x 3/8" OD x 3/8" OD cop.	1/25
FFCS020-LF	20" L x 3/8" OD x 3/8" OD cop.	1/25

BRAXTON HARRIS CO., INC.

LAVATORY/CLOSET CONNECTORS

CLOSET CONNECTORS (FLEXIBLE STAINLESS STEEL)



- Working temperature 33° F - 158° F
- Burst pressure 1800 PSI at 70° F
- UPC & CSA listed. Complies with NSF-61

PART #	DESCRIPTION	PKG./CTN.
PLASTIC NUT:		
FTCS9	9" L x 3/8" OD x 7/8" ballcock	1/25
FTCS12	12" L x 3/8" OD x 7/8" ballcock	1/25
FTCS16	16" L x 3/8" OD x 7/8" ballcock	1/25
FTCS20	20" L x 3/8" OD x 7/8" ballcock	1/25
FTCS12-12	12" L x 1/2" OD x 7/8" ballcock	1/25
FTCS12-16	16" L x 1/2" OD x 7/8" ballcock	1/25
BRASS NUT:		
FTCSB12	12" L x 3/8" OD x 7/8" ballcock	1/25
FTCSB20	20" L x 3/8" OD x 7/8" ballcock	1/25

FAUCET CONNECTORS (FLEXIBLE REINFORCED PVC)



- With nylon insert
- Working pressure is 75 PSI
- Tested at 180 PSI
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FFCP12-LF	12" L x 3/8" OD x 1/2" FPT	1/25
FFCP16-LF	16" L x 3/8" OD x 1/2" FPT	1/25
FFCP20-LF	20" L x 3/8" OD x 1/2" FPT	1/25
FFCP24-LF	24" L x 3/8" OD x 1/2" FPT	1/25
FFCP30-LF	30" L x 3/8" OD x 1/2" FPT	1/25
FFCP36-LF	36" L x 3/8" OD x 1/2" FPT	1/25
DELTA* -STYLE:		
FFCP012-LF	12" L x 3/8" OD comp x 3/8" OD cop.	1/25
FFCP016-LF	16" L x 3/8" OD comp x 3/8" OD cop.	1/25
FFCP020-LF	20" L x 3/8" OD comp x 3/8" OD cop.	1/25

CLOSET CONNECTORS (FLEXIBLE REINFORCED PVC)



- 3/8" OD (female) compression x 7/8" female ballcock nut
- With nylon insert
- Working pressure is 75 PSI
- Tested at 180 PSI

PART #	DESCRIPTION	PKG./CTN.
FTCP12	12" L x 3/8" OD x 7/8" ballcock	1/25
FTCP16	16" L x 3/8" OD x 7/8" ballcock	1/25
FTCP20	20" L x 3/8" OD x 7/8" ballcock	1/25

COPPER FAUCET RISER TUBES (BULLNOSE)



- 3/8" OD
- Copper tube
- Available in decorative finishes
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FLRC3-12-LF	12" L x 3/8" OD chrome plated	1/100
FLRC3-15-LF	15" L x 3/8" OD chrome plated	1/100
FLRC3-20-LF	20" L x 3/8" OD chrome plated	1/100
FLRC3-30-LF	30" L x 3/8" OD chrome plated	1/100
FLRC3-36-LF	36" L x 3/8" OD chrome plated	1/100
FLRC3-30-PB	30" L x 3/8" OD PVD polished brass	1/12

COPPER CLOSET RISER TUBES (FLATHEAD)



- 3/8" OD
- Copper tube
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
FCRC3-12	12" L x 3/8" OD chrome plated	1/100
FCRC3-20	20" L x 3/8" OD chrome plated	1/100
FCRC3-12-PB	12" L x 3/8" OD PVD polished brass	1/12

PEX FAUCET RISER TUBES



- Rated 100 PSI @ 180° F
- Resistant to corrosion & damage due to freezing
- Use with standard compression valves or stops
- NSF listed material
- Ferrule included

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FLRP3-12P	12" L x 3/8" OD	10/10
FLRP3-15P	15" L x 3/8" OD	10/10
FLRP3-20P	20" L x 3/8" OD	10/10
FLRP3-30P	30" L x 3/8" OD	10/10
FLRP3-36P	36" L x 3/8" OD	10/10

CONNECTORS/SUPPLY KITS

PEX CLOSET RISER TUBES



- Rated 100 PSI @ 180° F
- Resistant to corrosion & damage due to freezing
- Use with standard compression valves or stops
- NSF listed material
- Ferrule included

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FCRP3-12P	12" L x 3/8" OD	10/10
FCRP3-15P	15" L x 3/8" OD	10/10
FCRP3-20P	20" L x 3/8" OD	10/10

LAVATORY NOSE CONE (CONE SLIP JOINT WASHER)



- 3/8" ID x 23/32" OD x 3/8" height
- For 3/8" OD tube, 1/2" IP nut
- Use with # FRL brass friction ring
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
NCL	Push-on, for lavatory, sink & basin	100/100

CLOSET NOSE CONE (CONE SLIP JOINT WASHER)



- 5/16" ID x 27/32" OD x 3/8" height
- For 3/8" OD tube, ballcock shank nut
- Use with # FRC brass friction ring
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
NCC	Push-on, for closet & tank	100/100

BRASS FRICTION RING



- Priced per piece
- Use # FRL with # NCL nose cone
  Use # FRC with # NCC nose cone

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FRL	Lavatory supply, 13/32" ID 41/64" OD 3/8" tube size or 1/2" nut size	100/100
FRC	Closet supply, 25/64" ID 13/16" OD 3/8" tube size or ballcock nut size	100/100


CLOSET SUPPLY KITS



- 1 ea. 3/8" OD comp. x 5/8" OD comp. chrome plated angle stops
- 1 ea. 3/8" OD comp. x 7/8" ballcock nut inlet x 20" length supply lines
- 1 ea. 5/8" OD chrome plated escutcheons
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
FSKC058-038-20	With poly-flexible supply lines	1
SKC058-038-20C	With chrome plated brass risers	1
SFSKC058-038-20	With flexible stainless steel risers	1

LAVATORY SUPPLY KITS



- 2 ea. 3/8" OD comp. x 5/8" OD comp. chrome plated angle stops
- 2 ea. 3/8" OD (female) comp. x 1/2" FPT x 20" length supply lines
- 2 ea. 5/8" OD chrome plated escutcheons
- Decorative finishes available
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FSKL058-038-20	With poly-flexible supply lines	1
SKL058-038-20C	With chrome plated brass risers	1
SFSKL058-038-20	With flexible stainless steel risers	1

EASY CONNECT TEE- LEAD FREE



- Attaches to outlet of stop valve to give two outlets
- AB1953 Compliant
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
ECT38-38-14-LF	3/8" F Comp x 3/8" M Comp x 1/4" M	10/50/200
ECT38-38-38-LF	3/8" F Comp x 3/8" M Comp x 3/8" M	10/50/200

BRAXTON HARRIS CO., INC.

SUPPLY STOPS

OMEGA® FITTING REMOVAL KEY



- For removal of Omega® fittings & valves from copper, CPVC & PEX pipe
- Flat so it can fit in tight spots
- Made of 304 grade stainless steel

PART #	DESCRIPTION	PKG./CTN.
OVTSRK12	1/2"	1

ANGLE MULTI-TURN STOPS



- 180° turn handle
- Chrome plated brass
- UPC listed
- Complies with NSF-61
- Decorative finishes available
- Lead free

PART #	DESCRIPTION	PKG./CTN.
COMPRESSION INLET:		
AS058-014-LF	5/8" OD (1/2" Nom.) comp. inlet x 1/4" OD comp. outlet	1/100
AS058-038-LF	5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet	1/100
AS058-012-LF	5/8" OD (1/2" Nom.) comp. inlet x 1/2" OD comp. outlet	1/100
FPT INLET:		
AS12-014-LF	1/2" FPT inlet x 1/4" OD comp. outlet	1/100
AS38-LF	3/8" FPT inlet x 3/8" OD comp. outlet	1/100
AS12-038-LF	1/2" FPT inlet x 3/8" OD comp. outlet	1/100
AS12-LF	1/2" FPT inlet x 1/2" OD comp. outlet	1/100
COPPER SWEAT INLET:		
AS012-038-LF	5/8" OD (1/2" Nom.) sweat inlet x 3/8" OD comp. outlet	1/100
CPVC INLET:		
AS12C-038-LF	1/2" CPVC inlet x 3/8" OD comp. outlet	1/100
PEX INLET (F1807):		
AS12P-038-LF	1/2" PEX(F1807) x 3/8" OD comp. outlet	1/100

ANGLE QUARTER-TURN STOPS



- Solid brass body
- Ball valve design
- Chrome plated finish
- UPC listed
- Easy quarter-turn operation
- Rated for 125 PSI at 180°F
- Available in compression, FPT & copper sweat sizes
- Decorative finishes available
- Lead free

PART #	DESCRIPTION	PKG./CTN.
COMPRESSION INLET:		
AS058-038Q-LF	5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet	1/100
AS058-012Q-LF	5/8" OD (1/2" Nom.) comp. inlet x 1/2" OD comp. outlet	1/100
FPT INLET:		
AS12-014Q-LF	1/2" FPT inlet x 1/4" OD comp. outlet	1/100
AS38Q-LF	3/8" FPT inlet x 3/8" OD comp. outlet	1/100
AS12-038Q-LF	1/2" FPT inlet x 3/8" OD comp. outlet	1/100
AS12Q-LF	1/2" FPT inlet x 1/2" OD comp. outlet	1/100
COPPER SWEAT INLET:		
AS012-038Q-LF	5/8" OD (1/2" Nom.) sweat inlet x 3/8" OD comp. outlet	1/100
AS012-012Q-LF	5/8"OD (1/2" Nom.) sweat inlet x 1/2" OD comp. outlet	1/100
PEX INLET (F1807):		
AS12P-038Q-LF	1/2" PEX(F1807) inlet x 3/8" OD comp. outlet	1/100
PEX INLET (F1960):		
AS12W-038Q-LF	1/2" PEX(F1960) inlet x 3/8" OD comp. outlet	1/100

ANGLE THREE-WAY STOPS (COMP. x COMP. x COMP.)



- Chrome plated brass
- UPC listed
- Complies with NSF-61
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TS058-038-LF	Multi-turn 5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet x 3/8" OD comp. outlet	1
TS058-038-014-LF	Multi-turn 5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet x 1/4" OD comp. outlet	1
TS058-038-014Q-LF	Quarter turn 5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet x 1/4" OD comp. outlet	1

SUPPLY STOPS/LAVATORIES

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

STRAIGHT INTEGRAL SHUT-OFF STOP (SWEAT x COMP.)



- Straight valve with screwdriver stem, for use with shower bodies
- UPC listed
- Complies with NSF-61
- Lead free

PART #	DESCRIPTION	PKG./CTN.
IS058-012	5/8" OD (1/2" Nom.) female copper sweat inlet x 5/8" OD (1/2" Nom.) male copper sweat outlet	1/10

STRAIGHT QUARTER-TURN STOP REPAIR VALVE



- Quarter turn operation
- Used to repair leaking valves by attaching to the outlet of leaking valve
- AB1953 Lead Free compliant
- Chrome plated brass

PART #	DESCRIPTION	PKG./CTN.
SSRV38Q	3/8" F comp. swivel inlet x 3/8" OD comp. outlet	1/100

STRAIGHT MULTI-TURN STOPS



- Multi-turn handle
- Chrome plated brass
- UPC listed
- Complies with NSF-61
- Decorative finishes available
- Lead free

PART #	DESCRIPTION	PKG./CTN.
COMPRESSION INLET:		
SS038-LF	3/8" OD comp. inlet x 3/8" OD comp. outlet	1/100
SS058-038-LF	5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet	1/100
SS058-012-LF	5/8" OD (1/2" Nom.) comp. inlet x 1/2" OD comp. outlet	1/100
FPT INLET:		
SS38-LF	3/8" FPT Inlet x 3/8" OD comp. outlet	1/100
SS12-038-LF	1/2" FPT Inlet x 3/8" OD comp. outlet	1/100
SS12-LF	1/2" FPT Inlet x 1/2" OD comp. outlet	1/100
COPPER SWEAT INLET:		
SS012-038-LF	5/8" OD (1/2" Nom.) sweat inlet x 3/8" OD comp. outlet	1/100
PEX INLET:		
SS12P-038-LF	1/2" PEX(F1807) inlet x 3/8" OD comp. outlet	1/100
SS12W-038-LF	1/2" PEX(F1960) inlet x 3/8" OD comp. outlet	1/100

STRAIGHT QUARTER-TURN STOPS



- Solid brass body
- Ball valve design
- Chrome plated finish
- Easy quarter-turn operation
- UPC listed
- Rated for 125 PSI @ 180°F
- Available in FPT, compression & copper sweat sizes
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
COMPRESSION INLET:		
SS058-038Q-LF	5/8" OD (1/2" Nom.) comp. inlet x 3/8" OD comp. outlet	1/100
SS058-012Q-LF	5/8" OD (1/2" Nom.) comp. inlet x 1/2" OD comp. outlet	1/100
FPT INLET:		
SS38Q-LF	3/8" FPT inlet x 3/8" OD comp. outlet	1/100
SS12-038Q-LF	1/2" FPT inlet x 3/8" OD comp. outlet	1/100
SS12Q-LF	1/2" FPT inlet x 1/2" OD comp. outlet	1/100
COPPER SWEAT INLET:		
SS012-038Q-LF	5/8" OD (1/2" Nom.) sweat inlet x 3/8" OD comp. outlet	1/100
SS012-012Q-LF	5/8"OD (1/2" Nom.) sweat inlet x 1/2" OD comp. outlet	1/100
CPVC INLET:		
SS12C-038Q-LF	1/2" CPVC inlet x 3/8" OD comp. outlet	1/100
PEX INLET (F1807):		
SS12P-038Q-LF	1/2" PEX(F1807) inlet x 3/8" OD comp. outlet	1/100
PEX INLET (F1960):		
SS12W-038Q-LF	1/2" PEX(F1960) inlet x 3/8" OD comp. outlet	1/100

ROUND VITREOUS CHINA DROP-IN LAVATORY SINK



- 19" round
- Vitreous china
- White
- Pallet quantity 45

PART #	DESCRIPTION	PKG./CTN.
CDILR-WH	19" round bowl	1/45

BRAXTON HARRIS CO., INC.

LAVATORY/SINK PRODUCTS

OVAL VITREOUS CHINA DROP-IN LAVATORY SINK



- 17" x 20" oval
- Vitreous china
- White
- Pallet qty. 45

PART #	DESCRIPTION	PKG./CTN.
CDILO-WH	17" x 20" oval bowl	1/45

OVAL VITREOUS CHINA UNDERMOUNT LAVATORY SINK



- Vitreous china
- White
- Pallet qty. 54

PART #	DESCRIPTION	PKG./CTN.
CUMLO-WH	17" x 14" oval lavatory	1/54

VITREOUS CHINA PEDESTAL LAVATORY SINK



- 4" centers
- White
- UPC approved

PART #	DESCRIPTION	PKG./CTN.
CPB-WH	22" x 18" pedestal bowl	1
CPBA-WH	26" pedestal base	1

BASIN LAVATORY LEGS



- Universal fit for vitreous china, steel or cast iron lavatories
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
LLE	27" chrome legs	1/20

LAVATORY HANGER


LH


LHCI

- Wall mount
- For vitreous china

PART #	DESCRIPTION	PKG./CTN.
LH	1-3/4" x 2-1/8" stamped galvanized steel	1/20
LHCI	Cast iron	1/100
LHCI2	Cast iron - paired	1

7" UNIVERSAL-FIT LAVATORY HANGER



- Stamped galvanized steel

PART #	DESCRIPTION	PKG./CTN./MSTR.
LH7	7" lavatory hanger	1/50/100

10"CENTER-TO-CENTER SINK HANGER



- Zinc plated
- One-piece galvanized steel

PART #	DESCRIPTION	PKG./CTN.
SH10	Universal fit	1/10

BATHTUB HANGER GALVANIZED STEEL



- 12 gauge galvanized steel
- Adjustable on stud

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BH	Bathtub hanger	50/50

COMBO SINK CLIPS/LUGS



- For drop-in kitchen sinks
- Kit includes 4 clips with screws
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
SLCC58-112	For counters 5/8" - 1-1/8" thick	1 Kit

ADJUSTABLE SINK CLIPS/LUGS


ASL34-234


ELSIK


- For drop-in kitchen sinks
- 2-piece adjustable lug
- Kit includes 4 lugs with screws
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
ASL34-234	For counters 3/4" - 2-3/4" thick	1 Kit
ELSIK	For counters 3/8" - 1/2" thick	1 Kit

LAVATORY/SINK PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.


UNDERMOUNT SINK CLIPS



- Kit includes 4 brackets, brass inserts, washers, bolts & wing nuts per kit
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
USIK	Undermount kit	1 Kit

NO-DRILL UNDERMOUNT SINK CLIPS (WITH EPOXY)



- Kit Includes 8 sets of hardware: 8 each stud bases, L-backets, star washers, wing nuts & 25 ml. tube of epoxy glue per kit
- Everything needed for 1 double bowl or 2 single bowl installations
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
NDURSE	Mounting kit with epoxy	1/6

P.O. PLUG BASIN MACK WASHER



BMW



BMWS

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BMW	1-1/4" ID 2" OD (rubber)	25/25
BMWS	1-1/4" ID 2" OD (silicon)	1

BASIN ROSETTES



BRF



BRD

- Zinc plated steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BRF	Flat	25/25
BRD	Deep	25/25

BASIN LOCKNUTS



BLN12



BLNF12

- Zinc die cast

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BLN12	1/2" -14 FPT hex locknut	25/25
BLNF12	1/2" -14 FPT flanged hex locknut	25/25

PLASTIC BASIN NUT



- Wing nut design

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BN12P	1/2"-14 FPT x 3/8" ID regular	25/25

FAUCET LOCKNUT



- Plastic

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FLNP	1/2" FPT	10/10

BASIN NUTS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN./MSTR.
BN12-38	1/2"-14 FPT x 3/8" ID, regular	Zinc die cast	25/25
BN12-38T	1/2"-14 FPT x 3/8" ID, tapered	Zinc die cast	25/25
BN12-716	1/2"-14 FPT x 7/16" ID, regular	Zinc die cast	25/25
BN12	1/2"-14 FPT x 1/2" ID, regular	Zinc die cast	25/25/500
BN12-916	1/2"-14 FPT x 9/16" ID, regular	Zinc die cast	25/25/500
BN12-916B	1/2"-14 FPT x 9/16" ID, regular	Brass	25/25/500

LAVATORY DRAIN MOUNTING NUT



- Forged brass

PART #	DESCRIPTION	PKG./CTN.
LDMN-RB	Lavatory drain mounting nut	1/25

UNIVERSAL FIT STOPPER



- Plastic body with stainless steel trim
- Fits most

PART #	DESCRIPTION	PKG./CTN.
PDSU	1-3/8" OD x 4-1/2" overall height	1

STOPPER (FITS DELTA* & PEERLESS*)



- Chrome plated stopper
- Plastic body with stainless steel trim
- 1-3/8" stopper OD x 5" overall height

PART #	DESCRIPTION	PKG./CTN.
DRP5648	(Replaces # RP5648)	1

STOPPER (FITS KOHLER*)



- Plastic body with stainless steel trim
- Replaces # 30124

PART #	DESCRIPTION	PKG./CTN.
PDSK	1-1/4" OD x 4-1/8" overall height	1

BRAXTON HARRIS CO., INC.

STOPPERS/POP-UP ASSEMBLIES

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

STOPPER (FITS MOEN*)



- Plastic body with stainless steel trim
- # PDSM5 replaces # 12314

PART #	DESCRIPTION	PKG./CTN.
PDSM	1-5/16" OD x 4" overall height	1
PDSM435	1-5/16" OD x 4.35" overall height	1
PDSM5	1-5/16" OD x 5" overall height	1

STOPPER (FITS PRICE PFISTER*)



- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSP	1-1/4" OD x 3-3/4" overall height	1

STOPPER (FITS VALLEY*, STREAMWAY*, UNION* & ROYAL*)



- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSV	1-1/2" OD x 3-3/4" overall height	1

STOPPER (FITS GERBER* & SAYCO*)



- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSGE	1-1/4" OD x 4-1/8" overall height	1

STOPPER (FITS SAYCO*)



- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSSA	1-1/4" OD x 4-1/8" overall height	1

STOPPER (FITS STERLING* OLD-STYLE)



- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSS	1-3/8" OD x 4-5/16" overall height	1

STOPPER (FITS STERLING* NEW-STYLE)



- Plastic body with stainless steel trim

PART #	DESCRIPTION	PKG./CTN.
PDSSB	1-9/32" OD x 4-5/32" overall height	1

STOPPER (FITS ELJER*)



- Plastic stopper with stainless steel trim
- Replaces # 490-6499-00

PART #	DESCRIPTION	PKG./CTN.
PDSE	1.29" OD x 4.15" overall height.	1

BRASS POP-UP ASSEMBLY



- 17 ga. tailpiece
- Heavy pattern brass casting
- Chrome plated body & trim
- Solid brass nut
- Heavy gauge linkage
- 6-1/2" tailpiece
- 1-1/4" thread depth
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
PUA	Assembly	1/50
PUR	Rod with strap	1
PURC	Rod clip	1
PUABR	Chrome plated steel rod w/ plastic ball	1

PLASTIC POP-UP ASSEMBLY



- Plastic body
- Chrome plated body & trim

PART #	DESCRIPTION	PKG./CTN.
PUAP	Pop-up assembly	1/25

LAVATORY DRAINS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

ONE-PIECE BRASS P.O. PLUGS



- Chrome plated brass
- Side hole for lavatory overflow
- With rubber stopper & beaded chain

PART #	DESCRIPTION	PKG./CTN.
POPB5	1-1/4" tailpiece x 5" overall height	1/50
POPB12	1-1/4" tailpiece x 12" overall height	1/50

ONE-PIECE PLASTIC P.O. PLUG



- Chrome plated brass
- Side hole for lavatory overflow
- With rubber stopper & beaded chain
- With stainless steel flange

PART #	DESCRIPTION	PKG./CTN.
POPP5	1-1/4" tailpiece x 5" overall height	1/50

TWO-PIECE BRASS P.O. PLUGS



- Chrome plated brass
- Side hole for lavatory overflow
- With rubber stopper & beaded chain

PART #	DESCRIPTION	PKG./CTN.
POPB5-2	1-1/4" tailpiece x 5" overall height	1/50
POPB12-2	1-1/4" tailpiece x 12" overall height	1/50

ONE-PIECE C.O. PLUGS



- Chrome plated brass
- Less side hole for lavatory overflow
- With rubber stopper & beaded chain

PART #	DESCRIPTION	PKG./CTN.
COPB5	Brass, 1-1/4" tailpiece x 5" overall height	1/50
COPP5	Plastic, 1-1/4" tailpiece x 5" overall height	1/50

P.O. PLUGS WITH LIFT & TURN STOP



- Chrome plated brass
- 17 ga. tailpiece
- Cast brass plug & shoe
- With overflow & o-ring seal
- Used as lavatory pop-up
- With side hole for lavatory overflow
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
POPBLT	1-1/4" tailpiece x 7" overall height	1/50
POPBLTNF	Same as above, less overflow	1/50

COMMERCIAL LAVATORY GRID DRAIN



- 17 ga.
- Chrome plated brass w/ brass locknut & mack washer
- 3-1/8" thread depth on bottom of grid strainer
- Decorative finishes available
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
CLD114	1-1/4" tailpiece x 6" length	1/50

COMMERCIAL LAVATORY GRID DRAIN WITHOUT OVERFLOW HOLES



- 17 ga.
- For vessel sinks
- 1-1/16" thread depth
- Chrome plated brass with brass locknut & mack washer
- Fully finished
- Decorative finishes available
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
CLD114NF	1-1/4" tailpiece x 6" length	1/50

COMMERCIAL LAVATORY OFFSET GRID DRAIN



- Handicap-style offset for wheelchair access
- 17 ga.
- Chrome plated
- Decorative finishes available
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
HSLD114NF	1-1/4" tailpiece x 7" length no overflow	1/25
HSLD114	1-1/4" tailpiece x 7" length	1/25

FAUCET HOLE COVER



- Chrome plated stainless steel
- Decorative finishes available

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
FHC134	1-3/4" OD 2-piece	20/20/500

BRAXTON HARRIS CO., INC.

HOLE COVERS/FAUCET AERATORS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

HEAVY-DUTY FAUCET HOLE COVERS



- Chrome plated stainless steel
- Decorative finishes available

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
FHCH134	1-3/4" OD 3-piece	5/5/500
FHCH2	2" OD 3-piece	25/25/500

FAUCET HOLE COVER



- 1-3/4" Outside Diameter
- 3 Pieces

PART #	DESCRIPTION	PKG./CTN.
FHC134-WH	White	1

DECORATIVE FAUCET HOLE COVER



- Will not crack, chip or peel
- 1-3/4" diameter top

PART #	DESCRIPTION	PKG./CTN.
DFHC-AL	Almond	1
DFHC-BI	Biscuit	1
DFHC-BL	Black	1
DFHC-CP	Chrome Plated	1
DFHC-OB	Oil Rubbed Bronze	1
DFHC-SN	Satin (brushed) Nickel	1
DFHC-WH	White	1

SNAP-IN FAUCET HOLE COVERS



- Chrome plated stainless steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SFHC138	1-3/8", 1-1/2" OD	20/20
SFHC112	1-1/2", 1-5/8" OD	20/20

NON-SLOTTED LOW FLOW DUAL THREAD AERATOR (.5 GPM)



- Code design
- Integral restriction with full flow
- Non-clog turbo aeration
- Each body marked 2.0 GPM with 1/2 GPM Needlerator*
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
FADT12-LF	15/16" -27 male threads x 55/64" -27 female threads	1/100/600

NON-SLOTTED FEMALE THREAD AERATORS



- Chrome plated
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FAFT-LF	Standard female threads 55/64"-27 inside threads, 2.0 GPM	10
FAFT34-LF	Female thds 3/4" x 27 inside threads Fits Kohler* & Price Pfister*, 2.2 GPM	10

NON-SLOTTED MALE THREAD AERATORS (2.0 GPM)



- Meets flow requirements of 2.0 GPM @ 80 PSI
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
FAMT-LF	Standard male threads 15/16"-27 outside threads. 2.0 GPM	10
FAMT1316-LF	Male threads. 13/16"-27 outlet threads Fits Kohler*, Price Pfister*, Chicago*, Speakman*, T&S Brass* & Union Brass*. 2.0 GPM	1/100/600

NON-SLOTTED LOW FLOW DUAL THREAD AERATOR (1.0 GPM)



- Chrome plated
- Dual threads to fit both male & female threads
- 1 GPM flow rate
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADTLF-LF	15/16"-27 male threads x 55/64"-27 female threads	1

SPRING-FLO* BRAND SLOTTED DUAL THREAD AERATOR (2.2 GPM)



- Excellent quality
- Heavy-duty
- Chrome plated
- 2.2 GPM @ 60 PSI
- Priced per six-pack tube
- Standard dual threads to fit both male & female threads
- 15/16"-27 outside threads & 55/64"-27 inside threads
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SFADT-LF	Sold 6 pcs. per tube (Priced per tube)	1
SFADTD-LF	Sold 144 pcs. per display (Priced per display)	1

FAUCET AERATORS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

SLOTTED DUAL THREAD AERATOR (2.0 GPM)



- Meets flow requirements of 2.0 GPM @ 80 PSI
- Standard dual threads to fit both male & female threads
- 15/16"-27 outside threads & 55/64"-27 inside threads
- Lead free **(CARTON QUANTITY ONLY)**

PART #	DESCRIPTION	PKG./CTN./MSTR.
FADTS-LF	Individually bagged	1/100/500
FADTS6-LF	Sold 6 pcs. per tube (Priced per tube)	1
FADTSD-LF	Sold 144 pcs. per display (Priced per display)	1

NON-SLOTTED DUAL THREAD AERATOR (2.0 GPM)



- Meets flow requirements of 2.0 GPM @ 80 PSI
- Standard dual-threads to fit both male & female threads
- 15/16"-27 outside threads & 55/64"-27 inside threads
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
FADT-LF	Individually bagged	1/100/500
FADT6-LF	Sold 6 pcs. per tube (Priced per tube)	1
FADTD-LF	Sold 144 pcs. per display (Priced per display)	1

NON-SLOTTED DUAL THREAD AERATOR (1.5 GPM)



- 15/16"-27 male x 55/64"-27 female threads
- 1.5 gpm
- Non-slotted
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADT15-LF	Individually bagged	1
FADT15-6-LF	6 aerators per tube (priced per tube)	1
FADT15D-LF	144pc display (priced per display)	1

WE SHIP SAME DAY.

NON-SLOTTED DUAL THREAD AERATOR (2.2 GPM)



- 15/16"-27 male x 55/64"-27 female threads
- 2.2 gpm
- Non-slotted
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
FADT22-LF	Individually bagged	1/100/200
FADT22-6-LF	6 aerators per tube (priced per tube)	1
FADT22D-LF	144pc display (priced per display)	1

NON-SLOTTED FULL FLO DUAL THREAD AERATOR (4.5 GPM)



- 15/16" male x 55/64" female threads
- 4.5 gpm
- Non-slotted
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADTFF-LF	Individually bagged	1
FADTFF6-LF	6 aerators per tube (priced per tube)	1
FADTFFD-LF	144pc display (priced per display)	1

SLOTTED DUAL THREAD AERATOR (2.2 GPM)



- 15/16"-27 male x 55/64"-27 female threads
- 2.2 gpm
- Slotted
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADTS22-LF	Individually bagged	1
FADTS22-6-LF	6 aerators per tube (priced per tube)	1
FADTS22D-LF	144pc display (priced per display)	1

SLOTTED FULL FLOW DUAL THREAD AERATOR (4.5 GPM)



- 15/16" male x 55/64" female threads
- 4.5 gpm
- Slotted
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADTSFF-LF	Individually bagged	1
FADTSFF6-LF	6 aerators per tube (priced per tube)	1/50
FADTSFFD-LF	144pc display (priced per display)	1

BRAXTON HARRIS CO., INC.

FAUCET AERATORS/AERATOR ADAPTERS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

NON-SLOTTED VANDAL PROOF DUAL THREAD AERATOR (2.0 GPM)


FADTVF-LF


FADTVM-LF

- 55/64" 27 tpi female or 15/16" 27 tpi male threads
- 2.0 gpm
- Special key wrench included
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADTVF-LF	Female - 55/64" 27 tpi female threads	1
FADTVM-LF	Male - 15/16" 27 tpi male threads	1

NON-SLOTTED DUAL THREAD AERATOR (2.5 GPM)



- Male outside threads - 15/16"- 27 threads
- Female threads - 55/64"- 27 threads
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FADT-PB	PVD polished brass	1/10

SWIVEL SPRAY AERATOR



- With brass coupling nut
- Aerator reverts to non-spray mode when water is turned off
- Dual threads to fit both male & female threads
- 2.2 GPM flow rate

PART #	DESCRIPTION	PKG./CTN.
FADTSS-LF	15/16"-27 outside threads & 55/64"-27 inside threads	1

MALE FAUCET AERATOR ADAPTER FOR AMERICAN STANDARD* & DELTA*



- Adapts standard 55/64" -27 male threads to 15/16" -27 female threads
- Includes washer

PART #	DESCRIPTION	PKG./CTN.
MTAA1516-LF	Chrome plated brass	1

MALE FAUCET AERATOR ADAPTER (FOR KOHLER* & PRICE-PFISTER*)



- Also fits Union Brass* & Savoy* faucet spouts
- Adapts standard 55/64"-27 male threads to 13/16"-27 female threads
- Includes washer

PART #	DESCRIPTION	PKG./CTN.
MTAA1316-LF	Chrome plated brass	1

FEMALE FAUCET AERATOR ADAPTER (FOR KOHLER* & PRICE-PFISTER*)



- Adapts 3/4" -27 female threads to 13/16" -27 male threads

PART #	DESCRIPTION	PKG./CTN.
FMTAA1316-LF	Chrome plated brass	1

FEMALE FAUCET AERATOR ADAPTER (FOR CHICAGO*)



- Adapts 13/16" -24 female threads to 55/64" -27 male threads

PART #	DESCRIPTION	PKG./CTN.
FTAA1316-LF	Chrome plated brass	1

DUAL THREAD FAUCET TO GARDEN HOSE AERATOR ADAPTER



- Chrome plated brass
- Dual thread 15/16" -27 male threads & 55/64" -27 female threads adapts to 3/4" male garden hose outlet threads

PART #	DESCRIPTION	PKG./CTN.
DTGHAA-LF	15/16"- 27 male x 55/64"- 27 female x 3/4" MGHT	1
DTIOGHAA-LF	15/16"- 27 male x 55/64"- 27 female x 3/4" MGHT and 55/64"- 27 male	1

LARGE DUAL-THREAD SNAP FITTING NIPPLE WITH AERATOR



- Use to hook-up portable dishwashers & other snap fitting attachments
- Dual-thread 15/16 -27" male threads & 55/64" -27 female threads x aerated snap fitting
- Use with BHC # MHSC

PART #	DESCRIPTION	PKG./CTN.
DTLN	Chrome plated brass	1

LARGE FEMALE SNAP FITTING COUPLER/NIPPLE



- Female snap-fitting coupler inlet x 3/4" garden hose threads
- Use as a quick-disconnect unit or with BHC #s DTLN or FHLN

PART #	DESCRIPTION	PKG./CTN.
MHSC	Chrome plated brass	1

LARGE MALE SNAP FITTING COUPLER/NIPPLE



- 55/64" -27 female threads x male snap-fitting coupler inlet
- Use as a quick-disconnect unit or with BHC # MHSC

PART #	DESCRIPTION	PKG./CTN.
FHLN	Chrome plated brass	1

FAUCET AERATOR FLOW RESTRICTER DISC



- Fits standard female or male aerator
- Reduces flow to 2.75 GPM @ 80 PSI

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FAFRD	Brass	20

BASKET STRAINERS

BASKET STRAINERS

FIRST CHOOSE YOUR BASKET **NEXT** CHOOSE YOUR STRAINER	 Stick Post	 Spring Post	 Snap Ball Lock	 O-ring Stopper
Fits sinks up to 3/4" thick				
 Standard, SS, w/ zinc die cast nuts	DBS	DBSS	DBSL	—
 Standard, SS, w/ heavy solid brass slip joint nut and zinc die cast locknut	DBSB	DBSSB	DBSLB	—
 Standard, cast brass, w/ heavy solid brass nuts	—	—	—	DDBS
Fits sinks up to 1" thick				
 Double cup, SS, w/ zinc die cast nuts	DCBS	DCBSS	DCBSL	—
 Double cup, SS, w/ heavy brass slip joint nut and zinc die cast locknut	DCBSB	DCBSSB	DCBSLB	—
 Double cup w/extended shank, SS, w/ zinc die cast nuts	DCBSD	DCBSDS	DCBSDL	—
 Double cup w/ extended shank, SS, w/ heavy brass slip joint nut and zinc die cast locknut	DCBSDB	DCBSDSB	DCBSDLB	—
Fits sinks up to 1-1/4" thick				
 Easy connect, SS, w/ zinc die cast nuts	ECBS	—	—	—
 Easy connect, SS, w/ heavy solid brass nuts	ECBSB	—	—	—
 Standard, SS, w/ zinc die cast nuts	DBSH	—	—	—
 Standard, chrome plated brass, w/ heavy solid brass nuts	DBSHCP	—	—	DBSM

BRAXTON HARRIS CO., INC.

BASKET STRAINERS

SOLID COLOR BASKET STRAINER



- Fits sinks with 3-1/2" - 4" opening & up to 1-1/4" thickness
- 4-1/2" diameter
- Molded color throughout
- Will not chip, flake or peel

PART #	DESCRIPTION	PKG./CTN.
DBS-WH	White	1/50
DBS-BL	Black	1/50
DBS-AL	Almond	1/50
DBS-BI	Biscuit	1/50

DELUXE DEEP BASKET STRAINER



- Fits sinks with 3-1/2" - 4" opening & up to 2" thickness
- Deluxe basket strainer with stainless steel metal top and plastic cup
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
DBSD	Deluxe deep basket strainer	1

SPIN & SEAL BASKET STRAINER



- Fits sink with 3-1/2" - 4" opening & up to 1" thickness
- 4-1/2" diameter
- All stainless steel with zinc die cast locknut
- Stainless steel basket strainer with rolled edge
- Screw-in basket
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SSBS	Spin & seal strainer	1/50

FLAT-TOP BAR SINK STRAINER



- Stainless steel body & strainer with zinc die cast locknut
- 2-7/8" OD
- Fits 1-1/2" bar sink up to 3/4" thickness

PART #	DESCRIPTION	PKG./CTN.
FTSS212	Flat duplex strainer	1/50

FLAT-TOP GRID STRAINERS



- Stainless steel body & strainer with zinc die cast locknut with 1/2" thickness
- 4-1/2" OD
- Fits 3-1/2" opening

PART #	DESCRIPTION	PKG./CTN.
FTSS412	Flat-top grid strainer	1/50

JUNIOR DUO BASKET STRAINER



- Fits sinks with 1-7/8" to 2-1/4" drains & up to 1/2" sink thickness
- 1-1/2" basket with 2-1/2" standard shank
- Stainless steel body & basket
- With zinc die cast locknut
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
JDBS	Jr. duo basket strainer	1/100
JDBSRB	Replacement basket	1

DEEP JUNIOR DUO BASKET STRAINER



- Fits 1-7/8" to 2-1/4" drains & up to 1-1/4" sink thickness
- 3" long extended shank
- Chrome plated brass body with stainless steel basket
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
DJDBS	Deep Jr. duo strainer	1/100
DJDBSRB	Replacement basket	1

PLUGS/STRAINER BASKETS

OVERFLOW BAR SINK WASTE SOCKET DRAIN/BAR PLUG



- All brass stopper, locknut, coupling nut, tailpiece & rubber washers
- 3-1/4" long x 1-7/8" flange x 1" size
- Fits sinks up to 1-1/4" thickness

PART #	DESCRIPTION	PKG./CTN.
SWSD	Sink waste complete	1

WASH TRAY PLUG



- Fits 1-7/8" to 2-1/4" drains
- Stainless steel

PART #	DESCRIPTION	PKG./CTN.
WTP	2-1/2" with stopper	1

FLEXIBLE STRAINER

- Keeps debris out of the drain
- Made of soft white rubber

PART #	DESCRIPTION	PKG./CTN.
FHS	Flexible strainer	1

JUNIOR DUO REPLACEMENT BASKET



- 1-1/2" diameter
- Stainless steel

PART #	DESCRIPTION	PKG./CTN.
JDBSRB	Replacement basket	1

ECONOMY REPLACEMENT BASKET



- Stainless steel basket with plastic stick post

PART #	DESCRIPTION	PKG./CTN.
RBSP	Replacement basket	1

METAL REPLACEMENT BASKET WITH ADJUSTABLE POST



- With adjustable post & rubber seal
- Stainless steel

PART #	DESCRIPTION	PKG./CTN.
RBAP	Fit-all replacement basket	1

PLASTIC REPLACEMENT BASKET WITH ADJUSTABLE POST



- With adjustable post & rubber seal
- White Celcon®

PART #	DESCRIPTION	PKG./CTN.
RBAPP	Fit-all replacement basket	1

SPIN & SEAL REPLACEMENT BASKET



- Stainless steel
- With threaded metal post

PART #	DESCRIPTION	PKG./CTN.
RBSS	Replacement basket	1

BRAXTON HARRIS CO., INC.

STRAINER BASKETS/GARBAGE DISPOSAL

SINK CRUMB CUP



SCC



SCCP

- 1-1/2"
- Stainless steel

PART #	DESCRIPTION	PKG./CTN.
SCC	Without center post	1
SCCP	With center post	1

BASIN OR LAVATORY CRUMB CUP



- 1" dia. x 3/4" deep
- Stainless steel

PART #	DESCRIPTION	PKG./CTN.
BLCC	Basin/lavatory crumb cup	1

TUB & LAUNDRY CRUMB CUP



- 1 3/8" dia. x 1/2" deep
- Stainless steel

PART #	DESCRIPTION	PKG./CTN.
TLCC	Tub/laundry crumb cup	1

3-PRONG DRAIN STRAINERS



- Chromed steel

PART #	DESCRIPTION	PKG./CTN.
3PDS158	1-5/8"	1
3PDS178	1-7/8"	1

DISPOSAL WRENCH

H



- Fits InSinkErator*-style and others
- Use to restart or unclog under-sink disposal units
- Steel

PART #	DESCRIPTION	PKG./CTN.
DW	Disposal wrench	1

GARBAGE DISPOSAL WRENCH

H



- Frees jammed disposal blades without endangering hands

PART #	DESCRIPTION	PKG./CTN.
GDW	Steel construction	1

GARBAGE DISPOSAL FLANGES & STOPPERS



GDFWM



GDFM



GDFSKM



GDSM

- Chrome plated metal
- Decorative finish available

PART #	DESCRIPTION	PKG./CTN.
GDFWM	Flange, fits Waste King* & Whirlaway*	1
GDFM	Flange, fits InSinkErator*, Emerson*, Kenmore* & Granger*	1
GDSM	Stopper, fits InSinkErator*, Emerson*, Kenmore* & Granger*	1
GDFSKM	Flange & stopper, fits InSinkErator*, Emerson*, Kenmore* & Granger*	1

GARBAGE DISPOSAL

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

GARBAGE DISPOSAL REPLACEMENT PARTS FOR INSINKERATOR*-STYLE



KSGDSI



GDSGI



PDEI4



GDHCI



GDSGIE

- Fits InSinkErator*-style garbage disposals

PART #	DESCRIPTION	PKG./CTN.
KSGDSI	Stopper	1
GDSGI	Splash guard/strainer	1
GDSGIE	Splash guard for Evolution	1
PDEI4	4" plastic disposal elbow	1
GDHCI	Hush cushion/disposal seal	1

GARBAGE DISPOSAL STOPPER FOR WHIRLAWAY* STYLE



- Fits Whirlaway* style garbage disposals

PART #	DESCRIPTION	PKG./CTN.
KSGDSW	Stopper	1

GARBAGE DISPOSAL HUSH CUSHION FOR WASTE KING*



- Fits Waste King* garbage disposals
- 1-1/2" ID x 1-3/4" OD

PART #	DESCRIPTION	PKG./CTN.
GDHCW	Black rubber	1

GARBAGE DISPOSAL SPLASH GUARD



- Fits all makes of disposals
- With snap-fit reinforcing ring

PART #	DESCRIPTION	PKG./CTN.
GDSG	Rubber	1

KITCHEN SINK & GARBAGE DISPOSAL STOPPER



- Flanged to fit all sizes
- With knob
- Designed with stay-put lid to prevent slipping
- May be used in basket strainers and garbage disposals

PART #	DESCRIPTION	PKG./CTN.
KSGDS	White rubber	1


GARBAGE DISPOSAL STRAINER



- Keeps drain open while working at sink
- Keeps any solids or valuable objects from falling into garbage disposal

PART #	DESCRIPTION	PKG./CTN.
GDS	Garbage disposal strainer	1

DISHWASHER/DISPOSAL CONNECTORS



DDC



DDC2

- Makes a quick & positive seal between drain & dishwasher/disposal

PART #	DESCRIPTION	PKG./CTN./MSTR.
DDC	Rubber sleeve with 4-screw clamps	20/20/200
DDC2	Rubber sleeve with 2-gear clamps	50/50/200

BRAXTON HARRIS CO., INC.

GARBAGE DISPOSAL/SINK PRODUCTS

GARBAGE DISPOSAL CORDS

H


GDC


GDCA

- 16/3 S.P.T. - 3 wire
- 13 amps @ 125 volts
- UL listed for garbage disposal, motors, tools & appliances
- 16 ga. wire w/ground

PART #	DESCRIPTION	PKG./CTN.
GDC3	3' straight pigtail cord	1
GDC6	6' straight pigtail cord	1
GDCA3	3' angle pigtail cord	1
GDCA6	6' angle pigtail cord	1

GARBAGE DISPOSAL WIRING KIT

H


Angle Kit

- Kit includes 16/3 wire, 3 wire nuts and connector coupling
- 16/3 S.P.T. - 3 wire
- 13 amps @ 125 volts

PART #	DESCRIPTION	PKG./CTN.
GDWKA3	3' wire with angle plug kit	1
GDWKA6	6' wire with angle plug kit	1
GDWKS3	3' wire with straight plug kit	1
GDWKS6	6' wire with straight plug kit	1

KITCHEN SINK HOSE & SPRAY (OLD-STYLE)


KSHS


SSH

- Black spray head with chrome accents

PART #	DESCRIPTION	PKG./CTN.
KSHS	Complete assembly	1/100
SSH	Spray head only	1
MR4	4' connector hose only (1/8" MPT)	1

KITCHEN SINK HOSE & SPRAY (NEW-STYLE)


KSHS-___


SSH-___

PART #	DESCRIPTION	PKG./CTN.
KSHS-BL	Black finish	1
KSHS-WH	White finish	1
KSHS-SN	Satin nickel finish	1
KSHS-OB	Oil-rubbed bronze finish	1
KSHS-CP	Chrome plated finish	1
SSH-WH	White spray head (only)	1
SSH-CP	Chrome plated spray head (only)	1

KITCHEN FAUCET SPRAY HOSE GUIDE



- Guide only
- Plastic
- Fit-all

PART #	DESCRIPTION	PKG./CTN.
HG	Chrome plated trim	1

HOSE & ADAPTER/COUPLING


C

- Fit-all

PART #	DESCRIPTION	PKG./CTN.
H48	48" hose	1

FAUCET MOUNTING KIT



- For single handle faucets
- Kit includes 2 each: bolts, washers & nuts
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
FMK	Brass plated	1 pr.

DISPENSERS/FAUCETS

LIQUID SOAP & LOTION DISPENSER



- Polished chrome plated brass dispenser head
- All brass pump mechanism
- Easy fill-from-top design
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LSD	14 oz. plastic reservoir bottle	1

COMMERCIAL LIQUID SOAP DISPENSER



- Polished chrome plated brass dispenser head
- All brass pump mechanism
- Easy fill-from-top design

PART #	DESCRIPTION	PKG./CTN.
LSDC	17 oz. reservoir bottle	1

LIQUID SOAP DISPENSER EXTENSION KIT



- Allows for installation on thick counter tops

PART #	DESCRIPTION	PKG./CTN.
LSDEK	3" extension kit	1

BASIN FAUCET



- Brass construction with chrome plated finish
- 1/2" FPT inlet
- 5.0 GPM
- With H & C buttons
- Lead free

PART #	DESCRIPTION	PKG./CTN.
BF-LF	Basin faucet	1

HEAVY PATTERN BASIN FAUCET



- Brass construction with chrome-plated finish
- 1/2" FPT inlet
- 5.0 GPM
- With aerator
- With H & C buttons
- Lead free

PART #	DESCRIPTION	PKG./CTN.
BFHP-LF	Extra heavy pattern	1

SELF-CLOSING BASIN FAUCET



- Heavy brass construction with chrome plated finish
- 1/2" MPT inlet
- Lead free

PART #	DESCRIPTION	PKG./CTN.
SCBF	Self-closing	1

WALL MOUNT SINK FAUCETS



- Polished chrome plated brass body
- With soap dish & canopy handles
- Standard pattern
- Replaceable brass seats and stems
- Uses Price Pfister* replacement parts
- Adjustable 6-1/2" to 9-1/2" centers
- Adjustable 1/2" female threaded eccentric coupling
- Lead free

PART #	DESCRIPTION	PKG./CTN.
WMSF8-LF	With 8" tubular spout	1
WMSF12-LF	With 12" tubular spout	1

SERVICE SINK FAUCET



- For commercial & food applications
- Chrome plated heavy brass pattern
- Complete with all mounting hardware
- Replaceable brass seats & stems
- Hose threads on spout
- Hook on front of spout to hang bucket
- 8" center to center
- With cross handles

PART #	DESCRIPTION	PKG./CTN.
SSF	With 6" spout	1

BAR SINK FAUCET



- Polished chrome plated brass finish
- 4" centers
- 6" tubular spout
- Replaceable brass seats and stems
- Lead free

PART #	DESCRIPTION	PKG./CTN.
BSFC-LF	Bar sink faucet	1

COMMERCIAL CHINESE RANGE FAUCET



- 12" heavy-duty double o-ring spout
- 1/2" FPT inlet
- Heavy-duty brass construction
- Chrome plated finish
- Lead free

PART #	DESCRIPTION	PKG./CTN.
CRF12	Range faucet	1

BRAXTON HARRIS CO., INC.

LAVATORY/SINK PRODUCTS

LAUNDRY TRAY FAUCET



- Polished chrome plated finish
- 4" centers
- 6" tubular spout with hose thread outlet
- Replaceable brass seats and stems
- Lead free

PART #	DESCRIPTION	PKG./CTN.
LTF6	Laundry tray faucet	1

SERVICE SINK MOP HANGER



- Stainless steel hanger with three rubber grips for three mops
- Anchors included

PART #	DESCRIPTION	PKG./CTN.
SSMH	24" x 3" stainless steel hanger	1/25

HANDICAP TWO HANDLE LAUNDRY TRAY FAUCET



- Fits 4" center
- Chrome plated wing die cast handles
- POM cartridge and waterways
- Metal threaded shaft, bottom mount
- Uses Delta style stems, seats and handles
- Comes with adapter for garden hose connection
- Aerator spray for splash free performance
- 4.0 gpm flow
- Lead free

PART #	DESCRIPTION	PKG./CTN.
LTFH6	Handicap laundry tray faucet	1

SINK BIBBS





- Chrome plated cast brass
- With flange & T-handle
- # SBC12 has threaded hose outlet

PART #	DESCRIPTION	PKG./CTN.
SBC12	1/2" FPT x 3/4" MHT outlet	1
SBCP12	1/2" FPT x plain outlet	1

HOSE BIBBS






- Chrome plated cast brass

PART #	DESCRIPTION	PKG./CTN.
HBC12	Threaded hose outlet, nickel plated brass, 1/2" MPT x 3/4" MHT outlet	1
HBC34	Threaded hose outlet, nickel plated brass, 3/4" MPT x 3/4" MHT outlet	1
HBCP12-LF	1/2" MPT x plain outlet	1

HOSE BIBB MOUNTING PLATE



- Mounts hose bibbs, sillcocks and frost free hydrants easily to stucco, brick, block and siding
- Stainless steel screws provided

PART #	DESCRIPTION	PKG./CTN.
HBMP	Hose bibb mounting plate	1

DRINKING WATER FAUCET





- Bar-top faucet
- Chrome plated brass construction
- 1/4" OD compression inlet
- 1.5 GPM flow rate
- Features on-all or constant flow modes; press down for easy flow or lift for continuous flow
- Decorative finishes available
- Lead free

PART #	DESCRIPTION	PKG./CTN.
DWF-LF	Drinking water faucet	1/50
DWFLR-LF	Long reach drinking water faucet	1

FIT-ALL FAUCET HANDLES



- Will fit all basin, sink and tub faucets
- Vice-grip design allows handles to fit all types of stems
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
FAFHL	Lever, chrome plated zinc die cast	1 pr.
FAFHC	Cross, chrome plated zinc die cast	1 pr.
FAFHAD	Deluxe clear acrylic	1 pr.

BUBBLERS/SINK WASHERS & NUTS

DRINKING FOUNTAIN BUBBLER WITH FLEXIBLE FACE GUARD



- Chrome plated brass body
- Flexible water shield to prevent injuries to teeth, gums and face
- Tamper proof design requires 5/16" hex key to remove/replace watershield for cleaning
- Lead free

PART #	DESCRIPTION	PKG./CTN.
DFFFG	Drinking Fountain Faucet w/ Face Guard	1/40

DRINKING FOUNTAIN BUBBLER



- Solid cast brass
- Replaces Haws*, Central Brass* & others
- Chrome plated brass body
- Bubbler with push button
- The standard bubbler for the water cooler industry
- Standard pattern
- Meets NSF 61.9
- Lead free

PART #	DESCRIPTION	PKG./CTN.
DFF-LF	Bubbler w/ S.S. cartridge, 3/8" FPT inlet	1/50
DFFRC-LF	Replacement S.S. cartridge for # DFF faucet	1/100

SELF-CLOSING DRINKING FOUNTAIN FAUCET/BUBBLER



- Chrome plated brass construction
- Adjustable water flow
- 1/2" FPT inlet
- Standard pattern
- Lead free

PART #	DESCRIPTION	PKG./CTN.
DFFSC-LF	Self-closing bubbler	1

RETROFIT KIT DRINKING FOUNTAIN FAUCET



- Replaces fountain on china fixtures
- Contains bubbler 1/2" x 3/8" x 3-1/2" nipple, rosette flange, locknut, coupling nut and 1-3/4" faucet cover
- All metal
- Lead free

PART #	DESCRIPTION	PKG./CTN.
RKDFF-LF	Retrofit kit drinking fountain	1

BASKET STRAINER LOCKNUTS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	MATERIAL	PKG./CTN.
BSL112	Regular 1-1/2" locknut	Zinc die cast	10
BSL2	Regular 2" locknut	Zinc die cast	10
BSL338	Regular 3-3/8" locknut for 4" duo strainer	Zinc die cast	10
BSLH338	Heavy pattern 3-3/8", 4" duo strainer	Zinc die cast	10
BSL338-RB	Heavy cast pattern 3-3/8", 4" duo strainer	Brass	10

RUBBER BASKET STRAINER WASHER



- 4" duo basket strainer washer
- 3-3/8" ID x 4-3/8" OD

PART #	DESCRIPTION	PKG./CTN.
DBSW4	Rubber	1/25

GALVANIZED BASKET STRAINER FRICTION WASHER



- 4" duo basket strainer washer
- 3-3/8" ID x 4-3/8" OD

PART #	DESCRIPTION	PKG./CTN.
DBSFW4	Galvanized	1

BASKET STRAINER WASHER KIT



- Kit includes one each: # DBSW4 rubber washer & # DBSFW4 galvanized washer (listed above)

PART #	DESCRIPTION	PKG./CTN.
DBSWK4	Washer kit	1

JUNIOR DUO SINK STRAINER WASHER



- Fits Junior Duo sink strainers, laundry tray stoppers & strainers
- 1-7/16" ID x 2-1/2" OD x 1/16" thick

PART #	DESCRIPTION	PKG./CTN.
JDBSW	Rubber	1

BRAXTON HARRIS CO., INC.

LAVATORY/SINK PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

RUBBER SINK GASKET



• 1-1/4" ID x 2-1/2" OD x 5/8" thick

PART #	DESCRIPTION	PKG./CTN.
RSG	Rubber	1

SINK COLLAR & FUNNEL





PART #	DESCRIPTION	PKG./CTN.
CISC	Cast iron sink collar, 3-1/2" between centers, 2" ID	1
SF112-6	Sink funnel, 1-1/2" x 6" CP	1

ZINC DIE CAST SLIP JOINT NUTS



• Less washer
• Chrome plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJN114	1-1/4" FPT x 1-1/4" tube	25
SJN112	1-1/2" FPT x 1-1/2" tube	25
SJN112-114	1-1/2" FPT x 1-1/4" tube	25
SJN2	2" FPT x 2" tube	25
SJN2-112	2" FPT x 1-1/2" tube	25

BRASS SLIP JOINT NUTS



• Less washer
• Chrome plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	FPT x TUBE	
SJNB114	1-1/4" x 1-1/4"	25
SJNB112	1-1/2" x 1-1/2"	25
SJNB112-114	1-1/2" x 1-1/4"	25
SJNB2	2" x 2"	25

PVC WING SLIP JOINT NUTS



• White PVC handtite wing nut

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJNP112	1-1/2" FPT x 1-1/2" tube	100/100
SJNP114	1-1/4" FPT x 1-1/4" tube	100/100

SPLIT NUTS



• With washer
• 2-piece
• Replace fractured or stripped slip nuts without tubular disassembly

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJNPS114	1-1/4" white plastic	25
SJNPS112	1-1/2" white plastic	25
SJNPA112	1-1/2" grey ABS	25

SLIP JOINT NUT & WASHER



• Nut packed with square-cut rubber washer

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	FPT x TUBE	
DIE CAST NUT:		
SJNW114	1-1/4" x 1-1/4"	25
SJNW112	1-1/2" x 1-1/2"	25
SJNW112-114	1-1/2" x 1-1/4"	25
SJNW2	2" x 2"	25
BRASS NUT:		
SJNBW114	1-1/4" x 1-1/4"	25
SJNBW112	1-1/2" x 1-1/2"	25
SJNBW112-114	1-1/2" x 1-1/4"	25
SJNBW2	2" x 2"	25

RUBBER SLIP JOINT WASHER



• Square-cut rubber

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJW114	1-1/4" x 1-1/4"	100
SJW112	1-1/2" x 1-1/2"	100
SJW112-114	1-1/2" x 1-1/4"	100
SJW2-112	2" x 1-1/2"	100
SJW2	2" x 2"	100

LAVATORY/SINK PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

PREMIUM SLIP JOINT WASHER



- Blue TPR (thermoplastic rubber)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJWS114	1-1/4"	100
SJWS112	1-1/2"	100
SJWS112-114	1-1/4" x 1-1/2"	100

POLY BEVELED SLIP JOINT WASHER



- Polyethylene

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJWP114	1-1/4" x 1-1/4"	100
SJWP112	1-1/2" x 1-1/2"	100
SJWP112-114	1-1/2" x 1-1/4"	100
SJWP2	2" x 2"	100

PREMIUM FLANGED POLY TAILPIECE WASHER



- Made of TPR (thermoplastic rubber)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TPWFS112	1-1/2" flanged	100

FLANGED POLY TAILPIECE WASHER



- Polyethylene

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TPWF112	1-1/2" flanged	100

TRAP WASTE CONNECTOR (DESANCO* FITTINGS)



TCM



TCF

- Brass body ferrule and nut
- With brass washer

PART #	DESCRIPTION	PKG./CTN./MSTR.
TCM114	1-1/4" OD x 1-1/4" MPT	1/10/100
TCM114-112	1-1/4" OD x 1-1/2" MPT or FSWT	1/12/72
TCM112	1-1/2" OD x 1-1/2" MPT or FSWT	1/10/100
TCF114	1-1/4" OD x 1-1/4" FPT	1/10/100
TCF114-112	1-1/4" OD x 1-1/2" FPT	1/10/100
TCF112	1-1/2" OD x 1-1/2" FPT	1/10/100

DOUBLE SLIP ELBOW

SRE



SR45



- Chrome plated brass
- Includes nuts & washers
- Compression ends

PART #	DESCRIPTION	PKG./CTN.
SR45-114	1-1/4" 45° elbow	1/25
SR45-112	1-1/2" 45° elbow	1/25
SRE114	1-1/4" 90° elbow	1/25
SRE112	1-1/2" 90° elbow	1/25

SLIP REPAIR COUPLINGS



- Chrome plated brass
- Includes nuts & washers
- Compression ends

PART #	DESCRIPTION	PKG./CTN.
SRC114	1-1/4" coupling	1/25
SRC112	1-1/2" coupling	1/25

SLIP REPAIR TEE



- Chrome plated cast brass
- Includes nuts & washers
- Compression ends

PART #	DESCRIPTION	PKG./CTN.
SRT112	1-1/2" x 1-1/2" x 1-1/2"	1/25

BRAXTON HARRIS CO., INC.

LAVATORY/SINK PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

CAST TRAP PRIMER



TP112-8 TP114-8

- One piece construction
- Cast body
- 17 gauge tailpiece
- 5/8 O.D. Compression outlet for copper or poly tubing
- Uses waste water to maintain level in seldom used traps

PART #	DESCRIPTION	PKG./CTN.
TP112-8	1-1/2" x 8" cast trap primer	1/50
TP114-8	1-1/4" x 8" cast trap primer	1/50

FLEXIBLE DRAIN TRAP CONNECTORS



- With stainless steel clamps

PART #	DESCRIPTION	PKG./CTN.
FDTC1	Connects 1-1/4" or 1-1/2" tubular to 1-1/4" or 1-1/2" tubular (Replaces Fernco* # TC150)	1/100
FDTC2	Connects 1" DWV or 1-1/2" CTS to 1-1/4" or 1-1/2" tubular	1/20
FDTC3	Connects 1-1/2" DWV or CTS to 1-1/4" or 1-1/2" tubular (Replaces # DTC210)	1/100
FDTC4	Connects 2" DWV to 1-1/4" or 1-1/2" tubular (Replaces # DTC215)	1/20

FLANGED SINK 90° ELBOW



- Forged brass

PART #	DESCRIPTION	PKG./CTN.
FS90E	1/2" SWT x 1/2" FPT	25/25

BRASS BIBB SCREW ASSORTMENT KIT



- Packed in individual slots in resealable box with size chart.
- Kit contains: 40 ea. 8/32" x 3/8"; 40 ea. 10/24" x 3/8"; 30 ea. 8/32" x 1/4"; 30 ea. 6/32" x 3/8"; 15 ea. 8/32" x 1/2"; 15 ea. 10/28" x 1/2"; 15 ea. 10/28" x 3/8"; 15 ea. 10/24" x 1/2".
- Priced per kit.

PART #	DESCRIPTION	PKG./CTN.
BBS	8 sizes (200 pcs./kit)	1 kit

BRASS BIBB SCREW ECONOMY KIT



- Packed bulk in resealable container
- Kit contains:
  34 ea. 3/8" x 6/32";
  17 ea. 3/8" x 8/32",
  17 ea. 3/8" x 10/32";
  17 ea. 3/8" x 10/24";
  5 ea. 1/2" x 8/32";
  5 ea. 1/2" x 10/32";
  5 ea. 1/2" x 10/24"
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
BBSEK	7 sizes (100 pcs/kit)	1 kit

FAUCET BIBB WASHERS (PLUMBERS' PACKS)



FBWF



FBWB



FBWBA200

(KIT QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FBWFA48	Flat, assorted (48 pcs./kit)	1 kit
FBWFA100	Flat, assorted (100 pcs./kit)	1 kit
FBWFA200	Flat, assorted (200 pcs./kit)	1 kit
FBWBA48	Beveled, assorted (48 pcs./kit)	1 kit
FBWBA100	Beveled, assorted (100 pcs./kit)	1 kit
FBWBA200	Beveled, assorted, color coded (200 pcs./kit)	1 kit
FBWFBA48	Flat & beveled, assorted (48 pcs./kit)	1 kit
FBWFBA200	Flat & beveled, assorted, color coded (200 pcs./kit)	1 kit

LAVATORY/SINK PRODUCTS

FAUCET BIBB WASHERS
(INDIVIDUAL SIZES)





- Neoprene precision molded for hot or cold water
- Prices are per kit

(KIT QUANTITY ONLY)

PART #	DESCRIPTION			PKG./CTN.
	TRADE SIZE	ACTUAL O.D.	PCS/KIT	
FLAT:				
FBWF00	00 (1/4" S)	1/2"	100	1 kit
FBWF0	0 (1/4" M)	17/32"	100	1 kit
FBWF14	1/4"	9/16"	100	1 kit
FBWF14L	1/4" L	19/32"	100	1 kit
FBWF38	3/8"	5/8"	100	1 kit
FBWF38M	3/8" M	21/32"	100	1 kit
FBWF38L	3/8" L	11/16"	100	1 kit
FBWF12	1/2"	3/4"	100	1 kit
FBWF12L	1/2" L	25/32"	100	1 kit
FBWF58	5/8"	13/16"	100	1 kit
BEVELED:				
FBWB00	00 (1/4" S)	1/2"	100	1 kit
FBWB0	0 (1/4" M)	17/32"	100	1 kit
FBWB14	1/4"	9/16"	100	1 kit
FBWB14L	1/4" L	19/32"	100	1 kit
FBWB38	3/8"	5/8"	100	1 kit
FBWB38M	3/8" M	21/32"	100	1 kit
FBWB38L	3/8" L	11/16"	100	1 kit
FBWB12	1/2"	3/4"	50	1 kit
FBWB12L	1/2" L	25/32"	50	1 kit
FBWB58	5/8"	13/16"	50	1 kit

ASSORTED O-RING KIT



- 200 assorted pieces packed in resealable case, with o-ring guide on inside of lid
- Special low-water swell Nitrile material, 70 Durometer
- Kit contains most popular sizes
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
OR	Assorted o-ring kit	1 kit

O-RING PICK/REMOVER

H



- For quick & easy removal of o-rings from the groove

PART #	DESCRIPTION	PKG./CTN.
ORP	O-ring pick	1

LUBRICANT CAPSULE FOR FAUCET STEMS & CARTRIDGES



- Silicone
- Small capsule is perfect for rebuilding one faucet
- 4 capsules per bag
- Priced per bag

PART #	DESCRIPTION	PKG./CTN.
LC	Lubricant capsule	1 bag

HEAT-PROOF GREASE FOR COMPRESSION FAUCETS



- Makes hard-turning faucets work smoothly
- Lubricates stems of faucets, valves, ballcocks, etc.
- Revitalizes & conditions as it moisturizes
- Waterproof
- Enhanced for o-rings
- Will not melt like ordinary grease
- For hot water or steam
- Temperature range: -20°F to +250°F

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HPG1	1 oz.	1/6
HPG2	2 oz.	1/12

CANDLE/LAMP WICK PACKING



- First quality cotton
- Medium

PART #	DESCRIPTION	PKG./CTN.
CWP	2 oz. balls	1/6

BRAXTON HARRIS CO., INC.

LAVATORY/SINK PRODUCTS

VALVE STEM PACKING



GCVSP



TCVSP


- Non-asbestos graphite coated
- Max temp of 150°F
- Widely used for repairs to radiator valves, water pumps, faucet stems, etc.



GCVSPS
GCVSPS-8

PART #	DESCRIPTION	PKG./CTN./MSTR.
TCVSP	1/16" x 24", teflon coated (CARTON QUANTITY ONLY)	1/10/100
GCVSP	1/8" x 24", graphite coated (CARTON QUANTITY ONLY)	1/10/100
GCVSPS	1/8" x 12' long, graphite coated	1/12/120
GCVSPS-8	1/4" x 8' long, graphite coated	1/12/120

BRASS FAUCET SEAT GAUGE



- 16 measurements

PART #	DESCRIPTION	PKG./CTN.
BSG	Seat gauge	1

ASSORTED FAUCET SEAT KIT



- 36 pieces of the most popular sizes
- Kit contains: American Standard* 9/16 x 24 & 7/16 x 24, Central* 1/2 x 24, Eljer* 1/2 x 24, Gerber* 5/8 x 20, Kohler* 1/2 x 27, Savoy* 9/16 x 20 & Sterling* 1/2 x 24
- Priced per kit
- Lead free

PART #	DESCRIPTION	PKG./CTN.
FSK-LF	Assorted faucet seat kit	1 kit.

FITS AMERICAN STANDARD*



- All brass
- Priced each

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	OEM #	
AS5653407	1/2" x 20 x 3/8"	56534-07	1/100
AS5728107	1/2" x 20 x 7/16"	57281-07 (Colony*)	1/100
AS86214	7/16" x 24 x 13/32"	862-14 (Aquaseal*)	1/100
AS17414	9/16" x 24 x 3/8"	174-14	1/100

FITS BRIGGS*



- All brass
- Priced each

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	OEM #	
B22092	1/2" x 24 x 7/16"	22092	1/100
B91	5/8" x 20 x 13/16"	91	1/100
B22379	5//8" x 24 x 7/16"	22379	1/100
B877	9/16" x 20 x 3/8"	877	1/100

FITS CENTRAL BRASS*



- All brass
- Priced each

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	OEM #	
CE263	1/2" x 24 x .418"	263	1/100
CE165	5/8" x 24 x 23/32"	165	1/100
CE59	9/16" x 27 x 13/32"	59	1/100

FITS ELJER*



- All brass
- Priced each

PART #	DESCRIPTION		PKG./CTN.
	THD. WIDTH x TPI x HEIGHT	OEM #	
E5257	1/2" x 20 x 3/8"	5257	1/100
E2734	1/2" x 27 x 1/2"	2734	1/100

FITS GERBER*



- All brass
- Priced each

PART #	DESCRIPTION		PKG./CTN.
	THD WIDTH x TPI x HEIGHT	OEM #	
G90160	5/8" x 20 x 27/64"	90-160	1/100

BRASS FAUCET SEATS

FITS INDIANA BRASS*



- All brass
- Priced each

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD. WIDTH x TPI x HEIGHT		
IB6380	1/2" x 27 x 13/32"	638-0	1/100
IB5900	9/16" x 27 x 5/8"	590-0	1/100

FITS KOHLER*



- All brass
- Priced each

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD. WIDTH x TPI x HEIGHT		
K20774	1/2" x 27 x .318"	20774	1/100
K40602	1/2" x 27 x 3/8"	40602	1/100
K23004	Push-in x .348"	23004	1/100

FITS PRICE PFISTER*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD. WIDTH x TPI x HEIGHT		
PP970510	1/2" x 20 x 3/8"	970-510	1/100
PP970500	21/32" x 18 x 3/8"	970-500	1/100

FITS REGAL*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
RE916-28-1132	9/16" X 28 X 11/32"	112-18A	1/100

FITS SAYCO*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
SAA003	1/2" x 20 x 5/16"	A003	1/100

FITS SPEAKMAN*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
SP050775	7/16" x 27 x 11/32"	05-0775	1/100
SP050305	9/16" x 28 x 3/8"	05-0305	1/100

FITS STREAMWAY*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
ST10825	1/2" x 24 x 11/32"	108-25	1/100

FITS STERLING*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
S99S0369	1/2" x 24 x 3/8"	99S-0369	1/100

FITS UNION BRASS*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
UB2634	5/8" x 18 x 29/32"	2634	1/100
UB2632	5/8" x 18 x 5/16"	2632	1/100

FITS UNIVERSAL*



- All brass
- Priced per piece

PART #	DESCRIPTION	OEM #	PKG./CTN.
	THD WIDTH x TPI x HEIGHT		
UN1732-24-38	17/32" X 24 X 3/8"	P692, R12	1/100

DISHWASHER AIR GAP



- Prevents waste from backing up into dishwasher
- Used in conjunction with BHC # DDH58
- Approved by all major code authorities including I.A.P.M.O., N.S.F., B.O.C.A. & S.B.C.C.I.
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN./MSTR.
DAG	Complete air gap w/ chrome plated cover	1/36/72
DAGC	Chrome plated cover only	1/200
DAGC-SN	Satin nickel cover only	1/6
DAGC-OB	Oil rubbed bronze cover only	1/6
DAGC-PB	Polished brass cover only	1/6
DAGC-WH	White cover only	1/6
AGIK	Installation kit - 1pc air gap, 2pcs gear clamps, 24" length 7/8" OD dishwasher hose	1/10

BRAXTON HARRIS CO., INC.

AIR ADMITTANCE

HEAVY PATTERN PLASTIC AIR GAP



- For dishwasher and disposer installation
- With chrome plated brass cap
- Prevents waste water from backing up into dishwasher or disposer
- For standard hook-up, use with 5/8" ID & 7/8" ID hoses

PART #	DESCRIPTION	PKG./CTN.
AGHP	Blue plastic body	1

AIR ADMITTANCE VALVE (PRO VENT*)



- Automatic plumbing vent permits air to automatically enter drain line to prevent siphonage
- Seal closes as drainage stops to prevent sewer gas from entering home
- No metal parts to rust • Tested to NSF-24-19
- For use with sinks, tubs, showers, washing machines, dishwashers, etc.
- Withstands greater than 25 lbs. back pressures
- Actuates with less than 1/2 lb. PSI
- Maintains a 2.8" water column
- Do not place in sealed wall

PART #	DESCRIPTION	PKG./CTN.
PV112	1-1/2" MPT, ABS material	1/200

TAILPIECE ONLY FOR AIR ADMITTANCE VALVE (PRO VENT*)



- Fits BHC # PV112 above
- 1-1/2" dia. x 5" overall length

PART #	DESCRIPTION	PKG./CTN.
PVTP112	Tailpiece (only)	1/50

AIR ADMITTANCE VALVE WITH TAILPIECE (PRO VENT*)



- With tailpiece
- 1-1/2" dia. x 5-1/2" overall length

PART #	DESCRIPTION	PKG./CTN.
TAV112	Trap air vent	1/15

SMALL AIR ADMITTANCE VALVE



- Can be used as ind., branch, circuit or stack vent
- Fits 1-1/2" and 2" pipe
- Will vent up to 160 DFUs on branch and up to 20 DPUs on stack
- Residential or commercial use
- Meets ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, Warnock Hersey specifications

PART #	DESCRIPTION	PKG./CTN.
AAVS	Fits 1-1/2" & 2"	1/50

LARGE AIR ADMITTANCE VALVE



- Can be used as ind., branch, circuit or stack vent
- Fits 3" and 4" pipe
- Will vent up to 500 DFUs on stack
- Residential or commercial use
- Meets ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, Warnock Hersey specifications

PART #	DESCRIPTION	PKG./CTN.
AAVL	Fits 3" & 4"	1/10

PROFESSIONAL UNDERSINK TUBULAR PIPING COVERS



- Flexible waste & supply piping covers allow for easy installation
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular & cast brass P-trap assemblies

PART #	DESCRIPTION	PKG./CTN.
TW2SC	P-trap & 2 angle valve & supply line covers, 4-pc. kit	1/15
TW1SC	P-trap & one angle valve & supply line cover, 3-pc. kit	1/15
TC	P-trap assembly covers, 2-pc. kit	1/15
SC	Stop cover, 1-pc.	1/15
TW2S1OC	Same as # TW2SC, except w/ 1 ea. # OC 1-1/4" offset grid strainer covers, 6-pc. kit	1/15
OC	1-1/4" x 5" offset grid strainer cover, 1-pc.	1/15
CWC	Continuous or end waste cover, 5-pc.	1/15

PVC HANDICAP WRAP



- PVC A.D.A. tape
- Handicap wrap for insulating sink traps & water lines
- Sufficient length to wrap approx. 5 ea. P-traps

PART #	DESCRIPTION	PKG./CTN.
HW2-40	2" x 40"	1/24

HANDICAP/ BATHROOM ACCESSORIES

GRAB BARS WITH EXPOSED SCREWS



- 18 gauge, 304 grade stainless steel, 1-1/2" tube
- Meets 900lb downward pull with proper installation
- Meets federal specification: WW-P-541/8B, Amendment 1, 16 April 1990
- Meets ANSI 117.1 and all ADA Code requirements
- Meets federal specifications for FHA, VA hospital, private construction
- Stainless steel mounting screws included

PART #	DESCRIPTION	PKG./CTN./MSTR.
SATIN FINISH:		
GB112-12	12", 1-1/2" diameter	1/5/15
GB112-18	18", 1-1/2" diameter	1/5/15
GB112-24	24", 1-1/2" diameter	1/5/15
GB112-30	30", 1-1/2" diameter	1/5/15
GB112-36	36", 1-1/2" diameter	1/5/15
GB112-42	42", 1-1/2" diameter	1/5/15
GB112-48	48", 1-1/2" diameter	1/5/15

GRAB BARS WITH CONCEALED SCREWS



- 18 gauge, 304 grade stainless steel
- Meets 900lb downward pull with proper installation
- Meets federal specification: WW-P-541/8B, Amendment 1, 16 April 1990
- Meets ANSI 117.1 and all ADA Code requirements
- Meets federal specifications for FHA, VA hospital, private construction
- Stainless steel mounting screws included

PART #	DESCRIPTION	PKG./CTN.
SATIN FINISH:		
GBC114-12	12", 1-1/4" diameter	1/5/15
GBC114-16	16", 1-1/4" diameter	1/5/15
GBC114-18	18", 1-1/4" diameter	1/5/15
GBC114-24	24", 1-1/4" diameter	1/5/15
GBC114-36	36", 1-1/4" diameter	1/5/15
GBC114-42	42", 1-1/4" diameter	1/5/15
GBC112-12	12", 1-1/2" diameter	1/5/15
GBC112-16	16", 1-1/2" diameter	1/5/15
GBC112-18	18", 1-1/2" diameter	1/5/15
GBC112-24	24", 1-1/2" diameter	1/5/15
GBC112-30	30", 1-1/2" diameter	1/5/15
GBC112-32	32", 1-1/2" diameter	1/5/15
GBC112-36	36", 1-1/2" diameter	1/5/15
GBC112-42	42", 1-1/2" diameter	1/5/15
GBC112-48	48", 1-1/2" diameter	1/5/15
PEENED FINISH:		
GBC112-12P	12", 1-1/2" diameter	1/5/15
GBC112-16P	16", 1-1/2" diameter	1/5/15
GBC112-18P	18", 1-1/2" diameter	1/5/15
GBC112-24P	24", 1-1/2" diameter	1/5/15
GBC112-30P	30", 1-1/2" diameter	1/5/15
GBC112-32P	32", 1-1/2" diameter	1/5/15
GBC112-36P	36", 1-1/2" diameter	1/5/15
GBC112-42P	42", 1-1/2" diameter	1/5/15
GBC112-48P	48", 1-1/2" diameter	1/5/15

RESIDENTIAL GRADE GRAB BARS



- 7/8" plated steel tubing
- Complete with wood screws
- Exposed screws

PART #	DESCRIPTION	PKG./CTN.
RGB78-24	24" length	1

CLAMP & SPRING FOR RECESSED FIXTURES



- With screws

PART #	DESCRIPTION	PKG./CTN.
IC	Installation clamp	1


RECESSED SOAP DISH & GRAB BAR



- With exposed screws

PART #	DESCRIPTION	PKG./CTN.
RSD	Soap dish & grab bar	1

RECESSED CLOSET PAPER HOLDER & ROLLER



RTPH



RTPHC

- With exposed screws

PART #	DESCRIPTION	PKG./CTN.
RTPH	Closet paper holder w/ white plastic roller	1
RTPHC	Closet paper holder w/ CP plastic roller	1

BRAXTON HARRIS CO., INC.

BATHROOM ACCESSORIES

RECESSED TOOTHBRUSH & TUMBLER HOLDER



- With exposed screws

PART #	DESCRIPTION	PKG./CTN.
RTBH	Toothbrush & tumbler holder	1

COMMERCIAL SINGLE CLOSET PAPER HOLDER



- Push-button arm release
- Controlled delivery of paper
- Chrome plated steel construction
- With exposed screws

PART #	DESCRIPTION	PKG./CTN.
PH	Closet paper holder, single	1

COMMERCIAL DOUBLE CLOSET PAPER HOLDER



- Push-button arm release
- Controlled delivery of paper
- Chrome plated steel construction
- With exposed screws

PART #	DESCRIPTION	PKG./CTN.
DPH	Closet paper holder, double	1


CLOSET PAPER ROLLERS



- Fits all holders
- Spring-action
- 5/8" round ends

PART #	DESCRIPTION	PKG./CTN.
TPR38	3/8" end, white plastic	25/25
TPR3	3-step end, white plastic	25/25
TPRC38	3/8" end, chrome plated plastic	25/25

CLOSET PAPER HOLDERS & ROLLERS



- Chrome plated die cast aluminum
- With white plastic roller
- With screws

PART #	DESCRIPTION	PKG./CTN.
TPH	With exposed screws	1/50
TPHC	With concealed screws	1/50

COMMERCIAL PAPER TOWEL DISPENSERS



- Holds multi-fold paper towels
- 11-1/4" W x 15-3/8" H x 4-1/16" D
- With heavy-duty key lock

PART #	DESCRIPTION	PKG./CTN.
CPTD	Chrome plated steel	1
CPTDW	White	1

COMMERCIAL LIQUID SOAP DISPENSERS



- Liquid dispenser with push-up valve
- 16 oz. with translucent poly-globe
- Chrome plated surface-mount bracket & valve

PART #	DESCRIPTION	PKG./CTN.
SLSD	Swivel liquid soap dispenser	1
LSDC	Soap dispenser, chrome plated, heavy-duty	1

LIQUID SOAP & LOTION DISPENSER



- Polished chrome plated brass dispenser head
- All brass pump mechanism
- Easy fill-from-top design
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LSD	14 oz. plastic reservoir bottle	1/50

LIQUID SOAP DISPENSER EXTENSION KIT




- Allows for installation on thick counter tops

PART #	DESCRIPTION	PKG./CTN.
LSDEK	3" extension kit	1

BATHROOM ACCESSORIES

TOOTHBRUSH & TUMBLER HOLDERS





- Chrome plated die cast aluminum
- With screws

PART #	DESCRIPTION	PKG./CTN.
TBH	With exposed screws	1/50
TBHC	With concealed screws	1/50

SOAP DISHES





- Chrome plated die cast aluminum
- With screws

PART #	DESCRIPTION	PKG./CTN.
SD	With exposed screws	1/50
SDC	With concealed screws	1/50

DOUBLE ROBE HOOKS





- Chrome plated die cast aluminum
- With screws

PART #	DESCRIPTION	PKG./CTN.
RH	With exposed screws	1/50
RHC	With concealed screws	1/50

ACRYLIC TOWEL RINGS





- Clear acrylic ring with chrome plated die cast aluminum holder
- With screws

PART #	DESCRIPTION	PKG./CTN.
ATR	With exposed screws	1/50
ATRC	With concealed screws	1/50


TOWEL SHELF & BAR



- Exposed screw.
- 24" L x 8-1/4" D.
- Heavy-duty chrome plated steel.

PART #	DESCRIPTION	PKG./CTN.
TSB	Towel shelf & bar	1

ADJUSTABLE PLASTIC TOWEL BARS



- Spring-loaded adjustable end caps
- Easily cut to fit
- Fits 5/8" or 3/4" towel bar brackets

PART #	DESCRIPTION	PKG./CTN.
APTB24	24" clear plastic	1
APTBW24	24" white plastic	1
APTB36	36" clear plastic	1
APTBW36	36" white plastic	1
ADJUSTABLE TOWEL BAR END CAPS (ONLY):		
APTBEC	Spring-loaded	1

STAINLESS STEEL BATHROOM TOWEL BARS



- 5/8" x 24"
- Heavy-duty stainless steel square bar

PART #	DESCRIPTION	PKG./CTN.
TBS24	Complete (w/ exposed screws)	1
TBS24C	Complete (w/ concealed screws)	1

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

BATHROOM ACCESSORIES

TOWEL BAR COMPONENTS



TBBC58



TBB58


- 5/8" square tubing
- Chrome plated
- Brackets come with screws
- Brackets come in pairs & priced each




TB58-__

PART #	DESCRIPTION	PKG./CTN.
TB58-18	18" aluminum bar only	1/50
TB58-24	24" aluminum bar only	1/50
TB58-30	30" aluminum bar only	1/50
TBS58-24	24" stainless steel bar only	1/50
TBB58	5/8" brackets (only) w/ exposed screws	1 pr./50
TBBC58	5/8" brackets (only) w/ concealed screws	1 pr./50

TOWEL BARS



TB__



TB__C

- 5/8" square tubing
- Chrome plated die cast aluminum
- Complete with screws

PART #	DESCRIPTION	PKG./CTN.
TB18	18" L with exposed screws	1
TB18C	18" L with concealed screws	1
TB24	24" L with exposed screws	1
TB24C	24" L with concealed screws	1
TB30C	30" L with concealed screws	1

NOTES

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

SECTION C.....APPLIANCE



C1


C2


C3


C3


C4


C5


C6


C7


C8


C10


C11


C11


C12


C12


C12


C13


C13


C14


C14


C15


C15


C16


C17


C17


C18


C19


C19


C19


C20


C20


C20


C21


C21


C25


C26

WE SHIP SAME DAY.

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

QUICK REFERENCE GUIDE

SECTION C.....APPLIANCE

CLOTHES DRYER / FAN VENT.....C1

ICE MAKER / HUMIDIFIER.....C3

WATER FILTRATION.....C5

TUBING.....C7

WASHING MACHINE.....C8

DISHWASHER.....C12

GARBAGE DISPOSAL.....C13

WATER HEATER.....C14

GAS APPLIANCE.....C20

WE SHIP SAME DAY.

CLOTHES DRYER/FAN VENT PRODUCTS

WIDE-MOUTH HOOD VENT KIT (WITH ALUMINUM DUCT)



- Complete kit includes:
  - 4" plastic hood
  - 4" x 8" flexible aluminum duct
  - 4" ring plate
  - 2 ea. metal screw clamps

PART #	DESCRIPTION	PKG./CTN.
DVKWA4-8	4" x 8' kit (complete)	1/4

WIDE-MOUTH HOOD VENT KITS



- With flapper & grate
- Complete kit includes:
  - Plastic vent hood & collar
  - Aluminum sleeve
  - Flexible wire-reinforced vinyl hose
  - 2 ea. plastic clamps
- Not to be used for dryer venting

PART #	DESCRIPTION	PKG./CTN.
DVKW4-5	4" x 5' kit (complete)	1/10
DVKW4-8	4" x 8' kit (complete)	1/10
DVHW4-12	4" x 12" hood (only)	1/12

LOUVERED HOOD VENT KIT (WITH ALUMINUM DUCT)



- Flush-mount
- Complete kit includes:
  - 4" plastic hood
  - 4" x 8" flexible aluminum duct
  - 4" ring plate
  - 2 ea. metal screw clamps

PART #	DESCRIPTION	PKG./CTN.
DVKLA4-8	4" x 8' kit (complete)	1/6

LOUVERED HOOD VENT KIT



- Flush-mount
- Complete kit includes:
  - Plastic vent hood & collar
  - Aluminum sleeve
  - Flexible wire-reinforced vinyl hose
  - 2 ea. plastic clamps
- Not to be used for dryer venting

PART #	DESCRIPTION	PKG./CTN.
DVKL4-5	4" x 5' kit white hood (complete kit)	1/10
DVKL4-8	4" x 8' kit white hood (complete kit)	1/10
DVHL4-12	4" x 12" white hood (only)	1/12
DVHL4-12B	4" x 12" brown hood (only)	1/12

ALUMINUM DRYER VENT HOOD



- For clothes dryers or exhaust fans
- Complete with damper and flange plate
- 4" hood vent with tailpipe
- 4" white plastic trim plate

PART #	DESCRIPTION	PKG./CTN.
DVHWA4-12	4" x 11" aluminum hood	1/12

INCREASERS/REDUCERS



- Used with dryer vent equipment

PART #	DESCRIPTION	PKG./CTN.
IR3-4	3" to 4" or 4" to 3", plastic	1/12
IRA3-4	3" to 4" or 4" to 3", aluminum	1/12

VINYL VENT HOSES



- White flexible vinyl
- Marked in 1 ft. intervals
- Not to be used for dryer venting

PART #	DESCRIPTION	PKG./CTN.
DVH4-5	4" x 5'	1/12
DVH4-20	4" x 20'	1/6

FLEXIBLE ALUMINUM FOIL DRYER VENT DUCT



- Flexible, fire resistant
- Will not support combustion
- Wire reinforced

PART #	DESCRIPTION	PKG./CTN.
AFDVD4-5	4" diameter x 5' length	1/12
AFDVD4-8	4" diameter x 8' length	1/12
AFDVD4-25	4" diameter x 25' length	1/12
AFDVD4-50	4" diameter x 50' length	1/6

BRAXTON HARRIS CO., INC.

CLOTHES DRYER/FAN VENT PRODUCTS

ALUMINUM DRYER VENT DUCT



- UL Class O fire hazard classification
- Can be used in drop ceilings & inside walls
- Near-zero permeability & corrosion resistant
- Will not drop between 6' supports
- Maintains constant ID through bends
- 8' compressed to 22" for shipment
- 25' compressed to 66" for shipment

PART #	DESCRIPTION	PKG./CTN.
ADVD4-8	4" diameter x 8' length	1/8
ADVD4-25	4" diameter x 25' length	1/6

TELESCOPING DRYER VENT DUCT



- Aluminum, adjustable
- For tight fit installations
- Eliminates the collapsing of vent duct due to tight spaces or pushing dryer too close to wall
- 90° rectangular aluminum adjustable dryer duct
- Measures 2" x 6"
- Allows dryer to be as close as 3" away from wall

PART #	DESCRIPTION	PKG./CTN.
TDVD18-30	Extends from 18" to 30"	1
TDVD24-41	Extends from 24" to 41"	1

ALUMINUM ELBOWS & PIPE



AE_



AP_-24

- Adjustable
- All aluminum

PART #	DESCRIPTION	PKG./CTN.
AE3	3" x 90° adjustable swivel elbow	12
AE4	4" x 90° adjustable swivel elbow	12
AP3-24	3" x 24" snap-lock pipe	25
AP4-24	4" x 24" snap-lock pipe	25

ALUMINUM DRYER VENT BOX



- Sturdy 22 ga. molded aluminum steel
- Allows for locating dryer against the wall
- Reduces fire hazard
- Flex is protected from getting crushed
- Reduces lint build-up

PART #	DESCRIPTION	PKG./CTN.
DVB	Dryer vent box	1

PLASTIC DRYER VENT BOX



- 12" x 20"
- Prevents duct from being crushed
- Fits between studs
- Space saver
- Trim plate included

PART #	DESCRIPTION	PKG./CTN.
DVBP	Dryer vent box	1

UNIVERSAL ADAPTER/EXTENSION KIT



- 1 - 4" extension
- 2 - worm gear clamps
- Connects flexible duct
- Extends exhaust collar on clothes dryer

PART #	DESCRIPTION	PKG./CTN.
UEK4	4"	1

DRYER VENT HOSE CLAMPS



- Priced per clamp

PART #	DESCRIPTION	PKG./CTN.
VHCN3-4	Nylon, fits 3" and 4" hose	1

METAL CLAMP FOR DRYER VENT KITS



- Heavy-duty all-metal design
- For use with metal ducting
- Priced per clamp

PART #	DESCRIPTION	PKG./CTN.
VHWGC4	4" worm-gear clamp	50/50
VHCM4	4" metal clamp for dryer vent kit	50/50

METAL SPRING TENSION CLAMPS



- For use with 4" ducting
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
TC4	4" tension clamps	1 pr.

FAN VENT PRODUCTS/ICE MAKER

BATHROOM FAN VENT KITS



BRVK
Roof Kit



BWVK
Wall Kit

• Foil laminate hose

PART #	DESCRIPTION	PKG./CTN.
BRVK	***ROOF KIT:*** 1 ea. black plastic roof cap 1 ea. 4" x 8" foil laminate flexi-duct 1 ea. plastic adapter (Increaser/reducer) 2 ea. plastic clamps 2 ea. snap-in tailpiece collars	1
BWVK	***WALL KIT:*** 1 ea. 4" plastic louver vent 1 ea. 4' x 5' foil laminate flex-duct 1 ea. 3" - 4" plastic adapter (Increaser/reducer) 2 ea. plastic clamps	1

INDOOR DRYER VENT KIT



- Lint trap kit
- Use on electric clothes dryer where outdoor venting isn't possible
- Includes: 4" lint trap bucket, 5" flexible ducting, 2 extension clamps
- For use on electric dryers only

PART #	DESCRIPTION	PKG./CTN.
IDVK	4" x 5' lint trap kit	1

ELECTRIC DRYER CORDS

H



EDC3



EDC4

- Rated 30 amps - 125 / 250 volts
- UL listed for electric dryer
- 10 ga. wire
- Closed eyelet terminals

PART #	DESCRIPTION	PKG./CTN.
EDC3-4	3 prong wire, 4' length	1
EDC3-5	3 prong wire, 5' length	1
EDC3-6	3 prong wire, 6' length	1
EDC4-4	4 prong wire, 4' length	1
EDC4-5	4 prong wire, 5' length	1
EDC4-6	4 prong wire, 6' length	1

MINI ICEMAKER BOX



- Compact, modern design w/ rounded corners
- Dimensions: 4.92" W x 6.88" H x 2.26"depth
- Comes with pre-loaded nails
- Assembled
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IBM12C14C-A-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Valve	1/10
IBM12C14C-AH-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IBM12M14C-A-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Valve	1/10
IBM12M14C-AH-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IBM12P14C-A-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Valve	1/10
IBM12P14C-AH-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IBM12W14C-A-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Valve	1/10
IBM12W14C-AH-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
VALVELESS BOX		
IBM	Valveless mini icemaker box	1/10
REPLACEMENT FRAME		
IBM-FP	Faceplate only for mini icemaker boxes	1/20

ICEMAKER BOX



- Box dimensions: 5-1/8"W x 5-1/8"H x 3-1/4"D
- Face plate dimensions: 6-3/4"W x 6-3/4"H
- NSF 61. QAI Complies w/Universal Plumbing Code ASME A112.18.1
- Assembled
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IB12C14C-A-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Valve	1/10
IB12C14C-AH-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IB12M14C-A-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Valve	1/10
IB12M14C-AH-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IB12P14C-A-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Valve	1/10
IB12P14C-AH-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IB12W14C-A-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Valve	1/10
IB12W14C-AH-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
VALVELESS BOX		
IB	Valveless icemaker box	1/10
REPLACEMENT FRAME		
IB-FP	Faceplate only for icemaker boxes	10/10

BRAXTON HARRIS CO., INC.

ICE MAKER/HUMIDIFIER

UNASSEMBLED ICEMAKER BOX



- Box dimensions: 5-1/8"W x 5-1/8"H x 3-1/4"D
- Face plate dimensions: 6-3/4"W x 6-3/4"H
- NSF 61. QAI Complies w/Universal Plumbing Code ASME A112.18.1
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IB12C14C-U-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Valve	1/10
IB12C14C-UH-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IB12M14C-U-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Valve	1/10
IB12M14C-UH-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IB12P14C-U-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Valve	1/10
IB12P14C-UH-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IB12W14C-U-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Valve	1/10
IB12W14C-UH-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
VALVELESS BOX		
IB	Valveless icemaker box	1/10
REPLACEMENT FRAME		
IB-FP	Faceplate only for icemaker boxes	10/10

FIRE RATED ICEMAKER BOX



- Fire rating ASTM E814 and CAN/ ULCS-115. ASSE A112.18.1
- ICC Listed, CSA B125.1-2012. 1 Hr wall F-1 HR T-32 min. 2 Hr wall F- 2 Hr T- 65 min.
- Box dimensions: 5-1/8"W x 5-1/8"H x 3-1/4"D
- Face plate dimensions: 6-3/4"W x 6-3/4"H
- NSF 61. QAI Complies w/ Universal Plumbing Code
- Assembled
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IBF12C14C-A-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Valve	1/10
IBF12C14C-AH-LF	1/2" CPVC x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IBF12M14C-A-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Valve	1/10
IBF12M14C-AH-LF	1/2" MIP x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IBF12P14C-A-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Valve	1/10
IBF12P14C-AH-LF	1/2" Pex(F1807) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
IBF12W14C-A-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Valve	1/10
IBF12W14C-AH-LF	1/2" Pex(F1960) x 1/4" OD w/ Qtr Turn Arrester Valve	1/10
REPLACEMENT FRAME		
IBF-FP	Faceplate only for fire rated icemaker boxes	10/10

INSTALLATION KIT WITH POLYETHYLENE TUBING

H



- Kit includes:
  - 1 ea. - 1/4" x 25' coil polyethylene tubing
  - 1 ea. - self-tapping saddle valve
  - 1 ea. - 1/4" union
  - 2 ea. - brass inserts
  - 2 ea. - delrin sleeves
  - 1 ea. - 1/4" fem. flare x 1/4" comp. adapter
- Connects water lines to ice maker, ice machine, coffee maker, humidifier, etc.
- Lead free

PART #	DESCRIPTION	PKG./CTN.
IMK25-LF	25' x 1/4" OD polyethylene tubing	1/50

ICE MAKER FILTER KIT




- Kit includes:
  - 1 ea. - 10" filter / taste & odor
  - 1 ea. - 1/4" OD x 25' poly tubing
  - 2 ea. - delrin sleeves
  - 1 ea. - self-tapping saddle valve
  - 2 ea. - brass inserts
  - 2 ea. - brass fittings
- Lead free

PART #	DESCRIPTION	PKG./CTN.
IMFK25-LF	Complete kit	1

INSTALLATION KITS WITH COPPER TUBING


H



- Kit includes:
  - 1 ea. - 1/4" coil copper tubing
  - 1 ea. - self-tapping saddle valve
  - 1 ea. - 1/4" compression union
  - 1 ea. - 1/4" fem. flare x 1/4" comp. adapter
- Connects water lines to ice maker, ice machine, coffee maker, humidifier, etc.
- Lead free

PART #	DESCRIPTION	PKG./CTN.
IMKC15-LF	Complete kit w/ 15' copper tubing	1/25
IMKC25-LF	Complete kit w/ 25' copper tubing	1/25

INSTALLATION KIT WITH STAINLESS STEEL HOSE



- Kit includes: 25' flex. braided stainless steel hose w/ 1/4" OD fem. comp. thread x 1/4 OD chrome plated quarter-turn angle stop valve
- Connects water lines to ice makers, ice machines, coffee makers, humidifiers, etc.
- Maximum bursting protection
- Will not kink or crease in tight spaces
- Brass ends & nuts
- Fits all standard ice makers
- Lead free

PART #	DESCRIPTION	PKG./CTN.
IMKS25-LF	Installation kit	1

WATER FILTRATION PRODUCTS


FLEXIBLE CONNECTORS




- Flexible stainless steel connectors
- Maximum bursting protection
- Will not kink or crease in tight applications
- Brass ends & nuts
- Fits all standard ice makers
- 1/4" OD fem. comp. threads x 1/4" OD female comp. thread
- Lead free

PART #	DESCRIPTION	PKG./CTN.
IMCS5-LF	60" length	1/25
IMCS6-LF	72" length	1/25
IMCS7-LF	84" length	1/25
IMCS10-LF	120" length	1/25

SADDLE VALVES



SV14


SVI14

- Self tapping, compression
- Fits 3/8", 1/2", or 3/4" copper tubing
- Outlet is 1/4" slip & 1/8" iron pipe thread
- Lead free

PART #	DESCRIPTION	PKG./CTN.
SV14-LF	Heavy-duty	1/10
SVI14-LF	Standard	1/50

COMP. x COMP. STRAIGHT NEEDLE VALVES



- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
NV14C-LF	1/4" OD (tube) comp. x 1/4" OD (tube) comp.	10/10/200
NV38C-LF	3/8" OD (tube) comp. x 3/8" OD (tube) comp.	10/10/200


COMP. x MIP ANGLE NEEDLE VALVES



- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
NVA14C18M-LF	1/4" OD (tube) comp. x 1/8" MIP	10/10
NVA14C14M-LF	1/4" OD (tube) comp. x 1/4" MIP	10/10


COMP. x FIP ADAPTER



- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
C66-44-LF	1/4" OD (tube) comp. x 1/4" FIP	10/10


COMP. x MIP ADADPTERS



- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
C68-42-LF	1/4" OD (tube) comp. x 1/8" MIP	10/10
C68-44-LF	1/4" OD (tube) comp. x 1/4" MIP	10/10

COMP. x COMP. UNION



- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
C62-4-LF	1/4" OD (tube) comp. x 1/4" OD (tube) comp.	10/10

COMP. x FHT ADAPTERS



- Converts male garden hose threads to OD (tube) compression connection
- Brass
- Lead free


PART #	DESCRIPTION	PKG./CTN.
A14-34	1/4" OD (tube) comp. x 3/4" FHT	10
A14-34W	1/4" OD (tube) comp. x 3/4" FHT with washers	10
A38-34W	3/8" OD (tube) comp. x 3/4" FHT with washers	10

BRAXTON HARRIS CO., INC.

WATER FILTRATION PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

WATER FILTER HOUSINGS LESS CARTRIDGE



CFH



CFHV



OFH



CFHS



- 3/4" FIP inlet/outlet connection
- 5-1/4" OD x 12-3/4" high except where noted
- Maximum pressure 125 PSI
- Maximum temperature 125°F
- With pressure-relief button
- Cold water use only
- Mounting brackets and hardware included (excluding CFHV)

**NOTE: Cartridges are sold separately*

PART #	DESCRIPTION	PKG./CTN.
CFH	Clear housing Patented double o-ring design	1/15
CFHV	Built-in, valve-in-head for shutoff and in-service use 5-1/4" OD x 13-1/4" high	1/12
OFH	Opaque housing Patented double o-ring design	1/4
CFHS	Clear housing. 4-3/8" OD x 7" high 3/4" FIP inlet/outlet connection Use # TCS5 cartridge in this housing Patented double o-ring design	1/15

COMBINATION TASTE, ODOR & SEDIMENT CARTRIDGES



TC5



TCS5

- Specially treated activated carbon media
- Spirally wound core for effective absorption of chlorine, hydrogen sulfide gases & other unpleasant tastes & odors
- Also removes sand, silt, rust & loose scale
- Improves aroma & flavor of foods & beverages prepared with water
- Fits most name brand water filter housings, including the following: Bruner-Aqua Guard*, Universal Water Systems*, AMF Cuno*, Keystone*, Ametek*, Fram*, Culligan*, Everpure*, Fulflo*, Guardian*, Kleen Plus*, Omni*, Purity*, Sears* & Sta-Rite*
- Cold water use only
- Packed two cartridges per pkg. Priced per pair

PART #	DESCRIPTION	PKG./CTN.
TC5	9-3/4" long. 5 micron, 5 GPM flow rate. Temperature rating 32°F to 125°F. Fits BHC #s CFH, CFHV & OFH housings	1 pr./12 pr.
TCS5	4-7/8" long. 5 micron, 1 GPM flow rate. Temperature rating 32°F to 125°F. Fits BHC # CFHS housing	1 pr./12 pr.

SEDIMENT CARTRIDGES



SC20



SC5C

- Removes sand, silt, rust, and loose scale
- Fits most name brand water filter housings, including the following: Bruner-Aqua Guard*, Universal Water Systems*, AMF Cuno*, Keystone*, Ametek*, Fram*, Culligan*, Everpure*, Fulflo*, Guardian*, Kleen Plus*, Omni*, Purity*, Sears* & Sta-Rite*
- 9-3/4" long
- Cold water use only
- Fits BHC #s CFH, CFHV, & OFH housings
- Packed two cartridges per pkg
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
SC20	20 micron, corrugated cellulose, pleated construction. Excellent for general sediment removal. Highly effective, yet economical. Over 4 sq. ft. surface area which gives extended cartridge life. 12 GPM flow rate. Temperature rating 32°F to 145°F.	1 pr./12 pr.
SC5C	5 micron, resin-bonded cellulose porous structure. Temperature rating 32°F to 200°F. Meets F.D.A. specs, making it safe for applications involving potable drinking water, beverages, cosmetics, syrups, etc.	1 pr./12 pr.

BRAXTON HARRIS CO., INC.

WATER FILTRATION PRODUCTS/TUBING

ICE MAKER/WATER FILTER



- 10" Length
- For taste and odor
- Quick connect (push and seal) connections installed. (IMFB-LF also comes with 1/4" brass compression connections that can replace the quick connect)
- Removes chlorine and heavy metal
- Maximum Flow= .50 GPM
- Maximum Pressure: 125 PSI
- Maximum Temperature: 100°F
- Minimum Temperature= 35°F
- Service Life is one year or 1500 gallons
- Flush w/ four gallons of water before use

PART #	DESCRIPTION	PKG./CTN.
IMF-LF	1/4" inlet connection - lead free	1/6
IMFB-LF	1/4" inlet connection - lead free (includes optional brass fittings)	1

WATER FILTER ACCESSORIES




FHMBK
FHSMBK



FHSW
CFHSSW

PART #	DESCRIPTION	PKG./CTN.
	MOUNTING BRACKET KITS: *For filter housings - Includes bracket & mounting screws*	
FHMBK	Fits #s CFH, CFHV & OFH housings	1/100
FHSMBK	Fits # CFHS housing	1/24
	SPANNER WRENCHES *To open filter housings*	
FHSW	Fits #s CFH, CFHS & OFH housings	1
CFHVSW	Fits # CFHV housing	1

WATER FILTER O-RINGS



FHO
FHSO

PART #	DESCRIPTION	PKG./CTN.
FHO	Fits #s CFH, CFHV & OFH housings	1/4
FHSO	Fits # CFHS housing	1/4

SOFT ALUMINUM TUBING



- .032 wall thickness
- Alloy 3003-0, ASTM B-483

PART #	DESCRIPTION	PKG./CTN.
AT014-50	1/4" OD, .032 wall thickness	1

POLYETHYLENE TUBING



- 100% virgin material
- Non-toxic
- -40°F to +135°F
- F.D.A. approved
- Packed in dispenser box

PART #	DESCRIPTION				PKG./CTN.
	OD	ID	W/P 70°F	LENGTH	
PT014-100	1/4"	1/8"	120 PSI	100'	1
PT038-100	3/8"	1/4"	125 PSI	100'	1
PT012-100	1/2"	3/8"	95 PSI	100'	1
PT058-100	5/8"	1/2"	70 PSI	100'	1

CLEAR VINYL TUBING IN DISPENSER BOXES



- Clear flexible tubing is suitable for use in low pressure applications including drain lines, laboratory tubing, industrial, chemical, agricultural & food and beverages
- Has good chemical resistance to alkaline, ammonium compounds, brine, some acids & alcohols
- Temperature range -5°F to 125°F
- Dispenser boxes fit most displays on the market
- Packed in dispenser box

PART #	DESCRIPTION					PKG./CTN.
	OD	ID	THICKNESS	LENGTH	W/P 69°F	
VT0316-100	3/16"	1/8"	1/32"	100'	50 PSI	1
VT014-100	1/4"	1/8"	1/16"	100'	60 PSI	1
VT012-14-100	1/2"	1/4"	1/8"	100'	90 PSI	1
VT0516-100	5/16"	3/16"	1/16"	100'	60 PSI	1
VT038-100	3/8"	1/4"	1/16"	100'	55 PSI	1
VT0716-100	7/16"	5/16"	1/16"	100'	50 PSI	1
VT012-100	1/2"	5/16"	3/32"	100'	60 PSI	1
VT012-38-100	1/2"	3/8"	1/16"	100'	45 PSI	1
VT0916-100	9/16"	3/8"	3/32"	100'	55 PSI	1
VT058-100	5/8"	1/2"	1/16"	100'	30 PSI	1
VT058-38-100	5/8"	3/8"	1/8"	100'	90 PSI	1
VT034-100	3/4"	1/2"	1/8"	100'	45 PSI	1
VT034-58-100	3/4"	5/8"	1/16"	100'	30 PSI	1
VT078-100	7/8"	5/8"	1/8"	100'	40 PSI	1
VT01-50	1"	3/4"	1/8"	50'	35 PSI	1
VT0114-50	1-1/4"	1"	1/8"	50'	28 PSI	1
VT0118-50	1-1/8"	7/8"	1/8"	50'	30 PSI	1

BRAXTON HARRIS CO., INC.

6.1.25

WASHING MACHINE PRODUCTS

ASSEMBLED WASHING MACHINE BOX (CENTER OUTLET)




- Complete kit includes: 2 arrester or quarter turn valves, box (molded drain adapters, 2pcs molded mounting L-brackets, 1pc sturdy snap on faceplate)
- Box dimensions: 8-3/8"W x 6-1/8"H x 3-7/8"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code. ASME A112.18.1
- Fits PVC or ABS pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBC-AC	1/2" CPVC w/ Qtr Turn Valves	1/10
WBC-ACH	1/2" CPVC w/ Qtr Turn Arrester	1/10
WBM-AC	1/2" MIP w/ Qtr Turn Valves	1/10
WBM-ACH	1/2" MIP w/ Qtr Turn Arrester	1/10
WBP-AC	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBP-ACH	1/2" Pex(F1807) w/ Qtr Turn Arrester	1/10
WBW-AC	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBW-ACH	1/2" Pex(F1960) w/ Qtr Turn Arrester	1
VALVELESS BOX		
WB	Valveless washing machine box	1/10
REPLACEMENT FRAME		
WB-FP	Faceplate only for washing machine box	10/10

ASSEMBLED WASHING MACHINE BOX (LEFT OUTLET)




- Complete kit includes: 2 arrester or quarter turn valves, box (molded drain adapters, 2pcs molded mounting L-brackets, 1pc sturdy snap on faceplate)
- Box dimensions: 8-3/8"W x 6-1/8"H x 3-7/8"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code. ASME A112.18.1
- Fits PVC or ABS pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBC-AL	1/2" CPVC w/ Qtr Turn Valves	1/10
WBC-ALH	1/2" CPVC w/ Qtr Turn Arrester Valves	1/10
WBM-AL	1/2" MIP w/ Qtr Turn Valves	1/10
WBM-ALH	1/2" MIP w/ Qtr Turn Arrester Valves	1/10
WBP-AL	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBP-ALH	1/2" Pex(F1807) w/ Qtr Turn Arrester Valves	1/10
WBW-AL	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBW-ALH	1/2" Pex(F1960) w/ Qtr Turn Arrester Valves	1/10
VALVELESS BOX		
WB-LH	Valveless left outlet washing machine box	1/10
REPLACEMENT FRAME		
WB-FP	Faceplate only for washing machine box	10/10

ASSEMBLED WASHING MACHINE BOX (RIGHT OUTLET)



- Complete kit includes: 2 arrester or quarter turn valves, box (molded drain adapters, 2pcs molded mounting L-brackets, 1pc sturdy snap on faceplate)
- Box dimensions: 8-3/8"W x 6-1/8"H x 3-7/8"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code. ASME A112.18.1
- Fits PVC or ABS pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBC-AR	1/2" CPVC w/ Qtr Turn Valves	1/10
WBC-ARH	1/2" CPVC w/ Qtr Turn Arrester Valves	1/10
WBM-AR	1/2" MIP w/ Qtr Turn Valves	1/10
WBM-ARH	1/2" MIP w/ Qtr Turn Arrester Valves	1/10
WBP-AR	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBP-ARH	1/2" Pex(F1807) w/ Qtr Turn Arrester Valves	1/10
WBW-AR	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBW-ARH	1/2" Pex(F1960) w/ Qtr Turn Arrester Valves	1/10
VALVELESS BOX		
WB	Valveless washing machine box	1/10
REPLACEMENT FRAME		
WB-FP	Faceplate only for washing machine box	10/10

ASSEMBLED WASHING MACHINE BOX (RIGHT OR LEFT OUTLET)



- Complete kit includes: 2 arrester or quarter turn valves, box (molded drain adapters, 2pcs molded mounting L-brackets, 1pc sturdy snap on faceplate)
- Box dimensions: 8-3/8"W x 6-1/8"H x 3-7/8"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code. ASME A112.18.1
- Fits PVC or ABS pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBC-ARL	1/2" CPVC w/ Qtr Turn Valves	1/10
WBC-ARLH	1/2" CPVC w/ Qtr Turn Arrester Valves	1/10
WBM-ARL	1/2" MIP w/ Qtr Turn Valves	1/10
WBM-ARLH	1/2" MIP w/ Qtr Turn Arrester Valves	1/10
WBP-ARL	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBP-ARLH	1/2" Pex(F1807) w/ Qtr Turn Arrester Valves	1/10
WBW-ARL	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBW-ARLH	1/2" Pex(F1960) w/ Qtr Turn Arrester Valves	1/10
REPLACEMENT FRAME		
WB-FP	Faceplate only for washing machine box	10/10

WASHING MACHINE PRODUCTS

UNASSEMBLED WASHING MACHINE BOX (RIGHT, LEFT OR CENTER OUTLET)



- Right, center and left drain configurations
- Top mount valve option
- Complete kit includes: 2 arrester or quarter turn valves, box (molded drain adapters, 2pcs molded mounting L-brackets, 1pc sturdy snap on faceplate)
- Box dimensions: 8-3/8"W x 6-1/8"H x 3-7/8"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code ASME A112.18.1
- Fits PVC or ABS pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBC-U	1/2" CPVC w/ Qtr Turn Valves	1/10
WBC-UH	1/2" CPVC w/ Qtr Turn Arrester Valves	1/10
WBM-U	1/2" MIP w/ Qtr Turn Valves	1/10
WBM-UH	1/2" MIP w/ Qtr Turn Arrester Valves	1/10
WBP-U	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBP-UH	1/2" Pex(F1807) w/ Qtr Turn Arrester Valves	1/10
WBW-U	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBW-UH	1/2" (F1960) w/ Qtr Turn Arrester Valves	1/10

VALVELESS PLASTIC WASHING MACHINE BOX



- Box dimensions: (8-3/8"W x 6-1/8"H x 3-7/8"D)
- Face plate dimensions: 10-3/16"W x 8-13/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code ASME A112.18.1
- CSA approved
- UPC listed
- Made in USA

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WB	Valveless plastic washing machine box	1/10

FACEPLATE FOR STANDARD WASHING MACHINE BOX



- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code ASME A112.18.1
- Made in USA

PART #	DESCRIPTION	PKG./CTN.
WB-FP	Valveless plastic washing machine box	10/10

FIRE RATED WASHING MACHINE BOX



- Fire ratings: ASTM E814 2hrs (F) 1hr (T) and CAN/ULCS-115 2hrs (F/FH) 1hr (FT/FTH)
- Test Pressure Differential 2.5 Pa (.01 in of Water) Minimum
- Box dimensions: 8"W x 6"H x 3-1/2"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code ASME A112.18.1 ASSE 1010, NSF61, NSF14, ASMEA112.18.1
- Box made of high temp type I PVC with 4" x 6" intumescent pad on back of box
- Assembled

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBFC-AC	1/2" CPVC w/ Qtr Turn Valves	1/10
WBFC-ACH	1/2" CPVC w/ Qtr Turn Arrester Valves	1/10
WBFM-AC	1/2" MIP w/ Qtr Turn Valves	1/10
WBFM-ACH	1/2" MIP w/ Qtr Turn Arrester Valves	1/10
WBFP-AC	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBFP-ACH	1/2" Pex(F1807) w/ Qtr Turn Arrester Valves	1/10
WBFW-AC	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBFW-ACH	1/2" Pex(F1960) w/ Qtr Turn Arrester Valves	1/10
VALVELESS BOX		
WBF	Valveless fire rated washing machine box	1/10
WBMF	Valveless fire rated mini washing machine box	1/10
REPLACEMENT FRAME		
WBF-FP	Faceplate only for fire rated washing machine box	1/10

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

6.1.25

WASHING MACHINE PRODUCTS

UNASSEMBLED FIRE RATED WASHING MACHINE BOX



- Fire ratings: ASTM E814 2hrs (F) 1hr (T) and CAN/ULCS-115 2hrs (F/FH) 1hr (FT/FTH)
- Test Pressure Differential 2.5 Pa (.01 in of Water) Minimum
- Box dimensions: 8"W x 6"H x 3-1/2"D
- Face plate dimensions: 10-3/8"W x 8-7/16"H
- NSF 61. QAI Complies w/ Universal Plumbing Code ASME A112.18.1 ASSE 1010, NSF61, NSF14, ASMEA112.18.1
- Box made of high temp type I PVC with 4" x 6" intumescent pad on back of box

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBFC-U	1/2" CPVC w/ Qtr Turn Valves	1/10
WBFC-UH	1/2" CPVC w/ Qtr Turn Arrester Valves	1/10
WBFM-U	1/2" MIP w/ Qtr Turn Valves	1/10
WBFM-UH	1/2" MIP w/ Qtr Turn Arrester Valves	1/10
WBFP-U	1/2" Pex(F1807) w/ Qtr Turn Valves	1/10
WBFP-UH	1/2" Pex(F1807) w/ Qtr Turn Arrester Valves	1/10
WBFW-U	1/2" Pex(F1960) w/ Qtr Turn Valves	1/10
WBFW-UH	1/2" Pex(F1960) w/ Qtr Turn Arrester Valves	1/10
VALVELESS BOX		
WBF	Valveless fire rated washing machine box	1/10
REPLACEMENT FRAME		
WBF-FP	Faceplate only for fire rated washing machine box	1/10

WASHING MACHINE BOX QUARTER TURN VALVES



- Pair includes one blue and one red handle valve
- Tested in compliance with ASSE1010
- Meets ANSI 112.26.1M specs
- Temperature Range: -65 to 300 degrees F
- Max Pressure: 600 PSI
- UPC Approved

PART #	DESCRIPTION	PKG./CTN.
WV12CR	1/2" CPVC x 3/4" MHT - Red Handle	1
WV12CB	1/2" CPVC x 3/4" MHT - Blue Handle	1
WV12C-PR	1/2" CPVC x 3/4" MHT - Pair	1/10
WV12MR	1/2" SWT/MIP x 3/4" MHT - Red Handle	1
WV12MB	1/2" SWT/MIP x 3/4" MHT - Blue Handle	1
WV12M-PR	1/2" SWT/MIP x 3/4"MHT - Pair	1/10
WV12PR	1/2" Pex(F1807) x 3/4" MHT - Red Handle	1
WV12PB	1/2" Pex(F1807) x 3/4" MHT - Blue Handle	1
WV12P-PR	1/2" Pex(F1807) x 3/4"MHT - Pair	1/10
WV12WR	1/2" Pex(F1960) x 3/4" MHT - Red Handle	1
WV12WB	1/2" Pex(F1960) x 3/4" MHT - Blue Handle	1
WV12W-PR	1/2" Pex(F1960) x 3/4" MHT - Pair	1/10


WASHING MACHINE BOX QUARTER TURN ARRESTER VALVES



- Pair includes one blue and one red handle valve
- Tested in compliance with ASSE1010
- Meets ANSI 112.26.1M specs
- Temperature Range: -65 to 300 degrees F
- Max Pressure: 600 PSI
- UPC Approved

PART #	DESCRIPTION	PKG./CTN.
WV12CHR	1/2" CPVC x 3/4" MHT - Red Handle	1
WV12CHB	1/2" CPVC x 3/4" MHT - Blue Handle	1
WV12CH-PR	1/2" CPVC x 3/4" MHT - Pair	1/6
WV12MHR	1/2" SWT/MIP x 3/4" MHT - Red Handle	1
WV12MHB	1/2" SWT/MIP x 3/4" MHT - Blue Handle	1
WV12MH-PR	1/2" SWT/MIP x 3/4"MHT - Pair	1
WV12PHR	1/2" Pex(F1807) x 3/4" MHT - Red Handle	1
WV12PHB	1/2" Pex(F1807) x 3/4" MHT - Blue Handle	1
WV12PH-PR	1/2" Pex(F1807) x 3/4"MHT - Pair	1/6
WV12WHR	1/2" Pex(F1960) x 3/4" MHT - Red Handle	1
WV12WHB	1/2" Pex(F1960) x 3/4" MHT - Blue Handle	1
WV12WH-PR	1/2" Pex(F1960) x 3/4" MHT - Pair	1

WASHER BOX BOILER DRAINS



- Heavy brass construction.
- With stuffing box to enable one to change packing without removing valve
- With neoprene sealing washers
- Heavy cast iron handle
- 3/4" hose thread outlet

PART #	DESCRIPTION	PKG./CTN.
WBBD	2-1/8" long shank valve inlet conn. with 1/2" MIP inlet threads, reamed for 1/2" copper	1/12
WBBD58	5/8" OD compression inlet connection	1/12

WASHING MACHINE PRODUCTS

WASHING MACHINE INLET HOSES



- Industrial grade reinforced EPDM rubber
- 200 PSI working pressure
- For both hot & cold water
- Non-grounded
- Complete with washers
- 3/4" FHT x FHT brass connections
- Bagged

PART #	DESCRIPTION	PKG./CTN.
WMIH4-BG	3/8" ID, 4' length (individually bagged)	1/25
WMIH12-4-BG	1/2" ID, 4' length (individually bagged)	1
WMIH5-BG	3/8" ID, 5' length (individually bagged)	1/25
WMIH12-5-BG	1/2" ID, 5' length (individually bagged)	1
WMIH6-BG	3/8" ID, 6' length (individually bagged)	1/25
WMIH12-6-BG	1/2" ID, 6' length (individually bagged)	1

RUBBER WASHING MACHINE INLET HOSES WITH 90° ELBOW



- Black high-pressure rubber hose
- For both hot & cold water
- Complete with washers
- 3/8" ID with 3/4" FHT x FHT connections
- 800 PSI bursting pressure
- 200 PSI working pressure
- Bagged

PART #	DESCRIPTION	PKG./CTN.
WMIHE4-BG	4' length (individually bagged)	1
WMIHE5-BG	5' length (individually bagged)	1
WMIHE6-BG	6' length (individually bagged)	1

STAINLESS STEEL WASHING MACHINE INLET HOSES



- Flexible braided stainless steel
- 3/4" FHT x FHT connection
- Working temperature 15°F to 158°F
- For both hot & cold water
- Complete with washers
- Fits all standard washing machines
- Brass ends & nuts
- Fits all standard washing machines
- 1000 PSI leak point
- Withstands dramatic changes in temp. & pressure

PART #	DESCRIPTION	PKG./CTN.
WMIHSS4	48" length (hang tag)	1/25
WMIHSS5	60" length (hang tag)	1/25
WMIHSS6	72" length (hang tag)	1/25

SS BRAIDED WASHING MACHINE INLET HOSES W/90° ELBOW



- Flexible braided stainless steel
- For both hot & cold water
- Complete with washers
- 200 PSI working pressure
- 800 PSI bursting pressure
- 3/8" ID with 3/4" FHT x FHT connection

PART #	DESCRIPTION	PKG./CTN.
WMIHSSE4	4' length (packed bulk)	1
WMIHSSE4-BG	4' length (individually bagged)	1
WMIHSSE5	5' length (packed bulk)	1
WMIHSSE5-BG	5' length (individually bagged)	1
WMIHSSE6	6' length (packed bulk)	1
WMIHSSE6-BG	6' length (individually bagged)	1

WATER MIXER



- 12" arms
- 3/4" FHT x 3/4" FHT inlet
- 3/4" MHT outlet
- Complete with washers
- Individually bagged

PART #	DESCRIPTION	PKG./CTN.
WM	3/8" ID	1

FIT-ALL HOOK HOSE



- Washing machine drain hose
- Black
- Three-size step down
- 6' length
- Individually bagged

PART #	DESCRIPTION	PKG./CTN.
FAHH	Fits 3/4", 7/8" & 1" drain outlet	1

UTILITY SINK HOSE



- Ideal for utility sink or service sink
- Individually bagged

PART #	DESCRIPTION	PKG./CTN.
UH5	5' length 5/8" female garden hose fitting	1

WASHING MACHINE DRAIN HOSE



- Standard discharge hose

PART #	DESCRIPTION	PKG./CTN.
WMDH1	1" ID x 1-5/16" OD x 50' length	1

WASHING MACHINE DRAIN HOSE CONNECTOR



- Fits 1-1/2" or 2" standpipe
- Fits 1" - 1-7/16" drain hose
- Holds drain hose securely in standpipe

PART #	DESCRIPTION	PKG./CTN.
WMDHC	Drain hose connector	1

BRAXTON HARRIS CO., INC.

6.1.25

WASHING MACHINE/DISHWASHER PRODUCTS

WASHING MACHINE SAFETY PAN




- Rust proof heavy gauge high impact plastic pan
- Southern building code approved
- Plastic 1" drain included
- Pan not drilled

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WMSP	27" x 29"	5/5

HOSE FILTER WASHER



- 20 x 20 stainless steel mesh
- Prevents foreign material from clogging line

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HFW	Hose filter washer	3/600

DISHWASHER/DISPOSAL CONNECTORS



DDC



DDC2

- Makes a quick & positive seal between drain & disposal

PART #	DESCRIPTION	PKG./CTN./MSTR.
DDC	Rubber sleeve with 4 screw clamps	20/20/200
DDC2	Rubber sleeve with 2 gear clamps	50/50/200

PRO VENT/AIR ADMITTANCE VALVE



- Automatic plumbing vent permits air to automatically enter drain line to prevent siphonage
- Seal closes as drainage stops to prevent sewer gas from entering home
- No metal parts to rust
- Tested to NSF-24-19
- For use with sinks, tubs, showers, washing machines, dishwashers, etc.
- Withstands greater than 25 lbs. back pressure
- Actuates with less than 1/2 lb. PSI
- Maintains a 2.8" water column

PART #	DESCRIPTION	PKG./CTN.
PV112	1-1/2" MIP ABS material	1/200

SMALL AIR ADMITTANCE VALVE



- Can be used as individual, branch, circuit or stack vent
- Fits 1-1/2" and 2" pipe
- Will vent up to 160 DFUs on branch and up to 20 DPUs on stack
- Residential or commercial use
- Meets ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, Warnock Hersey specifications

PART #	DESCRIPTION	PKG./CTN.
AAVS	Fits 1-1/2" & 2"	1/50

LARGE AIR ADMITTANCE VALVE



- Can be used as individual, branch, circuit or stack vent
- Fits 3" and 4" pipe
- Will vent up to 500 DFUs on stack
- Residential or commercial use
- Meets ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, Warnock Hersey specifications

PART #	DESCRIPTION	PKG./CTN.
AAVL	Fits 3" & 4"	1/10

DISHWASHER AIR GAP



- Prevents waste from backing up into dishwasher
- Used in conjunction with BHC # DDH58
- Approved by all major code authorities including I.A.P.M.O., N.S.F., B.O.C.A. & S.B.C.C.I.
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN./MSTR.
DAG	Complete air gap w/ chrome plated cover	1/36/72
DAGC	Chrome plated cover only	1/200
DAGC-SN	Satin nickel cover only	1/6
DAGC-OB	Oil rubbed bronze cover only	1/6
DAGC-PB	Polished brass cover only	1/6
DAGC-WH	White cover only	1/6
AGIK	Installation kit - 1pc air gap, 2pcs gear clamps, 24" length 7/8" OD dishwasher hose	1/10

HEAVY PATTERN PLASTIC AIR GAP



- For dishwasher and disposer installation
- With chrome plated brass cap
- Prevents waste water from backing up into dishwasher or disposer
- For standard hook-up, use with 5/8" ID & 7/8" ID hoses

PART #	DESCRIPTION	PKG./CTN.
AGHP	Blue plastic body	1

STAINLESS STEEL DISHWASHER INLET HOSE - LEAD FREE

H



- Flexible braided stainless steel
- Will not kink or crease
- 3/8" comp. x 3/8" MIP brass elbow
- Brass ends & nuts
- Fits all standard dishwashers
- Working temperature 15°F to 158°F
- UPC & CSA Code approved

PART #	DESCRIPTION	PKG./CTN./MSTR.
DCS48	48" length	1/25/50
DCS60	60" length	1/25/50
DCS72	72" length	1/25/50

DISHWASHER/GARBAGE DISPOSAL PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

WHIRLPOOL* DISHWASHER WATER CONNECTORS


DWC34
DWC34-LF


DWC34-5
DWC34-6


DCS60G
DCS72G

- New 3/4" FHT connectors for new Whirlpool® dishwashers (only)
- This fitting replaces existing 3/8" MIP elbow

PART #	DESCRIPTION	PKG./CTN./MSTR.
DWC34	3/4" FHT elbow fitting only	50/50/200
DWC34-LF	3/4" FHT elbow fitting only-lead free	50/50/200
DWC34N	3/8" OD x 3/4" FHT elbow fitting with nut/ferrule	50/50/200
DWC34N-LF	3/8" OD x 3/4" FHT elbow fitting with nut/ferrule-lead free	50/50/200
DWC34-5	5' hose complete w/ 3/4" FHT x 3/8" OD comp.	1/25
DWC34-6	6' hose complete w/ 3/4" FHT x 3/8" OD comp.	1/25
DCS60G	5' hose complete w/ 3/8" MIP x 3/8" OD comp.	1/25
DCS72G	6' hose complete w/ 3/8" MIP x 3/8" OD comp.	1/25

DISHWASHER DRAIN HOSES



- IAPMO listed
- EPDM with 2-ply textile braided reinforcing
- Meets ANSI/AHAM DW-1 specification
- Resists kinking

PART #	DESCRIPTION	PKG./CTN.
DDH58	5/8" ID x 7/8" OD x 50' length	1
DDH78	7/8" ID x 1-7/32" OD x 50' length	1

LARGE DUAL THREAD SNAP-FITTING NIPPLE WITH AERATOR



- Use to hook-up portable dishwashers & other snap-fitting attachments
- Dual thread 15/16 -27" male threads & 55/64" -27 female threads x aerated snap-fitting
- Use with BHC # MHSC

PART #	DESCRIPTION	PKG./CTN.
DTLN	Chrome plated brass	1

LARGE FEMALE SNAP-FITTING COUPLER/NIPPLE



- Female snap-fitting coupler inlet x 3/4" garden hose threads
- Use as a quick-disconnect unit or with BHC # DTLN or # FHLN

PART #	DESCRIPTION	PKG./CTN.
MHSC	Chrome plated brass	1

LARGE MALE SNAP FITTING COUPLER/NIPPLE



- 55/64" -27 female threads x male snap-fitting coupler inlet
- Use as a quick-disconnect unit or with BHC # MHSC

PART #	DESCRIPTION	PKG./CTN.
FHLN	Chrome plated brass	1

DISPOSAL WRENCH



- Fits InSinkErator* style and others
- Use to restart or unclog under-sink disposal units
- Steel

PART #	DESCRIPTION	PKG./CTN.
DW	Disposal wrench	1

GARBAGE DISPOSAL FLANGES & STOPPERS


GDFWM


GDFM


GDSM


GDFSKM

- Chrome plated metal
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
GDFWM	Flange. Fits Waste King* & Whirlway*	1
GDFM	Flange. Fits InSinkErator*, Emerson*, Kenmore* & Grainger*	1
GDSM	Stopper. Fits InSinkErator*, Emerson*, Kenmore* & Grainger*	1
GDFSKM	Flange & stopper. Fits InSinkErator*, Emerson*, Kenmore* & Grainger*	1

GARBAGE DISPOSAL REPLACEMENT PARTS FOR INSINKERATOR*-STYLE


KSGDSI


GDSGI


GDHCI


PDEI4

- Fits InSinkErator*-style garbage disposals

PART #	DESCRIPTION	PKG./CTN.
KSGDSI	Stopper	1
GDSGI	Splash guard/strainer	1
GDHCI	Hush cushion/disposal seal	1
PDEI4	4" plastic disposal elbow	1

BRAXTON HARRIS CO., INC.

6.1.25

GARBAGE DISPOSAL/WATER HEATER PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

GARBAGE DISPOSAL STOPPER FOR WHIRLAWAY*-STYLE



- Fits Whirlaway*-style garbage disposals

PART #	DESCRIPTION	PKG./CTN.
KSGDSW	Stopper	1

GARBAGE DISPOSAL HUSH CUSHION FOR WASTE KING*



- Fits Waste King* garbage disposals
- 1-1/2" ID x 1-3/4" OD

PART #	DESCRIPTION	PKG./CTN.
GDHCW	Black rubber	1

GARBAGE DISPOSAL SPLASH GUARD



- Fits all makes of disposals
- With snap-fit reinforcing ring

PART #	DESCRIPTION	PKG./CTN.
GDSG	Rubber	1

KITCHEN SINK & GARBAGE DISPOSAL STOPPER



- Flanged to fit all sizes
- With knob
- Designed with stay-put lid to prevent slipping
- May be used in basket strainers and garbage disposals

PART #	DESCRIPTION	PKG./CTN.
KSGDS	White rubber	1

GARBAGE DISPOSAL STRAINER



- Keeps drain open while working at sink
- Keeps any solids or valuable objects from falling into garbage disposal

PART #	DESCRIPTION	PKG./CTN.
GDS	Garbage disposal strainer	1

GARBAGE DISPOSAL CORDS

H



- 16/3 S.P.T. - 3 wire
- 13 amps @ 125 volts
- UL listed for garbage disposal, motors, tools & appliances
- 16 ga. wire w/ ground

PART #	DESCRIPTION	PKG./CTN.
GDC3	3' straight pigtail cord	1
GDC6	6' straight pigtail cord	1
GDCA3	3' angle pigtail cord	1
GDCA6	6' angle pigtail cord	1

WATER HEATER STAND



- Galvanized
- For use with all residential gas water heaters, including Mor-Flo*
- Includes 1 base and 4 legs
- Rating approval at 2,000 lbs. static weight
- Stand measures 21" square x 18" overall height
- Weight: 19 lbs.
- Legs secured with set screw
- Meets UPC requirements

PART #	DESCRIPTION	PKG./CTN.
WHS	Water heater stand with snap-in legs	1/50

WATER HEATER STAND



- No assembly required
- Non-rust paint
- 800 lbs. static weight
- 3000 lbs. max weight load

PART #	DESCRIPTION	PKG./CTN.
WHS20	Made of 1" square steel tubing Supports up to 40-gallon water heaters 27" square x 16" overall height	1
WHS27	Made of 1" square steel tubing Supports up to 65-gallon water heaters 27" x square x 16" overall height	1

WATER HEATER PRODUCTS

WATER HEATER SAFETY PAN




- High-impact plastic
- 2-1/2" depth
- With 1" adapter hookup
- Meets all codes
- Recommended size is 2" larger than diameter of water heater
- Southern Building Code approved

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	BOTTOM ID	TOP ID	
WHP18	18"	19-1/2"	20
WHP20	20"	21-1/2"	20
WHP22	22"	23-1/2"	20
WHP24	24"	25-1/2"	20
WHP26	26"	27-1/2"	6
WHP30	30"	31-1/2"	6

SQUARE WATER HEATER SAFETY PAN



- 24 ga. galvanized metal
- 4" depth. Flared sides
- With 1" adapter hookup
- Meets all codes
- Recommended size is 2" larger than diameter of water heater
- Southern Building Code approved

PART #	DESCRIPTION	PKG./CTN.
WHPG22	22" x 22"	1
WHPG24	24" x 24"	1
WHPG26	26" x 26"	1
WHPG28	28" x 28"	1
WHPG30	30" x 30"	1

ROUND WATER HEATER SAFETY PAN



- Aluminum
- With 1" adapter hookup

PART #	DESCRIPTION	PKG./CTN.
WHPRA22	22" ID w/ PVC adapter	1
WHPRA24	24" ID w/ PVC adapter	1
WHPRA26	26" ID w/ PVC adapter	1
WHPRA30	30" ID w/ PVC adapter	1
WHPRAC22 NEW	22" ID w/ CPVC adapter	1
WHPRAC24 NEW	24" ID w/ CPVC adapter	1
WHPRAC26 NEW	26" ID w/ CPVC adapter	1
WHPRAC30 NEW	30" ID w/ CPVC adapter	1


WATER HEATER PAN FITTING/ ADAPTER



- Fits most water heater pans
- With washer & locknut

PART #	DESCRIPTION	PKG./CTN.
WHPF	PVC 1" hub x 1" MIP	1
WHPFC NEW	CPVC 1" hub x 1" MIP	1

CORRUGATED COPPER WATER HEATER CONNECTORS



- For water heaters & water softeners
- Corrugated copper tubing w/ brass nuts
- Internal PEX sleeve
- Includes nitrile rubber sealing washer
- Lead free

PART #	DESCRIPTION	PKG./CTN.
3/4" FIP X 3/4" FIP CONNECTION:		
WHC34-12-LF	12" length	1/25
WHC34-15-LF	15" length	1/25
WHC34-18-LF	18" length	1/25
WHC34-24-LF	24" length	1/25
3/4" FIP X 3/4" MIP SWIVEL CONNECTION:		
WHC34FM12-LF	12" length	1/25
WHC34FM15-LF	15" length	1/25
WHC34FM18-LF	18" length	1/25
WHC34FM24-LF	24" length	1/25
3/4" FIP X 3/4" MALE SWEAT CONNECTION:		
WHC34FC12-LF	12" length	1/25
WHC34FC15-LF	15" length	1/25
WHC34FC18-LF	18" length	1/25
WHC34FC24-LF	24" length	1/25

BRAXTON HARRIS CO., INC.

6.1.25

WATER HEATER PRODUCTS

CORRUGATED STAINLESS STEEL WATER HEATER CONNECTORS



- Maximum bursting protection
- Brass ends & nuts
- Dielectric ends to prevent corrosion
- Easy to install, no special tools needed
- FIP swivel x FIP swivel connection
- Complete w/ rubber washers
- Lead free

PART #	DESCRIPTION	PKG./CTN.
WHCCS34-12-LF	3/4" FIP x 3/4" FIP x 12" length	1
WHCCS34-15-LF	3/4" FIP x 3/4" FIP x 15" length	1
WHCCS34-18-LF	3/4" FIP x 3/4" FIP x 18" length	1
WHCCS34-24-LF	3/4" FIP x 3/4" FIP x 24" length	1
WHCCS34M-12-LF	3/4" MIP x 3/4" FIP x 12" length	1
WHCCS34M-15-LF	3/4" MIP x 3/4" FIP x 15" length	1
WHCCS34M-18-LF	3/4" MIP x 3/4" FIP x 18" length	1
WHCCS34M-24-LF	3/4" MIP x 3/4" FIP x 24" length	1

BRAIDED STAINLESS STEEL WATER HEATER CONNECTORS



- Braided (#304 grade) stainless steel with brass nuts
- Includes rubber washers
- IAPMO/ UPC approved
- FIP swivel x FIP swivel connection
- Lead free

PART #	DESCRIPTION	PKG./CTN.
WHCS34-12-LF	3/4" FIP x 3/4" FIP x 12" length	1/25
WHCS34-15-LF	3/4" FIP x 3/4" FIP x 15" length	1/25
WHCS34-18-LF	3/4" FIP x 3/4" FIP x 18" length	1/25
WHCS34-24-LF	3/4" FIP x 3/4" FIP x 24" length	1/25

WATER HEATER CONNECTOR WASHER



- 3/4" MIP connection
- Rubber

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WHCW	3/4" replacement washer	10/10

WATER HEATER CONNECTOR MALE ADAPTER



- 3/4" MIP
- Fits 3/4" FIP nut
- Brass

PART #	DESCRIPTION	PKG./CTN.
WHCMA-LF	3/4" male adapter	1

WATER HEATER RUN OFF TUBE



- 3/4" MIP electroplated fitting with straight thermoplastic tube.
- Manufactured of high temperature 230°F polypropylene.
- Hand tighten to T&P valve.
- UL listed.

PART #	DESCRIPTION	PKG./CTN.
ROTSM	3/4" MIP x 60" overall length, side mount	1/25
ROTTM	3/4" MIP, top mount	1/25

AUTOMATIC TEMPERATURE & PRESSURE RELIEF VALVE



- AGA design certified
- ASME approved
- Meets FHA requirements
- 150 PSI standard pressure setting
- 210°F temperature relief setting
- 3/4" MIP x 3/4" FIP
- 4" extended thermostat

PART #	DESCRIPTION	PKG./CTN.
ATPRV	T&P pressure relief valve	1

PRESSURE RELIEF VALVES



- 75 PSI
- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PRV12-LF	1/2" MIP x 1/2" FIP	1
PRV34-LF	3/4" MIP x 3/4" FIP	1

WATER HEATER DRAIN VALVES



- Fits directly into water heater for easy draining
- Permanent installation
- Easy-turn knob
- Long shank
- Fits all 3/4" outlets
- 3/4" MIP x 3/4" MHT

PART #	DESCRIPTION	PKG./CTN.
WHDV	Nylon, 2-1/2" long shank	1
WHDVB-LF	Brass, 2-1/4" long shank	1

WATER HEATER PRODUCTS

DIELECTRIC NIPPLE



- Features electroplated steel casing with a non-corrosion thermoplastic lining
- Max temp rating: 180 degrees Fahrenheit
- For use on waterheaters, filtration systems, dishwashers
- NSF/ANSI 61, 372

PART #	DESCRIPTION	PKG./CTN./MSTR.
DN12-3	1/2" MIP x 3" length	50/100
DN34-3	3/4" MIP x 3" length	1/50/100
DN34-3-PR	3/4" MIP x 3" length, paired	1
DN34-4	3/4" MIP x 4" length	50/100
DN1-3	1" MIP x 3" length	25/50
DN1-4	1" MIP x 4" length	25/50
DN114-4	1-1/4" MIP x 4" length	25/50
DN112-4	1-1/2" MIP x 4" length	25/50
DN2-4	2" MIP x 4" length	5/25
DN212-6	2-1/2" MIP x 6" length	5/10
DN3-6	3" MIP x 6" length	5/10

HEAT TRAP NIPPLES



- Ball-style
- Galvanized & teflon lined
- 3/4" MIP x 3" length
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
HTN34-3	Hot & cold	1 pr.


HEX BUSHING



- Electroplated steel

PART #	DESCRIPTION	PKG./CTN.
HB34-12	3/4" MIP x 1/2" FIP	1

WATER HEATER CONNECTION COMPRESSION FITTINGS



C68-1412



C66-1412

- Brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
C68-1412-LF	3/4" comp. (7/8" OD) x 3/4" MIP	10/10
C66-1412-LF	3/4" comp. (7/8" OD) x 3/4" FIP	10/10

DIELECTRIC UNIONS



COP x FIP



COP x MIP

- Prevents electrolysis or galvanic action when connecting dissimilar materials
- For use with water up to 200°F
- Threaded ends comply with ANSI B2.1
- Solder ends comply with ANSI B16.18
- Lead free

PART #	DESCRIPTION	PKG./CTN./MSTR.
DU12-012-LF	1/2" FIP x 1/2" copper sweat	1/24/144
DU34-012-LF	3/4" FIP x 1/2" copper sweat	1/24/96
DU34-034-LF	3/4" FIP x 3/4" copper sweat	1/24/96
DU1-01-LF	1" FIP x 1" copper sweat	1/12/96
DU114-0114-LF	1-1/4" FIP x 1-1/4" copper sweat	1/6/48
DU112-0112-LF	1-1/2" FIP x 1-1/2" copper sweat	1/6/48
DU2-02-LF	2" FIP x 2" copper sweat	1/6/18
DU34M-012-LF	3/4" MIP x 1/2" copper sweat	1/24/96
DU34M-034-LF	3/4" MIP x 3/4" copper sweat	1/24/96

BRAXTON HARRIS CO., INC.

6.1.25

WATER HEATER PRODUCTS

DIELECTRIC UNION WASHERS/GASKETS



- 200°F temperature rated
- For water use

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
DUW12	1/2" washer	25/25/1000
DUW34	3/4" washer	25/25/1000
DUW1	1" washer	25/25/1000
DUW114	1-1/4" washer	25/25/1000
DUW112	1-1/2" washer	25/25/1000
DUW2	2" washer	25/25/1000

DIELECTRIC UNION INSULATOR SLEEVES/INSERTS



- 200°F temperature rated
- For water use

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DUIS12	1/2" insulator sleeve	25/25
DUIS34	3/4" insulator sleeve	25/25
DUIS1	1" insulator sleeve	25/25
DUIS114	1-1/4" insulator sleeve	25/25
DUIS112	1-1/2" insulator sleeve	25/25
DUIS2	2" insulator sleeve	25/25

"S"-MODEL WATER HEATER ELEMENTS



- Screw-in type
- For electric water heaters
- High watt density
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
TH1512	1500	120	11"	1
TH2524	2500	240	10"	1
TH3524	3500	240	12"	1
TH4524	4500	240	14"	1
TH5524	5500	240	12"	1

*For individual hang card add -BG to part # & $.50 to list price

"U"-MODEL WATER HEATER ELEMENTS



- Universal-offset flange-type
- For electric water heaters
- High watt density
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
UFH1512	1500	120	9"	1
UFH4524	4500	240	14"	1

*For individual hang card add -BG to part # & $.50 to list price

"FF"-MODEL WATER HEATER ELEMENTS



- Flat flange-type
- For electric water heaters
- High watt density
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
FFH1512	1500	120	9"	1
FFH3524	3500	240	12"	1
FFH4524	4500	240	16"	1

*For individual hang card add -BG to part # & $.50 to list price

"R"-MODEL WATER HEATER ELEMENTS



- Round-head flange-type
- For electric water heaters
- High watt density
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
RH3524	3500	240	11"	1
RH4524	4500	240	14"	1

*For individual hang card add -BG to part # & $.50 to list price

SAHARA - INCOLOY® LONG-LASTING WATER HEATER ELEMENT



- Screw-in-type: 1" screw-in
- Made with Incoloy® tubing
- Designed to overcome two basic problems: "dry fire" and lime or sediment covering the element
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
ISH4524	4500	240	11"	1

*For individual hang card add -BG to part # & $.50 to list price

WATER HEATER PRODUCTS

SANDHOG - INCOLOY® RIPPLE WATER HEATER ELEMENT



- Screw-in-type ripple
- Made with Incoloy® tubing
- Designed to overcome two basic problems: "dry fire" and lime or sediment covering the element
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
SSH4524	4500	240	11"	1

SANDHOG - INCOLOY® WATER HEATER ELEMENTS



- Flat flange-type
- Standard 4-bolt element
- Made with Incoloy® tubing
- Designed to overcome two basic problems: "dry fire" and lime or sediment covering the element
- One gasket included per element

PART #	DESCRIPTION			PKG./CTN.
	WATTS	VOLTS	MIN. TANK DIA.	
IFFH4524	4500	240	16"	1
IFFH5524	5500	240	16"	1

***For individual hang card add -BG to part # & $.50 to list price**

WATER HEATER ELEMENT GASKETS





PART #	DESCRIPTION	PKG./CTN.
4BFG	4-bolt flat, for flange elements	1
SMG	"S"-model, for screw-in elements	1

WATER HEATER ELEMENT WRENCHES

H





- Zinc plated steel
- For removing water heater elements

PART #	DESCRIPTION	PKG./CTN./MSTR.
EW	Regular	1/100
EWH	Heavy-duty	1/10/50

WATER HEATER ELEMENT WRENCH

H



- Socket wrench connection
- Heavy-duty
- Includes 3/4" to 1/2" drive adapter
- For removing water heater elements

PART #	DESCRIPTION	PKG./CTN.
EWHS	Chrome plated steel	1

ELEMENT WRENCH BREAKER BAR



- For use with BHC # EWHS element wrench
- Also used w/ any 1/2" drive socket wrench
- 17" long w/ cushion-grip handle

PART #	DESCRIPTION	PKG./CTN.
EWBB	1/2" drive	1

UNIVERSAL COPPER THERMOCOUPLES


H



- All copper with brass fittings
- Adaptable to five different pilot valves
- Available in five lengths
- Package includes copper thermocouples, two clips & nuts

PART #	DESCRIPTION	PKG./CTN./MSTR.
UT18	18"	1/50/200
UT24	24"	1/50/200
UT30	30"	1/50/200
UT36	36"	1/50/200
UT48	48"	1/50/200

HOT WATER/REFRIGERANT LINE THERMOMETERS



- For use with residential & commercial boilers, refrigeration systems, small pipe work & solar systems
- 2" x 1/2" NPT connection
- Red-liquid-filled
- Dual scale 40°/280°F & 15°/135°C
- Brass well
- 5" scale-type thermometers

PART #	DESCRIPTION	PKG./CTN.
WHTS	Straight	1
WHTA	Angle	1

BRAXTON HARRIS CO., INC.

6.1.25

WATER HEATER/ GAS APPLIANCE PRODUCTS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

THERMAL EXPANSION TANKS



- Factory charged @ 40 PSI
- 304 stainless steel system connection
- Butyl rubber diaphragm
- Maximum operating temp. 210°F
- Maximum operating pressure 150 PSI
- 3/4" MIP connection
- For 30 to 160-gallon water heaters

PART #	DESCRIPTION	PKG./CTN.
TET2	2 gallon	1
TET4	4.5 gallon	1

WATER HEATER THERMOSTATS

H


D3510


4000


4000HL


4100HL


WH7


WH84


WH74



WH72

- For electric water heaters

PART #	DESCRIPTION	PKG./CTN.
THERM-O-DISC* THERMOSTATS - OLD STYLE:		
D3510	4 pt. w/ high limit. 7135 w/ high limit	1
THERM-O-DISC* THERMOSTATS - NEW STYLE:		
4000	2 pt. plan, lower control	1
4000HL	2 pt. w/ high limit, single-element control	1
4100HL	3 pt. upper w/ high limit	1
APCOM* THERMOSTATS:		
WH7	2 pt. plain, lower control, for double-element water heaters	1
WH84	3 pt. w/ high limit upper, for double-element water heaters	1
WH74	2 pt. w/ high limit, for single-element water heaters	1
WH72	4 pt. w/ high limit, for single-element water heaters	1

ELECTRIC RANGE CORDS

H


ERC3 ERC4

- 125 / 250 volts
- UL listed for electric ranges
- 2 ea. 6 gauge wires & 1 ea. 8 ga. wire
- Closed-eyelet terminals
- 50 amps

PART #	DESCRIPTION	PKG./CTN.
3-PRONG WIRE / RATED 50 AMPS:		
ERC3-4	4' length	1
ERC3-5	5' length	1
ERC3-6	6' length	1
4-PRONG WIRE / RATED 50 AMPS:		
ERC4-4	4' length	1
ERC4-6	6' length	1

ELECTRIC RANGE REFLECTOR BOWLS (UNIVERSAL-FIT)



- For use with removable elements
- Fits most popular electric ranges
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
URRB6	6" diameter	6
URRB8	8" diameter	6

ELECTRIC RANGE REFLECTOR PANS (UNIVERSAL-FIT)



- Fits most hinged-type elements for electric ranges except GE* & Hotpoint*
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
URRP6	6" diameter	6
URRP8	8" diameter	6

ELECTRIC RANGE REFLECTOR RINGS (UNIVERSAL-FIT)




- Use with #s URRP6 & URRP8 universal range reflector pans
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
URRR6	6" ring	6
URRR8	8" ring	6

GAS APPLIANCE PRODUCTS


ELECTRIC RANGE KNOB SET (UNIVERSAL-FIT)



- Black knobs
- Set includes:
  - 4 plastic knobs
  - 8 aluminum overlays
  - 4 sets of adapters (5 per set)
  - bagged with instructions
- Universal- fits all brands
- Priced per set

PART #	DESCRIPTION	PKG./CTN.
ERKSB	Universal-fit	1

ELECTRIC OVEN KNOB (UNIVERSAL-FIT)



- Black knob
- Set includes:
  - 1 plastic knob
  - 2 aluminum overlays
  - 1 set of adapters (5 per set)
  - bagged with instructions
- Universal- fits all brands

PART #	DESCRIPTION	PKG./CTN.
EOKB	Universal-fit	1


BTU CAPACITIES CHART

Capacities of Gas Connectors of Various Lengths in BTU/hr for Natural Gas

(Multiply by 1.6 for LP Gas)

	CONNECTOR SIZE		
LENGTH	3/8" OD (1/4" ID)	1/2" OD (3/8" ID)	5/8" OD (1/2" ID)
12"	up to 48,000	up to 102,000	up to180,000
18"	up to44,000	up to 93,000	up to164,000
24"	up to 40,000	up to 85,000	up to 150,000
30"	up to 36,000	up to 77,000	up to 137,000
36"	up to 33,000	up to 71,000	up to 125,000
48"	up to 28,000	up to 61,000	up to 106,000
60"	up to 25,000	up to 53,000	up to 93,000
72"	up to 23,000	up to 49,000	up to 86,000

UNCOATED GAS CONNECTOR - 3/8" OD (1/4" ID) WITH FITTINGS




- Made of uncoated 304 stainless steel
- 3/8" OD (1/4" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GU38-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GU38-12F12F18	1/2" FIP x 1/2" FIP x 18" L	1/25
GU38-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GU38-12F12F30	1/2" FIP x 1/2" FIP x 30" L	1/25
GU38-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25
GU38-12F12F48	1/2" FIP x 1/2" FIP x 48" L	1/25
GU38-12F12F60	1/2" FIP x 1/2" FIP x 60" L	1/25
GU38-12F12F72	1/2" FIP x 1/2" FIP x 72" L	1/25
GU38-38F38F12	3/8" FIP x 3/8" FIP x 12" L	1/25
GU38-38F38F18	3/8" FIP x 3/8" FIP x 18" L	1/25
GU38-38F38F24	3/8" FIP x 3/8" FIP x 24" L	1/25
GU38-38F38F30	3/8" FIP x 3/8" FIP x 30" L	1/25
GU38-38F38F36	3/8" FIP x 3/8" FIP x 36" L	1/25
GU38-38F38F48	3/8" FIP x 3/8" FIP x 48" L	1/25
GU38-38F38F60	3/8" FIP x 3/8" FIP x 60" L	1/25
GU38-38F38F72	3/8" FIP x 3/8" FIP x 72" L	1/25
FIP X MIP		
GU38-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GU38-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GU38-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GU38-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GU38-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25
GU38-12F12M48	1/2" FIP x 1/2" MIP x 48" L	1/25
GU38-12F12M60	1/2" FIP x 1/2" MIP x 60" L	1/25
GU38-12F12M72	1/2" FIP x 1/2" MIP x 72" L	1/25
GU38-12F38M12	1/2" FIP x 3/8" MIP x 12" L	1/25
GU38-12F38M18	1/2" FIP x 3/8" MIP x 18" L	1/25
GU38-12F38M24	1/2" FIP x 3/8" MIP x 24" L	1/25
GU38-12F38M30	1/2" FIP x 3/8" MIP x 30" L	1/25
GU38-12F38M36	1/2" FIP x 3/8" MIP x 36" L	1/25
GU38-12F38M48	1/2" FIP x 3/8" MIP x 48" L	1/25
GU38-12F38M60	1/2" FIP x 3/8" MIP x 60" L	1/25
GU38-12F38M72	1/2" FIP x 3/8" MIP x 72" L	1/25
GU38-38F12M12	3/8" FIP x 1/2" MIP x 12" L	1/25
GU38-38F12M18	3/8" FIP x 1/2" MIP x 18" L	1/25
GU38-38F12M24	3/8" FIP x 1/2" MIP x 24" L	1/25
GU38-38F12M30	3/8" FIP x 1/2" MIP x 30" L	1/25
GU38-38F12M36	3/8" FIP x 1/2" MIP x 36" L	1/25
GU38-38F12M48	3/8" FIP x 1/2" MIP x 48" L	1/25
GU38-38F12M60	3/8" FIP x 1/2" MIP x 60" L	1/25
GU38-38F12M72	3/8" FIP x 1/2" MIP x 72" L	1/25
GU38-38F38M12	3/8" FIP x 3/8" MIP x 12" L	1/25
GU38-38F38M24	3/8" FIP x 3/8" MIP x 24" L	1/25
GU38-38F38M36	3/8" FIP x 3/8" MIP x 36" L	1/25
GU38-38F38M60	3/8" FIP x 3/8" MIP x 60" L	1/25
GU38-38F38M72	3/8" FIP x 3/8" MIP x 72" L	1/25
MIP X MIP		
GU38-12M12M12	1/2" MIP x 1/2" MIP x 12" L	1/25
GU38-12M12M18	1/2" MIP x 1/2" MIP x 18" L	1/25
GU38-12M12M24	1/2" MIP x 1/2" MIP x 24" L	1/25
GU38-12M12M30	1/2" MIP x 1/2" MIP x 30" L	1/25
GU38-12M12M36	1/2" MIP x 1/2" MIP x 36" L	1/25
GU38-12M12M48	1/2" MIP x 1/2" MIP x 48" L	1/25
GU38-12M12M60	1/2" MIP x 1/2" MIP x 60" L	1/25
GU38-12M12M72	1/2" MIP x 1/2" MIP x 72" L	1/25

BRAXTON HARRIS CO., INC.

GAS APPLIANCE PRODUCTS


UNCOATED GAS CONNECTOR - 1/2" OD (3/8" ID) WITH FITTINGS



- Made of uncoated 304 stainless steel
- 1/2" OD (3/8" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GU12-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GU12-12F12F18	1/2" FIP x 1/2" FIP x 18" L	1/25
GU12-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GU12-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25
GU12-12F38F12	1/2" FIP x 3/8" FIP x 12" L	1/25
GU12-12F38F18	1/2" FIP x 3/8" FIP x 18" L	1/25
GU12-12F38F24	1/2" FIP x 3/8" FIP x 24" L	1/25
GU12-12F38F36	1/2" FIP x 3/8" FIP x 36" L	1/25
GU12-12F38F48	1/2" FIP x 3/8" FIP x 48" L	1/25
FIP X MIP		
GU12-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GU12-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GU12-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GU12-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GU12-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25
GU12-12F12M48	1/2" FIP x 1/2" MIP x 48" L	1/25
GU12-12F12M60	1/2" FIP x 1/2" MIP x 60" L	1/25
GU12-12F12M72	1/2" FIP x 1/2" MIP x 72" L	1/25
GU12-12F38M18	1/2" FIP x 3/8" MIP x 18" L	1/25
GU12-12F38M24	1/2" FIP x 3/8" MIP x 24" L	1/25
GU12-38F12M18	3/8" FIP x 1/2" MIP x 18" L	1/25
GU12-38F12M24	3/8" FIP x 1/2" MIP x 24" L	1/25
GU12-38F12M30	3/8" FIP x 1/2" MIP x 30" L	1/25
GU12-38F12M36	3/8" FIP x 1/2" MIP x 36" L	1/25
GU12-38F12M48	3/8" FIP x 1/2" MIP x 48" L	1/25
MIP X MIP		
GU12-12M12M12	1/2" MIP x 1/2" MIP x 12" L	1/25
GU12-12M12M18	1/2" MIP x 1/2" MIP x 18" L	1/25
GU12-12M12M24	1/2" MIP x 1/2" MIP x 24" L	1/25
GU12-12M12M30	1/2" MIP x 1/2" MIP x 30" L	1/25
GU12-12M12M36	1/2" MIP x 1/2" MIP x 36" L	1/25
GU12-12M12M72	1/2" MIP x 1/2" MIP x 72" L	1/25
GU12-12M38M18	1/2" MIP x 3/8" MIP x 18" L	1/25
GU12-12M38M24	1/2" MIP x 3/8" MIP x 24" L	1/25
GU12-12M38M36	1/2" MIP x 3/8" MIP x 36" L	1/25
GU12-12M38M48	1/2" MIP x 3/8" MIP x 48" L	1/25
GU12-38M38M12	3/8" MIP x 3/8" MIP x 12" L	1/25
GU12-38M38M18	3/8" MIP x 3/8" MIP x 18" L	1/25
GU12-38M38M24	3/8" MIP x 3/8" MIP x 24" L	1/25
GU12-38M38M36	3/8" MIP x 3/8" MIP x 36" L	1/25

UNCOATED GAS CONNECTOR - 5/8" OD (1/2" ID) WITH FITTINGS



- Made of uncoated 304 stainless steel
- 5/8" OD (1/2" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GU58-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GU58-12F12F18	1/2" FIP x 1/2" FIP x 18" L	1/25
GU58-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GU58-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25
GU58-12F12F48	1/2" FIP x 1/2" FIP x 48" L	1/25
GU58-34F34F18	3/4" FIP x 3/4" FIP x 18" L	1/25
GU58-34F34F24	3/4" FIP x 3/4" FIP x 24" L	1/25
GU58-34F34F30	3/4" FIP x 3/4" FIP x 30" L	1/25
GU58-34F34F36	3/4" FIP x 3/4" FIP x 36" L	1/25
GU58-34F34F48	3/4" FIP x 3/4" FIP x 48" L	1/25
FIP X MIP		
GU58-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GU58-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GU58-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GU58-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GU58-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25
GU58-12F12M48	1/2" FIP x 1/2" MIP x 48" L	1/25
GU58-12F12M60	1/2" FIP x 1/2" MIP x 60" L	1/25
GU58-12F12M72	1/2" FIP x 1/2" MIP x 72" L	1/25
GU58-12F34M12	1/2" FIP x 3/4" MIP x 12" L	1/25
GU58-12F34M18	1/2" FIP x 3/4" MIP x 18" L	1/25
GU58-12F34M24	1/2" FIP x 3/4" MIP x 24" L	1/25
GU58-12F34M36	1/2" FIP x 3/4" MIP x 36" L	1/25
GU58-12F34M48	1/2" FIP x 3/4" MIP x 48" L	1/25
GU58-12F34M60	1/2" FIP x 3/4" MIP x 60" L	1/25
GU58-12F34M72	1/2" FIP x 3/4" MIP x 72" L	1/25
GU58-34F12M24	3/4" FIP x 1/2" MIP x 24" L	1/25
GU58-34F12M36	3/4" FIP x 1/2" MIP x 36" L	1/25
GU58-34F12M48	3/4" FIP x 1/2" MIP x 48" L	1/25
GU58-34F34M12	3/4" FIP x 3/4" MIP x 12" L	1/25
GU58-34F34M18	3/4" FIP x 3/4" MIP x 18" L	1/25
GU58-34F34M24	3/4" FIP x 3/4" MIP x 24" L	1/25
GU58-34F34M30	3/4" FIP x 3/4" MIP x 30" L	1/25
GU58-34F34M36	3/4" FIP x 3/4" MIP x 36" L	1/25
GU58-34F34M48	3/4" FIP x 3/4" MIP x 48" L	1/25
GU58-34F34M60	3/4" FIP x 3/4" MIP x 60" L	1/25
GU58-34F34M72	3/4" FIP x 3/4" MIP x 72" L	1/25
MIP X MIP		
GU58-12M12M12	1/2" MIP x 1/2" MIP x 12" L	1/25
GU58-12M12M18	1/2" MIP x 1/2" MIP x 18" L	1/25
GU58-12M12M24	1/2" MIP x 1/2" MIP x 24" L	1/25
GU58-12M12M30	1/2" MIP x 1/2" MIP x 30" L	1/25
GU58-12M12M36	1/2" MIP x 1/2" MIP x 36" L	1/25
GU58-12M12M48	1/2" MIP x 1/2" MIP x 48" L	1/25
GU58-12M12M60	1/2" MIP x 1/2" MIP x 60" L	1/25
GU58-12M12M72	1/2" MIP x 1/2" MIP x 72" L	1/25
GU58-34M12M12	3/4" MIP x 1/2" MIP x 12" L	1/25
GU58-34M12M18	3/4" MIP x 1/2" MIP x 18" L	1/25
GU58-34M12M24	3/4" MIP x 1/2" MIP x 24" L	1/25
GU58-34M12M30	3/4" MIP x 1/2" MIP x 30" L	1/25
GU58-34M12M36	3/4" MIP x 1/2" MIP x 36" L	1/25
GU58-34M12M48	3/4" MIP x 1/2" MIP x 48" L	1/25
GU58-34M12M72	3/4" MIP x 1/2" MIP x 72" L	1/25
GU58-34M34M12	3/4" MIP x 3/4" MIP x 12" L	1/25
GU58-34M34M18	3/4" MIP x 3/4" MIP x 18" L	1/25
GU58-34M34M24	3/4" MIP x 3/4" MIP x 24" L	1/25
GU58-34M34M36	3/4" MIP x 3/4" MIP x 36" L	1/25
GU58-34M34M48	3/4" MIP x 3/4" MIP x 48" L	1/25
GU58-34M34M60	3/4" MIP x 3/4" MIP x 60" L	1/25

GAS APPLIANCE PRODUCTS

YELLOW POLY COATED GAS CONNECTOR - 3/8" OD (1/4" ID) WITH FITTINGS



- Made of yellow poly coated 304 stainless steel 3/8" OD (1/4" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GY38-12F12F12 NEW	1/2" FIP x 1/2" FIP x 12" L	1/25
GY38-12F12F18 NEW	1/2" FIP x 1/2" FIP x 18" L	1/25
GY38-12F12F24 NEW	1/2" FIP x 1/2" FIP x 24" L	1/25
GY38-12F12F30 NEW	1/2" FIP x 1/2" FIP x 30" L	1/25
GY38-12F12F36 NEW	1/2" FIP x 1/2" FIP x 36" L	1/25
GY38-12F12F48 NEW	1/2" FIP x 1/2" FIP x 48" L	1/25
GY38-12F12F60 NEW	1/2" FIP x 1/2" FIP x 60" L	1/25
GY38-12F12F72 NEW	1/2" FIP x 1/2" FIP x 72" L	1/25
GY38-38F38F12 NEW	3/8" FIP x 3/8" FIP x 12" L	1/25
GY38-38F38F18 NEW	3/8" FIP x 3/8" FIP x 18" L	1/25
GY38-38F38F24 NEW	3/8" FIP x 3/8" FIP x 24" L	1/25
GY38-38F38F30 NEW	3/8" FIP x 3/8" FIP x 30" L	1/25
GY38-38F38F36 NEW	3/8" FIP x 3/8" FIP x 36" L	1/25
GY38-38F38F48 NEW	3/8" FIP x 3/8" FIP x 48" L	1/25
GY38-38F38F60 NEW	3/8" FIP x 3/8" FIP x 60" L	1/25
GY38-38F38F72 NEW	3/8" FIP x 3/8" FIP x 72" L	1/25
FIP X MIP		
GY38-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GY38-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GY38-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GY38-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GY38-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25
GY38-12F12M48	1/2" FIP x 1/2" MIP x 48" L	1/25
GY38-12F12M60	1/2" FIP x 1/2" MIP x 60" L	1/25
GY38-12F12M72	1/2" FIP x 1/2" MIP x 72" L	1/25
GY38-12F38M12	1/2" FIP x 3/8" MIP x 12" L	1/25
GY38-12F38M18	1/2" FIP x 3/8" MIP x 18" L	1/25
GY38-12F38M24	1/2" FIP x 3/8" MIP x 24" L	1/25
GY38-12F38M30	1/2" FIP x 3/8" MIP x 30" L	1/25
GY38-12F38M36	1/2" FIP x 3/8" MIP x 36" L	1/25
GY38-12F38M48	1/2" FIP x 3/8" MIP x 48" L	1/25
GY38-12F38M60	1/2" FIP x 3/8" MIP x 60" L	1/25
GY38-12F38M72	1/2" FIP x 3/8" MIP x 72" L	1/25
GY38-38F12M12	3/8" FIP x 1/2" MIP x 12" L	1/25
GY38-38F12M18	3/8" FIP x 1/2" MIP x 18" L	1/25
GY38-38F12M24	3/8" FIP x 1/2" MIP x 24" L	1/25
GY38-38F12M30	3/8" FIP x 1/2" MIP x 30" L	1/25
GY38-38F12M36	3/8" FIP x 1/2" MIP x 36" L	1/25
GY38-38F12M48	3/8" FIP x 1/2" MIP x 48" L	1/25
GY38-38F12M60	3/8" FIP x 1/2" MIP x 60" L	1/25
GY38-38F12M72	3/8" FIP x 1/2" MIP x 72" L	1/25
GY38-38F38M12	3/8" FIP x 3/8" MIP x 12" L	1/25
GY38-38F38M18	3/8" FIP x 3/8" MIP x 18" L	1/25
GY38-38F38M24	3/8" FIP x 3/8" MIP x 24" L	1/25
GY38-38F38M30	3/8" FIP x 3/8" MIP x 30" L	1/25
GY38-38F38M36	3/8" FIP x 3/8" MIP x 36" L	1/25
GY38-38F38M48	3/8" FIP x 3/8" MIP x 48" L	1/25
GY38-38F38M60	3/8" FIP x 3/8" MIP x 60" L	1/25
GY38-38F38M72	3/8" FIP x 3/8" MIP x 72" L	1/25
MIP X MIP		
GY38-12M12M12	1/2" MIP x 1/2" MIP x 12" L	1/25
GY38-12M12M18	1/2" MIP x 1/2" MIP x 18" L	1/25
GY38-12M12M24	1/2" MIP x 1/2" MIP x 24" L	1/25
GY38-12M12M30	1/2" MIP x 1/2" MIP x 30" L	1/25
GY38-12M12M36	1/2" MIP x 1/2" MIP x 36" L	1/25
GY38-12M12M48	1/2" MIP x 1/2" MIP x 48" L	1/25
GY38-12M12M60	1/2" MIP x 1/2" MIP x 60" L	1/25
GY38-12M12M72	1/2" MIP x 1/2" MIP x 72" L	1/25

YELLOW POLY COATED GAS CONNECTOR - 1/2" OD (3/8" ID) WITH FITTINGS



- Made of yellow poly coated 304 stainless steel 1/2" OD (3/8" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GY12-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GY12-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GY12-12F12F30	1/2" FIP x 1/2" FIP x 30" L	1/25
GY12-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25
GY12-12F12F48	1/2" FIP x 1/2" FIP x 48" L	1/25
GY12-12F38F18	1/2" FIP x 3/8" FIP x 18" L	1/25
GY12-12F38F24	1/2" FIP x 3/8" FIP x 24" L	1/25
GY12-12F38F36	1/2" FIP x 3/8" FIP x 36" L	1/25
GY12-12F38F48	1/2" FIP x 3/8" FIP x 48" L	1/25
FIP X MIP		
GY12-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GY12-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GY12-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GY12-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GY12-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25
GY12-12F38M18	1/2" FIP x 3/8" MIP x 18" L	1/25
GY12-12F38M24	1/2" FIP x 3/8" MIP x 24" L	1/25
GY12-38F12M18	3/8" FIP x 1/2" MIP x 18" L	1/25
GY12-38F12M24	3/8" FIP x 1/2" MIP x 24" L	1/25
MIP X MIP		
GY12-12M12M12	1/2" MIP x 1/2" MIP x 12" L	1/25
GY12-12M12M18	1/2" MIP x 1/2" MIP x 18" L	1/25
GY12-12M12M24	1/2" MIP x 1/2" MIP x 24" L	1/25
GY12-12M12M30	1/2" MIP x 1/2" MIP x 30" L	1/25
GY12-12M12M36	1/2" MIP x 1/2" MIP x 36" L	1/25
GY12-12M12M48	1/2" MIP x 1/2" MIP x 48" L	1/25
GY12-12M38M12	1/2" MIP x 3/8" MIP x 12" L	1/25
GY12-12M38M18	1/2" MIP x 3/8" MIP x 18" L	1/25
GY12-12M38M24	1/2" MIP x 3/8" MIP x 24" L	1/25
GY12-12M38M36	1/2" MIP x 3/8" MIP x 36" L	1/25
GY12-12M38M48	1/2" MIP x 3/8" MIP x 48" L	1/25
GY12-38M12M36	3/8" MIP x 3/8" MIP x 48" L	1/25
GY12-38M38M12	3/8" MIP x 3/8" MIP x 12" L	1/25
GY12-38M38M18	3/8" MIP x 3/8" MIP x 18" L	1/25
GY12-38M38M24	3/8" MIP x 3/8" MIP x 24" L	1/25
GY12-38M38M30	3/8" MIP x 3/8" MIP x 30" L	1/25
GY12-38M38M36	3/8" MIP x 3/8" MIP x 36" L	1/25

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

GAS APPLIANCE PRODUCTS

YELLOW POLY COATED GAS CONNECTOR - 5/8" OD (1/2" ID) WITH FITTINGS



- Made of yellow poly coated 304 stainless steel 5/8" OD (1/2" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GY58-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GY58-12F12F18	1/2" FIP x 1/2" FIP x 18" L	1/25
GY58-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GY58-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25
GY58-12F12F48	1/2" FIP x 1/2" FIP x 48" L	1/25
GY58-34F12F24	3/4" FIP x 1/2" FIP x 24" L	1/25
GY58-34F12F48	3/4" FIP x 1/2" FIP x 48" L	1/25
GY58-34F12F72	3/4" FIP x 1/2" FIP x 72" L	1/25
GY58-34F34F12	3/4" FIP x 3/4" FIP x 12" L	1/25
GY58-34F34F18	3/4" FIP x 3/4" FIP x 18" L	1/25
GY58-34F34F24	3/4" FIP x 3/4" FIP x 24" L	1/25
GY58-34F34F30	3/4" FIP x 3/4" FIP x 30" L	1/25
GY58-34F34F36	3/4" FIP x 3/4" FIP x 36" L	1/25
GY58-34F34F48	3/4" FIP x 3/4" FIP x 48" L	1/25
FIP X MIP		
GY58-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GY58-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GY58-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GY58-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GY58-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25
GY58-12F12M48	1/2" FIP x 1/2" MIP x 48" L	1/25
GY58-12F12M60	1/2" FIP x 1/2" MIP x 60" L	1/25
GY58-12F12M72	1/2" FIP x 1/2" MIP x 72" L	1/25
GY58-12F34M18	1/2" FIP x 3/4" MIP x 18" L	1/25
GY58-12F34M24	1/2" FIP x 3/4" MIP x 24" L	1/25
GY58-12F34M36	1/2" FIP x 3/4" MIP x 36" L	1/25
GY58-12F34M48	1/2" FIP x 3/4" MIP x 48" L	1/25
GY58-34F12M12	3/4" FIP x 1/2" MIP x 12" L	1/25
GY58-34F12M36	3/4" FIP x 1/2" MIP x 36" L	1/25
GY58-34F12M48	3/4" FIP x 1/2" MIP x 48" L	1/25
GY58-34F34M12	3/4" FIP x 3/4" MIP x 12" L	1/25
GY58-34F34M18	3/4" FIP x 3/4" MIP x 18" L	1/25
GY58-34F34M24	3/4" FIP x 3/4" MIP x 24" L	1/25
GY58-34F34M30	3/4" FIP x 3/4" MIP x 30" L	1/25
GY58-34F34M36	3/4" FIP x 3/4" MIP x 36" L	1/25
GY58-34F34M48	3/4" FIP x 3/4" MIP x 48" L	1/25
GY58-34F34M72	3/4" FIP x 3/4" MIP x 72" L	1/25
MIP X MIP		
GY58-12M12M12	1/2" MIP x 1/2" MIP x 12" L	1/25
GY58-12M12M18	1/2" MIP x 1/2" MIP x 18" L	1/25
GY58-12M12M24	1/2" MIP x 1/2" MIP x 24" L	1/25
GY58-12M12M30	1/2" MIP x 1/2" MIP x 30" L	1/25
GY58-12M12M36	1/2" MIP x 1/2" MIP x 36" L	1/25
GY58-12M12M48	1/2" MIP x 1/2" MIP x 48" L	1/25
GY58-12M12M60	1/2" MIP x 1/2" MIP x 60" L	1/25
GY58-12M12M72	1/2" MIP x 1/2" MIP x 72" L	1/25
GY58-34M12M18	3/4" MIP x 1/2" MIP x 18" L	1/25
GY58-34M12M24	3/4" MIP x 1/2" MIP x 24" L	1/25
GY58-34M12M30	3/4" MIP x 1/2" MIP x 30" L	1/25
GY58-34M12M36	3/4" MIP x 1/2" MIP x 36" L	1/25
GY58-34M12M48	3/4" MIP x 1/2" MIP x 48" L	1/25
GY58-34M12M60	3/4" MIP x 1/2" MIP x 60" L	1/25
GY58-34M34M12	3/4" MIP x 3/4" MIP x 12" L	1/25
GY58-34M34M18	3/4" MIP x 3/4" MIP x 18" L	1/25
GY58-34M34M24	3/4" MIP x 3/4" MIP x 24" L	1/25
GY58-34M34M30	3/4" MIP x 3/4" MIP x 30" L	1/25
GY58-34M34M36	3/4" MIP x 3/4" MIP x 36" L	1/25
GY58-34M34M48	3/4" MIP x 3/4" MIP x 48" L	1/25
GY58-34M34M60	3/4" MIP x 3/4" MIP x 60" L	1/25
GY58-34M34M72	3/4" MIP x 3/4" MIP x 72" L	1/25

YELLOW POLY COATED GAS CONNECTOR - 1" OD (3/4" ID) WITH FITTINGS



- Made of yellow poly coated 304 stainless steel 1" OD (3/4" ID) corrugated hose
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GY1-34F34F12	3/4" FIP x 3/4" FIP x 12" L	1/25
GY1-34F34F18	3/4" FIP x 3/4" FIP x 18" L	1/25
GY1-34F34F24	3/4" FIP x 3/4" FIP x 24" L	1/25
GY1-34F34F36	3/4" FIP x 3/4" FIP x 36" L	1/25
GY1-34F34F48	3/4" FIP x 3/4" FIP x 48" L	1/25
GY1-34F34F72	3/4" FIP x 3/4" FIP x 72" L	1/25
FIP X MIP		
GY1-1F1M12	1" FIP x 1" MIP x 12" L	1/25
GY1-1F1M24	1" FIP x 1" MIP x 24" L	1/25
GY1-1F1M36	1" FIP x 1" MIP x 36" L	1/25
GY1-34F34M12	3/4" FIP x 3/4" MIP x 12" L	1/25
GY1-34F34M18	3/4" FIP x 3/4" MIP x 18" L	1/25
GY1-34F34M24	3/4" FIP x 3/4" MIP x 24" L	1/25
GY1-34F34M36	3/4" FIP x 3/4" MIP x 36" L	1/25
GY1-34F34M48	3/4" FIP x 3/4" MIP x 48" L	1/25
GY1-34F34M60	3/4" FIP x 3/4" MIP x 60" L	1/25
GY1-34F34M72	3/4" FIP x 3/4" MIP x 72" L	1/25
MIP X MIP		
GY1-34M34M12	3/4" MIP x 3/4" MIP x 12" L	1/25
GY1-34M34M18	3/4" MIP x 3/4" MIP x 18" L	1/25
GY1-34M34M24	3/4" MIP x 3/4" MIP x 24" L	1/25
GY1-34M34M36	3/4" MIP x 3/4" MIP x 36" L	1/25
GY1-34M34M48	3/4" MIP x 3/4" MIP x 48" L	1/25

BLACK POLY COATED GAS CONNECTOR - 3/8" OD (1/4" ID) WITH FITTINGS



- Made of black coated 304 stainless steel 3/8" OD (1/4" ID) corrugated hose
- Black coating used in fireplaces
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GB38-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GB38-12F12F18	1/2" FIP x 1/2" FIP x 18" L	1/25
GB38-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GB38-12F12F30	1/2" FIP x 1/2" FIP x 30" L	1/25
GB38-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25

GAS APPLIANCE PRODUCTS


BLACK POLY COATED GAS CONNECTOR - 1/2" OD (3/8" ID) WITH FITTINGS



- Made of black coated 304 stainless steel 1/2"OD (3/8" ID) corrugated hose
- Black coating used in fireplaces
- Zinc plated fittings to prevent corrosion
- CSA certified
- Quality machined fittings to ensure leak free seals

PART #	DESCRIPTION	PKG./CTN.
FIP X FIP		
GB12-12F12F12	1/2" FIP x 1/2" FIP x 12" L	1/25
GB12-12F12F18	1/2" FIP x 1/2" FIP x 18" L	1/25
GB12-12F12F24	1/2" FIP x 1/2" FIP x 24" L	1/25
GB12-12F12F30	1/2" FIP x 1/2" FIP x 30" L	1/25
GB12-12F12F36	1/2" FIP x 1/2" FIP x 36" L	1/25
FIP X MIP		
GB12-12F12M12	1/2" FIP x 1/2" MIP x 12" L	1/25
GB12-12F12M18	1/2" FIP x 1/2" MIP x 18" L	1/25
GB12-12F12M24	1/2" FIP x 1/2" MIP x 24" L	1/25
GB12-12F12M30	1/2" FIP x 1/2" MIP x 30" L	1/25
GB12-12F12M36	1/2" FIP x 1/2" MIP x 36" L	1/25

FLARE x MIP GAS CONNECTOR ADAPTERS



- Yellow zinc plated steel
- 5/8" OD = 15/16" - 16 thd

PART #	DESCRIPTION	PKG./CTN.
GCA38-38M	3/8" OD flare x 3/8" MIP (tapped 1/8" FIP)	10/10
GCA38-12M	3/8" OD flare x 1/2" MIP	10/10
GCA12-12M	1/2" OD flare x 1/2" MIP	10/10
GCA1516-12M	5/8" OD flare x 1/2" MIP	10/10
GCA1516-34M	5/8" OD flare x 3/4" MIP	10/10
GCA1516-34M12F	NEW 5/8" OD flare x 3/4" MIP (tapped 1/2" FIP)	10/10


FLARE x FIP GAS CONNECTOR ADAPTERS



- Yellow zinc plated
- 5/8" OD = 15/16" - 16 thd

PART #	DESCRIPTION	PKG./CTN.
GCA38-38F	3/8" OD flare x 3/8" FIP	10/10
GCA38-12F	3/8" OD flare x 1/2" FIP	10/10
GCA12-12F	1/2" OD flare x 1/2" FIP	10/10
GCA1516-12F	5/8" OD flare x 1/2" FIP	10/10
GCA1516-34M12F	5/8" OD flare x 3/4" MIP x 1/2" FIP	10/10
GCA1516-34F	5/8" OD flare x 3/4" FIP	10/10


FLARE x FIP HEAVY PATTERN GAS APPLIANCE BALL VALVES



- One piece body construction
- Certified 1/2" psi at appliance
- Certified 5 psi for indoor appliance
- Forged brass body

PART #	DESCRIPTION	PKG./CTN.
GABVH38-12	3/8" OD flare x 1/2" FIP	1
GABVH12-12	1/2" OD flare x 1/2" FIP	1


FLARE x FLARE HEAVY PATTERN GAS APPLIANCE BALL VALVES



- One piece body construction
- Certified 1/2" psi at appliance
- Certified 5 psi for indoor appliance
- Forged brass body

PART #	DESCRIPTION	PKG./CTN.
GABVH12	1/2" OD flare x 1/2" OD flare	1
GABVH38	3/8" OD flare x 3/8" OD flare	1

FLARE x FIP GAS APPLIANCE BALL VALVES



- Brass
- Two piece body construction
- 5/8" OD = 15/16" - 16 thd


PART #	DESCRIPTION	PKG./CTN./MSTR.
GABV38-12	3/8" OD flare x 1/2" FIP	1/10/100
GABV12-12	1/2" OD flare x 1/2" FIP	1/10/100
GABV1516-12	5/8" OD flare x 1/2" FIP	1/10/100
GABV1516-34	5/8" OD flare x 3/4" FIP	1/10/100

BRAXTON HARRIS CO., INC.

6.1.25

GAS APPLIANCE PRODUCTS


FLARE x MIP GAS APPLIANCE BALL VALVES



- Brass
- 5/8" OD = 15/16" - 16 thd

PART #	DESCRIPTION	PKG./CTN.
GABV12-12M	1/2" OD flare x 1/2" MIP	1


FLARE x FLARE GAS APPLIANCE BALL VALVES



- Brass
- 5/8" OD = 15/16" - 16 thd

PART #	DESCRIPTION	PKG./CTN.
GABV38	3/8" OD flare x 3/8" OD flare	1/10/100
GABV12	1/2" OD flare x 1/2" OD flare	1/10/100
GABV58	5/8" OD flare x 5/8" OD flare	1/10/100

FINE FLARE x FIP GAS APPLIANCE BALL VALVES



- Two piece body
- CSA approved, UL listed
- ASME B16.33 C6A3.16, ANSI Z21.15.
- 9/16"- 24 fine flare threads (for 3/8" O.D. tube) x 1/2" FIP
- Heavy forged brass construction
- 1/4" turn operation
- Lever handle
- Chrome plated brass ball
- Operating Temp.: 0 to 175°F
- 1/2 to 5 PSI rating

PART #	DESCRIPTION	PKG./CTN.
GABV916-12	9/16"- 24 Fine Flare x 1/2" FIP	1

TEXAS PATTERN FLARE GAS BALL VALVE



- One-piece forged brass body
- With chrome plated forged brass ball
- Coated lever handle
- For use with natural gas

PART #	DESCRIPTION	PKG./CTN.
GBVTP12-18	1/2" FIP x hose end x 1/8" MIP	1

FLARE x FIP GAS APPLIANCE CONNECTOR BALL VALVES (ANGLE)



- Brass
- 5/8" OD = 15/16" - 16 thd
- CSA certified for use with natural, mfg., mixed, liquified petroleum & LP gas/air mixture up to 2 PSIG

PART #	DESCRIPTION	PKG./CTN.
GABVA38-12F	3/8" OD flare x 1/2" FIP	1
GABVA12-12F	1/2" OD flare x 1/2" FIP	1
GABVA58-34F	5/8" OD flare x 3/4" FIP	1

GAS OUTLET BOX WITH GAS VALVE



- With 1/2" MIP inlet valve
- Provides a recessed valve installation
- Preloaded nails
- Left or right-hand stud mount
- Includes test plug

PART #	DESCRIPTION	PKG./CTN.
GOB	Gas outlet box with valve	1

BRAXTON HARRIS CO., INC.

SECTION D ..... TOOLS / GAUGES / TAPES / ELECTRICAL / SAFETY


D1


D2


D3


D4


D5


D6


D8


D8


D10


D11


D12


D14


D15


D16


D17


D18


D19


D20


D21


D22


D25


D26


D29


D30


D31


D32


D33


D34


D35


D36


D38


D39


D40


D41


D42


D43


D44


D45


D46


D46


D47


D47


D47

QUICK GUIDE

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329


QUICK REFERENCE GUIDE

SECTION D ..... TOOLS / GAUGES / TAPES / ELECTRICAL / SAFETY

PLUMBING TOOLS D1
GARDEN TOOLS D19
PAINTING SUPPLIES D19
SOLDERING / BRAZING PRODUCTS D22
SHOVELS D24
PROBING RODS D26
GAUGES D26
THERMOMETERS D28
AIR PUMPS D30
DRAIN CLEANING D30
WATER PUMPS D32
TEST PLUGS / CAPS D32
GENERAL HARDWARE D35
TAPES D38
ELECTRICAL D40
FLASHLIGHTS & BATTERIES D41
GLOVES D42
SAFETY EQUIPMENT D44
CLEANERS D45
CHEMICALS D47
LEAD POURING PRODUCTS D47

PLUMBING TOOLS


FAUCET/SHOWER VALVE SEAT WRENCHES



- For use on all types and sizes of seats
- For easy removal & installation of faucet seats
- Hardened steel

PART #	DESCRIPTION	PKG./CTN./MSTR.
VSWAS	6" x 6" angle, step pattern	1/20/60
VSWSS	6" straight, step pattern	1/20/60
VSWAT	6" x 6" angle, tapered pattern	1/20/60
VSWST	6" straight, tapered pattern	1/20/60

SOCKET WRENCH SET



- Tub & shower valve wrenches
- The #SWS complete 7-piece set includes:
  - 21/32" x 27/32"
  - 29/32" x 31/32"
  - 1-1/32" x 1-13/32"
  - 1-5/32" x 1-9/32"
  - 1-11/32" x 1-7/16"
  - 6" handle & wire holder

PART #	DESCRIPTION	PKG./CTN./MSTR.
SWS	Complete 7-piece set	1/5/20
SW2932	Ind. size 29/32" x 31/32" socket wrench only	1

LAVATORY NUT REMOVAL TOOL



- Easily removes plastic lavatory nuts on faucets
- Notched on end design fits 2, 3, 4 and 6 tab nuts
- Also fits metal and plastic hex nuts

PART #	DESCRIPTION	PKG./CTN.
LNRT	Lavatory nut removal tool	1

BASIN WRENCHES



- For use on basin nuts, ballcocks, and flush valves
- With spring-hinged jaw
- BWA has telescoping body for easy use in hard to reach spaces
- Swivel head operates from either side, right or left

PART #	DESCRIPTION	PKG./CTN./MSTR.
BW	Standard 11" long with 1-1/4" jaw	1/10/40
BWA	Adjustable 9" - 15" with 1-1/4" jaw	1/15/30
BWLA	Adjustable 9-1/2" - 16-1/2" with 2" jaw	1

DUAL SUPPLY STOP WRENCH



- Easily installs supply line stops
- Tightens 3/8" and 5/8" supply nuts

PART #	DESCRIPTION	PKG./CTN.
DSSW	Dual supply stop wrench	1

ANGLE VALVE SUPPLY STOP WRENCH



- Fits 3/4" OD compression or 1/2" IPS threads on angle stop
- Protects finish

PART #	DESCRIPTION	PKG./CTN.
AVSSW	3/8" OD or 1/2" IPS	1


COMPRESSION SLEEVE PULLER



- Fits 5/8" OD compression nuts
- Armless design that screws directly into compression nut for quick removal
- Removes sleeve without damaging walls

PART #	DESCRIPTION	PKG./CTN.
CPSO12	1/2" OD compression sleeve puller	1

COUNTERSUNK CLEANOUT PLUG WRENCH



- Used to install or remove countersunk plugs

PART #	DESCRIPTION	PKG./CTN.
CPW	6-way (4 square and 2 slotted head sizes)	1
CPW4	4-way (4 square head sizes)	1

DRUM TRAP PLUG WRENCH



- For use on countersunk plugs
- Four sizes: 3/4", 1", 1-1/8" & 1-3/8"
- Square sockets for drum plugs, drain covers & line plugs.

PART #	DESCRIPTION	PKG./CTN./MSTR.
DTPW	Drum trap plug wrench	1/8/16


BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

P.O. PLUG WRENCH

H




- For installing or removing basket strainers, P.O. plugs and tub drains
- Holds pop-up plugs & basket strainers in position & keeps them from turning during installation

PART #	DESCRIPTION	PKG./CTN.
POPW	P.O. plug wrench	1/50

3-IN-1 RADIATOR REPAIR TOOL


H



- For re-tapping and reaming out radiators

PART #	DESCRIPTION	PKG./CTN.
RRT	3-in-1 repair tool	1

RADIATOR NIPPLE WRENCH



- Capacity 1/2", 3/4", 1-1/4", 1-1/2" & 2"
- May also be used as spud key & spud wrench

PART #	DESCRIPTION	PKG./CTN./MSTR.
RNW	Plated malleable iron	1/10/20

TUB DRAIN REMOVAL TOOL

H




- Removes old or rusty drains
- Fits 1-1/4" and 1-1/2" tub drains
- Expands to grip the inside of the drain
- Prevents damage to tub finish

PART #	DESCRIPTION	PKG./CTN./MSTR.
TDRT	Tub drain removal tool	1/10/40

TUB DRAIN & SPUD WRENCH

H



- Installs & removes tub drains & closet spuds
- Prevents damage to decorative finishes
- Fits 1-1/2" & 2" spuds
- Use crescent wrench or screwdriver to turn wrench
- Hex body to fit wrench
- Made of heavy die cast aluminum

PART #	DESCRIPTION	PKG./CTN./MSTR.
TDSW	6" length	1/12/48

CLOSET FILL VALVE WRENCH


H



- Hardened steel construction

PART #	DESCRIPTION	PKG./CTN.
TFVW	Fill valve wrench	1

BRASS FAUCET SEAT GAUGE



- 16 measurements

PART #	DESCRIPTION	PKG./CTN.
BSG	Seat gauge	1

ADJUSTABLE SPUD & STRAINER WRENCH

H



- Fits closet spuds, basket strainers, lock nuts & slip nuts
- Adjustable from 7/8" to 3-1/8"

PART #	DESCRIPTION	PKG./CTN./MSTR.
ACSW	Plated wrench	1/20/40

STRAINER LOCKNUT WRENCH W/HINGED JAW

H



PART #	DESCRIPTION	PKG./CTN.
SLNW	Strainer locknut wrench w/hinged jaw	1

BASKET STRAINER NUT WRENCH

H



- For use on basket strainer jam nuts

PART #	DESCRIPTION	PKG./CTN./MSTR.
BASW	Basket strainer nut wrench	1/25/50

PLUMBING TOOLS

SINK STRAINER REMOVAL TOOL



- Installs and removes most basket strainers

PART #	DESCRIPTION	PKG./CTN.
SSRT	Sink strainer removal tool	1

SINK DRAIN WRENCH



- Works on six, eight and twelve-sided drain nuts as well as basket strainer lock nuts

PART #	DESCRIPTION	PKG./CTN.
SDW	Sink drain wrench	1

PLUMBER'S DRAIN WRENCH



- Fits hex nuts and all four, six and eight tab locking nuts on most kitchen duo basket strainer drains
- Square end of tool designed for tightening stand up shower drains (no caulk, receptor base and drop in style plastic pipe
- Fits in most all major manufacturer's plastic and brass drains

PART #	DESCRIPTION	PKG./CTN.
PDW	Plumber's drain wrench	1/40

NO CAULK SHOWER DRAIN WRENCH



- Use to quickly install no caulk shower drains

PART #	DESCRIPTION	PKG./CTN.
NCSDW	No caulk shower drain wrench	1


4-IN-1 SPUD WRENCH



- For closet spuds, strainer lock & slip nuts
- 1" - 3" capacity
- Heat-treated plated steel

PART #	DESCRIPTION	PKG./CTN.
SW4	Spud wrench	1


DELUXE SPUD WRENCH



- 4-in-1 locknut wrench
- Fits all size closet spuds, sink strainers, PO plugs, waste & overflows

PART #	DESCRIPTION	PKG./CTN.
SW	Hardened steel	1


COMBINATION SPUD WRENCH



- Plated malleable iron body

PART #	DESCRIPTION	PKG./CTN.
CSW	Adjustable size	1


STRAINER WRENCH



- Use # SW4 for locknut
- Holds basket strainer body & tub drain body in position while installation is made
- With bar-handle for leverage

PART #	DESCRIPTION	PKG./CTN./MSTR.
SW1	Strainer wrench	1/20/60

ELEMENT WRENCHES



- For removing & tightening water heater elements

PART #	DESCRIPTION	PKG./CTN./MSTR.
EW	Standard	1/6
EWH	Heavy-duty	1/10/50

WATER HEATER ELEMENT WRENCH



- Socket wrench connection
- Heavy-duty
- Includes 3/4" to 1/2" drive adapter

PART #	DESCRIPTION	PKG./CTN.
EWHS	Chrome steel	1

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

ELEMENT WRENCH BREAKER BAR



- For use with BHC # EWHS element wrench
- Also used w/ any 1/2" drive socket wrench
- 17" long w /cushion-grip handle

PART #	DESCRIPTION	PKG./CTN.
EWBB	1/2" drive	1

4-WAY KEY WRENCH

H



- For valves, faucets & sillcocks
- 1/4", 9/32", 5/16" & 11/32"
- Fits square stems
- Hardened steel

PART #	DESCRIPTION	PKG./CTN./MSTR.
4WKW	Universal valve key	1/25/100

KEY WRENCH/HOSE BIBB KEY



- For valves, faucets & sillcocks

PART #	DESCRIPTION	PKG./CTN.
KW	5/16" square hole	1

LOG LIGHTER KEYS



PART #	DESCRIPTION	PKG./CTN.
LLK3-14	3" length x 1/4" conn. (die cast zinc)	1
LLK3-516	3" length x 5/16 conn. (die cast zinc)	1
LLK3-14B	3" length x 1/4" conn. (cast brass)	1
LLK3-516B	3" length x 5/16 conn. (cast brass)	1
LLK6-14B	6" length x 1/4" conn. (cast brass)	1
LLK6-516B	6" length x 5/16 conn. (cast brass)	1
LLK7-516	7" length x 5/16 conn. (die cast zinc)	1
LLK12-14	12" Length x 1/4" conn. (cast brass)	1
LLK12-516	12" Length x 5/16" conn. (cast brass)	1

RADIATOR KEY



- Fits BHC coin key valve # RCKAV

PART #	DESCRIPTION	PKG./CTN./MSTR.
RCKAVK	Air valve key (only)	100/100/1000

WHEEL HANDLES




- For valves, faucets & sillcocks

PART #	DESCRIPTION	PKG./CTN.
VSH2-12	Round 12-point broach hole	1/25
VSH2-325	5/16" square hole	1/25
VSH2-16	Round 16-point broach hole	1/25

DELUXE NO-HUB TORQUE WRENCH

H



- For easier no-hub soil pipe installation
- For tightening nut on worm drive clamps
- Ratchets one way
- Built-in reversing lever

PART #	DESCRIPTION	PKG./CTN.
NHTW	5/16" hex socket set at 60 PSI	1/100

MEGA NO-HUB TORQUE WRENCH

H




- Slide down rocking reversing feature
- Heavy duty build with chrome vanadium sockets

PART #	DESCRIPTION	PKG./CTN./MSTR.
MNHTW60	60 lb. - 5/16" socket	1/15/60
MNHTW80	80 lb. - 5/16" socket	1/15/60
MNHTW38-80	80 lb. - 3/8" socket	1/15/60

STRAP WRENCH

H



- Heavy malleable iron construction with high-tensile strength strap
- For use on decorative finished products to prevent damage to finish

PART #	DESCRIPTION	PKG./CTN./MSTR.
SW7	Standard 7" handle length 2" IPS capacity	1/25/50
SW11	Standard 11-1/2" handle length 3" IPS capacity	1/12/24

PLUMBING TOOLS

GRIPZIT STRAP WRENCH

H



PART #	DESCRIPTION	PKG./CTN.
GSW	Gripzit strap wrench	1/6

ALUMINUM PIPE WRENCH



PART #	DESCRIPTION	PKG./CTN.
APW14	14" length - 2" capacity	1
APW18	18" length - 2-1/2" capacity	1

HEAVY-DUTY PIPE WRENCHES



- Professional quality
- Heat-treated steel jaws
- Epoxy-coated
- Drop-forged, perfect balance, malleable iron body

PART #	DESCRIPTION	PKG./CTN.
PW8	8"	1
PW10	10"	1
PW12	12"	1
PW14	14"	1
PW18	18"	1
PW24	24"	1
PW36	36"	1

FLUSHOMETER WRENCH

H



- Angled to fit in cramped spaces
- Smooth jaws protect chrome finish
- Fits 1-1/8" - 2-5/8"
- Use anywhere that you need to protect the finish

PART #	DESCRIPTION	PKG./CTN.
FW	Wrench	1

ADJUSTABLE CRESCENT WRENCHES

H



- Drop-forged, heat-treated carbon steel
- Industrial-grade chrome finish

PART #	DESCRIPTION		PKG./CTN.
	SIZE	**CAPACITY**	
AW6	6"	3/4"	1
AW8	8"	1"	1
AW10	10"	1-9/64"	1
AW12	12"	1-11/32"	1

GARBAGE DISPOSAL WRENCH

H



- Frees jammed disposal blades without endangering hands

PART #	DESCRIPTION	PKG./CTN.
GDW	Steel construction	1

DISPOSAL WRENCH

H



- Fits InSinkErator* style and others
- Use to restart or unclog under-sink disposal units
- Steel

PART #	DESCRIPTION	PKG./CTN.
DW	Disposal wrench	1

ALLEN WRENCH SET

H



- Hex key wrench set
- 8-piece set on a ring
- 1/16" - 1/4" sizes

PART #	DESCRIPTION	PKG./CTN.
HKWS8	Allen wrench set	1

FOLDING HEX KEY WRENCH SET

H



- Chrome plated steel case
- Heavy duty

PART #	DESCRIPTION	PKG./CTN./MSTR.
HKWS14	14 pc. hex key wrench set	1/12/72
HKWS9	9 pc. hex key wrench set	1/12/72

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

TONGUE & GROOVE PLIERS

H



CHANNELLOCK

- Right-angle teeth
- Undercut tongue & groove
- With comfort grips

PART #	DESCRIPTION	OEM #	PKG./CTN.
TGP7	6-1/2" length, 7/8" capacity. 5 adj.	426	1
TGP912	9-1/2" length, 1-1/2" capacity.	420	1
TGP10	10" length, 2" capacity. 7 adj.	430	1
TGPS10	Smooth jaw, 10" length, 2" capacity. 7 adj	415	1
TGP12	12" length, 2-1/4" capacity. 7 adj.	440	1
TGP16	16" length, 4-1/4" capacity. 8 adj.	460	1

NUTBUSTER™ PIPE WRENCH PLIERS

H



CHANNELLOCK

- Right-angle teeth grip in all directions
- SAFE-T-STOP™ prevents finger pinches
- Four adjustments
- With comfort grips

PART #	DESCRIPTION	OEM #	PKG./CTN.
PWP10	9-1/2" length, 1-1/8" capacity	410	1

GRIPLOCK® TONGUE & GROOVE WATER PUMP PLIERS

H



CHANNELLOCK

- 5 adj.

PART #	DESCRIPTION	OEM #	PKG./CTN.
WPP7	7" length 1" capacity	GL6	1
WPP10	10" length 1-1/4" capacity	GL10	1
WPP11	12" length 2-1/4" capacity	GL12	1

SLIP JAW PLIERS

H



- Drop-forged
- Satin-chrome finish w/comfort grips
- Slip joint w/ seven adjustments
- Grip-tight clip for additional support

PART #	DESCRIPTION	OEM #	PKG./CTN.
SJP10	10" length, 2-1/8" capacity 7 adj.	G253	1
SJWSJ10	Smooth jaw, 10" length, 2-1/8" capacity 7 adj.		1

NEEDLE NOSE PLIERS




CHANNELLOCK

- Cross-hatching on jaws
- Polished high carbon dropped forged steel
- Comfort grips
- Perfectly mated cutter, heat treated to hold its edge

PART #	DESCRIPTION	OEM #	PKG./CTN.
NNP634	6" length, with side cutter	326	1

INSIDE PIPE CUTTER & BLADES

H




- Cuts any pipe from 2" up
- Cuts a variety of materials
- Fits all electric drills
- Priced per pkg.

PART #	DESCRIPTION	PKG./CTN.
IPC3	3" shaft, with two blades	1/10
IPCRB	3 replacement blades per pkg.	1/10

HOL-E-TEARER™ PIPE CUTTER

H



- Inside pipe cutter
- Cuts PVC & ABS pipe
- High-speed steel blade w/ zinc plated shaft
- Priced per pkg.

PART #	DESCRIPTION	PKG./CTN./MSTR.
HIPC	Inside pipe cutter	1/12/192
HIPCRB	Two replacement blades per pkg.	1/300

PLUMBING TOOLS

PLASTIC FITTING SAVER TOOLS



- Cuts PVC, DWV & ABS pipe below slab
- Makes in-line repairs of plastic fitting or valve socket
- Reams out accurately for fitting or pipe replacement
- Repairs sprinkler risers, swimming pool or irrigation manifolds, freeze-damaged plastic, as well as DWV fittings
- Fits 1/2" variable-speed power drill

PART #	DESCRIPTION	PKG./CTN./MSTR.
PFST12	1/2" fitting saver	1/24/96
PFST34	3/4" fitting saver	1/24/96
PFST1	1" fitting saver	1/24/96
PFST112	1-1/2" fitting saver	1/24/96
PFST2	2" fitting saver	1/12/72
PFST3	3" fitting saver	1/12/48
PFST4	4" fitting saver	1/20/40

CABLE SAWS



- For cutting PVC, CPVC, ABS & other plastic pipe
- For tight spots where a conventional PVC saw will not fit
- Premium quality stainless steel cable will not rust

PART #	DESCRIPTION	PKG./CTN./MSTR.
CS36	36" length	1/50/300
CS48	48" length	1/50
CS36D	36" (24 ea. on display card)	1
CS48D	48" (12 ea. on display card)	1

CABLE SAWS WITH SOLID T-LOOP HANDLE



- For cutting PVC, CPVC, ABS & other plastic pipe
- For tight spots where a conventional PVC saw will not fit
- Premium quality stainless steel cable will not rust
- Comfortable T-loop handle

PART #	DESCRIPTION	PKG./CTN./MSTR.
CST24	24" length	1/50/200
CST36	36" length	1/50/200
CST48	48" length	1/50/200

HACKSAW



- All chrome plated steel
- Complete with blade

PART #	DESCRIPTION	PKG./CTN.
HS	Adjustable 10" to 12"	1

HEAVY-DUTY HACKSAW



- Complete with blade

PART #	DESCRIPTION	PKG./CTN.
HDHS	Adjustable 10" to 12"	1

HACKSAW BLADES



- Super high-speed
- Excellent quality
- 12" length, 1/2" width
- 10 pcs. per carton
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	TEETH PER INCH	TYPE	
HB18	18	Raker	10/10
HB24	24	Wavy	10/10
HB32	32	Wavy	10/10

HEAVY-DUTY CLOSE QUARTER MINI HACKSAW



- Industrial strength premium hacksaw
- Close fit sloped front frame
- 6 blade angle settings
- Rubber grip molded handle

PART #	DESCRIPTION	PKG./CTN.
HDCQH	Heavy-duty mini hacksaw	1

ADJUSTABLE MINI HACKSAW



- Cuts steel, brass, wood or plastic
- Turn handle to adjust blade

PART #	DESCRIPTION	PKG./CTN.
AMH	Adjustable mini hacksaw	1/6

ADJUSTABLE MINI HACKSAW

- Fits # AMH adjustable mini hacksaw
- 5 pcs. per carton
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
AMHB NEW	Replacement blade	5

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

CLOSE-QUARTER MINI HACKSAW



- Cuts steel, wood, plastic & brass
- Nickel plated steel frame

PART #	DESCRIPTION	PKG./CTN.
CQH	6" heavy-duty mini hacksaw	1/50

CLOSE-QUARTER HACKSAW BLADE



- Fits # CQH close-quarter hacksaw
- 5 pcs. per carton
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CQHB	6" replacement blade	5/5

ALUMINUM HANDLE PLUMBERS SAW



AHPS

AHPSB



- Cuts plastic, wood, fiber pipe & asbestos

PART #	DESCRIPTION	PKG./CTN.
AHPS	Complete saw	1
AHPSB	Saw blade only	1
AHPSH	Handle only	1

DELUXE PIPE SAWS

H



DPS8

DPS8RB

DPS13

DPS13RB

- Pull-stroke cutting action, allowing for a thinner blade, which removes less material, making sawing easier, faster and more accurate
- Blades are spring-steel plated for rust resistance
- Specially ground tri-edge teeth are impulse-hardened to retain their sharpness
- Blade-guard protects teeth when saw is stored

PART #	DESCRIPTION	PKG./CTN./MSTR.
DPS8	8" deluxe pipe saw	1/8/80
DPS8RB	8" replacement blade	1/12/120
DPS13	13" deluxe pipe saw	1/8/80
DPS13RB	13" replacement blade	1/10/100

6" DRYWALL SAW



- High quality carbon steel blade
- Use on sheetrock, plywood, wallboard, gypsum, plastic pipe & wood
- 8 teeth per inch
- Aggressive tooth design ensures super sharp, fast & easy cut
- Comfortable thumb-stop for greater leverage
- 6" blade
- With wrist strap

PART #	DESCRIPTION	PKG./CTN.
DS6	6" drywall saw	1
DS6RB	Replacement blade	1

PVC PIPE CUTTER

H



- Carbon steel blade
- Aluminum alloy handles
- Ratchet action

PART #	DESCRIPTION	PKG./CTN./MSTR.
PPC	1" PVC pipe cutter	1/10/50

S25 PVC PIPE CUTTER, BLADE & SPRING KIT (HEAVY-DUTY)

H



S25

SB25



S25SK

- **The ORIGINAL S25!**
- Cutting capacity through 1" PVC pipe
- All metal construction
- Best quality
- Molybdenum vanadium stainless steel blade

PART #	DESCRIPTION	PKG./CTN.
S25	1" PVC pipe cutter	1/60
SB25	Replacement blade for S25 cutter	1/300
S25SK	Spring repair kit for S25 cutter	1

PLUMBING TOOLS


L42A PVC PIPE CUTTER, BLADE & SPRING KIT (HEAVY-DUTY)



- Cutting capacity through 1-1/4" PVC pipe
- All metal construction
- Best quality
- Molybdenum vanadium stainless steel blade

PART #	DESCRIPTION	PKG./CTN.
L42A	1-1/4" PVC pipe cutter	1/60
LB42A	Replacement blade for L42A cutter	1
L42ASK	Spring repair kit for L42A cutter	1

L48 PVC PIPE CUTTER, BLADE & SPRING KIT (HEAVY-DUTY)



- Cutting capacity through 1-1/2" PVC pipe
- All metal construction
- Best quality
- Molybdenum vanadium stainless steel blade

PART #	DESCRIPTION	PKG./CTN.
L48	1-1/2" PVC pipe cutter	1/30
LB48	Replacement blade for L48 cutter	1
L48SK	Spring repair kit for L48 cutter	1

L50 PVC PIPE CUTTER, BLADE & SPRING KIT (HEAVY-DUTY)



- Cutting capacity through 2" PVC pipe
- All metal construction
- Best quality
- Molybdenum vanadium stainless steel blade

PART #	DESCRIPTION	PKG./CTN.
L50	2" PVC pipe cutter	1/20
LB50	Replacement blade for # L50 cutter	1/100
L50SK	Spring repair kit for # L50 cutter	1

PEX & PLASTIC PIPE CUTTER

H



- Blade can be flipped end-to-end to double the blade life
- Great for cutting poly, PEX, plastic & gas pipe
- Cutting capacity up to 1-1/4" OD thickness

PART #	DESCRIPTION	PKG./CTN.
TPHS	High-impact ABS handle	1
TPHSM	Durable aluminum handle	1
TPHSB	Stainless steel blade (only)	1

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

AVIATION SNIPS



- For cutting wire cloth, sheet metal, roofing shingles
- Serrated blade for positive bite

PART #	DESCRIPTION	PKG./CTN.
AS	Straight cut	1
ASL	Left cut	1
ASR	Right cut	1

TIN SNIPS



- For cutting sheet metal, light weight metal & wires
- Heat-treated tempered alloy steel
- Flat blades for straight or wide curve cuts

PART #	DESCRIPTION	PKG./CTN.
TS8	8"	1
TS10	10"	1
TS12	12"	1

PEX CRIMPING TOOLS



- For use on PEX pipe with copper crimp rings & S.S. bands
- Professional quality
- Tool can be calibrated in the field

PART #	DESCRIPTION	PKG./CTN.
CTP38	3/8"	1
CTP12	1/2"	1
CTP34	3/4"	1
CTP12-34	1/2" or 3/4" combo	1
CTP38-12-34	3/8", 1/2" & 3/4" set for Pex	1

PEX STAINLESS STEEL CRIMPING TOOL



- For use on PEX pipe with copper crimp rings & S.S. bands
- One tool needed for 3/8", 1/2", 3/4" or 1"
- Ratchet mechanism assures complete crimps which eliminates the need for a crimp gauge
- Tool is 11" long
- Conforms to ASTM F2098 specs

PART #	DESCRIPTION	PKG./CTN.
RTP	Universal crimp ratchet tool	1

PEX CRIMP RING CUTTER



PART #	DESCRIPTION	PKG./CTN.
PCRC	Pex crimp ring cutter	1

ONE HANDED PEX CRIMPING TOOL



- Used for 3/8", 1/2", 5/8", 3/4" and 1" stainless steel cinch clamps
- Quick ratchet release
- Complete cinch indicator
- Adjustment/calibration tools included
- Steel body with comfort rubber grip handles

PART #	DESCRIPTION	PKG./CTN.
CTPO	One handed PEX crimping tool for stainless steel bands	1

3 HANDLE OETIKER PEX RATCHETING CRIMP TOOL



- For copper ring/stainless steel bands

PART #	DESCRIPTION	PKG./CTN.
CTPO3	3 handle Oetiker PEX ratcheting crimp tool	1

GO/NO-GO GAUGE



- Sizing tool
- For measuring PEX crimp

PART #	DESCRIPTION	PKG./CTN.
GNGG	Gauge	1

MINI TUBING CUTTERS



- Reduced overall dimensions for work in extra-close quarters
- Cuts aluminum, copper, thin-wall steel & plastic tubing
- Lightweight

PART #	DESCRIPTION	PKG./CTN./MSTR.
MTC58	Cutting capacity 1/8" - 5/8" OD	1/20/200
MTC78	Cutting capacity 1/8" - 7/8" OD	1
MTC118	Cutting capacity 1/8" - 1-1/8" OD	1

PLUMBING TOOLS

STANDARD TUBING CUTTERS



- Complete with safety lock reamer
- For cutting aluminum, cooper, thin-wall steel & plastic tubing

PART #	DESCRIPTION	PKG./CTN.
STC118	Cutting capacity 1/8" - 1-1/8" OD	1
STC112	Cutting capacity 1/8" - 1-1/2" OD	1
STC218	Cutting capacity 5/8" - 2-1/8" OD	1

DELUXE TUBING CUTTER (ZIP-ACTION)



- Spring-loaded cutter wheel feeding system allows slide action size adjustment & quick release
- Grooved rollers for close to flare cuts
- Fold-away reamer
- Aluminum alloy body & zamak knob
- Comes with extra cutter wheel stored in contoured knob

PART #	DESCRIPTION	PKG./CTN.
DTC212	Cutting capacity 1/4" - 2-1/2" OD	1
DTCRW	Replacement wheel for DTC212	1

CIRCULAR TUBING CUTTER



- Easy to use in close quarters
- Self-aligning and self-clamping
- Cuts copper and PVC quickly and easily

PART #	DESCRIPTION	PKG./CTN./MSTR.
CTC12	1/2" circular tubing cutter	1/10/100
CTC34	3/4" circular tubing cutter	1/10/60
CTCRB	Replacement blade for CTC12 & CTC34	1


DEBURRING TOOL W/ BLADE



- Easily removes burrs inside and outside of copper and plastic
- Handle stores spare blades

PART #	DESCRIPTION	PKG./CTN.
DT	Deburring Tool w/ Blade	1/6


DELUXE TUBE FLARING TOOL



- This rugged deluxe tool is designed to flare a variety of tubing metals & sizes
- Single lap flares are produced in brass, aluminum, copper & mild steel
- Will accommodate 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8" OD tubing

PART #	DESCRIPTION	PKG./CTN.
DTFT	Deluxe tube flaring tool	1/12

FLARING TOOL



- Plated steel holding bar & cast frame yoke
- Flares copper & aluminum tubing with 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8" OD
- Quick-open hinge
- Swivel flare head

PART #	DESCRIPTION	PKG./CTN./MSTR.
FT	Flares 3/16" - 5/8" tubing	1/6/24

COPPER SWEDGE TOOL



- For use on 3/8", 1/2", 5/8" & 7/8" copper tube
- Also for use on soft copper, aluminum or other thin-walled tubing
- Heat-treated carbon steel

PART #	DESCRIPTION	PKG./CTN.
CST	Copper swedge tool	1

COPPER SIZING TOOL



- For type M copper tubing
- Impacts pipe to re-round tubing

PART #	DESCRIPTION	PKG./CTN./MSTR.
CST12	1/2" copper sizing tool	1/15/60
CST34	3/4" copper sizing tool	1/10/40
CST1	1" copper sizing tool	1/10

FAUCET/VALVE HANDLE PULLER



- Heavy-plated steel

PART #	DESCRIPTION	PKG./CTN./MSTR.
FHP	Screw drive	1/25/50

DELUXE/IMPACT HANDLE PULLER



- Heavy-plated steel construction

PART #	DESCRIPTION	PKG./CTN.
FHPD	Deluxe handle puller	1

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

HEAVY-DUTY FAUCET HANDLE PULLER

H



- Removes large & small faucet handles
- Long adjustable grip fingers

PART #	DESCRIPTION	PKG./CTN.
FHPHD	Handle puller	1

LARGE FAUCET HANDLE PULLER

H



- Faucet handle puller for large handles

PART #	DESCRIPTION	PKG./CTN.
FHPL	Large faucet handle puller	1

FAUCET SEAT GRINDER

H



- Includes three cutting wheels

PART #	DESCRIPTION	PKG./CTN./MSTR.
FSG	Seat grinder	1/12/120

PROFESSIONAL FAUCET RESEATER

H



- Long stem to fix faucet leaks in tubs & such hard to reach areas as recessed shower faucets

PART #	DESCRIPTION	PKG./CTN.
PFR	Reseater tool	1

FAUCET RESEATER KIT

H



- For easy removal & installation of faucet seats
- Set includes 3/8" x 7/16" ratcheting box wrench
- Small square - large square straight bibb seat tool
- Small square - large square tapered bibb seat tool
- Small hex - large hex tapered bibb seat tool

PART #	DESCRIPTION	PKG./CTN.
FRK	Reseater tool	1

EASY-OUT* MAIN SEAT REMOVAL TOOL

H



- Fits all Coyne-Delaney* & Crane* main valve seats
- Use with any 3/8" socket wrench

PART #	DESCRIPTION	PKG./CTN.
EOMSRT	Valve seat removal tool	1

PRESSURE ASSIST CARTRIDGE EXTRACTOR TOOL

H



- Easy-in/easy-out extractor tool for Sloan* cartridge in American Standard* Flushmate* tanks
- Eliminates broken cartridges and skinned knuckles
- Use with any 3/8" socket wrench to install or remove # SC100500K listed above

PART #	DESCRIPTION	PKG./CTN.
PACET	Cartridge extractor tool	1

OMEGA® FITTING REMOVAL KEYS



- For removal of Omega® fittings & valves from copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
ORK12	1/2"	1/24
ORK34	3/4"	1/24
ORK1	1"	1/24

OMEGA® FITTING REMOVAL KEY



- For removal of Omega® fittings & valves from copper, CPVC and PEX pipe
- Flat so it can fit in tight spots
- Made of 304-grade stainless steel

PART #	DESCRIPTION	PKG./CTN.
OVTSRK12	1/2"	1

MOEN* CARTRIDGE PULLER

H



- Pulls both brass & plastic cartridges
- Pulls stem & barrel

PART #	DESCRIPTION	PKG./CTN.
MCP	Moen* cartridge puller	1

PLUMBING TOOLS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

POSI-TEMP* CARTRIDGE PULLER



- Fits Moen* Posi-Temp* & standard tub/shower valves

PART #	DESCRIPTION	PKG./CTN.
MOPTCP	Posi-Temp* cartridge puller	1

COMPRESSION SLEEVE PULLER



- Ideal for working on corroded supply stops
- New easy-to-use patented plumbing hand tool removes leaking compression sleeves without damaging walls
- Leaves walls & supply lines intact
- For 5/8" compression nuts
- Lifetime guarantee
- Made in USA

PART #	DESCRIPTION	PKG./CTN.
CSP	Compression sleeve puller	1

VALVE STEM PACKING


TCVSP


GCVSP


GCVSPS
GCVSPS-8

- Non-asbestos graphite coated
- Max temp of 150°F
- Widely used for repairs to radiator valves, water pumps, faucet stems, etc.

PART #	DESCRIPTION	PKG./CTN.
TCVSP	1/16" x 24", teflon coated (CARTON QUANTITY ONLY)	10
GCVSP	1/8" x 24", graphite coated (CARTON QUANTITY ONLY)	10
GCVSPS	1/8" x 12' long, graphite coated	1
GCVSPS-8	1/4" x 8' long, graphite coated	1

NIPPLE AND SCREW EXTRACTOR



- Removes nipples, bolts, and screws without thread damage
- Made in USA
- Made of hardened steel

PART #	DESCRIPTION	PKG./CTN.
NSE14	1/4" (Trade size 5)	1
NSE38	3/8" (Trade size 6)	1
NSE12	1/2" (Trade size 7)	1
NSE34	3/4" (Trade size 8)	1
NSE1	1" (Trade size 9)	1

NIPPLE EXTRACTORS



- Internal pipe wrench
- Heat treated
- Fits inside nipple & expands to hold tight while removing nipple

PART #	DESCRIPTION	PKG./CTN./MSTR.
NE38	Fits 3/8" IPS	1
NE12	Fits 1/2" IPS	1/20/120
NE34	Fits 3/4" IPS	1/50/100
NE1	Fits 1" IPS	1/10/50
NES	Set (includes sizes 3/8", 1/2" and 3/4")	1/20/40
NES38-12-34-1	Set (includes sizes 3/8", 1/2", 3/4" and 1")	1/20


MANHOLE COVER LIFTER BAR



- For 3/16", 1/4", 5/16" and 3/8"

PART #	DESCRIPTION	PKG./CTN.
MHCL25	25" manhole cover lifter bar	1

WATER METER BOX KEYS


WMBK


WMBWK

PART #	DESCRIPTION	PKG./CTN.
WMBK	Key	1/100
WMBWK	Combination wrench & key	1/50

WATER METER CURB BOX WRENCH



- Thin wall socket fits most boxes

PART #	DESCRIPTION	PKG./CTN.
WMCBW	Water meter curb box wrench	1/100

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

WATER METER KEYS



- Used to open & close water & gas mains
- Painted steel with vinyl dipped comfort handle

PART #	DESCRIPTION	PKG./CTN.
WMK12-27	1/2" rod, 27" long	1/5
WMK12-30C	1/2" rod, 30" long combo w/lid key	1/5
WMK12-36	1/2" rod, 36" long	1/5
WMK58-27	5/8" rod, 27" long	1/5
WMK58-30C	5/8" rod, 30" long combo w/lid key	1/5
WMK58-36	5/8" rod, 36" long	1/5
WMK58-60	5/8" rod, 60" long	1/5
WMK34-36	3/4" rod, 36" long	1/5
WMK34-60	3/4" rod, 60" long	1/5

CAULKING TOOLS

H



- For finishing lead joint

PART #	DESCRIPTION	PKG./CTN.
ICT58-7	5/8" x 7" inside caulking tool	1
OCT58-7	5/8" x 7" outside caulking tool	1

BENDING SPRINGS/TUBING BENDER

H



- For bending copper water tubing or any soft tubing without kinks
- Spring prevents collapse of tubing wall

PART #	DESCRIPTION	PKG./CTN.
BS14	1/4" OD tubing, 10" length, 1/8" ID	1
BS38	3/8" OD tubing, 10" length, 1/4" ID	1
BS12	1/2" OD tubing, 10" length, 3/8" ID	1
BS58	5/8" OD tubing, 12" length, 1/2" ID	1

4-N-1 TUBING BENDER




- For 3/16", 1/4", 5/16" and 3/8"

PART #	DESCRIPTION	PKG./CTN.
TB4N1	4 -way heavy duty screwdriver	1/4

STRAIGHT-HANDLE WIRE BRUSHES

H



SHWB



SHWBSC

- Long hardwood handle

PART #	DESCRIPTION	PKG./CTN.
SHWB	Wire brush	1
SHWBSC	Wire brush with steel scraper	1

CONTOURED-HANDLE WIRE BRUSHES

H



CHWB




CHWBSC

- Shoe-shaped hardwood handle
- 16 x 4 steel bristle rows in contoured handle

PART #	DESCRIPTION	PKG./CTN.
CHWB	Wire brush	1
CHWBSC	Wire brush with steel scraper	1

BUTCHER BLOCK WIRE BRUSH



- 7-1/4" hardwood block
- 19 x 6 steel bristle rows

PART #	DESCRIPTION	PKG./CTN.
BBWB	Wire brush	1

CLAW PICK-UP TOOL



- Picks up objects in hard to reach places
- Finger grip opens & closes claw

PART #	DESCRIPTION	PKG./CTN.
CPUT	24" flexible shaft	1

PLUMBING TOOLS

4-WAY SCREWDRIVER



- Durable bits:
- 2 slotted and 2 phillips
- 7-1/2" length

PART #	DESCRIPTION	PKG./CTN.
4WS NEW	4 -way heavy duty screwdriver	1/8
4WSPRB NEW	Phillips replacement bit -1pc	1/8

6-WAY SCREWDRIVER/NUT DRIVER



- Red handle
- Shaft ends are 1/4" & 5/16" hex sizes for use as nut drivers
- Also includes 2 slotted & 2 Phillips bits
- 7-1/2" length
- Priced each

(PACKAGE QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
6WS	Individually bagged w/ header card H	1/12/48
6WSC	12-pack carton	12
6WSD	24-pc. counter display	24
6WSSRB	Slotted replacement bit	1
6WSPRB	Phillips replacement bit	1

9-IN-1 LIGHTED SCREWDRIVER

H



- With telescopic magnet retriever & light
- 2 ea. krypton bulbs included
- Includes Phillips #s 1, 2, 3, slot 1/4", 3/16", 1/8", & star T20 bits

PART #	DESCRIPTION	PKG./CTN.
9WS	Lighted screwdriver	1

MAGNETIC BIT HOLDER

H



- For 1/4" bits

PART #	DESCRIPTION	PKG./CTN.
MBH14	1/4" x 3" magnetic bit holder	1

NUT DRIVER

H



- Steel driver
- Plastic handle

PART #	DESCRIPTION	PKG./CTN.
ND12	1/2" nut driver	1
ND516	5/16" nut driver	1

MAGNETIC POWER NUT SETTER

H



- 1/4" hex shaft

PART #	DESCRIPTION	PKG./CTN.
MPNS14	1-3/4" x 1/4"	1
MPNS516	1-3/4" x 5/16"	1
MPNSL14	2-9/16" x 1/4" (long shank)	1
MPNSL516	2-9/16" x 5/16" (long shank)	1

SURE SWEAT™ DISSOLVABLE PIPE PLUGS



- A sure method for water free copper pipe sweating
- Stops water from inside the pipe
- Dissolves safely & completely with water
- Comes with insertion tool

PART #	DESCRIPTION	PKG./CTN.
SSDPP12	1/2" kit (7 plugs per box)	1
SSDPP34	3/4" kit (5 plugs per box)	1

WOOD CHISELS

H




- Hardened steel
- Impact-resistant plastic handle

PART #	DESCRIPTION	PKG./CTN.
WC12	1/2" chisel	1
WC34	3/4" chisel	1
WC1	1" chisel	1

GAS LINE MARKING LABELS

H



GLML GLML2

- Yellow self adhesive stickers
- Clearly identifies gas lines from other utility and water lines
- 100 labels per roll

PART #	DESCRIPTION	PKG./CTN.
GLML	"GAS LINE" Marking Labels	1/500
GLML2	"2 PSI GAS" Line Marking Labels	1/500

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

CHALK LINE PLUMB BOB



- Smooth-action, push-button line release
- Can also be used as a plumb bob
- Metal case

PART #	DESCRIPTION	PKG./CTN.
CPB100	Chalk line with 100' length line	1
RC8	8 oz. replacement chalk	1

LOCKING MEASURING TAPE



- Professional grade
- Extra heavy-duty black rubber case over yellow housing
- Power locking
- Easy to read

PART #	DESCRIPTION	PKG./CTN.
LMT1-25	1" wide x 25' length	1
LMT114-33	1-1/4" wide x 33' length	1

HEAVY-DUTY MEASURING TAPES



- Chrome plated case
- Power return (stop-lock)
- Yellow steel tape

PART #	DESCRIPTION	PKG./CTN.
MT34-12	3/4" wide x 12' length	1
MT34-16	3/4" wide x 16' length	1
MT1-25	1" wide x 25' length	1


COMPETITIVE MEASURING TAPES



- Power return (stop-lock)
- High-impact ABS cases, neon color
- Yellow steel tape

PART #	DESCRIPTION	PKG./CTN.
CMT12-10	1/2" wide x 10' length	1
CMT12-12	1/2" wide x 12' length	1
CMT34-16	3/4" wide x 16' length	1
CMT1-25	1" wide x 25' length	1

TORPEDO LEVELS



- Full magnetic base
- Three vials

PART #	DESCRIPTION	PKG./CTN.
TLA	Aluminum edge 9" with magnetic base	1
TLP	Polycast, 9"	1

3-IN-1 ALUMINUM LEVEL



- 3-in-1, 24" length
- Complete w/ removable torpedo level & string level that stores in the body
- Convenient ruled edge

PART #	DESCRIPTION	PKG./CTN.
HDL24	24" heavy-duty level	1

PLUMB BOB



- Solid brass
- Removable tip

PART #	DESCRIPTION	PKG./CTN.
PB8	Plumb Bob 8 oz.	1

PLASTIC NIPPLE CADDY TRAYS




- Made of high-impact plastic
- Will not rust or corrode
- Strong enough to take the abuse yet one-half the weight of metal
- Combo holds 1/2" & 3/4" nipples, with center compartment for putty & tape

PART #	DESCRIPTION	PKG./CTN.
NC12	1/2"	1/4
NC34	3/4"	1/4
NC1	1"	1/4
NC112	1-1/2"	1/4
NC2	2"	1/2
NC12-34	1/2" & 3/4" combo	1/2

PLUMBING TOOLS


COMBO METAL NIPPLE CADDY TRAY



- Holds:
  39 pcs. 1/2" x close to 6"
  22 pcs. 3/4" x close to 6"
- Steel construction with baked epoxy finish
- Fold over handle
- Measures 12-1/8" x 7" x 6-1/2"

PART #	DESCRIPTION	PKG./CTN.
NCM12-34	1/2" & 3/4" combo metal nipple caddy tray	1/8

STEEL NIPPLE CADDY TRAY



- Steel construction with baked epoxy finish
- Fold over handle


PART #	DESCRIPTION	PKG./CTN.
NCM12	1/2" metal nipple caddy tray (77 pcs.)	1/8
NCM34	3/4" metal nipple caddy tray (66 pcs.)	1/8
NCM1	1" metal nipple caddy tray (50 pcs.)	1/6
NCM114	1-1/4" metal nipple caddy tray (40 pcs.)	1/8
NCM112	1-1/2" metal nipple caddy tray (30 pcs.)	1/8
NCM2	2" metal nipple caddy tray (30 pcs.)	1/4

PROFESSIONAL TOTE TRAY



PART #	DESCRIPTION	PKG./CTN.
PTTL	Large (24" L x 12"W x 6" D)	1/5
PTTM	Medium (18" L x 12-1/2" W x 4.5" D)	1/5
PTTS	Small (15" L x 9" W x 5" D)	1/10

UTILITY TOTE TRAY



- Extra heavy-duty, crush-proof construction
- Three compartments
- Comfortable grip
- High-impact, lightweight plastic

PART #	DESCRIPTION	PKG./CTN.
UTT	15" x 10" x 4-1/2"	1/6

METAL FITTING TOTE TRAY



- Excellent for copper and PVC fittings
- Steel construction with baked epoxy finish
- Inside compartments measure 4-7/8" x 4-7/8" x 3-7/8"
- 8 compartments
- Fold over handle

PART #	DESCRIPTION	PKG./CTN.
FTT	Metal fitting tote tray	1/4

HANDYMAN STORAGE BOX



- 14-1/2" L x 11" W x 3" H
- 20 compartments
- Includes extra dividers

PART #	DESCRIPTION	PKG./CTN.
HSB	Storage box	1

BUCKET CADDY



- 5 gallon, high-impact plastic bucket
- With 1 large tray & 4 small trays

PART #	DESCRIPTION	PKG./CTN.
BC5	5 gal bucket caddy	1/8
BC5LT	5 gal bucket caddy less trays	1
BCLT	Large tray for 5 gal bucket caddy	1/3
BCST	Small tray for 5 gal bucket caddy	1/6
BC5L	Bucket caddy lid (only)	1

MASONRY DRILL BITS

H



- Designed for percussion & rotary drilling in concrete, brick, marble, stone, wall board & plaster
- Tungsten carbide tips
- 1/4" reduced shank

PART #	DESCRIPTION		PKG./CTN.
	BIT SIZE	BIT LENGTH	
MDB316-4	3/16"	4"	1
MDB14-4	1/4"	4"	1
MDB14-6	1/4"	6"	1
MDB516-4	5/16"	4"	1
MDB516-6	5/16"	6"	1
MDB38-6	3/8"	6"	1
MDB716-6	7/16"	6"	1
MDB12-6	1/2"	6"	1

PIPE TAP

H



- High carbon steel

PART #	DESCRIPTION	PKG./CTN.
PTCS12	1/2" npt pipe tap	1
PTCS34	3/4" npt pipe tap	1
PTCS1	1" npt pipe tap	1

BRAXTON HARRIS CO., INC.

6.1.25

PLUMBING TOOLS

HIGH SPEED DRILL BITS



- High speed steel

PART #	DESCRIPTION	PKG./CTN.
HSDB18	1/8"	1
HSDB316	3/16"	1
HSDB14	1/4"	1
HSDB516	5/16"	1
HSDB38	3/8"	1
HSDB12	1/2"	1

POWER WOOD BORING BITS



- For use in hard or soft wood 1/4" shank
- Made of hardened, tempered steel

PART #	DESCRIPTION	PKG./CTN.
WBB38	3/8"	1
WBB12	1/2"	1
WBB58	5/8"	1
WBB34	3/4"	1
WBB78	7/8"	1
WBB1	1"	1
WBB118	1-1/8"	1
WBB114	1-1/4"	1
WBB112	1-1/2"	1

DUAL AUGER WOOD BITS



- Screw point
- Use with 1/2" power drill

PART #	DESCRIPTION	PKG./CTN.
DAWB34-6	3/4" x 6"	1
DAWB78-6	7/8" x 6"	1
DAWB1-6	1" x 6"	1
DAWB118-6	1-1/8" x 6"	1

CLAW HAMMERS



- Drop-forged polished steel head
- Rubber-grip steel handle

PART #	DESCRIPTION	PKG./CTN.
CH16	16 oz.	1
CH8	8 oz.	1

BASTARD FILE



HRF12
HRF8



MF10
MF8

PART #	DESCRIPTION	PKG./CTN.
HRF12	12" half round bastard file w/ handle	1/6
HRF8	8" half round bastard file w/ handle	1/12
MF10	10" mill bastard file w/ handle	1/12
MF8	8" mill bastard file w/ handle	1/12

STAPLE GUN



- All chrome finish, steel construction
- Jam-proof mechanism
- Safety handle lock
- Built-in staple lifter
- Visual refill window
- Uses # SGS(JT21) staples, (included)

PART #	DESCRIPTION	PKG./CTN.
SG	Staple gun	1
SGS	1000 pack 1/4" staples	1

BOLT CUTTERS



- Professional, heavy-duty
- Alloy steel jaws
- Single adjusting screw
- Comfort-grip handles

PART #	DESCRIPTION	PKG./CTN.
BC12	12"	1
BC24	24"	1
BC36	36"	1

PRY BARS



NP



PB / WB

- Enameled
- Beveled ground edges
- Forged alloy steel

PART #	DESCRIPTION	PKG./CTN.
NP	Nail puller	1
PB	Pry bar (15" length)	1
WB30	Wrecking bar (30" length)	1

GARDEN TOOLS/PAINTING SUPPLIES

MEDIUM-DUTY GARDEN HOSES



- 4-ply reinforced
- Oil & abrasion resistant
- Outer cover
- Solid brass end connector fittings
- Flow guard collar
- Kink resistance
- Great flexibility

PART #	DESCRIPTION	PKG./CTN.
GH58-50	5/8" x 50' length	1
GH58-100	5/8" x 100' length	1

HEAVY-DUTY GARDEN HOSE



- 5-ply reinforced premium hose
- Octagonal crush-proof brass end connector fittings
- Oil & abrasion-resistant outer cover
- Kink resistance
- Great flexibility
- Heavy-duty metal spring collar

PART #	DESCRIPTION	PKG./CTN.
GH58-50H	5/8" x 50' length	1/4

RUBBER CONTRACTOR HOSE



- Commercial-grade
- Heavy-duty rubber/vinyl
- Reinforced rubber
- Temp. up to 160°
- 5-ply construction
- Year-round use

PART #	DESCRIPTION	PKG./CTN.
CWH58-50	5/8" x 50' length	1/4
CWH58-50H	5/8" x 50' length (hot water)	1/4
CWH34-50	3/4" x 50' length	1/5

INSULATED GARDEN HOSE LEVER NOZZLE



- Heavy-duty
- High impact plastic casing provides insulation from hot or cold
- Nozzle is heavy-duty metal w/rust-proof brass spray mechanism
- Adjusts from fine mist to full stream
- Lock clip holds lever on

PART #	DESCRIPTION	PKG./CTN.
IGHLN	Insulated lever nozzle	1/10

INSULATED GARDEN HOSE LEVER W/ COMFORT GRIP



- Heavy-duty
- High-impact plastic casing provides insulation from hot or cold
- Nozzle is heavy-duty metal w/rust-proof brass spray mechanism
- Adjusts from fine mist to full stream
- Lock clip holds lever on

PART #	DESCRIPTION	PKG./CTN.
IGHLNCB	Comfort grip	1/10

METAL GARDEN HOSE LEVER NOZZLE



- Chrome metal w/rust-proof non-metal spray mechanism

PART #	DESCRIPTION	PKG./CTN.
MGHLN	Smooth-action lever	1/10

GARDEN HOSE ADJUSTABLE NOZZLE



- Heavy-duty
- Brass
- 3-3/4"

PART #	DESCRIPTION	PKG./CTN.
GHAN	Adjustable nozzle	1/10

ACID BRUSHES




- For soldering, gluing, painting, cleaning, etc.
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
AB38	3/8" x 6"	144/144
AB12	1/2" x 6"	144/144
AB916	9/16" x 6"	144/144

PAINT BRUSHES



- Professional grade
- Brass ferrule
- For all paints
- Wood handle
- 100% two-toned polyester

PART #	DESCRIPTION	PKG./CTN.
PB1	1"	1/12
PB2S	2" angle sash	1/12
PB3	3"	1/12
PB4	4"	1/12

BRAXTON HARRIS CO., INC.

6.1.25

PAINTING SUPPLIES

PROFESSIONAL QUALITY PAINT BRUSHES



- Pure Chinese bristle
- Extra-long trim
- Stained wood handle
- Use with oil-base paint or varnish

PART #	DESCRIPTION	PKG./CTN.
PPB1	1"	1/12
PPB112	1-1/2"	1/12
PPB112S	1-1/2" angle sash	1/12
PPB2	2"	1/12
PPB2S	2" angle sash	1/12
PPB212	2-1/2"	1/12
PPB3	3"	1/12
PPB4	4"	1/12

CHIP BRUSHES



- Recommended for removing chips & as an oil brush
- Ideal for small paint & varnish jobs

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
MB1	1" wide	5/5
MB2	2" wide	5/5
MB3	3" wide	5/5

CHIP BRUSH (DOUBLE THICK BRISTLE)



- Pure 100% natural white bristle set in epoxy
- Used for painting (interior/ exterior
- Smooth natural wood handle

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CBD112	1-1/2" chip brush	5
CBD2	2" chip brush	5

9" PAINT ROLLER REFILLS



- For interior or exterior paint
- Polyester (plastic core)
- Standard grade

PART #	DESCRIPTION	PKG./CTN.
PRR9-14	1/4" nap dynel roller	1/36
PRR9-38	3/8" nap dynel roller	1/36
PRR9-12	1/2" nap dynel roller	1/36
PRR9-34	3/4" nap dynel roller	1/36

9" ROLLER FRAME



- Deluxe, 9" bird-cage frame
- Metal ferrule
- Threaded handle
- 5/16" rod
- 5 wires

PART #	DESCRIPTION	PKG./CTN.
RF9	9" roller frame	1/2

4" PAINT ROLLER REFILLS



- For interior or exterior paint
- Polyester (plastic core)

PART #	DESCRIPTION	PKG./CTN.
PRR4-38	3/8" nap dynel roller	1/36
PRR4-12	1/2" nap dynel roller	1/36
PRR4-34	3/4" nap dynel roller	1/36


4" ROLLER FRAME



- 5-wire frame
- Metal ferrule
- Threaded handle

PART #	DESCRIPTION	PKG./CTN.
RF4	4" roller frame	1/24

PAINT TRAYS



- 11" x 16", deep well
- Professional

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PTP	Plastic tray (translucent green)	24
PTM	Metal tray (with legs)	12

DISPOSABLE PAINT TRAY LINER



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DPTL	Plastic liner	48

PAINTING SUPPLIES

COTTON CANVAS DROP CLOTHS



PART #	DESCRIPTION	PKG./CTN.
CDC6-9	6' x 9' cotton canvas drop cloth	1
CDC9-12	9' x 12' cotton canvas drop cloth	1

PLASTIC DROP CLOTHS



- 9' x 12'
- No seams
- Translucent

PART #	DESCRIPTION	PKG./CTN.
PDC9-12	1 mil. medium-duty	1
PDCH9-12	3 mil. extra heavy-duty	1

POLY SHEETING



PART #	DESCRIPTION	PKG./CTN.
PS8-100	8' x 100' Poly Sheeting (4 mil.)	1
PS10-100	10' x 100' Poly Sheeting (4 mil.)	1

5-GALLON PLASTIC BUCKET



- Heavy-duty
- Steel bail handle
- Color may vary

PART #	DESCRIPTION	PKG./CTN.
PB5	Plastic bucket	1/10

SINGLE-EDGE INDUSTRIAL RAZOR BLADE



- Use with all popular scrapers
- 10 blades per card/ctn.
- Priced per ctn.

PART #	DESCRIPTION	PKG./CTN.
SEIRB	Heavy-duty/reinforced	1

PUTTY KNIVES

H



- High carbon, heavy-gauge steel blade extends through handle
- Black plastic matte finish handle

PART #	DESCRIPTION	PKG./CTN.
PK	6-in-1 putty knife	1
CPPK	Clip-point putty knife	1
PK114	1-1/4" putty knife	1
PK112 NEW	1-1/2" putty knife	1
PK2 NEW	2" putty knife	1
PK3	3" putty knife	1

CAULK GUN

H



- Lever piston-style w/ 9" barrel
- Heavy-gauge steel
- Accepts all standard size caulking cartridges
- Drop-in half barrel type

PART #	DESCRIPTION	PKG./CTN.
CG	Caulk gun	1/24

PROFESSIONAL CAULK GUN

H



- Heavy-duty, parallel hex-rod frame
- Easy, one-hand operation with thumb release
- With clean-out

PART #	DESCRIPTION	PKG./CTN.
PCG	Professional caulk gun	1

HEAVY STEEL CAULK GUN

H



- Quart-size
- Heavy-gauge painted steel
- Lever piston

PART #	DESCRIPTION	PKG./CTN.
HSCG	Heavy-gauge caulk gun	1

STEEL WOOL



- 16 jumbo pads per package
- Priced per package
- 15 pkgs per display ctn.

PART #	DESCRIPTION	PKG./CTN.
SWF	# 0 fine	16 per bag/15 bags
SWVF	# 00 very fine	16 per bag/15 bags

BRAXTON HARRIS CO., INC.

6.1.25

SOLDERING/BRAZING

MAPP GAS CYLINDER



- AGC patented MAPP substitute formula with Propylene, Propane and Dimethyl Ether mixtures
- More concentrated flame: primary flame heat output BTU is 30% higher than Propylene, 124% higher than Propane
- Combustion intensity is 91% higher than standard propane
- Ideal for professional or heavy welding/brazing as well as metal cutting

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
MGC	16.1 oz. mapp	12/12

PROPANE GAS CYLINDER



- High quality Propane with purity > 95%(m/m)
- Net weight 14.1 oz.
- Flame temp. in Oxygen=2,821°C/5,110°F
- Flame temp. in Air=1,982°C/3,600°F
- BTU/Cu.Ft.=2,498

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PGC	14.1 oz. propane	12/12

PENCIL FLAME TIP TORCH

H



- For mapp or propane
- Includes valve stem & burner
- For use on high-heat jobs
- Brass torch

PART #	DESCRIPTION	PKG./CTN.
PFTT	Pencil flame tip torch	1

SELF-IGNITING SWIVEL TORCH

H



- For mapp or propane
- Instant flame automatic lighter
- All brass body and tip with stainless burn tube
- 360° swivel with adjustable flame control
- Target heat: propane / 1700°F, Mapp / 2400°F
- Similar to TX-504/GP-600
- CSA certified

PART #	DESCRIPTION	PKG./CTN.
SFTT	Self-igniting swivel torch	1

HEAVY DUTY TURBO FLAME TORCH

H




- Designed for use with MAPP and propane cylinder
- 360° swivel with adjustable flame control
- Reinforced rugged solid brass regulator
- Similar to STK-9/GHT100
- CSA certified

PART #	DESCRIPTION	PKG./CTN.
HDTF	Less self igniter	1/10
HDTFS	With self igniter	1/10

FLINT LIGHTER & REPLACEMENT FLINT

H





PART #	DESCRIPTION	PKG./CTN./MSTR.
FL	Round file flint lighter	1/25/200
RF	Replacement flint (Priced per tin) (Packed five flints per tin)	1 tin

THREE FLINT FRICTION LIGHTER

H



- Flints priced per pack of 4 renewals

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FL3	Three flint friction lighter	6/48
FL3RF	Flint replacement (4 per pack)	1

TORCH/FLAME GUARD



- Provides ideal protection when working in confined areas with an open torch
- Asbestos-free Torch Guard is flexible, easy to work with & stands up to heat
- Flame resistance to 2000°F
- Continuous use 1700°F
- Shields studs, walls, floors & other surfaces from heat & flames during brazing & soldering operations

PART #	DESCRIPTION	PKG./CTN.
TG	9" x 12"	1

TELESCOPING MATCH HOLDER

H



PART #	DESCRIPTION	PKG./CTN.
TMH	Telescoping match holder	1/24

SOAP STONE AND HOLDER

H



- ROUND- Pen size lightweight aluminum holder with built-in chuck
- FLAT- Stainless steel spring tension with locknut

(FSS and RSS are CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FSS	Flat soap stone (144 pieces)	144
RSS	Round soap stone (144 pieces)	144
SSHF	Flat soap stone holder	1/6
SSHR	Round soap stone holder	1/6

SOLDERING/BRAZING

EAZY-BRAZ



- 92.9% copper, 7.1% phos.
- Liquid 1460°F, solid 1310°F
- Tensile strength 91,000 PSI
- Priced per one-pound package
- Brazing range: 1350°F - 1500°F
- Self-fluxing
- Specifications AWS-ASTM-B Cup-2

PART #	DESCRIPTION	PKG./CTN.
EB1	One 1-pound plastic tube	1

2% SILVER SOLDER



- 91% copper/ 7% phos/ 2% silver
- Meets AWS A5.8QQB-650 B Cup-6
- Liquid 1450°F, solid 1190°F
- 1 pound plastic tubes

PART #	DESCRIPTION	PKG./CTN.
SS2	2% silver solder 1 lb. tube	1

5% SILVER SOLDER



- 89% copper/ 6% phos/ 5% silver
- Similar to 15% silphos with the ability to fill gaps and form fillets without adversely affecting strength
- Meets AWS A5.8-81-BCup3 Fed QQB650B and recommended brazing range: 1325-1500°F
- Liquid 1475°F, solid 1190°F
- 1 pound plastic tubes

PART #	DESCRIPTION	PKG./CTN.
SS5	5% silver solder 1 lb. tube	1

15% SILVER SOLDER



- 80% copper/ 5% phos/ 15% silver
- Liquid 1495°F, solid 1190°F
- 1 pound plastic tubes
- Meets AWS A5.8QQB-650 B CUP-6
- Working temperature 1300°-1500°F

PART #	DESCRIPTION	PKG./CTN.
SS15	15% silver solder 1 lb. tube	1

GRADE #3 ALUMINUM OXIDE SAND CLOTH



- Abrasive cloth for cleaning pipe & fittings
- 120-grit
- Water-resistant
- Dispenser box

PART #	DESCRIPTION	PKG./CTN.
SC112-5	1-1/2" x 5 yards	1/100
SC112-10	1-1/2" x 10 yards	1/100
SC112-25	1-1/2" x 25 yards	1/40

OPEN MESH SAND CLOTH (WATERPROOF)



- Abrasive cloth for cleaning pipe & fittings
- 100% waterproof
- Polyester on both sides with aluminum oxide
- Can be exposed to water & other solvents indefinitely without breaking down
- 180-grit
- Dispenser box

PART #	DESCRIPTION	PKG./CTN.
MSC112-5	1-1/2" x 5 yards	1/100
MSC112-10	1-1/2" x 10 yards	1/100
MSC112-25	1-1/2" x 25 yards	1/40

WATERPROOF ALUMINUM OXIDE SAND CLOTH



- Abrasive cloth for cleaning pipe & fittings
- Wet-cut
- 100% waterproof
- 120-grit
- Dispenser box

PART #	DESCRIPTION	PKG./CTN.
WSC112-5	1-1/2" x 5 yards	1/100
WSC112-10	1-1/2" x 10 yards	1/100
WSC112-25	1-1/2" x 25 yards	1/40

BRAXTON HARRIS CO., INC.

6.1.25

SOLDERING/BRAZING/SHOVELS

COPPER CLEANING PADS

H



- Reusable
- Use wet or dry – will not clog
- Nylon impregnated fine maroon
- Good general cleaner for removing rust, corrosion, etc.
- Deoxidizes and cleans copper tube and fittings for soldering

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CCP	4" x 6-1/4" x 1/4" copper cleaning pads	5/5

FITTING BRUSHES



WFB



PFB

- Carbon steel
- For cleaning the inside of sweat fittings

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
WIRE HANDLE FITTING BRUSHES:		
WFB14	1/4" ID (3/8" OD)	1/10/200
WFB38	3/8" ID (1/2" OD)	1/10/200
WFB12	1/2" ID (5/8" OD)	1/10/200
WFB12BK	1/2" ID (5/8" OD) (Bulk)	1/10/200
WFB34	3/4" ID (7/8" OD)	1/10/200
WFB34BK	3/4" ID (7/8" OD) (Bulk)	1/10/200
WFB1	1" ID (1-1/8" OD)	1/10/200
WFB114	1-1/4" ID (1-3/8" OD)	1/10/200
WFB112	1-1/2" ID (1-5/8" OD)	1/10/200
WFB2	2" ID (2-1/8" OD)	1/10/200
PLASTIC HANDLE FITTING BRUSHES:		
PFB14	1/4" ID (3/8" OD)	12/12
PFB38	3/8" ID (1/2" OD)	12/12
PFB12	1/2" ID (5/8" OD)	12/12
PFB12BK	1/2" ID (5/8" OD) (Bulk)	100/100
PFB34	3/4" ID (7/8" OD)	12/12
PFB34BK	3/4" ID (7/8" OD) (Bulk)	100/100
PFB1	1" ID (1-1/8" OD)	12/12
PFB114	1-1/4" ID (1-3/8" OD)	6/6
PFB112	1-1/2" ID (1-5/8" OD)	6/6
PFB2	2" ID (2-1/8" OD)	6/6

OUTSIDE TUBING BRUSH

H



PART #	DESCRIPTION	PKG./CTN.
OTB12	1/2" outside tubing brush	1/6
OTB34	3/4" outside tubing brush	1/6
OTB1	1" outside tubing brush	1/6

PLASTIC 4-N-1 FITTING BRUSH

H



- Includes four long lasting high carbon steel brushes for 1-1/2" and 3/4" copper tube and fittings

PART #	DESCRIPTION	PKG./CTN.
PFB4N1C	Copper tube and fitting brush	1

ECONOMY GRADE SHOVELS WITH WOODEN HANDLES



LHRPS

LHSPS

PART #	DESCRIPTION	PKG./CTN.
LHRPS	L-handle, round-pt., open-back shovel. #2 size. 8-1/2" x 11-1/2" blade. Rolled step. 47" wood handle	1/6 *Similar to: (AMES* # 15-047)*
LHSPS	L-handle, square-pt., open-back shovel. # 2 size. 8-1/2" x 11-1/2" blade. Forward-turned step. 47" wood handle	1/6 *Similar to: (AMES* # 15-049)*

SHOVELS

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

HEAVY-DUTY SHOVELS WITH FIBERGLASS HANDLES



PART #	DESCRIPTION	PKG./CTN.
LFHRPS	L-handle, round-pt., open-back shovel. #2 size. 9-3/4" x 11-1/2" blade. Forward-turned step. 47" fiberglass handle. *Similar to: (AMES* # SFGLR)*	1/6
LFHSPS	L-handle, square-pt., open-back shovel. #2 size. 9-3/4" x 11-1/2" blade. Forward-turned step. 47" fiberglass handle. *Similar to: (AMES* # SFGLS)*	1/6
LFHTS	L-handle, open-back, ditching/ trenching shovel. 5" x 12" blade. 9" socket. 47" fiberglass handle. *Similar to: (AMES* # SFGDSL)*	1/6
DFHTS	D-handle, open-back, drain/ trenching spade. 5-1/2" x 16" blade. Forward-turned step. 9" socket. 29" fiberglass handle, with big poly D-grip. *Similar to: (AMES* # SFGD16)*	1/6

D-HANDLE FIBERGLASS ROUND POINT MINI SHOVEL



- 24-3/4" overall length
- Heavy duty
- D grip handle
- Specialty shovel to get in tight places

PART #	DESCRIPTION	PKG./CTN.
DFHRPMS	Mini Shovel	1

HEAVY-DUTY SHOVELS WITH WOODEN HANDLES



- Solid hardwood handles
- Premium contractor grade

PART #	DESCRIPTION	PKG./CTN.
LWHRPS	L-handle, round-pt., open-back shovel, #2 size. 8-1/2" x 11-1/2" blade. Forward-turned step. 48" lacquered premium ash handle *Similar to: (AMES* # BMTLR)*	1/6
LWHSPS	L-handle, square-pt., open-back shovel. #2 size. 9-5/8" x 11-1/2" blade. Forward-turned step. 48" lacquered premium ash handle *Similar to: (AMES* # BMTLS)*	1/6
LWHTS	L-handle, open-back, ditching/ trenching shovel. 5" x 12" tapered blade. 9" socket. 47" lacquered premium ash handle *Similar to: (AMES* # 15-566)*	1/6
LWHTSS NEW	L-handle, open-back, ditching/ trenching shovel. 5" x 12" straight blade. Rolled step. 9" socket. 47" lacquered premium ash handle	1/6
DWHTS	D-handle, open-back, ditching/ trenching spade. #14 size. 5-1/2" x 16" blade. Forward-turned step. 9" socket. 29" lacquered premium ash handle with steel & wood D-grip	1/6
DWHRPS	D-handle, round-point, 30" length *Similar to: (AMES* # BMTDR)*	1

PICK MATTOCK WITH WOODEN HANDLE



- 5 lb. head with hardwood handle


PART #	DESCRIPTION	PKG./CTN.
PM5	5 lb. pick mattock with wooden handle	1

BRAXTON HARRIS CO., INC.

6.1.25

PROBING RODS/GAUGES


FIBERGLASS PROBING ROD



- Unaffected by extreme temperatures
- Does not weather, rust, warp or splinter
- Eliminates danger of shock

PART #	DESCRIPTION	PKG./CTN.
FPR4	4' probing rod	1/6
FPRRT	3/4" steel replacement tip	1


STEEL PROBING RODS



- Welded-steel construction
- Replaceable tip
- Vinyl comfort grip handle

PART #	DESCRIPTION	PKG./CTN.
SPR4	4' probing rod	1/5
SPR5	5' probing rod	1/5
SPRRT	Stainless steel replacement tip	1

STEEL PROBING ROD W/METAL BALL POINT



- Carbon steel ballpoint
- Vinyl comfort grip handle
- Tip not replaceable

PART #	DESCRIPTION	PKG./CTN.
SPRM4	4' with metal ball point	1/5

PRESSURE/UTILITY GAUGES



- Metal encasement with shatter proof face
- Brass connection
- Individually boxed

PART #	DESCRIPTION		PKG./CTN.
2" FACE:			
PG2-15	15 PSI	1/5 lb. increments	1/100
PG2-30	30 PSI	1/2 lb. increments	1/100
PG2-60	60 PSI	1 lb. increments	1/100
PG2-100	100 PSI	2 lb. increments	1/100
PG2-160	160 PSI	2 lb. increments	1/100
PG2-200	200 PSI	4 lb. increments	1/100
PG2-300	300 PSI	5 lb. increments	1/100
PG2-400	400 PSI	5 lb. increments	1/100
PG2-600	600 PSI	5 lb. increments	1/100
2-1/2" FACE:			
PG212-15	15 PSI	1/10 lb. increments	1/100
PG212-30	30 PSI	1/2 lb. increments	1/100
PG212-60	60 PSI	1 lb. increments	1/100
PG212-100	100 PSI	2 lb. increments	1/100
PG212-160	160 PSI	2 lb. increments	1/100
PG212-200	200 PSI	5 lb. increments	1/100
PG212-300	300 PSI	5 lb. increments	1/100
PG212-400	400 PSI	5 lb. increments	1/100
PG212-600	600 PSI	5 lb. increments	1/100
3-1/2" FACE:			
PG312-30	30 PSI	1/2 lb. increments	1/100
PG312-60	60 PSI	1 lb. increments	1/100
PG312-100	100 PSI	2 lb. increments	1/100
PG312-160	160 PSI	2 lb. increments	1/100
PG312-200	200 PSI	2 lb. increments	1/100
PG312-300	300 PSI	5 lb. increments	1/100
PG312-400	400 PSI	5 lb. increments	1/100

GAUGES

5-POUND GAS TEST GAUGE



- For building code inspection
- 1/4" NPT
- 2-1/2" face
- 1/10 lb. increments
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
PG212-5	5 PSI	1/100

STEAM PIGTAIL SYPHONS



SPSA14



SPSS14

- Steel
- For use w/ gauges on a steam line

PART #	DESCRIPTION	PKG./CTN.
SPSA14	1/4" MPT x 1/4" MPT 90°, angle	1
SPSS14	1/4" MPT x 1/4" MPT, straight	1

COMPOUND PRESSURE/ VACUUM GAUGE



- Steel case
- 1/4" MPT brass lower connection
- 0-150 lb. range
- -30 to 0 inches hg.
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
VG2	2" face 2 lb. increments	1

NEEDLE VALVE FOR PRESSURE GAUGE



- 1/4" FPT x 1/4" FPT connection
- Brass body, stem, seat and handle
- 300 degrees max temperature
- Teflon packing
- 2000 psi max operating pressure

PART #	DESCRIPTION	PKG./CTN.
NVPG	1/4" needle valve for pressure gauge	1

GAS TEST GAUGE ASSEMBLIES



GTB

- 3/4" or 1" FPT inlet connection
- Steel case with 2" shatter proof face
- Individually boxed



VSC
VSC14



GTG

PART #	DESCRIPTION	FPT CONNECTION	PKG./CTN./MSTR.
GTG5	5 lb.	3/4"	1/100
GTG15	15 lb.	3/4"	1/100
GTG30	30 lb.	3/4"	1/100
GTG60	60 lb.	3/4"	1/100
GTG100	100 lb.	3/4"	1/100
GTG160	160 lb.	3/4"	1/100
GTG200	200 lb.	3/4"	1/100
GTG300	300 lb.	3/4"	1/100
GTG1-15	15 lb.	1"	1/100
GTG1-30	30 lb.	1"	1/100
GTG1-60	60 lb.	1"	1/100
GTB	Gas test block. 3/4" FPT connection (includes valve stem)		1/100
GTB-PART	Gas test block less stem/cap		1/100
VSC	1/8" MPT air valve and cap		100/100/500
VSC14	1/4" MPT air valve and cap		50/50/500

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

6.1.25

GAUGES/THERMOMETERS

GAS TEST GAUGE ASSEMBLY (4" FACE)



- Adapts to 3/4" MIP connection
- 4" face and pressure snubber
- Gauge has 1/4" MIP connection to body
- 5 lb. increments
- Regulates air to even flow
- The diaphragm is protected from compressed air damage
- Class 1A gauge

PART #	DESCRIPTION	PKG./CTN.
GTG4-15	15 lb. - 5 lb. increments	1/20
GTG4-5	5 lb. - 5 lb. increments	1/20

BELL GAS TEST GAUGE ASSEMBLIES



- Includes gauge, bell body & air valve
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
BGTG34-15	15 lb. x 3/4" FPT	1/100
BGTG34-30	30 lb. x 3/4" FPT	1/100
BGTG34-60	60 lb. x 3/4" FPT	1/100
BGTG34-100	100 lb. x 3/4" FPT	1/100
BGTG1-15	15 lb. x 1" FPT	1/100
BGTG1-30	30 lb. x 1" FPT	1/100
BGTG1-60	60 lb. x 1" FPT	1/100
BGTG1-100	100 lb. x 1" FPT	1/100
BGTB1	1" body with valve	1/100
BGTB1-PART	1" body less valve	1/100
BGTB34	3/4" body with valve	1/100
BGTB34-PART	3/4" body less valve	1/100

SILLCOCK/WATER OR GAS TEST GAUGE ASSEMBLY



- Comes w/ 3/4" FHT x MPT brass adapter
- Steel case with 2" shatterproof face
- Adapts to 3/4" male garden hose or 3/4" MPT
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
WGTG	200 lb.	1/100
HN34F34M12F	1 ea. hose nipple (component)	1
GTG200	1 ea. test gauge (component)	1/100

BOILER GAUGES



- Tridicator
- Round 3-1/2" face
- 2-1/4" stem
- 0-55 PSI
- 70°F - 250°F temp range
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
ABG	Angle - 1/2" NPT mount (3-1/2" face)	1/100
ABG14-212	Angle - 1/4" NPT mount (2-1/2" face)	1/100
SBG	Straight - 1/2" NPT mount (3-1/2" face)	1/100

LIQUID-FILLED PRESSURE GAUGE



- Glycerin-filled for use with vibration or pressure pulsation occurrence
- -50° to 150°F operating temp
- 1/4" NPT bottom connection
- Polished stainless steel with vent plug
- 2-1/2" face
- 2 lb. increments
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
PGLF212-30	0-30 PSI	1/100
PGLF212-60	0-60 PSI	1/100
PGLF212-100	0-100 PSI	1/100
PGLF212-200	0-200 PSI	1/100
PGLF212-300	0-300 PSI	1/100

DIAL THERMOMETER



- 2-1/2" dia. face w/ 5° increments
- 40°F - 240°F / 0° - 120°C
- Brass well
- Removable thermometer
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
DTT240	1/2" MPT connection	1/100
DTT240-34	3/4" SWT connection	1/100
DTT240W	1/2" MPT well only	1/100

BIMETAL DIAL THERMOMETER



- Dial thermometer
- 3" dial in steel case
- For commercial and home heating systems. 20 to 240° F temperature range
- Residential or commercial heating systems

PART #	DESCRIPTION	PKG./CTN.
BMDT	3" angle w/ 1-1/8" stem, 1/2" NPT	1
BMDTS	3" straight w/ 2-3/8" stem, 1/2" NPT	1

GAUGES/THERMOMETERS

WATER TEST GAUGES





- 2-1/2" gauge with steel case, shatterproof face & 3/4" brass hose connection
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
WTG300	300 lb., 3 lb. increments	1/100
WTGI300	300 lb., features indicator arm that measures maximum water surges or pressure drop due to leakage. With throttle plug / 3 lb. increments	1/100
WTGI160	160 lb., features indicator arm that measures maximum water surges or pressure drop due to leakage. With throttle plug / 5 lb. increments	1/100

WATER GAUGE SET



- Standard gauge glass

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	GLASS OD & LENGTH	
WGS	1/2"	5/8" x 12"	1


INDUSTRIAL MULTI-ANGLE THERMOMETER



- 3-1/2" stem
- 1" NPSM
- Well is sold separately
- Adjustable to any angle
- 9" scale red reading mercury tubes
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
WMATC	Cold Water (0-120°F)	1/25
WMATH	Hot Water (3-240°F)	1/50
BWWMAT	Standard brass well	1/50
BEWWMAT	Extended brass well	1/50

HOT WATER/REFRIGERANT LINE THERMOMETERS



- For use with residential & commercial boilers, refrigeration systems, small pipe work & solar systems
- Straight or angle pattern
- Dual scale 40°/280°F & 15°/135°C
- Red liquid-filled. (No mercury)
- 1/2" NPT connection w/ 1" stem
- Brass or steel well option
- 5" scale type thermometer
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
WHTS	Straight pattern with brass well	1/50
WHTSS	Straight pattern with steel well	1/50
WHTA	Angle pattern with brass well	1/50
WHTAS	Angle pattern with steel well	1/50

POCKET TEST THERMOMETERS

H



- Accuracy within one percent
- 304 stainless steel case & stem
- Extra-heavy polycarbonate window
- 5" stem height
- Hermetically sealed case
- Externally adjustable
- Protective polyethylene clip sheath

PART #	DESCRIPTION	PKG./CTN.
PTT1	-40° to 160° (cold thermometer)	1/100
PTT2	0° to 220° (hot thermometer)	1/100

WATER GAUGE GLASS



- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	SIZE	
WGG58-10	5/8" OD x 10" length	12/12
WGG58-12	5/8" OD x 12" length	12/12
WGG58-14	5/8" OD x 14" length	12/12
WGG58-24	5/8" OD x 24" length	12/12

BRAXTON HARRIS CO., INC.

AIR PUMPS/DRAIN CLEANING

WATER GAUGE GLASS NUT



• Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WGGN	5/8" brass	12/12

WATER GAUGE GLASS WASHER



• Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WGGW	5/8" rubber	10/10

WATER GAUGE GLASS CUTTER



PART #	DESCRIPTION	PKG./CTN.
WGGC	With sliding rule for exact cutting	1

AIR PUMPS



• For use w/ gas test gauges or inflatable test plugs
• 125 PSI

PART #	DESCRIPTION	PKG./CTN.
AP	Standard pump	1/12
APPG	Heavy-duty w/ pressure gauge	1/10

SUPER FLEXIBLE DRAIN BRUSH



• There is no better drain cleaner
• Deep drain cleaning action
• Built to handle tough blockages
• 22" overall length

PART #	DESCRIPTION	PKG./CTN.
SFDB	Super flexible drain brush	1

CANISTER AUGER DRAIN CLEANING TOOLS



• 1/4" diameter stainless steel line

PART #	DESCRIPTION	PKG./CTN.
CA14-15	1/4" x 15' length	1
CA14-25	1/4" x 25' length	1

FLAT SEWER RODS



• Snake steel
• Heavy-duty
• Super-strong
• Kink-resistant

PART #	DESCRIPTION	PKG./CTN.
FSR12-50	1/2" x 50' length	1
FSR12-100	1/2" x 100' length	1

DRAIN, DRAIN PIPE & SEWER CLEANING TOOL



• Boxed auger

PART #	DESCRIPTION	PKG./CTN.
BA14-25	1/4" x 25' length	1

CLOSET CLEANING TOOLS



• Zinc plated steel
• Steel tube
• Closet auger

PART #	DESCRIPTION	PKG./CTN.
TCT38-3	3/8" x 3' length (competitive)	1
TCT12-3	1/2" x 3' length (deluxe)	1

MINI CLOG BUSTER



• Drain cleaning tool
• Perfect for unclogging heating & AC drain lines, swimming pool lines, bathroom sinks & showers

PART #	DESCRIPTION	PKG./CTN.
DK34-112	3/4"-1-1/2"	1

DRAIN CLEANING

INFLATABLE HYDRAULIC DRAIN FLUSHER

H



- Attaches to a garden hose
- Made from all natural virgin rubber
- Environmentally safe

PART #	DESCRIPTION	PKG./CTN.
CBBI	Basin, 1" - 2"	1
CBSI	Sink, tub, pool, shower, 1-1/2" - 3"	1
CBMI	Main, basement, outside, 3" - 4"	1
CBFI	Floor, drain, sewer, clean-out, 3" - 6"	1

CLOG BUSTERS (PATENTED DESIGN)

H



- Inflatable hydraulic drain flusher
- The most effective flusher
- Won't damage pipes
- This unique design allows all the water pressure to push out the clog
- Easy to use:
  1) Connect to garden hose
  2) Insert in drain
  3) Turn on water

PART #	DESCRIPTION	PKG./CTN.
CBB	Basin, 1" - 2"	1
CBS	Sink, tub, pool, shower, 1-1/2" - 3"	1
CBM	Main, basement, outside, 3" - 4"	1
CBF	Floor, drain, sewer, clean-out, 3" - 6"	1

CLOG BUSTER KIT

H



- Fits 1-1/2" to 3" drains
- With 10" hose & faucet adapter

PART #	DESCRIPTION	PKG./CTN.
CBK	Clog buster kit	1

MINI DRAIN SNAKE



- Unclogs sinks, showers, bath drains & urinals
- Safe, easy to use
- No chemicals


PART #	DESCRIPTION	PKG./CTN.
MDS	Mini drain snake	1

CLOTH PLUNGER DISC

H



CPD4



PDH

PART #	DESCRIPTION	PKG./CTN./MSTR.
CPD4	4" cloth plunger disc	1/50/100
PDH	Plunger disc holder	1/30/180

KORKY® FORCE-CUP PLUNGER



- Professional strength plunger made of non-marking rubber
- Fits most closets including 1.6
- Longer 21" yellow wood handle
- Durable & powerful for a more forceful plunge

PART #	DESCRIPTION	PKG./CTN.
KP	Plunger	1/12

FORCE CUP PLUNGERS



FCP4
FCP6



FCPH



FCPPP



MPF

PART #	DESCRIPTION	PKG./CTN./MSTR.
FCP4	Red rubber - 4" size - 9" long handle	1/48
FCP6	Red rubber - 6" size - 21" long handle	1
FCPH	Heavy-duty - Black rubber - long handle Specially constructed fold-in bottom Positive seal prevents backsplash	1/12/24
FCPPP	Professional plumber plunger	1/12
MPF	Master plunger flusher *World's Finest Plunger*	1/12

BRAXTON HARRIS CO., INC.

6.1.25

WATER PUMP

WATER PUMP KIT



- Safe & easy, no moving parts, no electricity needed
- Pumps up to 800 gallons per hour
- 1 gal. of water from garden hose pumps out 6 gal. of water
- Kit includes: Pump, 8' discharge hose, instruction sheet & DVD

PART #	DESCRIPTION	PKG./CTN.
WPK	Complete kit	1

HAND WATER PUMP



- High-impact PVC, non-sparking, lightweight
- Excellent for draining water meter boxes & closet tanks
- No priming necessary
- Removes 35 oz. per stroke
- Remove foot valve to clean
- 1-1/4" OD outlet hose
- 36" pump with 72" discharge hose

PART #	DESCRIPTION	PKG./CTN.
HWP3	Water pump	1/6

TEST PLUGS

TEST PLUGS



- Galvanized steel flanges w/ molded rubber gasket
- Fits both cast iron & PVC

PART #	DESCRIPTION	PKG./CTN./MSTR.
TP112	1-1/2" pipe size	1/6/72
TP2	2" pipe size	1/6/72
TP3	3" pipe size	1/6/72
TP4	4" pipe size	1/6/48
TP6	6" pipe size	1/10

MECHANICAL TEST PLUGS



- Rust & corrosion proof
- Extra-heavy plastic construction
- Neoprene gasket & large metal wing nut
- Excellent gripping power

PART #	DESCRIPTION	PKG./CTN.
PTP112	1-1/2" pipe size	1
PTP2	2" pipe size	1
PTP3	3" pipe size	1
PTP4	4" pipe size	1
PTP6	6" pipe size	1

T-CONE COMBINATION TEST PLUGS



- Combination cleanout & test plug
- No metal parts to rust
- Tests up to three floors at once
- 1-1/2" - 4" tests up to 50 ft. of head pressure
- Fits sch. 40 DWV pipe
- Positive sealing
- Countersunk

PART #	DESCRIPTION	PKG./CTN.
TCTPC2	2" Sch. 40 DWV & type-M copper	1
TCTPC3	3" Sch. 40, copper DWV, 2" C.I. hub	1
TCTPC4	4" Sch. 40, copper DWV, 3" C.I. hub	1

T-CONE COMBINATION TEST PLUGS



- Combination cleanout & test plug
- No metal parts to rust
- Tests up to three floors at once
- 1-1/2" - 4" tests up to 50 ft. of head pressure
- Fits sch. 40 DWV pipe
- Positive sealing
- Raised head

PART #	DESCRIPTION	PKG./CTN.
TCTP112	1-1/2" Sch. 40 DWV	1/392
TCTP2	2" Sch. 40 DWV & type-M copper	1/288
TCTP3	3" Sch. 40, copper DWV, 2" C.I. hub	1/200
TCTP4	4" Sch. 40, copper DWV, 3" C.I. hub	1/128

TEST PLUGS

T-CONE CLEANOUT REPAIR PLUGS



- Easily repairs damaged or corroded metal or plastic cleanout threads
- No need to replace fitting

PART #	DESCRIPTION		PKG./CTN.
TCCRP112	1-1/2" pipe size	1.78 thd. ID	1/50
TCCRP2	2" pipe size	2.25 thd. ID	1/50
TCCRP3	3" pipe size	3.37 thd. ID	1/50
TCCRP312	3-1/2" pipe size	3.90 thd. ID	1/50
TCCRP4	4" pipe size	4.33 thd. ID	1/50

PNEUMATIC CLEAN-OUT TEST PLUGS



- Top is made from high-impact ABS
- Body is high-quality natural rubber
- Designed to test pipeline above clean-out tee
- Threads directly into test tee
- Threads into cast iron& plastic pipe
- Comes with a molded-in inflation valve

PART #	DESCRIPTION	PKG./CTN.
PCOTP112	1-1/2" pipe size	1/6
PCOTP2	2" pipe size	1/6
PCOTP3	3" pipe size	1/6
PCOTP4	4" pipe size	1/6

STANDARD INFLATABLE HYDRAULIC/ PNEUMATIC TEST PLUGS



- For pressure testing drain lines
- ***USER SAFE:*** Pre-set pressure relief valve prevents over-inflation
- ***HOLDING POWER:*** Multi-ribbed body creates tight, effective seal
- ***VERSATILE PLUG SIZE:*** Each test plug fits more than one size pipe
- ***SAFETY FEATURE:*** Has retainer chain & "no-go" ring to prevent plug from slipping into drain
- ***AIR OR WATER:*** Can be used safely with either air or water. Simply remove air valve & connect to garden hose
- ***NOTE:*** Never use in closet

PART #	DESCRIPTION	PKG./CTN.
ITP114-2	Fits 1-1/4", 1-1/2" & 2" pipe sizes	1
ITP3-4	Fits 3" & 4" pipe sizes	1
ITP4-6	Fits 4", 5" & 6" pipe sizes	1
ITP5-8	Fits 5", 6" & 8" pipe sizes	1
ITP10-12	Fits 10" & 12" pipe sizes	1

PRESSURE RELIEF PNEUMATIC TEST PLUG WITH CHAIN



- Compact design allows easy access, even in a cleanout tee
- Pressure relief has no moving parts to fail or malfunction
- Rubber body is molded as one-piece with no seams or bonded parts
- Pressure exhausts out of the top of the plug not into test area
- Works in place of "standard" pneumatic plugs
- Multiple sealing ribs in the center portion of the plug for positive sealing

PART #	DESCRIPTION	PKG./CTN.
PITPC112	1-1/2"	1
PITPC2	2"	1
PITPC3	3"	1
PITPC4	4"	1

PNEUMATIC EXTENSION HOSE



PART #	DESCRIPTION	PKG./CTN.
PEH2	2' pneumatic extension hose	1

LONG INFLATABLE HYDRAULIC/ PNEUMATIC TEST PLUGS



- For pressure testing drain lines
- ***USER SAFE:*** Pre-set pressure relief valve prevents over-inflation
- ***HOLDING POWER:*** Multi-ribbed body creates tight, effective seal
- ***VERSATILE PLUG SIZE:*** Each test plug fits more than one size pipe
- ***SAFETY FEATURE:*** Has retainer chain & "no-go" ring to prevent plug from slipping into drain
- ***AIR OR WATER:*** Can be used safely with either air or water. Simply remove air valve & connect to garden hose
- ***NOTE:*** Never use in closet
- Designed with two-stage deflation, allowing access pipe to remain sealed while water clears drain line. Includes 48" air hose
- Two-stage Deflation/Long Test Plug Models: (Prevents backsplash)
  1) When inflated, the test plug seals the access pipe & the drain line
  2) The lower seal will deflate first if pressure is slowly released until running water is heard. When the drain line clears, release the remaining pressure & the upper seal will deflate

PART #	DESCRIPTION	PKG./CTN.
LITP2-3	Fits 2" - 3" pipe sizes	1
LITP3-4	Fits 3" - 4" pipe sizes	1

BRAXTON HARRIS CO., INC.

6.1.25

TEST CAPS

FLEXIBLE CLEAN-OUT/TEST CAPS



- Reinforced top
- Rubber with 300-series stainless steel clamps
- For use on PVC, ABS, CI, steel pipe, etc.
- 5/16" hex screw w/ screwdriver slot

PART #	DESCRIPTION	PKG./CTN.
FC112	1-1/2" pipe size	1/160
FC2	2" pipe size	1/150
FC3	3" pipe size	1/100
FC4	4" pipe size	1/80
FC5	5" pipe size	1/40
FC6	6" pipe size	1/40
FC8	8" pipe size	1/5

KNOCK-OUT PLUGS/TEST CAPS

- Insert-type, white polystyrene
- Disposable
- Use with plastic waste & drain pipe for leak testing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
KOP112	1-1/2" pipe size	100/100/2000
KOP2	2" pipe size	100/100/1000
KOP3	3" pipe size	50/50/1000
KOP4	4" pipe size	50/50/250

TECHNO TEST PLUG CAPS



- Heavy-duty PVC
- High pressure tested, over six stories
- Easily solvent cemented over end of DWV pipe
- Will not clog or go down in pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TTPC112	1-1/2" tests 1-1/2" DWV pipe	100/100
TTPC2	2" tests 2" DWV pipe	100/100
TTPC3	3" tests 3" DWV pipe	50/50
TTPC4	4" tests 4" DWV pipe	25/25
TTPC6	6" tests 6" DWV pipe	10/10

DEEP TECHNO TEST PLUG CAPS

- Heavy-duty PVC
- High pressure tested, over six stories
- Deep design is easily glued over end of DWV pipe to help adequately cover unevenly cut pipe
- Diameter prevents cover from falling in pipe.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
TTPCD112	1-1/2" tests 1-1/2" DWV pipe	100/100/800
TTPCD2	2" tests 2" DWV pipe	100/100/600
TTPCD3	3" tests 3" DWV pipe	50/50/250
TTPCD4	4" tests 4" DWV pipe	25/25/150

DUAL-FIT TEST CAPS



- Each cap fits two sizes of schedule 40 pipe
- Moderate pressure test cap
- Higher rated than knock-out plug/test caps

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DFTC112-2	1-1/2" & 2" tests 1-1/2" & 2" sch. 40 pipe	50/50
DFTC3-4	3" & 4" tests 3" & 4" sch. 40 pipe	50/50

SLIP-ON PLASTIC CAPS



- Orange color
- Protects pipe from trash during construction
- Not for testing pressure

PART #	DESCRIPTION	PKG./CTN.
SOPC112	1-1/2"	50/300
SOPC2	2"	25/200
SOPC3	3"	1/75
SOPC4	4"	1/45
SOPC6	6"	1/45

NATURAL NYLON CABLE TIES



- Standard
- Natural color
- 3/16" width

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	LENGTH	TENSILE/LBS.	
NCT4	4"	18	100/100
NCT7	7"	50	100/100
NCT11	11"	50	100/100
NCT14	14"	50	100/100
NCT15	15"	50	100/100
NCT17	17"	50	100/100

BLACK NYLON CABLE TIES



- Standard
- Black color
- 3/16" width

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	LENGTH	TENSILE/LBS.	
NCTB4	4"	18	100/100
NCTB7	7.5"	50	100/100
NCTB11	11"	50	100/100
NCTB14	14"	50	100/100
NCTB15	15"	50	100/100
NCTB17	17"	50	100/100

GENERAL HARDWARE

DUCT STRAP FOR HVAC



- Works up to 10" diameter
- Natural colored nylon

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DS34	34" duct strap for HVAC	25

BUCKET-OF-KNIVES



- Large plastic snap-off knives, with 7 points
- Individually plastic-wrapped for individual sale
- 40 pieces per display container
- Priced per bucket

PART #	DESCRIPTION	PKG./CTN.
BOK	Bucket of knives	1 BKT.

6" FOLDING UTILITY KNIFE



- Includes 5 replacement blades

PART #	DESCRIPTION	PKG./CTN.
UK6	6" utility knife	1

UTILITY KNIFE



- Retractable blade
- Extra blades store in handle

PART #	DESCRIPTION	PKG./CTN.
UK7	7", comes with 5 blades	1

UTILITY KNIFE BLADE



- 5 blades per card/ctn.
- Priced per ctn.

PART #	DESCRIPTION	PKG./CTN.
UKB	Fits most popular utility knives	5

SINGLE EDGE INDUSTRIAL RAZOR BLADE



- Use with all popular scrapers
- 10 blades per card/ctn.
- Priced per ctn.

PART #	DESCRIPTION	PKG./CTN.
SEIRB	Heavy-duty/reinforced	10

YELLOW MASON'S NYLON TWINE



- Yellow twisted twine
- 150 lb. break strength
- Great for Mason twine, chalk line, plumb line, trot line, fish line, repairs, etc.

PART #	DESCRIPTION	PKG./CTN.
NTY225	275' length x #18	1/200
NTY1050	1090' length x #18	1/200

WHITE NYLON TWINE



- White twisted twine
- 150 lb. break strength
- Great for chalk line, plumb line, trot line, fish line, repairs, etc.

PART #	DESCRIPTION	PKG./CTN.
NT225	275' length x #18	1/200
NT800	1090' length x #18	1/200

UTILITY ROPE



- Commercial-size sisal rope

PART #	DESCRIPTION	PKG./CTN.
UR50	3/8" x 50' length	1

TRUCK ROPE



- All-purpose
- High-tensile polypropylene
- Rot-proof
- Floats & has good resistance to abrasion
- All-weather
- High-strength
- Low-stretch

PART #	DESCRIPTION	PKG./CTN.
TR50	3/16" dia. x 50' length	1

BINDER TWINE



- A natural fiber twine used traditionally for bundling, wrapping, & tying
- Excellent for farm, home, industry & in-store use
- High-strength 3-ply
- Will not rot, mildew, or tangle

PART #	DESCRIPTION	PKG./CTN.
BT2250	2250' length	1

BRAXTON HARRIS CO., INC.

6.1.25

GENERAL HARDWARE

UTILITY STRAPS



- EPDM rubber
- Reinforced ends with cad-plated S-hooks
- Weather wear & tear resistant
- Tie-down straps for all types of applications

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
US15	15" length	25/25
US21	21" length	25/25
US31	31" length	25/25
US41	41" length	2525


RATCHET TIE DOWN STRAP



- 1" wide/400 lb. working load limit
- Comfort grip handles
- Weather and corrosion resistant
- PVC coated hooks will not scratch
- Cut and abrasion resistant webbing

PART #	DESCRIPTION	PKG./CTN.
RTDS1-16 NEW	1" x 16'	1/20

CAMO RATCHET TIE DOWN STRAPS



- 900 lb. break strength
- 300 lb. working load limit
- Camouflage pattern

PART #	DESCRIPTION	PKG./CTN.
RTDSC1-9	1" x 9'	1/6

CAM STRAPS

H



- 1200 lb. test nylon straps
- 400 lb. working load
- 1" width
- Threads are UV resistant

PART #	DESCRIPTION	PKG./CTN./MSTR.
CS1-2B	1" x 2' black	1/24/144
CS1-4R	1" x 4' red	1/24/144
CS1-6Y	1" x 6' yellow	1/24/144
CS1-8G	1" x 8' green	1/24/144
CS1-10N	1" x 10' blue	1/24/144
CS1-12O	1" x 12' orange	1/24/144
CS1-20B	1" x 20' black	1/24/144
CSS1-2B	1" x 2' black (2-pack)	1
CSS1-4R	1" x 4' red (2-pack)	1
CSS1-6Y	1" x 6' yellow (2-pack)	1
CSS1-8G	1" x 8' green (2-pack)	1
CSS1-10N	1" x 10' blue (2-pack)	1

UTILITY WIRE



- Galvanized
- 1 lb. rolls

PART #	DESCRIPTION	PKG./CTN.
GUW12	12 ga.	1/12
GUW14	14 ga.	1/12
GUW16	16 ga.	1/12
GUW18	18 ga.	1/12
GUW20	20 ga.	1/12

UTILITY HOOKS



UHB



UHH



UHL
UHT

- Vinyl-coated
- Heavy-gauge steel
- Packaged two hooks per card/pkg.
- Priced per pkg.

PART #	DESCRIPTION	PKG./CTN.
UHB	Bicycle hooks	1
UHH	Utility hooks	1
UHT	Tool hooks	1
UHL	Ladder hooks	1

SELF DRILLING METAL ANCHOR KIT



- Includes:
  10pcs- 1-1/4" screws
  10pcs- 1-11/16" length die cast anchors
- Priced per screw/anchor

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SDMAK10 NEW	Self drilling metal anchor kit	10/10

ANCHOR KITS



- Includes one drill bit
- With hex head screws, slotted for regular or Phillips screwdriver
- Priced per kit

PART #	DESCRIPTION	PKG./CTN.
AK316	100 ea #8 3/16" x 1" anchors w/ screws	1/50
AK14	100 ea #10 1/4" x 1" anchors w/ screws	1/36
AK516	50 ea #14 5/16" x 1-1/2" anchors w/ screws	1/36

GENERAL HARDWARE

BRASS COMBINATION PADLOCK



- Hardened shackle
- Solid brass body
- Resettable with key

PART #	DESCRIPTION	PKG./CTN.
BCP	2" carded	1

PADLOCKS



PL112



PL2

- Laminated warded padlock
- Key cylinder
- Corrosion-resistant all-steel case
- Self-locking steel shackle
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PL112	1-1/2" padlock	12
PL2	2" padlock	6

INVERTED MARKING PAINT WAND



- 34" length wand with snap-out removable wheel
- Perfect for easy stenciling or touchups on striped surfaces

PART #	DESCRIPTION	PKG./CTN.
IMPW	34" paint wand	1

MARKING PAINT



- Ground Transportation Only
- Priced ea.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
MPW	White (proposed excavation)	12/12
MPR	Red (electrical lines)	12/12
MPY	Yellow (gas, oil, steam lines)	12/12
MPB	Blue (water lines)	12/12
MPG	Green (sewer lines)	12/12
MPO	Orange - fluorescent (telephone lines)	12/12

INDUSTRIAL PAINT PEN



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IPPB	Blue	12/12
IPPBL	Black	12/12
IPPR	Red	12/12
IPPW	White	12/12
IPPY	Yellow	12/12

DURA INK MARKER



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BDIM15	Black Dura Ink 15 marker	12/12
BDIM25	Black Dura Ink 25 marker	12/12
BDIM55	Black Dura Ink 55 marker	12/12
BDIM200	Black Dura Ink 200 marker	12/12

MARKING CRAYON



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RLC	Red	12/12
YLC	Yellow	12/12
BLC	Blue	12/12
BLLC	Black	12/12

CARPENTERS PENCIL



PART #	DESCRIPTION	PKG./CTN.
CP	Carpenters pencil	12/144

HEAVY DUTY BLUE TARP



PART #	DESCRIPTION	PKG./CTN.
HDT1620	16' x 20' heavy duty blue tarp	1

HEAVY DUTY TRASH BAG (42 GALLON)




- 32" x 50" size
- 3 mil. thickness
- 20 Bags per box
- Priced per box

PART #	DESCRIPTION	PKG./CTN.
TB42-3	42 gallon (3 mil)	1

BRAXTON HARRIS CO., INC.

GENERAL HARDWARE/TAPES

CLOSET BOOT™ REMOVAL BAG



- Bag prevents spillage from closet removal
- Universal drawstring adapts to different sized closets
- Disposable

PART #	DESCRIPTION	PKG./CTN.
TBRB	Black removal bag	1/50

16 OZ SPRAY BOTTLE



- Assorted colors

PART #	DESCRIPTION	PKG./CTN.
SB16 NEW	16 oz spray bottle	1

PACKING LIST ENVELOPES



- Clear
- Peel-n-press
- Priced per piece

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PLE	4-1/2" x 5-1/2"	100

WHITE BIN BOX



- 200 LB. test #3
- Assembles in seconds to organize existing shelf space
- Stores flat until ready to use
- All dimensions listed are outside dimensions
- Needs no tape, tools or staples to set-up
- Self-locking construction
- Slanted open front for fast identification

PART #	DESCRIPTION	PKG./CTN.
BB12-12	12"W x 12"L x 4-1/4"D	1
BB4-12	4"W x 12"L x 4-1/4"D	1

STRETCH WRAP DISPENSER



PART #	DESCRIPTION	PKG./CTN.
SWD	Stretch wrap dispenser	1

HAND HELD WRAPPING FILM W/ HANDLE



PART #	DESCRIPTION	PKG./CTN.
HHWF	5" x 1000'	1

TAPE DISPENSER



- Hand dispenser
- Includes 2 free rolls of tape 50 yards x 2: 100 yards

PART #	DESCRIPTION	PKG./CTN.
TD	For 2" carton sealing tape	1

CARTON SEALING & UTILITY TAPE



- Polypropylene
- Clear
- Tensile 24 lb./in.
- Adhesion 20 oz.
- Ga. 1.8
- Priced per roll

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CST2-55	2" x 55 yards	1/36
CST2-110	2" x 110 yards	6/36

ELECTRICAL TAPE




- Black vinyl
- 7.5 mil.
- Priced per roll
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
ET34-60	3/4" x 60' length (UL listed)	10/10/200

DUCT TAPE



- Professional grade, extra-strong
- Waterproof, non-elastic, reinforced cloth (Individually wrapped)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DTC2-60	Gray (8.5 mil.)	1/24
DT2-60	Gray (10 mil.)	1/24
DTBC2-60	Black (8.5 mil.)	1/24
DTB2-60	Black (10 mil.)	1/24
DTW2-60	White (10 mil.)	1/24

TAPES

TEFLON/THREAD SEAL TAPE



- Permanently seals all threaded pipe joints & valves
- Pop-out spool
- Meets U.S. Government military spec. # T27730A
- Min. temperature 500° below 0
- Max. temperature 650° above 0
- 3 mil.

PART #	DESCRIPTION	PKG./CTN.
TT12-260	1/2" x 260" **(CARTON QUANTITY ONLY)**	100/100
TT12-520	1/2" x 520" **(CARTON QUANTITY ONLY)**	100/100
TT34-260	3/4" x 260" **(CARTON QUANTITY ONLY)**	70/70
TT34-520	3/4" x 520" **(CARTON QUANTITY ONLY)**	70/70
TT1-260	1" x 260"	50/50
TT1-520	1" x 520"	50/50

TEFLON TAPE (COUNTER DISPLAYS)



- Same specs. as above
- 50 rolls per counter display
- Priced per display

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TT12-260CD	1/2" x 260"	1 display
TT12-520CD	1/2" x 520"	1 display

YELLOW TEFLON/THREAD SEAL TAPE



- Yellow for gas lines • 4 mil
- Meets US Government military spec #T27730A
- Min. temperature 500° below 0
- Max. temperature 650° above 0

PART #	DESCRIPTION	PKG./CTN.
TTY12-260	1/2" x 260"	1/100

ALUMINUM FOIL TAPE



- 3 mil.
- Rated to 250°F
- Self-adhesive

PART #	DESCRIPTION	PKG./CTN.
AFT2-50	2" x 50 yds	1/24

PIPE WRAP



- Fiberglass
- Stops dripping from cold water pipes
- Helps prevent freezing
- Holds heat

PART #	DESCRIPTION	PKG./CTN.
PW3-25	3' x 25' length, with vapor seal tape	1/6

PIPE WRAP TAPE



- UPC approved
- With PVC backing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PWT10B2-100	2" x 100' length, black, 10 mil.	1/24
PWT10B4-100	4" x 100' length, black, 10 mil.	1/12
PWT12B2-100	2" x 100' length, black, 12 mil. (Polyken®)	1/24
PWT12B4-100	4" x 100' length, black, 12 mil. (Polyken®)	1/12
PWT20B2-100	2" x 100' length, black, 20 mil.	1/24
PWT20B4-100	4" x 100' length, black, 20 mil.	1/12
PWT10Y2-100	2" x 100' length, yellow, 10 mil.	1/24
PWT10Y4-100	4" x 100' length, yellow, 10 mil.	1/12
PWT12Y2-100	2" x 100' length, yellow, 12 mil. (Polyken®)	1/24
PWT12Y4-100	4" x 100' length, yellow, 12 mil. (Polyken®)	1/12

PRIMER FOR PIPE WRAP TAPE



- Maximizes tape performance
- Final step in preparing steel surfaces for taping
- Can more than double adhesion of corrosion tapes to cleaned steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PWTP	1 quart container	12/12

FILAMENT STRAPPING TAPE



- Polyester glass
- Reinforce tensile 200 lb./in.
- Adhesion 45 oz.
- Gauge 5.8

PART #	DESCRIPTION	PKG./CTN.
FST34-60	3/4" x 60 yds.	48/48

CAUTION TAPE



- Bright yellow
- Printed "Caution"
- Non-pressure sensitive
- OSHA safety color

PART #	DESCRIPTION	PKG./CTN.
CT3-300	3" x 300' length (3 mil)	1/16
CT3-1000	3" x 1000' length (3 mil)	1/16

BRAXTON HARRIS CO., INC.

ELECTRICAL

OUTDOOR EXTENSION CORDS



- UL listed
- OSHA - approved orange color
- 3 conductor, round cord

PART #	LENGTH	GAUGE COND	125V RATING	PKG./CTN.
OEC15-16	15 ft.	16/3	10A	1
OEC25-16	25 ft.	16/3	13A	1/6
OEC50-16	50 ft.	16/3	13A	1/6
OEC100-16	100 ft.	16/3	10A	1/6
OEC25-14 NEW	25 ft.	14/3		1
OEC50-14	50 ft.	14/3	15A	1
OEC100-14	100 ft.	14/3	10A	1
OEC25-12	25 ft.	12/3	20A	1/8
OEC50-12	50 ft.	12/3	20A	1/6
OEC100-12	100 ft.	12/3	15A	1/4

GARBAGE DISPOSAL CORDS

H



- 16/3 S.P.T. - 3 wire
- 13 amps @ 125 volts
- UL listed for garbage disposal, motors, tools & appliances
- 16 ga. wire w/ ground

PART #	DESCRIPTION	PKG./CTN.
GDC3	3' length straight pigtail cord	1
GDC6	6' length straight pigtail cord	1
GDCA3	3' length angle pigtail cord	1
GDCA6	6' length angle pigtail cord	1

ELECTRIC DRYER CORDS

H




- Rated 30 amps - 125/250 volts
- UL listed for electric dryers
- 10 ga. wires
- Closed eyelet terminals

PART #	DESCRIPTION	PKG./CTN.
EDC3-4	3-prong wire / 4' length	1
EDC3-5	3-prong wire / 5' length	1
EDC3-6	3-prong wire / 6' length	1
EDC4-4	4-prong wire / 4' length	1
EDC4-5	4-prong wire / 5' length	1
EDC4-6	4-prong wire / 6' length	1

ELECTRIC RANGE CORDS

H



- 125/250 volts
- UL listed for electric range
- 2 ea. 6 ga. wire & 1 ea. 8 ga. wire
- Closed eyelet terminals

PART #	DESCRIPTION	PKG./CTN.
3-PRONG WIRE/RATED 50 AMPS:		
ERC3-4	3-prong wire / 4' length	1
ERC3-5	3-prong wire / 5' length	1
ERC3-6	3-prong wire / 6' length	1
4-PRONG WIRE/RATED 50 AMPS:		
ERC4-4	4-prong wire / 4' length	1
ERC4-6	4-prong wire / 6' length	1

TROUBLE LIGHTS



- UL listed
- OSHA - approved orange color
- 3 conductor, round cord
- Metal cage
- Side outlets
- On/off switch

PART #	LENGTH	GAUGE COND	125V RATING	PKG./CTN.
TL25-16	25 ft.	16/3	13A	1
TL50-16	50 ft.	16/3	13A	1

3-OUTLET POWER BLOCK



- Great for power tools

PART #	DESCRIPTION	PKG./CTN.
PB3-16	3' length, 16/3 power block	1

3-OUTLET CUBE WALL TAP



- Indoor/outdoor
- UL listed

PART #	DESCRIPTION	PKG./CTN.
WT3	3-outlet wall tap	1

ELECTRICAL/FLASHLIGHTS

PLUG-IN POWER STRIP



- 6-outlets
- With surge-protector
- Grounded • UL listed

PART #	DESCRIPTION	PKG./CTN.
PIPS	Power strip	1

CLAMP-ON LAMP



- UL listed
- 8" shade reflector lamp for general shop & industrial applications

PART #	DESCRIPTION	PKG./CTN.
COL	Clamp-on lamp	1

GROUND FAULT CIRCUIT INTERRUPTERS



- Circuit indicator light
- Duplex receptacle with face plate
- 15 amp., 125 volt, 60 Hz.
- 20 amp. feed-through
- Red & black reset buttons
- Includes face plate and screws

PART #	DESCRIPTION	PKG./CTN.
GFCIW	White	1
GFCII	Ivory	1

PLASTIC WIRE NUTS



- Priced per pkg.

PART #	DESCRIPTION	PKG./CTN.
WNB	Blue #72B, 14-22 ga. (100 pcs./pkg.)	1
WNO	Orange #73B, 14-22 ga. (100 pcs./pkg.)	1
WNY	Yellow #74B, 12-18 ga. (100 pcs./pkg.)	1
WNR	Red #76B, 10-18 ga. (100 pcs./pkg.)	1
WNR50 NEW	Red #76B, 10-18 ga. (50 pcs./pkg.)	1

BATTERY OPERATED CARBON MONOXIDE DETECTOR



- 9 volt battery operated
- Electrochemical CO sensor
- Test/silence button
- Low battery indicator
- Loud 85 decibels alarm

PART #	DESCRIPTION	PKG./CTN.
CMDB	Carbon monoxide detector - battery operated	1/12

LED HEAD LIGHT



- Adjustable head strap
- Long lasting batteries
- Weatherproof heavy duty construction

PART #	DESCRIPTION	PKG./CTN.
HL	LED head light	1

LED FLASHLIGHT WITH MAGNIFYING LENSES



- Super bright light with 8 LED bulbs
- Push-button switch • Impact-resistant
- Comfort handy grip
- 3 ea. "AAA" batteries included

PART #	DESCRIPTION	PKG./CTN.
LFML	LED flashlight	1/6

6 VOLT WATERPROOF FLASHLIGHT



- Polyethylene construction
- Shatterproof lens
- Large reflector for larger beam
- Lantern floats for easy recovery in water
- Includes 6 volt battery

PART #	DESCRIPTION	PKG./CTN.
6VFL	6-volt waterproof flashlight	1/6

6 VOLT GENERAL PURPOSE INDUSTRIAL BATTERY W/ SPRING TOP



PART #	DESCRIPTION	PKG./CTN.
6VGPB	6-volt w/spring top	1/12

6 VOLT GENERAL PURPOSE INDUSTRIAL BATTERY W/ SCREW TOP



PART #	DESCRIPTION	PKG./CTN.
6VSTGPB	6-volt w/screw top	1/12

BRAXTON HARRIS CO., INC.

6.1.25

BATTERIES/GLOVES

C-CELL HEAVY DUTY BATTERIES



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CCHDB	C-cell heavy duty batteries	12/12

BATTERIES



- Alkaline batteries
  (Priced per battery)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
AAAAB	AAA alkaline	2/2
AAAB	AA alkaline	2/2
CCAB	C-cell alkaline	2/2
DCAB	D-cell alkaline	2/2
9VAB	9-volt alkaline	1/1

BROWN JERSEY GLOVES



- Used for light protection in warehousing, farming & the other industries
- 100% brown cotton
- Knit wrist
- 8 oz.
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BJG	Brown jersey gloves	12/12

ECONOMY BROWN JERSEY GLOVES



- 65% cotton / 35% polyester
- Knit wrist
- Straight thumb
- Large
- Bulk packaged
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BJGE	Economy brown jersey gloves	12/12

HEAVY-DUTY JERSEY GLOVES



- Multi-purpose gloves used for protection in warehousing, farming & auto applications
- Constructed of gold cotton fabric
- Extra thick, moderate heat protection
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HDJG	Heavy-duty jersey gloves	12/12

COTTON CANVAS GLOVES



- The traditional natural cotton canvas fabric work glove
- 100% cotton
- 8 oz. with natural knit wrist
- For general maintenance & materials handling
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CCG	Cotton canvas gloves	1/12

DOTTED CANVAS GLOVES



- Multi-purpose use
- Knit wrist
- 8 oz. cotton canvas construction w/ black PVC dotted palm for improved grip
- Light protection in oil drilling, warehousing, farming & auto applications
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DCG	Dotted canvas gloves	12/12

LEATHER PALM GLOVES



- Used in farming, landscaping, general maintenance & construction
- Split cowhide palm & thumb for strength & durability
- 100% cotton back & lining
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LPGSC	With safety cuff	12/12
LPGKC	With knit cuff	12/12

SPLIT LEATHER DRIVING GLOVES



- Used in construction, machine operation, utility work, farming, roping & other applications
- All-leather split cowhide construction, w/ elastic back for a snug fit
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SLDG	Driving gloves	1/12

GLOVES

MECHANIC GLOVES



- Enjoy the same dexterity as your bare hands
- Durable, multi-task glove
- Use for maintenance equipment operation, warehouse work or bike riding
- Reinforced palms and fingertips and a protected knuckle area increase resistance to abrasion and wear
- Priced per pair

PART #	DESCRIPTION	PKG./CTN.
MGM	Medium	6 pr.
MGL	Large	6 pr.
MGXL	X-Large	6 pr.

POLYESTER NITRILE DIPPED PALM GLOVES



- 100% polyester
- Knit wrist
- Size Large

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PNDPGL	Large	6/144

MEDIUM TO LARGE BLUE NITRILE GLOVES



- Powdered
- 50 pairs per box
- Thickness: 3 mil
- Priced per box

PART #	DESCRIPTION	PKG./CTN.
LNG	Medium to large	50 pairs/box
XLNG	Large to X-large	50 pairs/box

INDUSTRIAL RUBBER WORK GLOVES



- 18" length. 25 Mil thickness
- Size adult large
- Rolled cuffs
- Chemical and acid resistant

PART #	DESCRIPTION	PKG./CTN.
IRWG	Industrial rubber work gloves	1 pr.

DRAIN SNAKE GLOVES



- Perfect for solid grip on the job
- Heavy-duty construction
- Jersey-lined for comfort
- Rubber-like chips for grip
- Available with or without a safety cuff
- One size fits most

PART #	DESCRIPTION	PKG./CTN.
DSGML	Drain snake glove	1 pr.
DSGSC	Drain snake glove with cuff	1 pr.

RUBBER GRIP GLOVES



- Durable 100% cotton canvas
- No-slip grip dots on palm and fingers
- One size fits all
- Knit wrist

PART #	DESCRIPTION	PKG./CTN.
RGG	Rubber grip gloves	1 pr./12 pr.

LATEX PALM/MESH BACK GLOVES



- Ideal for HVAC, assembly, construction, inspection, material handling, refuse handling, landscaping & gardening
- Crinkle grip, latex rubber counted palm, fingers & thumb
- Seamless gray premium cotton/polyester liner
- Superior grip in wet/dry applications
- Uncoated back allows hand to breathe
- One size fits all
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LPMBG	Latex palm - mesh back gloves	12/12

DISPOSABLE BLUE LATEX GLOVES



- Powder free
- 50 pairs per box
- Size large
- Thickness: 14 mil
- Examination grade
- Priced per box

PART #	DESCRIPTION	PKG./CTN.
LTLG	Large	50 pairs/box

LATEX GLOVES



- Designed for use in laboratories, production, inspection, cleaning & light-duty
- Industrial-grade, fully-textured
- 5 mil. thickness
- Beaded cuff
- Made from component materials which comply with FDA regulations for food contact
- One size fits all
- Priced per box

(Packed 100 reversible gloves/50 pr. per dispenser ctn.)

PART #	DESCRIPTION	PKG./CTN.
XLLG	Latex gloves	50 pairs/box

BRAXTON HARRIS CO., INC.

SAFETY EQUIPMENT

SAFETY HARD HAT



- Molded from high density polyethylene for maximum protection
- Easy "Quick-Slide" sizing adjusts suspension from head sizes 6-1/2 - 8
- Meets ANSI Z89.1, type 1, class C, E and G requirements
- Certified when headband is installed in reverse position
- Adjusts up to head size 8
- Accessory slots accommodate a wide variety of attachments

PART #	DESCRIPTION	PKG./CTN.
SHH-WH	White w/ 6pt suspension	1/12
SHH-YE	Yellow w/ 6pt suspension	1/12
WSH4	White w/ 4pt lock suspension	1/12

EAR PLUGS



- Disposable
- Corded
- Display box included
- Priced per pair

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
EPC	Ear plugs corded	100 pairs

FOAM KNEE PADS



- Lightweight and water-resistant with soft, breathable inner lining for coolness and comfort
- Won't pinch or bind behind knee
- Velcro closures on straps

PART #	DESCRIPTION	PKG./CTN.
FNP	Foam knee pads - 1 pair	1 pr.

HEAVY DUTY KNEE CAP PADS



- Lightweight and water-resistant with soft, breathable inner lining for coolness and comfort
- Won't pinch or bind behind knee
- Velcro closures on straps
- Heavy duty knee cap

PART #	DESCRIPTION	PKG./CTN.
KCP	Heavy duty knee cap pads - 1 pair	1 pr.

PROTECTIVE SHOE COVERS



- With elastic top.
- Easily fits shoe & boots up to size 15
- Non-skid bottoms

PART #	DESCRIPTION	PKG./CTN.
PSC	1 pc = 1 box of 50 pairs	1/10
PSC-PR	1 pc = 1 pair **(Carton Qty. Only 10 pair)**	10/10
PSCS	Shubee brand 1 pc = 1 pair **(Carton Qty. Only 150 pair)**	1/150

DISPOSABLE COVERALLS



- Including one pair of shoe covers
- 5-pocket design
- Elastic wrist with boot-cut legs

PART #	DESCRIPTION	PKG./CTN.
DCA	Large	1/25

DISPOSABLE DUST & POLLEN MASK



- Protects against non-toxic dusts only
- Adjustable elastic head band
- Adjustable metal nose clip
- Priced per pkg/carton

PART #	DESCRIPTION	PKG./CTN.
DDM	Dust mask (1 each = 5 masks)	1
DMM	Disposable medical mask	50
DMN95	Disposable N95 mask	50

PROTECTIVE SAFETY GOGGLES



- Meets ANSI Z87.1 requirements
- Full coverage
- Adjustable temples
- 99% UV protection

PART #	DESCRIPTION	PKG./CTN.
PSG	Bagged	1 pr.

HELLRAISER SAFETY GLASSES

H



PART #	DESCRIPTION	PKG./CTN.
HSGBM	Blue mirror lens and black frame	1
HSGSB	Smoke lens and black frame	1

SAFETY GLASSES

H



- Soft-touch temples
- Light weight construction
- Single-lens wrap-around protection
- 99.9% UV resistant
- Meets ANSI Z87.1 + standards

PART #	DESCRIPTION	PKG./CTN./MSTR.
NSGBB	Blue mirror lens and black frame	1/12/300
NSGCB	Bronze lens and camo frame	1/12/300
NSGCLB	Clear lens and black frame	1/12/300
NSGSB	Smoke mirror lens and black frame	1/12/300
NSGCBD	Display - bronze lens and camo frame	12

SAFETY EQUIPMENT/CLEANERS

SAFETY GLASSES W/ADJUSTABLE TEMPLES

H



- One-piece frame
- Adjustable temples
- Sleek, lightweight and comfortable
- Meets ANSI z87.1

PART #	DESCRIPTION	PKG./CTN.
SGC	Clear lens and black frame	1/12
SGSM	Silver mirror lens and black frame	1/12

CABLZ® EYEWEAR RETAINERS

H





- Stays off your neck
- Does not get hot or sweaty; never has bad odor
- Does not catch on clothing
- Allows full range of motion
- Order any combination of 40 and get counter display
- Sunglasses not included
- Black color coated stainless steel • Patented

PART #	DESCRIPTION	PKG./CTN.
CBLZB12	12" length w/ universal ends	1/10
CBLZB14	14" length w/ universal ends	1/10
CBLZB12XL	12" length w/ XL ends	1/10
ZIPZB12	8" to 12" adjustable w/ universal ends	1/10
ZIPZB14	9" to 14" adjustable w/ universal ends	1/10
ZIPZB12XL	8" to 12" adjustable w/ XL ends	1/10

BOSS® HAND CLEANER W/LANOLIN (15 OZ BOTTLE)



- Specially formulated to quickly & easily remove oil, grease, grime & stains without damaging the skin

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HC15	Squeeze bottle (15 oz. bottle)	12

BOSS® BIGGIES INDUSTRIAL WIPES (100/TUB)



- For home, office, workshop or on-the-go
- 8" x 12" wipes
- Dermatology tested with added Vitamin E and aloe vera (Eye irritant)
- Cleans oil & water base paint, adhesives & sealants, oil, grease, ink & many other stains
- No need for soap or other cleaners

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BIW100	100-count dispenser tub	8

BOSS® BIGGIES DUAL-SIDED ABRASIVE WIPES (80/TUB)



- For home, office, workshop or on-the-go
- Dual-sided, 8" x 12" wipes
- Dermatology tested with added Vitamin E & aloe vera (Eye irritant)
- Cleans oil & water base paint, adhesives & sealants, oil, grease, ink & many other stains
- No need for soap or other cleaners

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BDSAW	80-count dispenser tub	1/8

BOSS® BIGGIES GREEN WIPES (80/TUB)



- 100% cotton
- Will clean paint, adhesive & oil from hands, tools & surfaces (Eye irritant)
- Biodegradable.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BGW	80-count dispenser tub	1/8

PUMIE® SCOURING STICK (HEAVY-DUTY)



- Cleans where chemicals fail
- Versatile 100% natural pumice hard surface cleaning aid for ceramic tile, porcelain, concrete, brick, stone-work, hard metals & hard plastics
- Removes stubborn lime, rust, stains & paint
- Cleans workshop & garden tools, swimming pools & barbecues
- Safe for skin
- Safe to use and store around animals

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PSS	6" x 3/4" x 1-1/4" size bar	1/12

COTTON PLUMBERS TOWELS



- Heavy-duty cotton towels
- Washable & reusable
- Priced per pack

PART #	DESCRIPTION	PKG./CTN.
CPT	Plumbers towels - 10 towels per pack	1 pack
CTCT8	Plumbers towels - 8 towels per pack	1 pack

BRAXTON HARRIS CO., INC.

CLEANERS

COTTON TERRY TOWELS BOX



- Wypall® X60 Teri Pop-Up Wipers
- Measures 9.1" x 16.8"
- Approximately 127 wipers per pack(box)
- 10 boxes per carton
- Sold per box of 127 wipes

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TT18	Cotton terry towels - 127 wipes per box	1/10

BOX OF RAGS



- Pull out dispensing
- Colored cotton sweatshirt material
- 100% recycled

PART #	DESCRIPTION	PKG./CTN.
BOR5	4 lb. box of rags	1/12

COMMERCIAL SPONGE



- Measures 6-3/4 x 4-3/8 x 3/4
- Commercial grade cellulose sponge
- Deeply textured top makes cleanup easier

PART #	DESCRIPTION	PKG./CTN.
CS	Medium (6-1/4" x 3-3/8"x 1")	1/24
CSL	Large (8" x 4-1/2"x 3/4")	1/24

JET-ACTION CRAWLING INSECT SPRAY (12.75 OZ SPRAY CAN)



- Kills fleas, roaches, ants, etc.
- LTL transportation only / No UPS or FED EX

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CIS	Crawling insect spray (12.75 oz. spray can)	12

HORNET AND WASP SPRAY



PART #	DESCRIPTION	PKG./CTN.
HWS	18 oz. Wasp and hornet killer	1/12

HOUSEHOLD INDOOR FOGGER (7.5 OZ SPRAY CAN)



- Kills fleas, roaches, houseflies, etc.
- LTL transportation only / No UPS or FED EX

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HIF	Household indoor fogger (7.5 oz. spray can)	12

BORIC ACID ROACH & ANT KILLER



- 100% boric acid
- Lasts for years in attics, walls & crawl spaces if undisturbed
- Dispenser display case

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BARK	White powder (1 lb. dispenser)	12

LIQUID DRAIN PIPE OPENER



- Opens clogged drains fast
- Dissolves hair, grease, sanitary napkins, sludge, soap, paper, & vegetable matter
- Contains virgin sulfuric acid
- Safe to use on drains, sinks, & septic tanks
- Bagged individually in a chemical resistant, resealable bag

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LDPOP	1 pint	12
LDPO	1 quart	12
LDPOHG	1 half gallon	6
LDPOG	1 gallon	4

BOSS® PENETRATING OIL (12 OZ SPRAY CAN)



- Quickly frees corroded nuts & bolts
- Displaces moisture & protects against rust & corrosion

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PO12	Clear (12 oz. spray can)	12

CHEMICALS/LEAD POURING

WD-40®



- The original WD-40 maintenance product cleans, lubricates, protects, penetrates & displaces moisture with just one spray
- Increase your maintenance efficiency & shrink the number of maintenance supplies stocked by ordering WD-40

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WD40-8	8 oz. spray can	12
WD40-12	12 oz. spray can	12

SELF-CLEANING FLUX PASTE



- Water soluble
- Meets ASTM-B813
- All weather formula
- Cleans as it solders
- Non-toxic, non-acid, lead free
- Contains no zinc chloride
- Use with all lead free and common soft solder
- Meets Mil. Spec F-4995 Type 11.

PART #	DESCRIPTION	PKG./CTN.
FP4	4 oz.	1
FP1	1 lb.	1

SOLDERING HEAT BARRIER SPRAY



- Protects surfaces and components from heat damage such as piping, drywall, and shower valves
- Used for any soldering or brazing job
- Safe, non-toxic, and harmless to the skin
- Will evaporate in 24-48 hrs. eliminating cleanup
- Unique gelling formula sticks to any surface without dripping or running off

PART #	DESCRIPTION	PKG./CTN.
SHBS1	1 quart spray bottle	1
SHBS1P	1 pint spray bottle	1

GAS LEAK DETECTOR



- Fluorescent in color
- 8 oz. liquid container

PART #	DESCRIPTION	PKG./CTN.
LGLD	8 oz. container	1

PRIMER FOR PIPE WRAP TAPE



- Maximizes tape performance
- Final step in preparing steel surfaces for taping
- Can more than double adhesion of corrosion tapes to cleaned steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PWTP	1 quart container	12/12

LEAD JOINT RUNNERS



- Non-asbestos
- Top quality white Zetex yarn
- Rated at 1022°F (550°C)
- Brass ferrule terminals
- Heavy-duty clamp attached to runner & chain

PART #	DESCRIPTION			PKG./CTN.
	IPS	DIAMETER	LENGTH	
LJR2-4	2"-4"	3/4"	2'	1
LJR4-6	4"-6"	3/4"	2' 6"	1
LJR6-10	6"-10"	1"	3' 6"	1
LJR10-14	10"-14"	1"	4' 10"	1

LEAD WOOL



- 5 lbs. per carton

PART #	DESCRIPTION	PKG./CTN.
LW	Lead wool	1

OAKUM



- Meets Federal spec: HHP-117-2
- For use in sealing pipes, caulking windows & sealing driveways
- Original cut-length with bentonite (an organic compound that expands to over ten times its original mass when wet)
- In coils or cut-lengths for easy use
- Seals leaking joints
- Does not split
- Priced per carton

PART #	DESCRIPTION	PKG./CTN.
OBRC1	Brown, 1 lb., approx. 3 strands, 27" length	1/25
OBRC5	Brown, 5 lbs., approx. 13 strands, 27" length	1/10
OW38-1	White, 1 lb., approx. 9 strands, 5/16" dia., 27" length	1/25
OW38-5	White, 5 lbs., approx. 100 linear ft., 5/16" dia.	1/10
OW38-10	White, 10 lbs., approx. 200 linear ft., 5/16" dia.	1/6

BRAXTON HARRIS CO., INC.

6.1.25

LEAD POURING

CAST IRON MELTING POTS



- For melting lead
- With wire handle

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LEAD CAP.	
CIMP6	6"	22 lb.	1
CIMP8	8"	58 lb.	1

STEEL POURING LADLES



- For pouring lead

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LEAD CAP.	
SPL3	3"	1.6 lb.	1
SPL312	3-1/2"	3 lb.	1
SPL4	4"	3.5 lb.	1

LEAD INGOT



- Ingot has five plugs, each weighing 5 lbs.
- Priced per ingot

PART #	DESCRIPTION	PKG./CTN.
LI	25 lbs. (5 plugs weighing 5 lbs. each)	1
LI5	5 lbs. (single 5 lb. plug)	1

NOTES

BRAXTON HARRIS CO., INC.

SECTION E..... FITTINGS / COUPLINGS / CLAMPS / VALVES


E1


E2


E3


E4


E8


E9


E10


E20


E27


E27


E28


E30


E31


E34


E36


E36


E38


E39


E40


E41


E42


E44


E45


E45


E47


E48


E49


E49


E50


E51


E51


E52


E53


E54


E54


E55



E56


E56


E57


E58


E59


E60

QUICK GUIDE

QUICK REFERENCE GUIDE

SECTION E..... FITTINGS / COUPLINGS / CLAMPS / VALVES

PLASTIC PUSH-ON FITTINGS E1
CHROME PLATED NIPPLES / FITTINGS E2
THREADED BRASS FITTINGS E4
THREADED BRONZE FITTINGS E4
THREADED BRASS NIPPLES E8
YELLOW BRASS FITTINGS E9
MALLEABLE IRON FITTINGS E10
COPPER FITTINGS E20
FORGED BRASS FITTINGS E27
GARDEN HOSE FITTINGS E28
LAWN / IRRIGATION PRODUCTS E29
BRASS COMPRESSION FITTINGS E31
BRASS FLARE FITTINGS E33
CPVC TRANSITION FITTINGS E36
NYLON HOSE BARB FITTINGS E37
POLY INSERT FITTINGS E38
RED BRASS INSERT FITTINGS E39
GALVANIZED STEEL INSERT FITTINGS E40
BRASS HOSE BARBS E40
BRASS PEX FITTINGS E42
STUB OUTS / WATER HAMMER ARRESTERS E44
COMPRESSION COUPLINGS E45
REPAIR COUPLINGS/TEES E46
NO-HUB COUPLINGS E47
FLEXIBLE COUPLINGS / CAPS / MULTI-TITE GASKETS E48
TORQUE WRENCHES / PIPE LUBE / GEAR CLAMPS E50
REPAIR CLAMPS E50
VALVES E51

PLASTIC PUSH-ON FITTINGS

- MANUFACTURED FROM SAFE, NON-TOXIC MATERIALS MEETING THE REQUIREMENTS OF ANSI/NSF61
- USED ON COPPER, CPVC, AND PEX TUBING
- QUICK, NO TOOLS NEEDED INSTALLATION
- LEAD FREE
- CAN BE REMOVED
- CAN BE USED ON COLD AND HOT WATER LINES

MALE ADAPTERS (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPA14-14M	1/4" OD x 1/4" MIP	1/5
PPA38-38M	3/8" OD x 3/8" MIP	1/1
PPA38-12M	3/8" OD x 1/2" MIP	1/1

MALE ADAPTER ELBOWS (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPAE14-14M	1/4" OD x 1/4" MIP	1/1
PPAE14-38M	1/4" OD x 3/8" MIP	1/1
PPAE38-14M	3/8" OD x 1/4" MIP	1/1

COUPLINGS (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPC14	1/4" OD	1/1
PPC38	3/8" OD	1/10

REDUCING COUPLINGS (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPRC38-14	3/8" x 1/4" OD	50/50
PPRC12-38	1/2" x 3/8" OD	50/50

90° ELBOWS (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPE14	1/4" OD	1/1
PPE38	3/8" OD	1/1
PPE12	1/2" OD	1/1

TEES (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPT14	1/4" OD	1/1
PPT38	3/8" OD	1/1
PPT38-38-14	3/8" x 3/8" x 1/4" OD	1/1
PPT12	1/2" OD	1/1

STRAIGHT VALVES (PUSH-ON)



• Connects copper, CPVC and PEX pipe

PART #	DESCRIPTION	PKG./CTN.
PPSV14	1/4" OD	1/1
PPSV38	3/8" OD	1/1

BRAXTON HARRIS CO., INC.

6.1.25

CHROME PLATED NIPPLES & FITTINGS

CHROME PLATED THREADED BRASS NIPPLES



- Threaded MPT
- Chrome plated brass
- Close to 6" lengths are lead free

PART #	DESCRIPTION	PKG./CTN.
TBN38CCP-LF	3/8" x close	1
TBN38-112CP-LF	3/8" x 1-1/2"	1
TBN38-2CP-LF	3/8" x 2"	1
TBN38-212CP-LF	3/8" x 2-1/2"	1
TBN38-3CP-LF	3/8" x 3"	1
TBN38-312CP-LF	3/8" x 3-1/2"	1
TBN38-4CP-LF	3/8" x 4"	1
TBN38-412CP-LF	3/8" x 4-1/2"	1
TBN38-5CP-LF	3/8" x 5"	1
TBN38-512CP-LF	3/8" x 5-1/2"	1
TBN38-6CP-LF	3/8" x 6"	1
TBN38-12CP	3/8" x 12"	1
TBN12CCP-LF	1/2" x close	1
TBN12-112CP-LF	1/2" x 1-1/2"	1
TBN12-2CP-LF	1/2" x 2"	1
TBN12-212CP-LF	1/2" x 2-1/2"	1
TBN12-3CP-LF	1/2" x 3"	1
TBN12-312CP-LF	1/2" x 3-1/2"	1
TBN12-4CP-LF	1/2" x 4"	1
TBN12-412CP-LF	1/2" x 4-1/2"	1
TBN12-5CP-LF	1/2" x 5"	1
TBN12-512CP-LF	1/2" x 5-1/2"	1
TBN12-6CP-LF	1/2" x 6"	1
TBN12-10CP	1/2" x 10"	1
TBN12-12CP	1/2" x 12"	1
TBN12-13CP	1/2" x 13"	1
TBN12-14CP	1/2" x 14"	1
TBN12-16CP	1/2" x 16"	1
TBN12-18CP	1/2" x 18"	1
TBN12-19CP	1/2" x 19"	1
TBN12-24CP	1/2" x 24"	1
TBN12-30CP	1/2" x 30"	1
TBN12-36CP	1/2" x 36"	1
TBN34-2CP-LF	3/4" x 2"	1
TBN34-3CP-LF	3/4" x 3"	1
TBN34-4CP-LF	3/4" x 4"	1
TBN34-5CP-LF	3/4" x 5"	1
TBN34-6CP-LF	3/4" x 6"	1
TBN1-3CP-LF	1" x 3"	1
TBN1-312CP-LF	1" x 3-1/2"	1
TBN1-4CP-LF	1" x 4"	1
TBN1-5CP-LF	1" x 5"	1
TBN1-6CP-LF	1" x 6"	1

90° ELBOWS



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBE38CP-LF	3/8" FPT	1
TBE12CP-LF	1/2" FPT	1
TBE34CP-LF	3/4" FPT	1
TBE1CP-LF	1" FPT	1

TEES



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBT38CP-LF	3/8" FPT	1
TBT12CP-LF	1/2" FPT	1

90° STREET ELBOW



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBSE12CP-LF	1/2" MPT x FPT	1
TBSE34CP-LF	3/4" MPT x FPT	1

COUPLINGS



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBC38CP-LF	3/8" FPT	1
TBC12CP-LF	1/2" FPT	1
TBC34CP-LF	3/4" FPT	1
TBRC12-38CP-LF	1/2" x 3/8" FPT	1

CAP



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBCA38CP-LF	3/8" FPT	1
TBCA12CP-LF	1/2" FPT	1
TBCA34CP-LF	3/4" FPT	1

CHROME PLATED FITTINGS

45° ELBOWS



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TB45E38CP-LF	3/8" FPT	1
TB45E12CP-LF	1/2" FPT	1
TB45E34CP-LF	3/4" FPT	1
TB45E1CP-LF	1" FPT	1

UNION



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBU12CP-LF	1/2" FPT	1
TBU34CP-LF	3/4" FPT	1
TBU1CP-LF	1" FPT	1


COMPRESSION UNION



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
C62-6CP-LF	3/8" OD (tube size)	1

REDUCING UNION/COUPLING



- Chrome plated brass
- Compression (OD) x Compression (OD)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
C62-106CP-LF	3/8" x 5/8"	1

COMPRESSION NUT



- Chrome plated brass

PART #	DESCRIPTION	PKG./CTN.
C61-6CP	3/8" OD	1/10
C61-8CP	1/2" OD	1/10
C61-10CP	5/8" OD	1/10

HEX BUSHING



- Chrome plated brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
TBHB12-38CP-LF	1/2" MPT x 3/8" FPT	1
TBHB34-12CP-LF	3/4" MPT x 1/2" FPT	1


COMPRESSION x SWEAT ADAPTER



- Chrome plated brass
- Compression (OD) x sweat
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x SWT	
C666-6CP-LF	3/8" x 5/8" (1/2" SWT)	1


COMPRESSION x FEMALE COUPLINGS



- Chrome plated brass
- Compression (OD) x FPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x FPT	
C66-66CP-LF	3/8" x 3/8"	1
C66-68CP-LF	3/8" x 1/2"	1


COMPRESSION x MALE COUPLINGS



- Chrome plated brass
- Compression (OD) x MPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x MPT	
C68-64CP-LF NEW	3/8" x 1/4"	1
C68-66CP-LF	3/8" x 3/8"	1
C68-68CP-LF	3/8" x 1/2"	1
C68-88CP-LF	1/2" x 1/2"	1


COMPRESSION x FEMALE 90° ELBOW



- Chrome plated brass
- Compression (OD) x FPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x FPT	
C70-68CP-LF	3/8" x 1/2"	1

COMPRESSION x MALE 90° ELBOW



- Chrome plated brass
- Compression (OD) x MPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x MPT	
C69-68CP-LF	3/8" x 1/2"	1

BRAXTON HARRIS CO., INC.

6.1.25

THREADED BRASS/BRONZE FITTINGS

• Maximum working pressures are 125 PSI steam pressure (W.S.P.) . 200 PSI nonshock cold water, oil, or gas (W.O.G.) . ASTM B16. 15-1978.

FLANGED SINK 90° ELBOW



• Forged brass

PART #	DESCRIPTION	PKG./CTN.
FS90E	1/2" SWT x 1/2" FPT	1/10

DROP EAR TEE



PART #	DESCRIPTION	PKG./CTN.
DET12C12C12	1/2" SWT x 1/2" SWT x 1/2" FPT	1/10

90° DROP-EAR ELBOWS



DE90E
DE90E-LF



DE90ES-LF



DE90CE



DE90EF-LF



PDEE12-LF

(DE90TE not pictured)

PART #	INLET x OUTLET	MATERIAL	PKG./CTN./MSTR.
DE90E	1/2" FSWT x 1/2" FPT	Brass	10/10/100
DE90E-LF	1/2" FSWT x 1/2" FPT	Lead free brass	50
DE90EF-LF	1/2" FPT x 1/2" FPT	Lead free brass	10/10/100
DE90ES-LF	1/2" FSWT x 1/2" FSWT	Lead free brass	50
PDEE12-LF	1/2" PEX(F1807) x 1/2" FPT	Lead free brass	10/10/100
DE90CE	1/2" SLIP x 1/2" FPT	CPVC	25
DE90TE	1/2" SLIP x 1/2" FPT	CPVC inlet/S.S. outlet	25

THREADED BRONZE FITTINGS SPECIFICATIONS:
- **MATERIAL: ASTM B584 CLASS 125**
- **DIMENSIONS: ANSI/ASME B16.15, B16.18, B16.24**
- **THREADS: ANSI/ASME B1.20.1**

90° ELBOWS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBE18-LF	1/8" FPT	1/10
TBE14-LF	1/4" FPT	1/10
TBE38-LF	3/8" FPT	1/10
TBE12-LF	1/2" FPT	1/10
TBE34-LF	3/4" FPT	1/10
TBE1-LF	1" FPT	1/10
TBE114-LF	1-1/4" FPT	1/10
TBE112-LF	1-1/2" FPT	1/10
TBE2-LF	2" FPT	1/10


90° REDUCING ELBOWS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBRE12-38-LF	1/2" x 3/8" FPT	1/10
TBRE34-38-LF	3/4" x 3/8" FPT	1/10
TBRE34-12-LF	3/4" x 1/2 FPT	1/10
TBRE1-38-LF	1" x 3/8" FPT	1/10
TBRE1-12-LF	1" x 1/2" FPT	1/10
TBRE1-34-LF	1" x 3/4" FPT	1/10

90° STREET ELBOWS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBSE18-LF	1/8" FPT / MPT	1/10
TBSE14-LF	1/4" FPT / MPT	1/10
TBSE38-LF	3/8" FPT / MPT	1/10
TBSE12-LF	1/2" FPT / MPT	1/10
TBSE34-LF	3/4" FPT / MPT	1/10
TBSE1-LF	1" FPT / MPT	1/10
TBSE114-LF	1-1/4" FPT / MPT	1/10
TBSE112-LF	1-1/2" FPT / MPT	1/10
TBSE2-LF	2" FPT / MPT	1/10

THREADED BRONZE FITTINGS

• Maximum working pressures are 125 PSI steam pressure (W.S.P.) . 200PSI nonshock cold water, oil, or gas (W.O.G.) . ASTM B16. 15-1978. ANSI B2.1

45° ELBOWS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TB45E18-LF	1/8" FPT	1/10
TB45E14-LF	1/4" FPT	1/10
TB45E38-LF	3/8" FPT	1/10
TB45E12-LF	1/2" FPT	1/10
TB45E34-LF	3/4" FPT	1/10
TB45E1-LF	1" FPT	1/10
TB45E114-LF	1-1/4" FPT	1/10
TB45E112-LF	1-1/2" FPT	1/10
TB45E2-LF	2" FPT	1/10

45° STREET ELBOWS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TB45SE18-LF	1/8" FPT / MPT	1/10
TB45SE14-LF	1/4" FPT / MPT	1/10
TB45SE38-LF	3/8" FPT / MPT	1/10
TB45SE12-LF	1/2" FPT / MPT	1/10
TB45SE34-LF	3/4" FPT / MPT	1/10
TB45SE1-LF	1" FPT / MPT	1/10
TB45SE114-LF	1-1/4" FPT / MPT	1/10
TB45SE112-LF	1-1/2" FPT / MPT	1/10
TB45SE2-LF	2" FPT / MPT	1/10


CROSSES



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBCR14-LF	1/4" FPT	1/10
TBCR38-LF	3/8" FPT	1/10
TBCR12-LF	1/2" FPT	1/10
TBCR34-LF	3/4" FPT	1/10
TBCR1-LF	1" FPT	1/10
TBCR114-LF	1-1/4" FPT	1/10
TBCR112-LF	1-1/2" FPT	1/10
TBCR2-LF	2" FPT	1/10

TEES/THREADED & SWEAT CONNECTION



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBT18-LF	1/8" FPT	1/10
TBT14-LF	1/4" FPT	1/10
TBT38-LF	3/8" FPT	1/10
TBT12-LF	1/2" FPT	1/10
TBT12C12C12	1/2" SWT x 1/2" SWT x 1/2" FPT	1/10
TBT34-LF	3/4" FPT	1/10
TBT34C34C34	3/4" SWT x 3/4" SWT x 3/4" FPT	1/10
TBT1-LF	1" FPT	1/10
TBT1-34-LF	1" FPT x 1" FPT x 3/4" FPT	1/10
TBT114-LF	1-1/4" FPT	1/10
TBT112-LF	1-1/2" FPT	1/10
TBT2-LF	2" FPT	1/10

COUPLINGS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBC18-LF	1/8" FPT	1/10
TBC14-LF	1/4" FPT	1/10
TBC38-LF	3/8" FPT	1/10
TBC12-LF	1/2" FPT	1/10
TBC34-LF	3/4" FPT	1/10
TBC1-LF	1" FPT	1/10
TBC114-LF	1-1/4" FPT	1/10
TBC112-LF	1-1/2" FPT	1/10
TBC2-LF	2" FPT	1/10

BRAXTON HARRIS CO., INC.

6.1.25

THREADED BRONZE FITTINGS

• Maximum working pressures are 125 PSI steam pressure (W.S.P.) . 200 PSI nonshock cold water, oil, or gas (W.O.G.) . ASTM B16. 15-1978.

REDUCING COUPLINGS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBRC14-18-LF	1/4" x 1/8" FPT / FPT	1/10
TBRC38-18-LF	3/8" x 1/8" FPT / FPT	1/10
TBRC38-14-LF	3/8" x 1/4" FPT / FPT	1/10
TBRC12-18-LF	1/2" x 1/8" FPT / FPT	1/10
TBRC12-14-LF	1/2" x 1/4" FPT / FPT	1/10
TBRC12-38-LF	1/2" x 3/8" FPT / FPT	1/10
TBRC34-14-LF	3/4" x 1/4" FPT / FPT	1/10
TBRC34-38-LF	3/4" x 3/8" FPT / FPT	1/10
TBRC34-12-LF	3/4" x 1/2" FPT / FPT	1/10
TBRC1-12-LF	1" x 1/2" FPT / FPT	1/10
TBRC1-34-LF	1" x 3/4" FPT / FPT	1/10
TBRC114-12-LF	1-1/4" x 1/2" FPT / FPT	1/10
TBRC114-34-LF	1-1/4" x 3/4" FPT / FPT	1/10
TBRC114-1-LF	1-1/4" x 1" FPT / FPT	1/10
TBRC112-12-LF	1-1/2" x 1/2" FPT / FPT	1/10
TBRC112-34-LF	1-1/2" x 3/4" FPT / FPT	1/10
TBRC112-1-LF	1-1/2" x 1" FPT / FPT	1/10
TBRC112-114-LF	1-1/2" x 1-1/4" FPT / FPT	1/10
TBRC2-34-LF	2" x 3/4" FPT / FPT	1/10
TBRC2-1-LF	2" x 1" FPT / FPT	1/10
TBRC2-114-LF	2" x 1-1/4" FPT / FPT	1/10
TBRC2-112-LF	2" x 1-1/2" FPT / FPT	1/10

FACE BUSHINGS



• Brass

PART #	DESCRIPTION	PKG./CTN.
TBFB38-14	3/8" x 1/4" MPT / FPT	1/10
TBFB12-38	1/2" x 3/8" MPT / FPT	1/10
TBFB34-12	3/4" x 1/2" MPT / FPT	1/10

HEX BUSHINGS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBHB14-18-LF	1/4" x 1/8" MPT / FPT	1/10
TBHB38-18-LF	3/8" x 1/8" MPT / FPT	1/10
TBHB38-14-LF	3/8" x 1/4" MPT / FPT	1/10
TBHB12-18-LF	1/2" x 1/8" MPT / FPT	1/10
TBHB12-14-LF	1/2" x 1/4" MPT / FPT	1/10
TBHB12-38-LF	1/2" x 3/8" MPT / FPT	1/10
TBHB34-18-LF	3/4" x 1/8" MPT / FPT	1/10
TBHB34-14-LF	3/4" x 1/4" MPT / FPT	1/10
TBHB34-38-LF	3/4" x 3/8" MPT / FPT	1/10
TBHB34-12-LF	3/4" x 1/2" MPT / FPT	1/10
TBHB1-14-LF	1" x 1/4" MPT / FPT	1/10
TBHB1-38-LF	1" x 3/8" MPT / FPT	1/10
TBHB1-12-LF	1" x 1/2" MPT / FPT	1/10
TBHB1-34-LF	1" x 3/4" MPT / FPT	1/10
TBHB114-14-LF	1-1/4" x 1/4" MPT / FPT	1/10
TBHB114-12-LF	1-1/4" x 1/2" MPT / FPT	1/10
TBHB114-34-LF	1-1/4" x 3/4" MPT / FPT	1/10
TBHB114-1-LF	1-1/4" x 1" MPT / FPT	1/10
TBHB112-14-LF	1-1/2" x 1/4" MPT / FPT	1/10
TBHB112-38-LF	1-1/2" x 3/8" MPT / FPT	1/10
TBHB112-12-LF	1-1/2" x 1/2" MPT / FPT	1/10
TBHB112-34-LF	1-1/2" x 3/4" MPT / FPT	1/10
TBHB112-1-LF	1-1/2" x 1" MPT / FPT	1/10
TBHB112-114-LF	1-1/2" x 1-1/4" MPT / FPT	1/10
TBHB2-12-LF	2" x 1/2" MPT / FPT	1/10
TBHB2-34-LF	2" x 3/4" MPT / FPT	1/10
TBHB2-1-LF	2" x 1" MPT / FPT	1/10
TBHB2-114-LF	2" x 1-1/4" MPT / FPT	1/10
TBHB2-112-LF	2" x 1-1/2" MPT / FPT	1/10
TBHB212-2-LF	2-1/2" x 2" MPT / FPT	1/10

THREADED BRONZE FITTINGS

• Maximum working pressures are 125 PSI steam pressure (W.S.P.) . 200PSI nonshock cold water, oil, or gas (W.O.G.) . ASTM B16. 15-1978.

CAPS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBCA18-LF	1/8" FPT	1/10
TBCA14-LF	1/4" FPT	1/10
TBCA38-LF	3/8" FPT	1/10
TBCA12-LF	1/2" FPT	1/10
TBCA34-LF	3/4" FPT	1/10
TBCA1-LF	1" FPT	1/10
TBCA114-LF	1-1/4" FPT	1/10
TBCA112-LF	1-1/2" FPT	1/10
TBCA2-LF	2" FPT	1/10

RAISED HEAD PLUGS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBPR18-LF	1/8" MPT	1/10
TBPR14-LF	1/4" MPT	1/10
TBPR38-LF	3/8" MPT	1/10
TBPR12-LF	1/2" MPT	1/10
TBPR34-LF	3/4" MPT	1/10
TBPR1-LF	1" MPT	1/10
TBPR114-LF	1-1/4" MPT	1/10
TBPR112-LF	1-1/2" MPT	1/10
TBPR2-LF	2" MPT	1/10

COUNTERSUNK PLUGS



• Red brass
• Lead free

PART #	DESCRIPTION	PKG./CTN.
TBPC14	1/4" MPT	1/10
TBPC38	3/8" MPT	1/10
TBPC12	1/2" MPT	1/10
TBPC34	3/4" MPT	1/10
TBPC1	1" MPT	1/10
TBPC114	1-1/4" MPT	1/10
TBPC112	1-1/2" MPT	1/10
TBPC2	2" MPT	1/10

THREADED & SWEAT CONNECTOR UNIONS



• Red brass

PART #	DESCRIPTION	PKG./CTN.
TBU18	1/8" FPT	1/10
TBU18C	1/8" SWT	1/10
TBU14-LF	1/4" FPT	1/10
TBU14C	1/4" SWT	1/10
TBU38-LF	3/8" FPT	1/10
TBU38C	3/8" SWT	1/10
TBU12-LF	1/2" FPT	1/10
TBU12C	1/2" SWT	1/10
TBU34-LF	3/4" FPT	1/10
TBU34C	3/4" SWT	1/10
TBU1-LF	1" FPT	1/10
TBU1C	1" SWT	1/10
TBU114-LF	1-1/4" FPT	1/10
TBU114C-LF	1-1/4" SWT	1/10
TBU112-LF	1-1/2" FPT	1/10
TBU112C	1-1/2" SWT	1/10
TBU2-LF	2" FPT	1/10

BRAXTON HARRIS CO., INC.

THREADED RED BRASS NIPPLES

• Maximum working pressures are 125 PSI steam pressure (W.S.P.) . 200 PSI nonshock cold water, oil, or gas (W.O.G.) . ASTM B16. 15-1978.

SPECS FOR THREADED RED BRASS NIPPLES:
- **MATERIAL: ASTM B43**
- **DIMENSIONS: ASTM B687**
- **THREADS: ANSI/ASME B1.20.1**

THREADED RED BRASS NIPPLES



- Red brass
- Meets ASTM B687

PART #	DESCRIPTION	PKG./CTN.
TBN18C-LF	1/8" x close	1/10
TBN18-112-LF	1/8" x 1-1/2"	1/10
TBN18-2-LF	1/8" x 2"	1/10
TBN18-212-LF	1/8" x 2-1/2"	1/10
TBN18-3-LF	1/8" x 3"	1/10
TBN18-312-LF	1/8" x 3-1/2"	1/10
TBN18-4-LF	1/8" x 4"	1/10
TBN18-412-LF	1/8" x 4-1/2"	1/10
TBN18-5-LF	1/8" x 5"	1/10
TBN18-512-LF	1/8" x 5-1/2"	1/10
TBN18-6-LF	1/8" x 6"	1/10
TBN14C-LF	1/4" x close	1/10
TBN14-112-LF	1/4" x 1-1/2"	1/10
TBN14-2-LF	1/4" x 2"	1/10
TBN14-212-LF	1/4" x 2-1/2"	1/10
TBN14-3-LF	1/4" x 3"	1/10
TBN14-312-LF	1/4" x 3-1/2"	1/10
TBN14-4-LF	1/4" x 4"	1/10
TBN14-412-LF	1/4" x 4-1/2"	1/10
TBN14-5-LF	1/4" x 5"	1/10
TBN14-512-LF	1/4" x 5-1/2"	1/10
TBN14-6-LF	1/4" x 6"	1/10
TBN38C-LF	3/8" x close	1/10
TBN38-112-LF	3/8" x 1-1/2"	1/10
TBN38-2-LF	3/8" x 2"	1/10
TBN38-212-LF	3/8" x 2-1/2"	1/10
TBN38-3-LF	3/8" x 3"	1/10
TBN38-312-LF	3/8" x 3-1/2"	1/10
TBN38-4-LF	3/8" x 4"	1/10
TBN38-412-LF	3/8" x 4-1/2"	1/10
TBN38-5-LF	3/8" x 5"	1/10
TBN38-512-LF	3/8" x 5-1/2"	1/10
TBN38-6-LF	3/8" x 6"	1/10
TBN12C-LF	1/2" x close	1/10
TBN12-112-LF	1/2" x 1-1/2"	1/10
TBN12-2-LF	1/2" x 2"	1/10
TBN12-212-LF	1/2" x 2-1/2"	1/10
TBN12-3-LF	1/2" x 3"	1/10

THREADED RED BRASS NIPPLES (CONT'D)



PART #	DESCRIPTION	PKG./CTN.
TBN12-312-LF	1/2" x 3-1/2"	1/10
TBN12-4-LF	1/2" x 4"	1/10
TBN12-412-LF	1/2" x 4-1/2"	1/10
TBN12-5-LF	1/2" x 5"	1/10
TBN12-512-LF	1/2" x 5-1/2"	1/10
TBN12-6-LF	1/2" x 6"	1/10
TBN12-10-LF	1/2" x 10"	1/10
TBN12-12-LF	1/2" x 12"	1/10
TBN12-18	1/2" x 18"	1/10
TBN12-24	1/2" x 24"	1/10
TBN12-30	1/2" x 30"	1/10
TBN34C-LF	3/4" x close	1/10
TBN34-112-LF	3/4" x 1-1/2"	1/10
TBN34-2-LF	3/4" x 2"	1/10
TBN34-212-LF	3/4" x 2-1/2"	1/10
TBN34-3-LF	3/4" x 3"	1/10
TBN34-312-LF	3/4" x 3-1/2"	1/10
TBN34-4-LF	3/4" x 4"	1/10
TBN34-412-LF	3/4" x 4-1/2"	1/10
TBN34-5-LF	3/4" x 5"	1/10
TBN34-512-LF	3/4" x 5-1/2"	1/10
TBN34-6-LF	3/4" x 6"	1/10
TBN1C-LF	1" x close	1/10
TBN1-2-LF	1" x 2"	1/10
TBN1-212-LF	1" x 2-1/2"	1/10
TBN1-3-LF	1" x 3"	1/10
TBN1-312-LF	1" x 3-1/2"	1/10
TBN1-4-LF	1" x 4"	1/10
TBN1-412-LF	1" x 4-1/2"	1/10
TBN1-5-LF	1" x 5"	1/10
TBN1-512-LF	1" x 5-1/2"	1/10
TBN1-6-LF	1" x 6"	1/10

THREADED RED BRASS NIPPLES/YELLOW BRASS FTGS.

THREADED RED BRASS NIPPLES (CONT'D)



PART #	DESCRIPTION	PKG./CTN.
TBN114C-LF	1-1/4" x close	1/10
TBN114-2-LF	1-1/4" x 2"	1/10
TBN114-212-LF	1-1/4" x 2-1/2"	1/10
TBN114-3-LF	1-1/4" x 3"	1/10
TBN114-312-LF	1-1/4" x 3-1/2"	1/10
TBN114-4-LF	1-1/4" x 4"	1/10
TBN114-412-LF	1-1/4" x 4-1/2"	1/10
TBN114-5-LF	1-1/4" x 5"	1/10
TBN114-512-LF	1-1/4" x 5-1/2"	1/10
TBN114-6-LF	1-1/4" x 6"	1/10
TBN112C-LF	1-1/2" x close	1/10
TBN112-2-LF	1-1/2" x 2"	1/10
TBN112-212-LF	1-1/2" x 2-1/2"	1/10
TBN112-3-LF	1-1/2" x 3"	1/10
TBN112-312-LF	1-1/2" x 3-1/2"	1/10
TBN112-4-LF	1-1/2" x 4"	1/10
TBN112-412-LF	1-1/2" x 4-1/2"	1/10
TBN112-5-LF	1-1/2" x 5"	1/10
TBN112-512-LF	1-1/2" x 5-1/2"	1/10
TBN112-6-LF	1-1/2" x 6"	1/10
TBN112-8-LF	1-1/2" x 8"	1/10
TBN112-10-LF	1/2" x 10"	1/10
TBN112-12-LF	1/2" x 12"	1/10
TBN2C-LF	2" x close	1/10
TBN2-212-LF	2" x 2-1/2"	1/10
TBN2-3-LF	2" x 3"	1/10
TBN2-312-LF	2" x 3-1/2"	1/10
TBN2-4-LF	2" x 4"	1/10
TBN2-412-LF	2" x 4-1/2"	1/10
TBN2-5-LF	2" x 5"	1/10
TBN2-512-LF	2" x 5-1/2"	1/10
TBN2-6-LF	2" x 6"	1/10
TBN212-4-LF	2-1/2" x 4"	1/10

THREADED YELLOW BRASS 90° ELBOW



• FPT x FPT

PART #	DESCRIPTION	PKG./CTN.
TYBE18-LF	1/8"	1
TYBE14-LF	1/4"	1
TYBE38-LF	3/8"	1
TYBE12-LF	1/2"	1

THREADED YELLOW BRASS 90° STREET ELBOW



• MPT x FPT

PART #	DESCRIPTION	PKG./CTN.
TYBSE18-LF	1/8"	1
TYBSE14-LF	1/4"	1
TYBSE38-LF	3/8"	1
TYBSE12-LF	1/2"	1

THREADED YELLOW BRASS COUPLING



• FPT x FPT

PART #	DESCRIPTION	PKG./CTN.
TYBC18-LF	1/8"	1
TYBC14-LF	1/4"	1
TYBC38-LF	3/8"	1
TYBC12-LF	1/2"	1
TYBC34-LF	3/4"	1

THREADED YELLOW BRASS TEE



• FPT x FPT x FPT

PART #	DESCRIPTION	PKG./CTN.
TYBT18-LF	1/8"	1
TYBT14-LF	1/4"	1
TYBT38-LF	3/8"	1
TYBT12-LF	1/2"	1

BRAXTON HARRIS CO., INC.

YELLOW BRASS/MALLEABLE IRON FITTINGS

THREADED YELLOW BRASS CAP



• FPT

PART #	DESCRIPTION	PKG./CTN.
TYBCA18-LF	1/8"	1
TYBCA14-LF	1/4"	1
TYBCA38-LF	3/8"	1
TYBCA12-LF	1/2"	1
TYBCA34-LF	3/4"	1

THREADED YELLOW BRASS S



• MPT x FPT

PART #	DESCRIPTION	PKG./CTN.
TYBHB14-18-LF	1/4" x 1/8"	1
TYBHB38-18-LF	3/8" x 1/8"	1
TYBHB38-14-LF	3/8" x 1/4"	1
TYBHB12-18-LF	1/2" x 1/8"	1
TYBHB12-14-LF	1/2" x 1/4"	1
TYBHB12-38-LF	1/2" x 3/8"	1
TYBHB34-14-LF	3/4" x 1/4"	1
TYBHB34-38-LF	3/4" x 3/8"	1
TYBHB34-12-LF	3/4" x 1/2"	1

THREADED YELLOW BRASS SQUARE HEAD PLUG



• MPT

PART #	DESCRIPTION	PKG./CTN.
TYBPR18-LF	1/8"	1
TYBPR14-LF	1/4"	1
TYBPR38-LF	3/8"	1
TYBPR12-LF	1/2"	1
TYBPR34-LF	3/4"	1

THREADED YELLOW BRASS HEX NIPPLE



• MPT x MPT

PART #	DESCRIPTION	PKG./CTN.
TBHN18	1/8"	1
TBHN12	1/2"	1
TBHN34	3/4"	1

THREADED YELLOW BRASS LONG NIPPLE



• MPT x MPT

PART #	DESCRIPTION	PKG./CTN.
TYBN18-112-LF	1/8" x 1-1/2"	1
TYBN18-2-LF	1/8" x 2"	1
TYBN14-112-LF	1/4" x 1-1/2"	1
TYBN14-2-LF	1/4" x 2"	1
TYBN38-112-LF	3/8" x 1-1/2"	1
TYBN38-2-LF	3/8" x 2"	1

THREADED YELLOW BRASS CLOSE NIPPLE



• MPT x MPT

PART #	DESCRIPTION	PKG./CTN.
TYBN18C-LF	1/8"	1
TYBN14C-LF	1/4"	1
TYBN38C-LF	3/8"	1
TYBN12C-LF	1/2"	1

SPECIFICATIONS FOR BLACK AND GALVANIZED MALLEABLE FITTINGS:

- **UL LISTED**
- **CSA, FM APPROVED**
- **MATERIAL: ANSI/ASTM A-197. MALLEABLE IRON CLASS 150**
- **DIMENSIONS: ANSI/ASME B.16.3, B16.14, B16.39.**
- **THREADS: ANSI/ASME B1.20.1**
- **FINISH: GALVANIZED MEETS ASTM 153**

MALLEABLE BANDED 45° ELBOW



BM45E series



GM45E series

• F x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BM45E18	GM45E18	1/8"	1
BM45E14	GM45E14	1/4"	1
BM45E38	GM45E38	3/8"	1
BM45E12	GM45E12	1/2"	1
BM45E34	GM45E34	3/4"	1
BM45E1	GM45E1	1"	1
BM45E114	GM45E114	1-1/4"	1
BM45E112	GM45E112	1-1/2"	1
BM45E2	GM45E2	2"	1
BM45E212	GM45E212	2-1/2"	1
BM45E3	GM45E3	3"	1
BM45E4	GM45E4	4"	1

MALLEABLE IRON FITTINGS

MALLEABLE BANDED 45° STREET ELBOW


BM45SE series


GM45SE series

- M x F
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BM45SE18	—	1/8"	1
BM45SE14	GM45SE14	1/4"	1
BM45SE38	—	3/8"	1
BM45SE12	GM45SE12	1/2"	1
BM45SE34	GM45SE34	3/4"	1
BM45SE1	GM45SE1	1"	1
BM45SE114	GM45SE114	1-1/4"	1
BM45SE112	GM45SE112	1-1/2"	1
BM45SE2	GM45SE2	2"	1
BM45SE212	—	2-1/2"	1
BM45SE3	GM45SE3	3"	1
BM45SE4	—	4"	1

MALLEABLE BANDED 90° ELBOW


BME series


GME series

- F x F
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BME18	GME18	1/8"	1
BME14	GME14	1/4"	1
BME38	GME38	3/8"	1
BME12	GME12	1/2"	1
BME34	GME34	3/4"	1
BME1	GME1	1"	1
BME114	GME114	1-1/4"	1
BME112	GME112	1-1/2"	1
BME2	GME2	2"	1
BME212	GME212	2-1/2"	1
BME3	GME3	3"	1
BME4	GME4	4"	1
BME5	—	5"	1
BME6	—	6"	1

MALLEABLE BANDED REDUCING 90° ELBOW


BMRE series


GMRE series

- F x F
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMRE14-18	—	1/4" x 1/8"	1
BMRE38-14	—	3/8" x 1/4"	1
BMRE12-18	—	1/2" x 1/8"	1
BMRE12-14	GMRE12-14	1/2" x 1/4"	1
BMRE12-38	GMRE12-38	1/2" x 3/8"	1
BMRE34-38	GMRE34-38	3/4" x 3/8"	1
BMRE34-12	GMRE34-12	3/4" x 1/2"	1
BMRE1-12	GMRE1-12	1" x 1/2"	1
BMRE1-34	GMRE1-34	1" x 3/4"	1
BMRE114-12	GMRE114-12	1-1/4" x 1/2"	1
BMRE114-34	GMRE114-34	1-1/4" x 3/4"	1
BMRE114-1	GMRE114-1	1-1/4" x 1"	1
BMRE112-12	GMRE112-12	1-1/2" x 1/2"	1
BMRE112-34	GMRE112-34	1-1/2" x 3/4"	1
BMRE112-1	GMRE112-1	1-1/2" x 1"	1
BMRE112-114	GMRE112-114	1-1/2" x 1-1/4"	1
BMRE2-12	—	2" x 1/2"	1
BMRE2-34	GMRE2-34	2" x 3/4"	1
BMRE2-1	GMRE2-1	2" x 1"	1
BMRE2-114	GMRE2-114	2" x 1-1/4"	1
BMRE2-112	GMRE2-112	2" x 1-1/2"	1
BMRE212-114	GMRE212-114	2-1/2" x 1-1/4"	1
BMRE212-112	GMRE212-112	2-1/2" x 1-1/2"	1
BMRE212-2	—	2-1/2" x 2"	1
BMRE3-2	GMRE3-2	3" x 2"	1
BMRE3-212	GMRE3-212	3" x 2-1/2"	1

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

6.1.25

MALLEABLE IRON FITTINGS

MALLEABLE BANDED 90° STREET ELBOW


BMSE series


GMSE series

• M x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMSE18	GMSE18	1/8"	1
BMSE14	GMSE14	1/4"	1
BMSE38	GMSE38	3/8"	1
BMSE12	GMSE12	1/2"	1
BMSE34	GMSE34	3/4"	1
BMSE1	GMSE1	1"	1
BMSE114	GMSE114	1-1/4"	1
BMSE112	GMSE112	1-1/2"	1
BMSE2	GMSE2	2"	1
BMSE212	GMSE212	2-1/2"	1
BMSE3	GMSE3	3"	1
BMSE4	GMSE4	4"	1

MALLEABLE BANDED COUPLING


BMC series


GMC series

• F x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMC18	GMC18	1/8"	1
BMC14	GMC14	1/4"	1
BMC38	GMC38	3/8"	1
BMC12	GMC12	1/2"	1
BMC34	GMC34	3/4"	1
BMC1	GMC1	1"	1
BMC114	GMC114	1-1/4"	1
BMC112	GMC112	1-1/2"	1
BMC2	GMC2	2"	1
BMC212	GMC212	2-1/2"	1
BMC3	GMC3	3"	1
BMC4	GMC4	4"	1
BMC6	GMC6	6"	1

MALLEABLE BANDED REDUCING COUPLING


BMRC series


GMRC series

• F x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMRC14-18	GMRC14-18	1/4" x 1/8"	1
BMRC38-18	GMRC38-18	3/8" x 1/8"	1
BMRC38-14	GMRC38-14	3/8" x 1/4"	1
BMRC12-18	GMRC12-18	1/2" x 1/8"	1
BMRC12-14	GMRC12-14	1/2" x 1/4"	1
BMRC12-38	GMRC12-38	1/2" x 3/8"	1
BMRC34-18	—	3/4" x 1/8"	1
BMRC34-14	GMRC34-14	3/4" x 1/4"	1
BMRC34-38	GMRC34-38	3/4" x 3/8"	1
BMRC34-12	GMRC34-12	3/4" x 1/2"	1
BMRC1-14	GMRC1-14	1" x 1/4"	1
BMRC1-38	GMRC1-38	1" x 3/8"	1
BMRC1-12	GMRC1-12	1" x 1/2"	1
BMRC1-34	GMRC1-34	1" x 3/4"	1
BMRC114-12	GMRC114-12	1-1/4" x 1/2"	1
BMRC114-34	GMRC114-34	1-1/4" x 3/4"	1
BMRC114-1	GMRC114-1	1-1/4" x 1"	1
BMRC112-38	GMRC112-38	1-1/2" x 3/8"	1
BMRC112-12	GMRC112-12	1-1/2" x 1/2"	1
BMRC112-34	GMRC112-34	1-1/2" x 3/4"	1
BMRC112-1	GMRC112-1	1-1/2" x 1"	1
BMRC112-114	GMRC112-114	1-1/2" x 1-1/4"	1
BMRC2-12	GMRC2-12	2" x 1/2"	1
BMRC2-34	GMRC2-34	2" x 3/4"	1
BMRC2-1	GMRC2-1	2" x 1"	1
BMRC2-114	GMRC2-114	2" x 1-1/4"	1
BMRC2-112	GMRC2-112	2" x 1-1/2"	1
BMRC212-34	—	2-1/2" x 3/4"	1
BMRC212-1	GMRC212-1	2-1/2" x 1"	1
BMRC212-114	GMRC212-114	2-1/2" x 1-1/4"	1
BMRC212-112	GMRC212-112	2-1/2" x 1-1/2"	1
BMRC212-2	GMRC212-2	2-1/2" x 2"	1
BMRC3-1	GMRC3-1	3" x 1"	1
BMRC3-114	GMRC3-114	3" x 1-1/4"	1
BMRC3-112	GMRC3-112	3" x 1-1/2"	1
BMRC3-2	GMRC3-2	3" x 2"	1
BMRC3-212	GMRC3-212	3" x 2-1/2"	1
BMRC4-112	—	4" x 1-1/2"	1
BMRC4-2	GMRC4-2	4" x 2"	1
BMRC4-212	—	4" x 2-1/2"	1
BMRC4-3	GMRC4-3	4" x 3"	1

MALLEABLE IRON FITTINGS

MALLEABLE BANDED TEE


BMT series


GMT series

- F x F x F
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMT18	GMT18	1/8"	1
BMT14	GMT14	1/4"	1
BMT38	GMT38	3/8"	1
BMT12	GMT12	1/2"	1
BMT34	GMT34	3/4"	1
BMT1	GMT1	1"	1
BMT114	GMT114	1-1/4"	1
BMT112	GMT112	1-1/2"	1
BMT2	GMT2	2"	1
BMT212	GMT212	2-1/2"	1
BMT3	GMT3	3"	1
BMT4	GMT4	4"	1
BMT6	—	6"	1

MALLEABLE BANDED STREET TEE


BMST series


GMST series

- F x M x F
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMST12	—	1/2"	1
BMST34	GMST34	3/4"	1
BMST1	GMST1	1"	1

WE SHIP SAME DAY.

MALLEABLE BANDED REDUCING TEE


BMT series


GMT series

- F x F x F
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMT38-38-14	—	3/8" x 3/8" x 1/4"	1
BMT12-12-14	GMT12-12-14	1/2" x 1/2" x 1/4"	1
BMT12-12-38	GMT12-12-38	1/2" x 1/2" x 3/8"	1
BMT12-12-34	GMT12-12-34	1/2" x 1/2" x 3/4"	1
BMT12-12-1	—	1/2" x 1/2" x 1"	1
BMT34-12-12	GMT34-12-12	3/4" x 1/2" x 1/2"	1
BMT34-12-34	GMT34-12-34	3/4" x 1/2" x 3/4"	1
BMT34-12-1	GMT34-12-1	3/4" x 1/2" x 1"	1
BMT34-34-14	GMT34-34-14	3/4" x 3/4" x 1/4"	1
BMT34-34-38	GMT34-34-38	3/4" x 3/4" x 3/8"	1
BMT34-34-12	GMT34-34-12	3/4" x 3/4" x 1/2"	1
BMT34-34-1	GMT34-34-1	3/4" x 3/4" x 1"	1
BMT1-12-12	GMT1-12-12	1" x 1/2" x 1/2"	1
BMT1-12-34	GMT1-12-34	1" x 1/2" x 3/4"	1
BMT1-12-1	GMT1-12-1	1" x 1/2" x 1"	1
BMT1-34-12	GMT1-34-12	1" x 3/4" x 1/2"	1
BMT1-34-34	GMT1-34-34	1" x 3/4" x 3/4"	1
BMT1-34-1	GMT1-34-1	1" x 3/4" x 1"	1
BMT1-1-14	GMT1-1-14	1" x 1" x 1/4"	1
BMT1-1-12	—	1" x 1" x 1/2"	1
BMT1-1-34	GMT1-1-34	1" x 1" x 3/4"	1
BMT1-1-114	—	1" x 1" x 1-1/4"	1
—	GMT1-1-112	1" x 1" x 1-1/2"	1
BMT114-12-12	—	1-1/4" x 1/2" x 1/2"	1
BMT114-12-34	GMT114-12-34	1-1/4" x 1/2" x 3/4"	1
BMT114-12-1	—	1-1/4" x 1/2" x 1"	1
BMT114-12-114	—	1-1/4" x 1/2" x 1-1/4"	1
BMT114-34-12	—	1-1/4" x 3/4" x 1/2"	1
BMT114-34-34	GMT114-34-34	1-1/4" x 3/4" x 3/4"	1
BMT114-34-1	GMT114-34-1	1-1/4" x 3/4" x 1"	1
BMT114-34-114	GMT114-34-114	1-1/4" x 3/4" x 1-1/4"	1
BMT114-1-12	GMT114-1-12	1-1/4" x 1" x 1/2"	1
BMT114-1-34	GMT114-1-34	1-1/4" x 1" x 3/4"	1
BMT114-1-1	GMT114-1-1	1-1/4" x 1" x 1"	1
BMT114-1-114	GMT114-1-114	1-1/4" x 1" x 1-1/4"	1
BMT114-114-12	GMT114-114-12	1-1/4" x 1-1/4" x 1/2"	1
BMT114-114-34	GMT114-114-34	1-1/4" x 1-1/4" x 3/4"	1
BMT114-114-1	GMT114-114-1	1-1/4" x 1-1/4" x 1"	1
BMT114-114-112	GMT114-114-112	1-1/4" x 1-1/4" x 1-1/2"	1
—	GMT114-114-2	1-1/4" x 1-1/4" x 2"	1
BMT112-12-112	GMT112-12-112	1-1/2" x 1/2" x 1-1/2"	1
BMT112-34-34	—	1-1/2" x 3/4" x 3/4"	1
BMT112-34-114	GMT112-34-114	1-1/2" x 3/4" x 1-1/4"	1
BMT112-34-112	—	1-1/2" x 3/4" x 1-1/2"	1

BRAXTON HARRIS CO., INC.

6.1.25

MALLEABLE IRON FITTINGS

MALLEABLE BANDED REDUCING TEE (CONT.)

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMT112-1-34	—	1-1/2" x 1" x 3/4"	1
BMT112-1-1	GMT112-1-1	1-1/2" x 1" x 1"	1
BMT112-1-114	—	1-1/2" x 1" x 1-1/4"	1
BMT112-1-112	GMT112-1-112	1-1/2" x 1" x 1-1/2"	1
BMT112-114-12	GMT112-114-12	1-1/2" x 1-1/4" x 1/2"	1
BMT112-114-34	GMT112-114-34	1-1/2" x 1-1/4" x 3/4"	1
BMT112-114-1	GMT112-114-1	1-1/2" x 1-1/4" x 1"	1
BMT112-114-114	GMT112-114-114	1-1/2" x 1-1/4" x 1-1/4"	1
BMT112-114-112	GMT112-114-112	1-1/2" x 1-1/4" x 1-1/2"	1
BMT112-112-12	GMT112-112-12	1-1/2" x 1-1/2" x 1/2"	1
BMT112-112-34	GMT112-112-34	1-1/2" x 1-1/2" x 3/4"	1
BMT112-112-1	GMT112-112-1	1-1/2" x 1-1/2" x 1"	1
BMT112-112-114	GMT112-112-114	1-1/2" x 1-1/2" x 1-1/4"	1
BMT112-112-2	—	1-1/2" x 1-1/2 x 2"	1
BMT2-12-2	GMT2-12-2	2" x 1/2" x 2"	1
BMT2-34-2	—	2" x 3/4" x 2"	1
BMT2-1-1	GMT2-1-1	2" x 1" x 1"	1
BMT2-1-2	GMT2-1-2	2" x 1" x 2"	1
BMT2-114-114	GMT2-114-114	2" x 1-1/4" x 1-1/4"	1
BMT2-114-112	GMT2-114-112	2" x 1-1/4" x 1-1/2"	1
BMT2-114-2	GMT2-114-2	2" x 1-1/4" x 2"	1
BMT2-112-34	—	2" x 1-1/2" x 3/4"	1
BMT2-112-1	GMT2-112-1	2" x 1-1/2" x 1"	1
BMT2-112-114	GMT2-112-114	2" x 1-1/2" x 1-1/4"	1
BMT2-112-112	GMT2-112-112	2" x 1-1/2" x 1-1/2"	1
BMT2-112-2	—	2" x 1-1/2" x 2"	1
BMT2-2-12	GMT2-2-12	2" x 2" x 1/2"	1
BMT2-2-34	GMT2-2-34	2" x 2" x 3/4"	1
BMT2-2-1	GMT2-2-1	2" x 2" x 1"	1
BMT2-2-114	GMT2-2-114	2" x 2" x 1-1/4"	1
BMT2-2-112	GMT2-2-112	2" x 2" x 1-1/2"	1
BMT212-212-34	—	2-1/2" x 3/4"	1
BMT212-212-1	GMT212-212-1	2-1/2" x 1"	1
BMT212-212-12	GMT212-212-12	2-1/2" x 2-1/2" x 1/2"	1
BMT212-212-114	—	2-1/2" x 2-1/2" x 1-1/4"	1
BMT212-212-112	GMT212-212-112	2-1/2" x 2-1/2" x 1-1/2"	1
BMT212-212-2	GMT212-212-2	2-1/2" x 2-1/2" x 2"	1
BMT3-3-34	—	3" x 3" x 3/4"	1
BMT3-3-1	GMT3-3-1	3" x 3" x 1"	1
BMT3-3-114	GMT3-3-114	3" x 3" x 1-1/4"	1
BMT3-3-112	—	3" x 3" x 1-1/2"	1
BMT3-3-2	GMT3-3-2	3" x 3" x 2"	1
BMT3-3-212	GMT3-3-212	3" x 3" x 2-1/2"	1
BMT4-4-112	—	4" x 4" x 1-1/2"	1
BMT4-4-2	GMT4-4-2	4" x 4" x 2"	1
BMT4-4-212	—	4" x 4" x 2-1/2"	1
BMT4-4-3	GMT4-4-3	4" x 4" x 3"	1

MALLEABLE CAP


BMCA series


GMCA series

• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMCA18	GMCA18	1/8"	1
BMCA14	GMCA14	1/4"	1
BMCA38	GMCA38	3/8"	1
BMCA12	GMCA12	1/2"	1
BMCA34	GMCA34	3/4"	1
BMCA1	GMCA1	1"	1
BMCA114	GMCA114	1-1/4"	1
BMCA112	GMCA112	1-1/2"	1
BMCA2	GMCA2	2"	1
BMCA212	GMCA212	2-1/2"	1
BMCA3	GMCA3	3"	1
BMCA4	GMCA4	4"	1
BMCA5	GMCA5	5"	1
BMCA6	GMCA6	6"	1

MALLEABLE BANDED CROSS


BMCR series


GMCR series

• F x F x F x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMCR14	—	1/4"	1
BMCR38	GMCR38	3/8"	1
BMCR12	GMCR12	1/2"	1
BMCR34	GMCR34	3/4"	1
BMCR1	GMCR1	1"	1
BMCR114	GMCR114	1-1/4"	1
BMCR112	GMCR112	1-1/2"	1
—	GMCR2	2"	1

MALLEABLE EXTENSION PIECE


BMEP series



GMEP series

• M x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMEP12	GMEP12	1/2"	1
BMEP34	GMEP34	3/4"	1
BMEP1	GMEP1	1"	1
BMEP114	GMEP114	1-1/4"	1
BMEP2	—	2"	1

MALLEABLE IRON FITTINGS

MALLEABLE FLOOR FLANGE



BMFF series GMFF series

• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMFF38	GMFF38	3/8"	1
BMFF12	GMFF12	1/2"	1
BMFF34	GMFF34	3/4"	1
BMFF1	GMFF1	1"	1
BMFF114	GMFF114	1-1/4"	1
BMFF112	GMFF112	1-1/2"	1
BMFF2	GMFF2	2"	1

MALLEABLE SQUARE HEAD PLUG



BMP series GMP series

• MPT
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMP18	GMP18	1/8"	1
BMP14	GMP14	1/4"	1
BMP38	GMP38	3/8"	1
BMP12	GMP12	1/2"	1
BMP34	GMP34	3/4"	1
BMP1	GMP1	1"	1
BMP114	GMP114	1-1/4"	1
BMP112	GMP112	1-1/2"	1
BMP2	GMP2	2"	1
BMP212	GMP212	2-1/2"	1
BMP3	GMP3	3"	1
BMP4	GMP4	4"	1
BMP6	—	6"	1

MALLEABLE LOCKNUT/BACKNUT



• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
—	GMLN14	1/4"	1
—	GMLN12	1/2"	1
—	GMLN1	1"	1
—	GMLN114	1-1/4"	1
—	GMLN112	1-1/2"	1
—	GMLN2	2"	1

MALLEABLE HEX BUSHING



BMHB series GMHB series

• M x F
• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMHB14-18	GMHB14-18	1/4" x 1/8"	1
BMHB38-18	GMHB38-18	3/8" x 1/8"	1
BMHB38-14	GMHB38-14	3/8" x 1/4"	1
BMHB12-18	GMHB12-18	1/2" x 1/8"	1
BMHB12-14	GMHB12-14	1/2" x 1/4"	1
BMHB12-38	GMHB12-38	1/2" x 3/8"	1
BMHB34-18	GMHB34-18	3/4" x 1/8"	1
BMHB34-14	GMHB34-14	3/4" x 1/4"	1
BMHB34-38	GMHB34-38	3/4" x 3/8"	1
BMHB34-12	GMHB34-12	3/4" x 1/2"	1
BMHB1-14	GMHB1-14	1" x 1/4"	1
BMHB1-38	GMHB1-38	1" x 3/8"	1
BMHB1-12	GMHB1-12	1" x 1/2"	1
BMHB1-34	GMHB1-34	1" x 3/4"	1
BMHB114-14	GMHB114-14	1-1/4" x 1/4"	1
BMHB114-38	GMHB114-38	1-1/4" x 3/8"	1
BMHB114-12	GMHB114-12	1-1/4" x 1/2"	1
BMHB114-34	GMHB114-34	1-1/4" x 3/4"	1
BMHB114-1	GMHB114-1	1-1/4" x 1"	1
BMHB112-14	GMHB112-14	1-1/2" x 1/4"	1
BMHB112-38	GMHB112-38	1-1/2" x 3/8"	1
BMHB112-12	GMHB112-12	1-1/2" x 1/2"	1
BMHB112-34	GMHB112-34	1-1/2" x 3/4"	1
BMHB112-1	GMHB112-1	1-1/2" x 1"	1
BMHB112-114	GMHB112-114	1-1/2" x 1-1/4"	1
BMHB2-38	—	2" x 3/8"	1
BMHB2-12	GMHB2-12	2" x 1/2"	1
BMHB2-34	GMHB2-34	2" x 3/4"	1
BMHB2-1	GMHB2-1	2" x 1"	1
BMHB2-114	GMHB2-114	2" x 1-1/4"	1
BMHB2-112	GMHB2-112	2" x 1-1/2"	1
BMHB212-12	—	2-1/2" x 1/2"	1
BMHB212-34	GMHB212-34	2-1/2" x 3/4"	1
BMHB212-1	GMHB212-1	2-1/2" x 1"	1
BMHB212-114	GMHB212-114	2-1/2" x 1-1/4"	1

BRAXTON HARRIS CO., INC.

6.1.25

MALLEABLE IRON FITTINGS/NIPPLES

MALLEABLE HEX BUSHING (CONTINUED)

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMHB212-112	GMHB212-112	2-1/2" x 1-1/2"	1
BMHB212-2	GMHB212-2	2-1/2" x 2"	1
BMHB3-34	—	3" x 3/4"	1
BMHB3-1	GMHB3-1	3" x 1"	1
BMHB3-114	GMHB3-114	3" x 1-1/4"	1
BMHB3-112	GMHB3-112	3" x 1-1/2"	1
BMHB3-2	GMHB3-2	3" x 2"	1
BMHB3-212	GMHB3-212	3" x 2-1/2"	1
BMHB312-3	GMHB312-3	3-1/2" x 3"	1
BMHB4-1	—	4" x 1"	1
BMHB4-112	GMHB4-112	4" x 1-1/2"	1
BMHB4-2	GMHB4-2	4" x 2"	1
BMHB4-212	GMHB4-212	4" x 2-1/2"	1
BMHB4-3	GMHB4-3	4" x 3"	1
BMHB6-3	—	6" x 3"	1
BMHB6-4	GMHB6-4	6" x 4"	1

MALLEABLE MERCHANT COUPLING



BSMC series



GSMC series

• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BSMC18	GSMC18	1/8"	1
BSMC14	GSMC14	1/4"	1
BSMC38	GSMC38	3/8"	1
BSMC12	GSMC12	1/2"	1
BSMC34	GSMC34	3/4"	1
BSMC1	GSMC1	1"	1
BSMC114	GSMC114	1-1/4"	1
BSMC112	GSMC112	1-1/2"	1
BSMC2	GSMC2	2"	1
BSMC212	GSMC212	2-1/2"	1
BSMC3	GSMC3	3"	1
BSMC4	GSMC4	4"	1

MALLEABLE MERCHANT HALF COUPLING



• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BSMHC12	—	1/2"	1
BSMHC34	—	3/4"	1
BSMHC1	—	1"	1
BSMHC2	—	2"	1

MALLEABLE UNION



BMU series



GMU series

• 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BMU18	GMU18	1/8"	1
BMU14	GMU14	1/4"	1
BMU38	GMU38	3/8"	1
BMU12	GMU12	1/2"	1
BMU34	GMU34	3/4"	1
BMU1	GMU1	1"	1
BMU114	GMU114	1-1/4"	1
BMU112	GMU112	1-1/2"	1
BMU2	GMU2	2"	1
BMU212	GMU212	2-1/2"	1
BMU3	GMU3	3"	1
BMU4	GMU4	4"	1

WE SHIP SAME DAY.

SPECIFICATIONS FOR SCHEDULE 40 BLACK AND GALVANIZED IRON NIPPLES:

- **DIMENSIONS: ASTM A733 SPECIFICATIONS**
- **THREADS: ANSI/ASME B1.20.1**

MALLEABLE IRON NIPPLES

MALLEABLE IRON NIPPLE


BN series


GN series

- Schedule 40
- 150#

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BN18C	GN18C	1/8" x Close	1
BN18-112	GN18-112	1/8" x 1-1/2"	1
BN18-2	GN18-2	1/8" x 2"	1
BN18-212	GN18-212	1/8" x 2-1/2"	1
BN18-3	GN18-3	1/8" x 3"	1
BN18-312	GN18-312	1/8" x 3-1/2"	1
BN18-4	GN18-4	1/8" x 4"	1
BN18-412	GN18-412	1/8" x 4-1/2"	1
BN18-5	GN18-5	1/8" x 5"	1
BN18-512	GN18-512	1/8" x 5-1/2"	1
BN18-6	GN18-6	1/8" x 6"	1
BN18-7	GN18-7	1/8" x 7"	1
BN18-8	GN18-8	1/8" x 8"	1
BN18-10	GN18-10	1/8" x 10"	1
BN18-12	GN18-12	1/8" x 12"	1
BN14C	GN14C	1/4" x Close	1
BN14-112	GN14-112	1/4" x 1-1/2"	1
BN14-2	GN14-2	1/4" x 2"	1
BN14-212	GN14-212	1/4" x 2-1/2"	1
BN14-3	GN14-3	1/4" x 3"	1
BN14-312	GN14-312	1/4" x 3-1/2"	1
BN14-4	GN14-4	1/4" x 4"	1
BN14-412	GN14-412	1/4" x 4-1/2"	1
BN14-5	GN14-5	1/4" x 5"	1
BN14-512	GN14-512	1/4" x 5-1/2"	1
BN14-6	GN14-6	1/4" x 6"	1
BN14-7	GN14-7	1/4" x 7"	1
BN14-8	GN14-8	1/4" x 8"	1
BN14-9	—	1/4" x 9"	1
BN14-10	GN14-10	1/4" x 10"	1
BN14-11	GN14-11	1/4" x 11"	1
BN14-12	GN14-12	1/4" x 12"	1
BN38C	GN38C	3/8" x Close	1
BN38-112	GN38-112	3/8" x 1-1/2"	1
BN38-2	GN38-2	3/8" x 2"	1
BN38-212	GN38-212	3/8" x 2-1/2"	1
BN38-3	GN38-3	3/8" x 3"	1
BN38-312	GN38-312	3/8" x 3-1/2"	1
BN38-4	GN38-4	3/8" x 4"	1
BN38-412	GN38-412	3/8" x 4-1/2"	1
BN38-5	GN38-5	3/8" x 5"	1
BN38-512	GN38-512	3/8" x 5-1/2"	1
BN38-6	GN38-6	3/8" x 6"	1
BN38-7	GN38-7	3/8" x 7"	1
BN38-8	GN38-8	3/8" x 8"	1
BN38-10	GN38-10	3/8" x 10"	1
BN38-11	—	3/8" x 11"	1
BN38-12	GN38-12	3/8" x 12"	1
BN12C	GN12C	1/2" x Close	1
BN12-112	GN12-112	1/2" x 1-1/2"	1
BN12-2	GN12-2	1/2" x 2"	1
BN12-212	GN12-212	1/2" x 2-1/2"	1

MALLEABLE IRON NIPPLE (CONTINUED)

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BN12-3	GN12-3	1/2" x 3"	1
BN12-312	GN12-312	1/2" x 3-1/2"	1
BN12-4	GN12-4	1/2" x 4"	1
BN12-412	GN12-412	1/2" x 4-1/2"	1
BN12-5	GN12-5	1/2" x 5"	1
BN12-512	GN12-512	1/2" x 5-1/2"	1
BN12-6	GN12-6	1/2" x 6"	1
BN12-7	GN12-7	1/2" x 7"	1
BN12-712	—	1/2" x 7-1/2"	1
BN12-8	GN12-8	1/2" x 8"	1
BN12-9	GN12-9	1/2" x 9"	1
BN12-10	GN12-10	1/2" x 10"	1
BN12-11	GN12-11	1/2" x 11"	1
BN12-12	GN12-12	1/2" x 12"	1
BN34C	GN34C	3/4" x Close	1
BN34-112	GN34-112	3/4" x 1-1/2"	1
BN34-2	GN34-2	3/4" x 2"	1
BN34-212	GN34-212	3/4" x 2-1/2"	1
BN34-3	GN34-3	3/4" x 3"	1
BN34-312	GN34-312	3/4" x 3-1/2"	1
BN34-4	GN34-4	3/4" x 4"	1
BN34-412	GN34-412	3/4" x 4-1/2"	1
BN34-5	GN34-5	3/4" x 5"	1
BN34-512	GN34-512	3/4" x 5-1/2"	1
BN34-6	GN34-6	3/4" x 6"	1
BN34-612	—	3/4" x 6-1/2"	1
BN34-7	GN34-7	3/4" x 7"	1
BN34-712	GN34-712	3/4" x 7-1/2"	1
BN34-8	GN34-8	3/4" x 8"	1
BN34-9	GN34-9	3/4" x 9"	1
BN34-10	GN34-10	3/4" x 10"	1
BN34-11	GN34-11	3/4" x 11"	1
BN34-12	GN34-12	3/4" x 12"	1
BN1C	GN1C	1" x Close	1
BN1-2	GN1-2	1" x 2"	1
BN1-212	GN1-212	1" x 2-1/2"	1
BN1-3	GN1-3	1" x 3"	1
BN1-312	GN1-312	1" x 3-1/2"	1
BN1-4	GN1-4	1" x 4"	1
BN1-412	GN1-412	1" x 4-1/2"	1
BN1-5	GN1-5	1" x 5"	1
BN1-512	GN1-512	1" x 5-1/2"	1
BN1-6	GN1-6	1" x 6"	1
BN1-612	—	1" x 6-1/2"	1
BN1-7	GN1-7	1" x 7"	1
BN1-712	—	1" x 7-1/2"	1
BN1-8	GN1-8	1" x 8"	1
BN1-9	GN1-9	1" x 9"	1
BN1-10	GN1-10	1" x 10"	1
BN1-11	GN1-11	1" x 11"	1
BN1-12	GN1-12	1" x 12"	1
BN1-14	GN1-14	1" x 14"	1
BN114C	GN114C	1-1/4" x Close	1
BN114-2	GN114-2	1-1/4" x 2"	1
BN114-212	—	1-1/4" x 2-1/2"	1

BRAXTON HARRIS CO., INC.

MALLEABLE IRON NIPPLES

MALLEABLE IRON NIPPLE (CONTINUED)

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BN114-3	GN114-3	1-1/4" x 3"	1
BN114-312	—	1-1/4" x 3-1/2"	1
BN114-4	GN114-4	1-1/4" x 4"	1
BN114-412	—	1-1/4" x 4-1/2"	1
BN114-5	GN114-5	1-1/4" x 5"	1
BN114-512	—	1-1/4" x 5-1/2"	1
BN114-6	GN114-6	1-1/4" x 6"	1
BN114-7	GN114-7	1-1/4" x 7"	1
BN114-8	GN114-8	1-1/4" x 8"	1
BN114-812	—	1-1/4" x 8-1/2"	1
BN114-9	GN114-9	1-1/4" x 9"	1
BN114-10	GN114-10	1-1/4" x 10"	1
BN114-11	GN114-11	1-1/4" x 11"	1
BN114-12	GN114-12	1-1/4" x 12"	1
BN114-13	—	1-1/4" x 13"	1
BN114-14	—	1-1/4" x 14"	1
BN112C	GN112C	1-1/2" x Close	1
BN112-2	GN112-2	1-1/2" x 2"	1
BN112-212	GN112-212	1-1/2" x 2-1/2"	1
BN112-3	GN112-3	1-1/2" x 3"	1
BN112-312	—	1-1/2" x 3-1/2"	1
BN112-4	GN112-4	1-1/2" x 4"	1
BN112-412	GN112-412	1-1/2" x 4-1/2"	1
BN112-5	GN112-5	1-1/2" x 5"	1
BN112-512	GN112-512	1-1/2" x 5-1/2"	1
BN112-6	GN112-6	1-1/2" x 6"	1
BN112-7	GN112-7	1-1/2" x 7"	1
BN112-8	GN112-8	1-1/2" x 8"	1
BN112-9	GN112-9	1-1/2" x 9"	1
BN112-11	GN112-11	1-1/2" x 11"	1
BN112-12	GN112-12	1-1/2" x 12"	1
BN112-14	—	1-1/2" x 14"	1
BN2C	GN2C	2" x Close	1
BN2-212	GN2-212	2" x 2-1/2"	1
BN2-3	GN2-3	2" x 3"	1
BN2-312	GN2-312	2" x 3-1/2"	1
BN2-4	GN2-4	2" x 4"	1
BN2-412	GN2-412	2" x 4-1/2"	1
BN2-5	GN2-5	2" x 5"	1
BN2-512	GN2-512	2" x 5-1/2"	1
BN2-6	GN2-6	2" x 6"	1
BN2-612	—	2" x 6-1/2"	1
BN2-7	GN2-7	2" x 7"	1
BN2-712	—	2"x7-1/2"	1
BN2-8	GN2-8	2" x 8"	1
BN2-9	GN2-9	2" x 9"	1
BN2-10	GN2-10	2" x 10"	1
BN2-11	GN2-11	2" x 11"	1
BN2-12	GN2-12	2" x 12"	1
BN2-13	—	2" x 13"	1
BN212C	GN212C	2-1/2" x Close	1
BN212-3	GN212-3	2-1/2" x 3"	1
BN212-312	GN212-312	2-1/2" x 3-1/2"	1
BN212-4	GN212-4	2-1/2" x 4"	1
BN212-412	GN212-412	2-1/2" x 4-1/2"	1

MALLEABLE IRON NIPPLE (CONTINUED)

BLACK PART #	GALV. PART #	SIZE	PKG./CTN.
BN212-5	GN212-5	2-1/2" x 5"	1
BN212-512	GN212-512	2-1/2" x 5-1/2"	1
BN212-6	GN212-6	2-1/2" x 6"	1
BN212-7	GN212-7	2-1/2" x 7"	1
BN212-8	GN212-8	2-1/2" x 8"	1
BN212-9	GN212-9	2-1/2" x 9"	1
BN212-10	GN212-10	2-1/2" x 10"	1
BN212-11	GN212-11	2-1/2" x 11"	1
BN212-12	GN212-12	2-1/2" x 12"	1
BN3C	GN3C	3" x Close	1
BN3-3	GN3-3	3" x 3"	1
BN3-312	GN3-312	3" x 3-1/2"	1
BN3-4	GN3-4	3" x 4"	1
BN3-412	GN3-412	3" x 4-1/2"	1
BN3-5	GN3-5	3" x 5"	1
BN3-512	GN3-512	3" x 5-1/2"	1
BN3-6	GN3-6	3" x 6"	1
BN3-7	GN3-7	3" x 7"	1
BN3-8	GN3-8	3" x 8"	1
BN3-9	—	3" x 9"	1
BN3-10	GN3-10	3" x 10"	1
BN3-11	GN3-11	3" x 11"	1
BN3-12	GN3-12	3" x 12"	1
BN312C	—	3-1/2" x Close	1
BN312-4	—	3-1/2" x 4"	1
BN312-5	—	3-1/2" x 5"	1
BN4C	GN4C	4" x Close	1
BN4-312	GN4-312	4" x 3-1/2"	1
BN4-4	GN4-4	4" x 4"	1
BN4-412	GN4-412	4" x 4-1/2"	1
BN4-5	GN4-5	4" x 5"	1
BN4-512	GN4-512	4" x 5-1/2"	1
BN4-6	GN4-6	4" x 6"	1
BN4-7	GN4-7	4" x 7"	1
BN4-8	GN4-8	4" x 8"	1
BN4-9	GN4-9	4" x 9"	1
BN4-10	GN4-10	4" x 10"	1
BN4-11	GN4-11	4" x 11"	1
BN4-12	GN4-12	4" x 12"	1
BN5-412	—	5" x 4-1/2"	1
BN5-5	—	5" x 5"	1
BN5-512	—	5" x 5-1/2"	1
BN5-6	—	5" x 6"	1
BN5-7	—	5" x 7"	1
BN5-8	—	5" x 8"	1
BN6C	GN6C	6" x Close	1
BN6-412	GN6-412	6" x 4-1/2"	1
—	GN6-5	6" x 5"	1
BN6-6	GN6-6	6" x 6"	1
BN6-7	—	6" x 7"	1
BN6-8	—	6" x 8"	1
BN6-9	—	6" x 9"	1
BN6-10	GN6-10	6" x 10"	1
BN6-11	GN6-11	6" x 11"	1
BN6-12	GN6-12	6" x 12"	1

MALLEABLE IRON NIPPLES

MALLEABLE IRON NIPPLE INSTALLATION KIT



BIK series

- MPT x MPT
- Schedule 40
- 150#



GIK series

SIZE	BLACK	GALVANIZED	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/2" Kit A (11pcs)	BIK12A	GIK12A	1	1	1	1	1	1	1	1	1	1	1
1/2" Kit B (25pcs)	BIK12B	GIK12B	4	3	3	3	2	2	2	1	2	1	2
1/2" Kit C (100pcs)	BIK12C	GIK12C	20	10	15	10	10	5	10	5	5	5	5
1/2" Kit D (66pcs)	BIK12D	GIK12D	6	6	6	6	6	6	6	6	6	6	6
3/4" Kit A (11pcs)	BIK34A	GIK34A	1	1	1	1	1	1	1	1	1	1	1
3/4" Kit B (25pcs)	BIK34B	GIK34B	6	—	4	3	2	2	2	1	2	1	2
3/4" Kit C (100pcs)	BIK34C	GIK34C	25	6	20	10	10	5	10	5	5	5	5
3/4" Kit D (66pcs)	BIK34D	GIK34D	6	—	6	6	6	6	6	6	6	6	6
1" Kit A (10pcs)	BIK1A	GIK1A	1	—	1	1	1	1	1	1	1	1	1
1" Kit B (25pcs)	BIK1B	GIK1B	5	—	5	3	2	2	2	1	2	1	2
1" Kit C (75pcs)	BIK1C	GIK1C	15	—	12	5	12	3	12	3	5	3	5
1" Kit D (60pcs)	BIK1D	GIK1D	6	—	6	6	6	6	6	6	6	6	6
1-1/4" Kit A (10pcs)	BIK114A	GIK114A	1	—	1	1	1	1	1	1	1	1	1
1-1/4" Kit B (25pcs)	BIK114B	GIK114B	6	—	4	3	2	2	2	1	2	1	2
1-1/4" Kit D (60pcs)	BIK114D	GIK114D	6	—	6	6	6	6	6	6	6	6	6
1-1/2" Kit A (10pcs)	BIK112A	GIK112A	1	—	1	1	1	1	1	1	1	1	1
1-1/2" Kit B (25pcs)	BIK112B	GIK112B	5	—	5	3	2	2	2	1	2	1	2
1-1/2" Kit D (60pcs)	BIK112D	GIK112D	6	—	6	6	6	6	6	6	6	6	6
2" Kit A (9pcs)	BIK2A	GIK2A	1	—	—	1	1	1	1	1	1	1	1
2" Kit B (25pcs)	BIK2B	GIK2B	5	—	—	4	3	2	3	2	2	2	2
2" Kit D (54 pcs)	BIK2D	GIK2D	6	—	—	6	6	6	6	6	6	6	6

BRAXTON HARRIS CO., INC.

COPPER FITTINGS

TEES



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C x C

PART #	DESCRIPTION	PKG./CTN.
K15-460-0001	1/8"	25/2,000
K15-460-0002	1/4"	25/1,300
K15-460-0013	1/4" x 1/8" x 1/8"	25/500
K15-460-0025	3/8"	25/600
K15-460-0031	3/8" x 3/8" x 1/2"	25/350
K15-460-0032	3/8" x 3/8" x 1/4"	25/800
K15-460-0050	1/2"	50/300
K15-460-0056	1/2" x 1/2" x 1"	10/70
K15-460-0057	1/2" x 1/2" x 3/4"	10/180
K15-460-0058	1/2" x 1/2" x 3/8"	25/400
K15-460-0059	1/2" x 1/2" x 1/4"	25/400
K15-460-0066	1/2" x 3/8" x 1/2"	25/350
K15-460-0067	1/2" x 3/8" x 3/8"	25/400
K15-460-0075	1/2" x 1/4" x 1/2"	25/500
K15-460-0090	5/8"	25/200
K15-460-0098	5/8" x 1/2" x 1/2"	25/200
K15-460-0100	3/4"	20/120
K15-460-0106	3/4" x 3/4" x 1"	10/80
K15-460-0149	3/4" x 3/4" x 5/8"	10/150
K15-460-0107	3/4" x 3/4" x 1/2"	10/170
K15-460-0109	3/4" x 3/4" x 1/4"	10/170
K15-460-0117	3/4" x 1/2" x 3/4"	10/120
K15-460-0118	3/4" x 1/2" x 1/2"	10/180
K15-460-0150	1"	10/50
K15-460-0157	1" x 1" x 1-1/2"	5/25
K15-460-0158	1" x 1" x 1-1/4"	5/25
K15-460-0159	1" x 1" x 3/4"	10/60
K15-460-0160	1" x 1" x 1/2"	10/100
K15-460-0161	1" x 1" x 3/8"	10/100
K15-460-1498	1" x 1" x 5/8"	10/70
K15-460-0169	1" x 3/4" x 1"	10/60

TEES (CONT'D)

PART #	DESCRIPTION	PKG./CTN.
K15-460-0170	1" x 3/4" x 3/4"	10/60
K15-460-0171	1" x 3/4" x 1/2"	10/60
K15-460-0180	1" x 1/2" x 1"	10/60
K15-460-0181	1" x 1/2" x 3/4"	10/80
K15-460-0182	1" x 1/2" x 1/2"	10/100
K15-460-0215	1-1/4"	5/35
K15-460-0220	1-1/4" x 1-1/4" x 2"	1/10
K15-460-0221	1-1/4" x 1-1/4" x 1-1/2"	5/20
K15-460-0222	1-1/4" x 1-1/4" x 1"	5/40
K15-460-0223	1-1/4" x 1-1/4" x 3/4"	5/50
K15-460-0224	1-1/4" x 1-1/4" x 1/2"	5/50
K15-460-0234	1-1/4" x 1" x 1-1/4"	5/30
K15-460-0235	1-1/4" x 1" x 1"	5/50
K15-460-0236	1-1/4" x 1" x 3/4"	5/50
K15-460-0237	1-1/4" x 1" x 1/2"	5/50
K15-460-0245	1-1/4" x 3/4" x 1-1/4"	5/35
K15-460-0246	1-1/4" x 3/4" x 1"	5/50
K15-460-0247	1-1/4" x 3/4" x 3/4"	5/50
K15-460-0248	1-1/4" x 3/4" x 1/2"	5/50
K15-460-0256	1-1/4" x 1/2" x 1-1/4"	5/35
K15-460-0257	1-1/4" x 1/2" x 1/2"	5/50
K15-460-0295	1-1/2"	5/20
K15-460-0302	1-1/2" x 1-1/2" x 2"	5/10
K15-460-0303	1-1/2" x 1-1/2" x 1-1/2"	5/25
K15-460-0304	1-1/2" x 1-1/2" x 1"	5/30
K15-460-0305	1-1/2" x 1-1/2" x 3/4"	5/35
K15-460-0306	1-1/2" x 1-1/2" x 1/2"	5/35
K15-460-0315	1-1/2" x 1-1/4" x 1-1/2"	5/20
K15-460-0316	1-1/2" x 1-1/4" x 1-1/4"	5/20
K15-460-0317	1-1/2" x 1-1/4" x 1"	5/30
K15-460-0318	1-1/2" x 1-1/4" x 3/4"	5/40
K15-460-0319	1-1/2" x 1-1/4" x 1/2"	5/40
K15-460-0328	1-1/2" x 1" x 1-1/2"	5/20
K15-460-0329	1-1/2" x 1" x 1-1/4"	5/30
K15-460-0330	1-1/2" x 1" x 1"	5/35
K15-460-0331	1-1/2" x 1" x 3/4"	5/30
K15-460-0332	1-1/2" x 1" x 1/2"	5/40
K15-460-0339	1-1/2" x 3/4" x 1-1/2"	5/20
K15-460-0340	1-1/2" x 3/4" x 1-1/4"	5/30
K15-460-0341	1-1/2" x 3/4" x 1"	5/40
K15-460-0342	1-1/2" x 3/4" x 3/4"	5/40

COPPER FITTINGS

TEES (CONT'D)

PART #	DESCRIPTION	PKG./CTN.
K15-460-0343	1-1/2" x 3/4" x 1/2"	5/40
K15-460-0350	1-1/2" x 1/2" x 1-1/2"	5/20
K15-460-0352	1-1/2" x 1/2" x 1"	5/40
K15-460-0390	2"	1/10
K15-460-0397	2" x 2" x 2-1/2"	1/15
K15-460-0398	2" x 2" x 1-1/2"	1/10
K15-460-0399	2" x 2" x 1-1/4"	1/15
K15-460-0400	2" x 2" x 1"	1/18
K15-460-0401	2" x 2" x 3/4"	1/20
K15-460-0402	2" x 2" x 1/2"	1/20
K15-460-0413	2" x 1-1/2" x 2"	1/10
K15-460-0414	2" x 1-1/2" x 1-1/2"	1/10
K15-460-0415	2" x 1-1/2" x 1-1/4"	1/10
K15-460-0416	2" x 1-1/2" x 1"	1/20
K15-460-0417	2" x 1-1/2" x 3/4"	1/20
K15-460-0418	2" x 1-1/2" x 1/2"	1/20
K15-460-0429	2" x 1-1/4" x 2"	1/10
K15-460-0430	2" x 1-1/4" x 1-1/2"	1/15
K15-460-0431	2" x 1-1/4" x 1-1/4"	1/15
K15-460-0432	2" x 1-1/4" x 1"	1/20
K15-460-0433	2" x 1-1/4" x 3/4"	1/20
K15-460-0444	2" x 1" x 2"	1/15
K15-460-0445	2" x 1" x 1-1/2"	1/15
K15-460-0447	2" x 1" x 1"	1/20
K15-460-0457	2" x 3/4" x 2"	1/10
K15-460-0470	2" x 1/2" x 2"	1/15
K15-460-0520	2-1/2"	1/15
K15-460-0531	2-1/2" x 2-1/2" x 2"	1/15
K15-460-0532	2-1/2" x 2-1/2" x 1-1/2"	1/20
K15-460-0533	2-1/2" x 2-1/2" x 1-1/4"	1/20
K15-460-0534	2-1/2" x 2-1/2" x 1"	1/25
K15-460-0535	2-1/2" x 2-1/2" x 3/4"	1/25
K15-460-0536	2-1/2" x 2-1/2" x 1/2"	1/25
K15-460-0548	2-1/2" x 2" x 2-1/2"	1/15
K15-460-0549	2-1/2" x 2" x 2"	1/15
K15-460-0550	2-1/2" x 2" x 1-1/2"	1/20
K15-460-0551	2-1/2" x 2" x 1-1/4"	1/20
K15-460-0552	2-1/2" x 2" x 1"	1/20
K15-460-0553	2-1/2" x 2" x 3/4"	1/20
K15-460-0554	2-1/2" x 2" x 1/2"	1/20
K15-460-0564	2-1/2" x 1-1/2" x 2-1/2"	1/15

TEES (CONT'D)

PART #	DESCRIPTION	PKG./CTN.
K15-460-0580	2-1/2" x 1-1/4" x 2-1/2"	1/15
K15-460-0583	2-1/2" x 1-1/4" x 1-1/4"	1/20
K15-460-0595	2-1/2" x 1" x 2-1/2"	1/15
K15-460-0608	2-1/2" x 3/4" x 2-1/2"	1/15
K15-460-0650	3"	1/10
K15-460-0662	3" x 3" x 2-1/2"	1/10
K15-460-0663	3" x 3" x 2"	1/13
K15-460-0664	3" x 3" x 1-1/2"	1/15
K15-460-0665	3" x 3" x 1-1/4"	1/15
K15-460-0666	3" x 3" x 1"	1/20
K15-460-0667	3" x 3" x 3/4"	1/20
K15-460-0668	3" x 3" x 1/2"	1/10
K15-460-0677	3" x 2-1/2" x 3"	1/10
K15-460-0678	3" x 2-1/2" x 2-1/2"	1/10
K15-460-0679	3" x 2-1/2" x 2"	1/13
K15-460-0680	3" x 2-1/2" x 1-1/2"	1/15
K15-460-0683	3" x 2-1/2" x 3/4"	1/15
K15-460-0693	3" x 2" x 3"	1/10
K15-460-0694	3" x 2" x 2-1/2"	1/10
K15-460-0695	3" x 2" x 2"	1/15
K15-460-0696	3" x 2" x 1-1/2"	1/15
K15-460-0860	4"	1/5
K15-460-0870	4" x 4" x 3"	1/5
K15-460-0871	4" x 4" x 2-1/2"	1/5
K15-460-0872	4" x 4" x 2"	1/6
K15-460-0873	4" x 4" x 1-1/2"	1/6
K15-460-0874	4" x 4" x 1-1/4"	1/8
K15-460-0875	4" x 4" x 1"	1/8
K15-460-0876	4" x 4" x 3/4"	1/8
K15-460-0877	4" x 4" x 1/2"	1/5
K15-460-0893	4" x 3" x 4"	1/5
K15-460-0895	4" x 3" x 3"	1/5
K15-460-0914	4" x 2" x 4"	1/4
K15-460-0975	5"	1
K15-460-1100	6"	1
K15-460-1225	8"	1

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

COPPER FITTINGS

45° ELBOWS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-290-0001	1/8"	25/2,000
K15-290-0002	1/4"	25/200
K15-290-0025	3/8"	25/800
K15-290-0050	1/2"	25/500
K15-290-0090	5/8"	25/300
K15-290-0100	3/4"	25/200
K15-290-0150	1"	10/100
K15-290-0215	1-1/4"	5/60
K15-290-0295	1-1/2"	5/40
K15-290-0390	2"	1/18
K15-290-0520	2-1/2"	1/20
K15-290-0650	3"	1/15
K15-290-0860	4"	1/6
K15-290-0975	5"	1/4
K15-290-1100	6"	1
K15-290-1225	8"	1

45° STREET ELBOWS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x C

PART #	DESCRIPTION	PKG./CTN.
K15-295-0002	1/4"	25/1,200
K15-295-0025	3/8"	25/800
K15-295-0050	1/2"	25/500
K15-295-0090	5/8"	25/300
K15-295-0100	3/4"	25/200
K15-295-0150	1"	10/100
K15-295-0215	1-1/4"	5/60
K15-295-0295	1-1/2"	5/40
K15-295-0390	2"	1/18
K15-295-0520	2-1/2"	1/20
K15-295-0650	3"	1/15
K15-295-0860	4"	1/6
K15-295-1100	6"	1

90° ELBOWS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-235-0001	1/8"	25/3,000
K15-235-0002	1/4"	25/1,400
K15-235-0025	3/8"	25/900
K15-235-0032	3/8" x 1/4"	25/800
K15-235-0050	1/2"	25/500
K15-235-0058	1/2" x 3/8"	25/500
K15-235-0059	1/2" x 1/4"	25/500
K15-235-0090	5/8"	25/300
K15-235-0100	3/4"	25/200
K15-235-0107	3/4" x 1/2"	25/200
K15-235-0150	1"	10/100
K15-235-0159	1" x 3/4"	10/80
K15-235-0160	1" x 1/2"	10/80
K15-235-0215	1-1/4"	5/50
K15-235-0295	1-1/2"	5/35
K15-235-0303	1-1/2" x 1-1/4"	5/35
K15-235-0390	2"	1/17
K15-235-0398	2" x 1-1/2"	1/15
K15-235-0520	2-1/2"	1/20
K15-235-0650	3"	1/13
K15-235-0860	4"	1/6
K15-235-0975	5"	1/2
K15-235-1100	6"	1
K15-235-1225	8"	1

90° LONG TURN ELBOWS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-242-0001	1/8"	25/200
K15-242-0002	1/4"	25/1,200
K15-242-0015	5/16"	25/1,600
K15-242-0025	3/8"	25/750
K15-242-0050	1/2"	25/350
K15-242-0090	5/8"	25/200
K15-242-0100	3/4"	10/120
K15-242-0150	1"	10/60
K15-242-0215	1-1/4"	5/35
K15-242-0295	1-1/2"	5/25
K15-242-0390	2"	1/12
K15-242-0520	2-1/2"	1/16
K15-242-0650	3"	1/8

COPPER FITTINGS

90° LONG TURN STREET ELBOWS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x C

PART #	DESCRIPTION	PKG./CTN.
K15-272-0001	1/8"	25/2,000
K15-272-0002	1/4"	25/1,200
K15-272-0025	3/8"	25/750
K15-272-0090	5/8"	25/200
K15-272-0050	1/2"	25/350
K15-272-0100	3/4"	10/120
K15-272-0150	1"	10/60
K15-272-0215	1-1/4"	5/35
K15-272-0295	1-1/2"	5/25

90° STREET ELBOWS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x C

PART #	DESCRIPTION	PKG./CTN.
K15-254-0002	1/4"	25/1,400
K15-254-0025	3/8"	25/900
K15-254-0050	1/2"	25/500
K15-254-0090	5/8"	25/300
K15-254-0100	3/4"	25/200
K15-254-0150	1"	10/100
K15-254-0215	1-1/4"	5/50
K15-254-0295	1-1/2"	5/35
K15-254-0390	2"	1/18
K15-254-0520	2-1/2"	1/20
K15-254-0650	3"	1/13
K15-254-0860	4"	1/6

WE SHIP SAME DAY.

CAPS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C-connection

PART #	DESCRIPTION	PKG./CTN.
K15-154-0001	1/8"	25/2,000
K15-154-0002	1/4"	25/2,000
K15-154-0025	3/8"	25/1,500
K15-154-0050	1/2"	25/1,400
K15-154-0090	5/8"	25/850
K15-154-0100	3/4"	25/550
K15-154-0150	1"	10/300
K15-154-0215	1-1/4"	5/200
K15-154-0295	1-1/2"	5/140
K15-154-0390	2"	1/60
K15-154-0520	2-1/2"	1/30
K15-154-0650	3"	1/20
K15-154-0860	4"	1/25
K15-154-1100	6"	1

COUPLINGS LESS TUBE STOP



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-172-0001	1/8"	25/3,000
K15-172-0002	1/4"	25/2,000
K15-172-0025	3/8"	25/1,200
K15-172-0050	1/2"	25/800
K15-172-0100	3/4"	25/300
K15-172-0150	1"	10/150
K15-172-0215	1-1/4"	5/100
K15-172-0295	1-1/2"	5/60
K15-172-0390	2"	1/40
K15-172-0520	2-1/2"	1/50
K15-172-0650	3"	1/30
K15-172-0860	4"	1/12
K15-172-0975	5"	1/6

BRAXTON HARRIS CO., INC.

COPPER FITTINGS

COUPLINGS WITH ROLLED TUBE STOP



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-165-0001	1/8"	25/3,000
K15-165-0002	1/4"	25/2,000
K15-165-0025	3/8"	25/1,200
K15-165-0050	1/2"	25/800
K15-165-0090	5/8"	25/400
K15-165-0100	3/4"	25/300
K15-165-0150	1"	10/150
K15-165-0215	1-1/4"	5/100
K15-165-0295	1-1/2"	5/60
K15-165-0390	2"	1/40
K15-165-0520	2-1/2"	1/50
K15-165-0650	3"	1/30
K15-165-0780	3-1/2"	1/1
K15-165-0860	4"	1/12
K15-165-0975	5"	1/6
K15-165-1100	6"	1/1
K15-165-1225	8"	1/2

COUPLINGS WITH DIMPLED TUBE STOP



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-170-0001	1/8"	25/3,000
K15-170-0002	1/4"	25/2,000
K15-170-0025	3/8"	25/1,200
K15-170-0050	1/2"	25/800
K15-170-0090	5/8"	25/400
K15-170-0100	3/4"	25/300
K15-170-0150	1"	10/150
K15-170-0215	1-1/4"	5/100
K15-170-0295	1-1/2"	5/60
K15-170-0390	2"	1/40
K15-170-0520	2-1/2"	1/50
K15-170-0650	3"	1/30
K15-170-0860	4"	1/12
K15-170-0975	5"	1
K15-170-1100	6"	1
K15-170-1225	8"	1


CROSSOVER COUPLING



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-167-0050	1/2"	1/25

FEMALE FITTING ADAPTERS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x FPT

PART #	DESCRIPTION	PKG./CTN.
K15-115-0002	1/4"	25/1,500
K15-115-0025	3/8"	25/800
K15-115-0050	1/2"	25/500
K15-115-0057	1/2" x 3/4"	25/300
K15-115-0058	1/2" x 3/8"	25/700
K15-115-0100	3/4"	25/250
K15-115-0150	1"	10/140
K15-115-0215	1-1/4"	5/85
K15-115-0295	1-1/2"	5/80
K15-115-0390	2"	1/40

FEMALE ADAPTERS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x FPT

PART #	DESCRIPTION	PKG./CTN.
K15-105-0001	1/8"	25/1,500
K15-105-0002	1/4"	25/1,500
K15-105-0025	3/8"	25/800
K15-105-0031	3/8" x 1/2"	25/500
K15-105-0032	3/8" x 1/4"	25/750
K15-105-0050	1/2"	25/400
K15-105-0056	1/2" x 1"	10/160
K15-105-0057	1/2" x 3/4"	25/300
K15-105-0058	1/2" x 3/8"	25/800
K15-105-0059	1/2" x 1/4"	25/800
K15-105-0060	1/2" x 1/8"	25/500
K15-105-0100	3/4"	25/200
K15-105-0106	3/4" x 1"	10/140
K15-105-0107	3/4" x 1/2"	25/300
K15-105-0150	1"	10/140

COPPER FITTINGS


FEMALE ADAPTERS (CONT'D)



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x FPT

PART #	DESCRIPTION	PKG./CTN.
K15-105-0158	1 x 1-1/4"	5/85
K15-105-0159	1 x 3/4"	10/160
K15-105-0160	1 x 1/2"	10/180
K15-105-0215	1-1/4"	5/60
K15-105-0221	1-1/4" x 1-1/2"	5/100
K15-105-0222	1-1/4" x 1"	5/120
K15-105-0223	1-1/4" x 3/4"	5/100
K15-105-0295	1-1/2"	5/60
K15-105-0302	1-1/2" x 2"	5/40
K15-105-0303	1-1/2" x 1-1/4"	5/65
K15-105-0390	2"	1/30
K15-105-0398	2" x 1-1/2"	5/40
K15-105-0520	2-1/2"	1/48
K15-105-0650	3"	1/28


MALE FITTING ADAPTERS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x MPT

PART #	DESCRIPTION	PKG./CTN.
K15-114-0002	1/4"	25/1,000
K15-114-0025	3/8"	25/800
K15-114-0050	1/2"	25/500
K15-114-0057	1/2" x 3/4"	25/250
K15-114-0100	3/4"	25/250
K15-114-0150	1"	10/130
K15-114-0215	1-1/4"	5/80
K15-114-0295	1-1/2"	5/50
K15-114-0390	2"	1/38

MALE ADAPTERS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x MPT

PART #	DESCRIPTION	PKG./CTN.
K15-101-0001	1/8"	25/3,000
K15-101-0002	1/4"	25/1,600
K15-101-0005	1/4" x 1/2"	25/500
K15-101-0006	1/4" x 3/8"	25/750
K15-101-0007	1/4" x 1/8"	25/2,000
K15-101-0025	3/8"	25/1,000
K15-101-0031	3/8" x 1/2"	25/500
K15-101-0032	3/8" x 1/4"	25/750
K15-101-0050	1/2"	25/600
K15-101-0056	1/2" x 1"	10/150
K15-101-0057	1/2" x 3/4"	25/250
K15-101-0058	1/2" x 3/8"	25/700
K15-101-0059	1/2" x 1/4"	25/1,000
K15-101-0100	3/4"	25/250
K15-101-0106	3/4" x 1"	10/150
K15-101-0107	3/4" x 1/2"	25/250
K15-101-0150	1"	10/150
K15-101-0157	1" x 1-1/2"	5/90
K15-101-0158	1" x 1-1/4"	5/85
K15-101-0159	1" x 3/4"	10/150
K15-101-0160	1" x 1/2"	10/180
K15-101-0215	1-1/4"	5/90
K15-101-0221	1-1/4" x 1-1/2"	5/90
K15-101-0222	1-1/4" x 1"	5/85
K15-101-0223	1-1/4" x 3/4"	5/120
K15-101-0295	1-1/2"	5/65
K15-101-0302	1-1/2" x 2"	5/50
K15-101-0303	1-1/2" x 1-1/4"	5/60
K15-101-0304	1-1/2" x 1"	5/120
K15-101-0390	2"	1/35
K15-101-0398	2" x 1-1/2"	1/50
K15-101-0399	2" x 1-1/4"	1/50
K15-101-0520	2-1/2"	1/48
K15-101-0531	2-1/2" x 2"	1/36
K15-101-0650	3"	1/36
K15-101-0860	4"	1/12

BRAXTON HARRIS CO., INC.

COPPER FITTINGS

FITTING REDUCERS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x C

PART #	DESCRIPTION	PKG./CTN.
K15-410-0007	1/4" x 1/8"	25/3,300
K15-410-0032	3/8" x 1/4"	25/1,200
K15-410-0033	3/8" x 1/8"	25/1,200
K15-410-0058	1/2" x 3/8"	25/1,000
K15-410-0059	1/2" x 1/4"	25/1,100
K15-410-0093	5/8" x 1/2"	25/500
K15-410-0149	3/4" x 5/8"	25/400
K15-410-0107	3/4" x 1/2"	25/400
K15-410-0108	3/4" x 3/8"	25/400
K15-410-0109	3/4" x 1/4"	25/400
K15-410-0159	1"x 3/4"	10/160
K15-410-0160	1" x 1/2"	10/200
K15-410-0161	1" x 3/8"	10/200
K15-410-1498	1" x 5/8"	25/200
K15-410-0222	1-1/4" x 1"	5/100
K15-410-0223	1-1/4" x 3/4"	5/100
K15-410-0224	1-1/4" x 1/2"	5/100
K15-410-0303	1-1/2" x 1-1/4"	5/100
K15-410-0304	1-1/2" x 1"	5/100
K15-410-0305	1-1/2" x 3/4"	5/100
K15-410-0306	1-1/2" x 1/2"	5/100
K15-410-0398	2" x 1-1/2"	1/50
K15-410-0399	2" x 1-1/4"	1/50
K15-410-0400	2" x 1"	1/50
K15-410-0401	2" x 3/4"	1/50
K15-410-0402	2" x 1/2"	1/50
K15-410-0531	2-1/2" x 2"	1/30
K15-410-0532	2-1/2" x 1-1/2"	1/30
K15-410-0533	2-1/2" x 1-1/4"	1/30
K15-410-0534	2-1/2" x 1"	1/30
K15-410-0662	3" x 2-1/2"	1/15
K15-410-0663	3" x 2"	1/20
K15-410-0664	3" x 1-1/2"	1/20
K15-410-0665	3" x 1-1/4"	1/20
K15-410-0870	4" x 3"	1/18
K15-410-0871	4" x 2-1/2"	1/20
K15-410-0872	4" x 2"	1/20

REDUCER COUPLINGS



- Wrot copper • With rolled tube stop
- Manufactured to ASTM, ASME, NSF-61 specifications
- C x C

PART #	DESCRIPTION	PKG./CTN.
K15-165-0007	1/4" x 1/8"	25/2,000
K15-165-0032	3/8" x 1/4"	25/800
K15-165-0033	3/8" x 1/8"	25/1,600
K15-165-0058	1/2" x 3/8"	25/800
K15-165-0059	1/2" x 1/4"	25/800
K15-165-0060	1/2" x 1/8"	25/800
K15-165-0093	5/8" x 1/2"	25/500
K15-165-0094	5/8" x 3/8"	25/500
K15-165-0095	5/8" x 1/4"	25/600
K15-165-0149	3/4" x 5/8"	25/350
K15-165-0107	3/4" x 1/2"	25/350
K15-165-0108	3/4" x 3/8"	25/400
K15-165-0109	3/4" x 1/4"	25/400
K15-165-0159	1" x 3/4"	10/160
K15-165-0160	1" x 1/2"	10/200
K15-165-0222	1-1/4" x 1"	5/100
K15-165-0223	1-1/4" x 3/4"	5/100
K15-165-0224	1-1/4" x 1/2"	5/100
K15-165-0303	1-1/2" x 1-1/4"	5/100
K15-165-0304	1-1/2" x 1"	5/100
K15-165-0305	1-1/2" x 3/4"	5/100
K15-165-0306	1-1/2" x 1/2"	5/100
K15-165-0398	2" x 1-1/2"	1/50
K15-165-0399	2" x 1-1/4"	1/50
K15-165-0400	2" x 1"	1/50
K15-165-0401	2" x 3/4"	1/50
K15-165-0402	2" x 1/2"	1/50
K15-165-0531	2-1/2" x 2"	1/30
K15-165-0532	2-1/2" x 1-1/2"	1/30
K15-165-0533	2-1/2" x 1-1/4"	1/30
K15-165-0534	2-1/2" x 1"	1/30
K15-165-0662	3" x 2-1/2"	1/15
K15-165-0663	3" x 2"	1/20
K15-165-0664	3" x 1-1/2"	1/20
K15-165-0870	4" x 3"	1/18
K15-165-0871	4" x 2-1/2"	1/18
K15-165-0872	4" x 2"	1/20
K15-165-0873	4" x 1-1/2"	1/20
K15-165-0874	4" x 1-1/4"	1/20

COPPER/FORGED BRASS FITTINGS

PLUGS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG connection

PART #	DESCRIPTION	PKG./CTN.
K15-396-0050	1/2"	25/1,000
K15-396-0100	3/4"	10/100
K15-396-0150	1"	25/500

FLUSH BUSHINGS



- Wrot copper
- Manufactured to ASTM, ASME, NSF-61 specifications
- FTG x C

PART #	DESCRIPTION	PKG./CTN.
K15-140-0007	1/4" x 1/8"	25/4,300
K15-140-0032	3/8" x 1/4"	25/3,250
K15-140-0058	1/2" x 3/8"	25/1,500
K15-140-0059	1/2" x 1/4"	25/1,500
K15-140-0107	3/4" x 1/2"	25/700
K15-140-0149	3/4" x 5/8"	25/500
K15-140-0109	3/4" x 1/4"	25/700
K15-140-0159	1" x 3/4"	10/400
K15-140-1498	1" x 5/8"	10/300
K15-140-0160	1" x 1/2"	10/320
K15-140-0222	1-1/4" x 1"	5/240
K15-140-0223	1-1/4" x 3/4"	10/220
K15-140-0303	1-1/2" x 1-1/4"	5/140
K15-140-0398	2" x 1-1/2"	1/60

CAST MALE ADAPTER



- Cast brass pressure fitting

PART #	DESCRIPTION	PKG./CTN.
K10-101-0050	1/2" C x 1/2" MPT	50/400
K10-101-0100	3/4" C x 3/4" MPT	25/200
K10-101-0295	1-1/2" C x 1-1/2" MPT	10/50
K10-101-0390	2" C x 2" MPT	5/30

CAST 90° ELBOW



- Cast brass pressure fitting

PART #	DESCRIPTION	PKG./CTN.
K10-255-0050	1/2" C x 1/2" MPT	50/250


FORGED BRASS 90° ELBOW



- Forged brass pressure fitting

PART #	DESCRIPTION	PKG./CTN.
K10-257-0050	1/2" C x 1/2" FPT	50/250
K10-257-0058	1/2" C x 3/8" FPT	25/250
K10-257-0100	3/4" C x 3/4" FPT	25/100
K10-257-0150	1" C x 1" FPT	10/50

90° DROP-EAR ELBOWS



PART #	INLET x OUTLET	MATERIAL	PKG./CTN.
DE90E	1/2" FSWT x 1/2" FPT	Brass	10/100
DE90E-LF	1/2" FSWT x 1/2" FPT	Lead free brass	10/100
DE90EF-LF	1/2" FPT x 1/2" FPT	Lead free brass	10/100
DE90ES-LF	1/2" FSWT x 1/2" FSWT	Lead free brass	10/100
PDEE12-LF	1/2" PEX(F1807) x 1/2" FPT	Lead free brass	10/100
DE90CE	1/2" SLIP x 1/2" FPT	CPVC	10/100
DE90TE	1/2" SLIP x 1/2" FPT	CPVC inlet/S.S. outlet	10/100

FORGED BRASS TEE



- Forged brass pressure fitting

PART #	DESCRIPTION	PKG./CTN.
K10-480-0057	1/2" C x 1/2" C x 3/4" F	25/100
K10-480-0107	3/4" C x 3/4" C x 1/2" F	25/100
K10-480-0159	1" C x 1" C x 3/4" F	10/50

FORGED BRASS BASEBOARD TEE



- Forged brass pressure fitting

PART #	DESCRIPTION	PKG./CTN.
K10-492-0143	3/4" C x 3/4" FPT x 3/4" C	25/100

BRAXTON HARRIS CO., INC.

BRASS/NYLON GARDEN HOSE FITTINGS

MALE HOSE TO MALE PIPE ADAPTERS


HN34M12M


HN34M12M12S


HN34M34M12F

• Brass

PART #	DESCRIPTION	PKG./CTN.
HN34M12M	3/4" MHT x 1/2" MPT	1/10
HN34M12M12S	3/4" MHT x 1/2" MPT x 1/2" SWT	1/10
HN34M34M12F	3/4" MHT x 3/4" MPT x 1/2" FPT	1/10

MALE HOSE TO MALE HOSE CONNECTOR



• Brass

PART #	DESCRIPTION	PKG./CTN.
HN34M	3/4" MHT x 3/4" MHT	1/10

MALE HOSE TO FEMALE PIPE ADAPTERS



• Brass

PART #	DESCRIPTION	PKG./CTN.
HN34M12F	3/4" MHT x 1/2" FPT	1/10
HN34M34F	3/4" MHT x 3/4" FPT	1/10

MALE HOSE PLUG



• Brass

PART #	DESCRIPTION	PKG./CTN.
GHP	3/4" MHT	1/10

FEMALE HOSE TO MALE PIPE ADAPTERS



• Brass

PART #	DESCRIPTION	PKG./CTN.
HN34F12M	3/4" FHT x 1/2" MPT	1/10
HN34F34M	3/4" FHT x 3/4" MPT	1/10
HN34F34M-LF	3/4" FHT x 3/4" MPT (lead free)	1/10
HN34F12M12S	3/4" FHT x 1/2" MPT x 1/2" SWT	1/10
HN34F34M12F	3/4" FHT x 3/4" MPT x 1/2" FPT	1/10

FEMALE HOSE TO FEMALE PIPE ADAPTERS



• Brass

PART #	DESCRIPTION	PKG./CTN.
HN34F12F	3/4" FHT x 1/2" FPT	1/10
HN34FF	3/4" FHT x 3/4" FPT	1/10

FEMALE HOSE TO FEMALE HOSE CON. (SWIVEL)



• Brass

PART #	DESCRIPTION	PKG./CTN.
HNS34F	3/4" FHT x 3/4" FHT	1/10

FEMALE HOSE TO FEMALE PIPE ADAPTER (SWIVEL)



• Brass

PART #	DESCRIPTION	PKG./CTN.
HNS34F12F	3/4" FHT x 1/2" FPT	1/10
HNS34F34F	3/4" FHT x 3/4" FPT	1/10

FEMALE HOSE TO MALE PIPE ADAPTER (SWIVEL)



• Brass

PART #	DESCRIPTION	PKG./CTN.
HNS34F12M	3/4" FHT x 1/2" MPT	1/10

HOSE END CAPS WITH WASHER


HEC


HECB


HECB-LF


HECBC

• 3/4" FHT

PART #	DESCRIPTION	PKG./CTN.
HEC	Durable non-corrosive plastic	10/20
HECB	Brass	10/10
HECB-LF	Brass (lead free)	10/10
HECBC	Brass with chain	5/25

EVAPORATION COOLER DRAIN



PART #	DESCRIPTION	PKG./CTN.
ECD34M12F	3/4" MHT x 1/2 FPT	1/10

NYLON GARDEN HOSE ADAPTERS


NHN34M34B


NHN34M12M
NHN34M34M


NHN34M34F
NHN34MH34F

• Nylon
• Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
NHN34M34B	3/4" MHT x 3/4" barb	10
NHN34M12M	3/4" MHT x 1/2" MPT	10
NHN34M12F	3/4" MHT x 1/2" FPT	10
NHN34M34M	3/4" MHT x 3/4" MPT	10
NHN34M34F	3/4" MHT x 3/4" FPT	10
NHN34MH34F	3/4" MHT x 3/4" FHT	10

LAWN/IRRIGATION PRODUCTS

METAL SIAMESE "Y" CONNECTOR


SYCSOM


STHC

- Chrome plated zinc die-cast
- With cap
- 3/4" MHT x 3/4" MHT x 3/4" FHT

PART #	DESCRIPTION	PKG./CTN.
SYCSOM	Metal twin hose connector	1
STHC	Metal twin hose connector with cap	1

BRASS SIAMESE "Y" CONNECTOR


SYCB


SYCSOB

- Heavy brass body
- Run one or two hoses from same water supply
- 3/4" MHT x 3/4" MHT x 3/4" FHT

PART #	DESCRIPTION	PKG./CTN.
SYCB	Siamese "Y" connector	1
SYCB-LF	Siamese "Y" connector - lead free	1
SYCSOB	Siamese "Y" connector with shut-offs	1

PLASTIC SIAMESE "Y" CONNECTOR WITH SHUTOFFS



- Durable non-corrosive plastic
- Run 1 or 2 hoses from the same water supply
- 3/4" MHT x 3/4" MHT x 3/4" FHT

PART #	DESCRIPTION	PKG./CTN.
SYCSO	3/4" MHT x 3/4" MHT x 3/4" FHT	1/10

HOSE SHUT-OFF VALVE



- Durable non-corrosive plastic

PART #	DESCRIPTION	PKG./CTN.
HSOV	3/4" FHT x 3/4" MHT	1/10

QUICK HOSE REPAIR COUPLINGS & MENDER


QHM


HRCM


HRCF

- Fits both 1/2" and 5/8" hose, rubber or plastic
- Only knife and screw-driver needed to install
- ABS

PART #	DESCRIPTION	PKG./CTN.
QHM	Mender	1
HRCM	Male end, coupling	1
HRCF	Female end, coupling	1


COMPLETE HOSE MENDERS



- Brass standard shank for water hose
- 2-piece

PART #	DESCRIPTION	PKG./CTN.
GHC12	1/2" barb x 1/2" barb	1/5
GHC58	5/8" barb x 5/8" barb	1/5
GHC34	3/4" barb x 3/4" barb	1/5

FEMALE SWIVEL HOSE BARBS



- Brass standard shank for water hose

PART #	DESCRIPTION	PKG./CTN.
FS12	1/2" barb x 3/4" FHT	1/5
FS58	5/8" barb x 3/4" FHT	1/5
FS34	3/4" barb x 3/4" FHT	1/5

MALE HOSE BARBS



- Brass standard shank for water hose

PART #	DESCRIPTION	PKG./CTN.
MS12	1/2" barb x 3/4" MHT	1/5
MS58	5/8" barb x 3/4" MHT	1/5
MS34	3/4" barb x 3/4" MHT	1/5

GARDEN HOSE WASHER




- Fits all garden hose connections

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
GHW	3/4" soft vinyl	100
GHWR	3/4" red rubber	100/100

HOSE FILTER WASHER



- 20 x 20 stainless steel mesh
- Prevents foreign material from clogging line

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HFW	Hose filter washer	3/600

BRAXTON HARRIS CO., INC.

LAWN/IRRIGATION PRODUCTS/

MEDIUM-DUTY GARDEN HOSES



- 4-ply reinforced
- Oil & abrasion resistant
- Outer cover
- Solid brass end connector fittings
- Flow guard collar
- Kink resistance
- Great flexibility

PART #	DESCRIPTION	PKG./CTN.
GH58-50	5/8" x 50' length	1/5
GH58-75	5/8" x 75' length	1
GH58-100	5/8" x 100' length	1/3

HEAVY-DUTY GARDEN HOSE



- 5-ply reinforced premium hose
- Octagonal crush-proof brass end connector fittings
- Oil & abrasion-resistant outer cover
- Kink resistance
- Great flexibility
- Heavy-duty metal spring collar

PART #	DESCRIPTION	PKG./CTN.
GH58-50H	5/8" x 50' length	1/4


RUBBER CONTRACTOR HOSE



- Contractor grade
- Reinforced rubber
- Heavy duty brass coupling

PART #	DESCRIPTION	PKG./CTN.
CWH34-50	5/8" x 50' length	1/5
CWH58-50	5/8" x 50' length	1/4
CWH58-50H	5/8" x 50' length (hot water up to 200°F)	1

FAUCET HOSE ANCHOR



- Lasting solution to loosen exterior faucets
- Works on brick, vinyl siding, concrete, stucco, etc.
- Can be used in new home construction or existing home repair
- Will not rust

PART #	DESCRIPTION	PKG./CTN.
FHA	Faucet hose anchor	1/100

INSULATED GARDEN HOSE LEVER NOZZLE



- Heavy-duty
- High impact plastic casing provides insulation from hot or cold
- Nozzle is heavy-duty metal w/rust-proof brass spray mechanism
- Adjusts from fine mist to full stream
- Lock clip holds lever on

PART #	DESCRIPTION	PKG./CTN.
IGHLN	Plastic grip	1/10

INSULATED GARDEN HOSE LEVER W/ COMFORT GRIP



- Heavy-duty
- High-impact plastic casing provides insulation from hot or cold
- Nozzle is heavy-duty metal w/rust-proof brass spray mechanism
- Adjusts from fine mist to full stream
- Lock clip holds lever on

PART #	DESCRIPTION	PKG./CTN.
IGHLNCB	Comfort grip	1/10

METAL GARDEN HOSE LEVER NOZZLE



- Chrome metal w/ rust-proof non-metal spray mechanism

PART #	DESCRIPTION	PKG./CTN.
MGHLN	Smooth action lever	1/10

GARDEN HOSE ADJUSTABLE NOZZLE



- Heavy-duty
- Brass
- 3-3/4"

PART #	DESCRIPTION	PKG./CTN.
GHAN	Adjustable nozzle	1/10

BRASS COMPRESSION FITTINGS

BRASS COMPRESSION FITTINGS: Used with copper, brass, and aluminum tubing. Low and medium air, water, and oil pressure lines.
All tube sizes are outside diameter, temperature ranges from -65°F to 250°F.

BRASS COMPRESSION INSERTS

(Style 63 P)



- For soft tubing
- Lead free

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C63P4-LF	1/4" OD	100/100
C63P6-LF	3/8" OD	100/100
C63P8-LF	1/2" OD	10/10
C63P10-LF	5/8" OD	10/10

DELRIN COMPRESSION SLEEVES

(Style 60 P)



- For plastic tube

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C60P4	1/4" OD	100
C60P6	3/8" OD	100
C60P8	1/2" OD	50
C60P10	5/8" OD	50

COMPRESSION SLEEVES

(Style 60)



- Brass
- Compression (OD)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C60-2	1/8"	10/10
C60-3	3/16"	10/10
C60-4	1/4"	10/10
C60-5	5/16"	10/10
C60-6	3/8"	10/10
C60-8	1/2"	10/10
C60-10	5/8"	10/10
C60-12	3/4"	10/10
C60-14	7/8"	10/10

COMPRESSION NUTS

(Style 61)



- Brass
- Compression (OD)

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C61-2	1/8"	10/10
C61-3	3/16"	10/10
C61-4	1/4"	10/10
C61-5	5/16"	10/10
C61-6	3/8"	10/10
C61-8	1/2"	10/10
C61-10	5/8"	10/10
C61-12	3/4"	10/10
C61-14	7/8"	10/10

COMPRESSION CAPS

(Style 61C)



- Brass
- Compression (OD)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C61C4-LF	1/4"	10/10
C61C6-LF	3/8"	10/10
C61C8-LF	1/2"	10/10
C61C10-LF NEW	5/8"	10/10

COMPRESSION UNIONS

(Style 62)



- Brass
- Compression (OD) x compression (OD)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C62-2-LF	1/8"	10/10
C62-3-LF	3/16"	10/10
C62-4-LF	1/4"	10/10
C62-5-LF	5/16"	10/10
C62-6-LF	3/8"	10/10
C62-8-LF	1/2"	10/10
C62-10-LF	5/8"	10/10
C62-12-LF	3/4"	10/10
C62-14-LF	7/8"	10/10

BRAXTON HARRIS CO., INC.

BRASS COMPRESSION FITTINGS

BRASS COMPRESSION FITTINGS: Used with copper, brass, and aluminum tubing. Low and medium air, water, and oil pressure lines.
All tube sizes are outside diameter, temperature ranges from -65°F to 250°F.

COMPRESSION REDUCING UNIONS



(Style 62)

- Brass
- Compression (OD) x compression (OD)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C62R64-LF	3/8" x 1/4"	10/10
C62R86-LF	1/2" x 3/8"	10/10
C62R106-LF	5/8" x 3/8"	10/10
C62R108-LF	5/8" x 1/2"	10/10

COMPRESSION TEES



(Style 64)

- Brass
- Compression (OD) x compression (OD) x compression (OD)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C64-4-LF	1/4"	10/10
C64-5-LF	5/16"	10/10
C64-6-LF	3/8"	10/10
C64-64-LF	3/8" x 3/8" x 1/4"	10/10
C64-8-LF	1/2"	10/10
C64-10-LF	5/8"	10/10
C64-12-LF	3/4"	10/10
C64-14-LF	7/8"	10/10

COMPRESSION 90° ELBOWS



(Style 65)

- Brass
- Compression (OD) x compression (OD)
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
C65-4-LF	1/4"	10/10
C65-6-LF	3/8"	10/10
C65-8-LF	1/2"	10/10
C65-10-LF	5/8"	10/10
C65-12-LF	3/4"	10/10
C65-14-LF	7/8"	10/10
C65-106-LF	5/8" x 3/8"	10/10

COMPRESSION x SWEAT ADAPTER



(Style 666)

- Brass
- Compression (OD) x SWT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x OD	
C666-6-LF	3/8" x 5/8" (1/2" SWT)	10/10

COMPRESSION x FEMALE COUPLINGS/CONNECTORS



(Style 66)

- Brass
- Compression (OD) x FPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x FPT	
C66-42-LF	1/4" x 1/8"	10/10
C66-44-LF	1/4" x 1/4"	10/10
C66-46-LF	1/4" x 3/8"	10/10
C66-48-LF	1/4" x 1/2"	10/10
C66-54-LF	5/16" x 1/4"	10/10
C66-62-LF	3/8" x 1/8"	10/10
C66-64-LF	3/8" x 1/4"	10/10
C66-66-LF	3/8" x 3/8"	10/10
C66-68-LF	3/8" x 1/2"	10/10
C66-86-LF	1/2" x 3/8"	10/10
C66-88-LF	1/2" x 1/2"	10/10
C66-812-LF	1/2" X 3/4"	10/10
C66-108-LF	5/8" x 1/2"	10/10
C66-1012-LF	5/8" x 3/4"	10/10
C66-1412-LF	7/8" x 3/4"	10/10

COMPRESSION x MALE COUPLINGS/CONNECTORS



(Style 68)

- Brass.
- Compression (OD) x MPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x MPT	
C68-42-LF	1/4" x 1/8"	10/10
C68-44-LF	1/4" x 1/4"	10/10
C68-46-LF	1/4" x 3/8"	10/10
C68-48-LF	1/4" x 1/2"	10/10
C68-52-LF	5/16" x 1/8"	10/10
C68-54-LF	5/16" x 1/4"	10/10
C68-62-LF	3/8" x 1/8"	10/10
C68-64-LF	3/8" x 1/4"	10/10
C68-66-LF	3/8" x 3/8"	10/10
C68-68-LF	3/8" x 1/2"	10/10
C68-612-LF	3/8" x 3/4"	10/10
C68-84-LF	1/2" x 1/4"	10/10
C68-86-LF	1/2" x 3/8"	10/10
C68-88-LF	1/2" x 1/2"	10/10
C68-106-LF	5/8" x 3/8"	10/10
C68-108-LF	5/8" x 1/2"	10/10
C68-1012-LF	5/8" x 3/4"	10/10
C68-1412-LF	7/8" x 3/4"	10/10

BRASS COMPRESSION/FLARE FITTINGS

BRASS FLARE FITTINGS: Used with copper, brass, aluminum & welded steel tubing. Used on lines handling hard-to-hold liquids & gasses, including gasoline, grease, oil, water, vacuum lines, air lines, LP & natural gas lines, refrigeration & air conditioning. Temperature ranges from -65° F to +250° F.

COMPRESSION x MALE 90° ELBOWS




(Style 69)

- Brass
- Compression (OD) x MPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x MPT	
C69-42-LF	1/4" x 1/8"	10/10
C69-44-LF	1/4" x 1/4"	10/10
C69-46-LF	1/4" x 3/8"	10/10
C69-54-LF	5/16" x 1/4"	10/10
C69-64-LF	3/8" x 1/4"	10/10
C69-66-LF	3/8" x 3/8" (Dishwasher Elbow)	10/10
C69-68-LF	3/8" x 1/2"	10/10
C69-86-LF	1/2" x 3/8"	10/10
C69-88-LF	1/2" x 1/2"	10/10
C69-108-LF	5/8" x 1/2"	10/10

COMPRESSION x FEMALE 90° ELBOWS



(Style 70)

- Brass
- Compression (OD) x FPT
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	TUBE x FPT	
C70-42-LF	1/4" x 1/8"	10/10
C70-44-LF	1/4" x 1/4"	10/10
C70-64-LF	3/8" x 1/4"	10/10
C70-66-LF	3/8" x 3/8"	10/10
C70-68-LF	3/8" x 1/2"	10/10
C70-612-LF	3/8" x 3/4"	10/10
C70-88-LF	1/2" x 1/2"	10/10
C70-108-LF	5/8" x 1/2"	10/10

FLARE PLUGS



(Style 39)

- Brass
- Flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F39-4	1/4"	10/10
F39-6	3/8"	10/10
F39-8	1/2"	10/10
F39-10	5/8"	10/10

FLARE CAPS



(Style 40)

- Brass
- Flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F40-4	1/4"	10/10
F40-6	3/8"	10/10
F40-8	1/2"	10/10
F40-10	5/8"	10/10

FLARE LONG NUTS



(Style 41L)

- Brass
- Flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F41-6	3/8"	10/10

FLARE SHORT NUTS



(Style 41S)

- Brass
- Flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F41S3	3/16"	10/10
F41S4	1/4"	10/10
F41S5	5/16"	10/10
F41S6	3/8"	10/10
F41S8	1/2"	10/10
F41S10	5/8"	10/10
F41S12	3/4"	10/10
F41S14	7/8"	10/10

FLARE SHORT FORGED NUTS



(Style 41FS)

- Brass
- Flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F41FS4	1/4"	10/10
F41FS5	5/16"	10/10
F41FS6	3/8"	10/10
F41FS8	1/2"	10/10
F41FS10	5/8"	10/10

BRAXTON HARRIS CO., INC.

BRASS FLARE FITTINGS

BRASS FLARE FITTINGS: Used with copper, brass, aluminum & welded steel tubing. Used on lines handling hard-to-hold liquids & gasses, including gasoline, grease, oil, water, vacuum lines, air lines, LP & natural gas lines, refrigeration & air conditioning. Temperature ranges from -65° F to +250° F.

FLARE SHORT FORGED REDUCING NUTS



(Style 41FS)

- Brass
- Flare
- For LP gas

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F41FSR64	3/8" x 1/4"	10/10
F41FSR86	1/2" x 3/8"	10/10
F41FSR108	5/8 x 1/2"	10/10

FLARE UNIONS



(Style 42)

- Brass
- Flare x flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F42-4	1/4"	10/10
F42-5	5/16"	10/10
F42-6	3/8"	10/10
F42-8	1/2"	10/10
F42-10	5/8"	10/10

FLARE x MALE HALF UNIONS




(Style 48)

- Brass
- Flare x MPT

PART #	DESCRIPTION	PKG./CTN.
	TUBE x MPT	
F48-32	3/16" x 1/8"	10/10
F48-42	1/4" x 1/8"	10/10
F48-44	1/4" x 1/4"	10/10
F48-46	1/4" x 3/8"	10/10
F48-48	1/4" x 1/2"	10/10
F48-52	5/16" x 1/8"	10/10
F48-54	5/16" x 1/4"	10/10
F48-62	3/8" x 1/8"	10/10
F48-64	3/8" x 1/4"	10/10
F48-66	3/8" x 3/8"	10/10
F48-68	3/8" x 1/2"	10/10
F48-612	3/8" x 3/4"	10/10
F48-84	1/2" x 1/4"	10/10
F48-86	1/2" x 3/8"	10/10
F48-88	1/2" x 1/2"	10/10
F48-812	1/2" x 3/4"	10/10
F48-106	5/8" x 3/8"	10/10
F48-108	5/8" x 1/2"	10/10
F48-1012	5/8" x 3/4"	10/10
F48-1212	3/4" x 3/4"	10/10
F48-1412	7/8" x 3/4"	10/10

FLARE REDUCING UNIONS



(Style 42)

- Brass
- Flare x flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F42R64	3/8" x 1/4"	10/10
F42R84	1/2" x 1/4"	10/10
F42R86	1/2" x 3/8"	10/10
F42R106	5/8" x 3/8"	10/10
F42R108	5/8" x 1/2"	10/10

FLARE x FEMALE COUPLINGS



(Style 46)

- Brass
- Flare x FPT

PART #	DESCRIPTION	PKG./CTN.
	TUBE x FPT	
F46-42	1/4" x 1/8"	10/10
F46-44	1/4" x 1/4"	10/10
F46-46	1/4" x 3/8"	10/10
F46-48	1/4" x 1/2"	10/10
F46-52	5/16" x 1/8"	10/10
F46-54	5/16" x 1/4"	10/10
F46-62	3/8" x 1/8"	10/10
F46-64	3/8" x 1/4"	10/10
F46-66	3/8" x 3/8"	10/10
F46-68	3/8" x 1/2"	10/10
F46-612	3/8" x 3/4"	10/10
F46-84	1/2" x 1/4"	10/10
F46-86	1/2" x 3/8"	10/10
F46-88	1/2" x 1/2"	10/10
F46-812	1/2" x 3/4"	10/10
F46-108	5/8" x 1/2"	10/10
F46-1012	5/8" x 3/4"	10/10

FLARE TEES



(Style 44)

- Brass
- Flare x flare x flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F44-4	1/4"	10/10
F44-5	5/16"	10/10
F44-6	3/8"	10/10
F44-8	1/2"	10/10
F44-10	5/8"	10/10

BRASS FLARE FITTINGS

BRASS FLARE FITTINGS: Used with copper, brass, aluminum & welded steel tubing. Used on lines handling hard-to-hold liquids & gasses, including gasoline, grease, oil, water, vacuum lines, air lines, LP & natural gas lines, refrigeration & air conditioning. Temperature ranges from -65° F to +250° F.

FLARE REDUCING TEES

(Style 44)



- Brass
- Flare x flare x flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F44R664	3/8" x 3/8" x 1/4"	10/10
F44R886	1/2" x 1/2" x 3/8"	10/10
F44R10108	5/8" x 5/8" x 1/2"	10/10

FLARE 90° ELBOWS

(Style 55)



- Brass
- Flare x flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F55-2	1/4"	10/10
F55-6	3/8"	10/10
F55-8	1/2"	10/10
F55-10	5/8"	10/10

FLARE x MALE 90° ELBOWS

(Style 49)



- Brass
- Flare x MPT

PART #	DESCRIPTION	PKG./CTN.
	TUBE x MPT	
F49-42	1/4" x 1/8"	10/10
F49-44	1/4" x 1/4"	10/10
F49-52	5/16" x 1/8"	10/10
F49-62	3/8" x 1/8"	10/10
F49-64	3/8" x 1/4"	10/10
F49-66	3/8" x 3/8"	10/10
F49-68	3/8" x 1/2"	10/10
F49-612	3/8" x 3/4"	10/10
F49-86	1/2" x 3/8"	10/10
F49-88	1/2" x 1/2"	10/10
F49-812	1/2" x 3/4"	10/10
F49-108	5/8" x 1/2"	10/10
F49-1012	5/8" x 3/4"	10/10

FLARE x FEMALE 90° ELBOWS

(Style 50)



- Brass
- Flare x FPT

PART #	DESCRIPTION	PKG./CTN.
	TUBE x FPT	
F50-44 NEW	1/4" x 1/4"	10/10
F50-46 NEW	1/4" x 1/2"	10/10
F50-48 NEW	1/4" x 3/8"	10/10
F50-64	3/8" x 1/4"	10/10
F50-66	3/8" x 3/8"	10/10
F50-68	3/8" x 1/2"	10/10
F50-86	1/2" x 3/8"	10/10
F50-88	1/2" x 1/2"	10/10
F50-812	1/2" x 3/4"	10/10
F50-108	5/8" x 1/2"	10/10
F50-1012	5/8" x 3/4"	10/10

FEMALE FLARE SWIVEL NUT

(Style 70)



- Brass
- Flare x flare

PART #	DESCRIPTION	PKG./CTN.
	TUBE SIZE	
F70-4	1/4" x 1/4"	10/10
F70-6	3/8" x 3/8"	10/10
F70-8	1/2" x 1/2"	10/10
F70-10	5/8" x 5/8"	10/10

FLARE x MPT GAS CONNECTOR ADAPTERS



- Yellow zinc plated steel
- 5/8" OD = 15/16"-16 thread

PART #	DESCRIPTION	PKG./CTN.
GCA38-38M	3/8" OD flare x 3/8" MPT (tapped 1/8" FPT)	10/10
GCA38-12M	3/8" OD flare x 1/2" MPT	10/10
GCA12-12M	1/2" OD flare x 1/2" MPT	10/10
GCA1516-12M	5/8" OD flare x 1/2" MPT	10/10
GCA1516-34M	5/8" OD flare x 3/4" MPT	10/10
GCA1516-34M12F	5/8" OD flare x 3/4" MPT (tapped 1/2" FPT)	10/10

BRAXTON HARRIS CO., INC.

BRASS FLARE/CPVC TRANSITION FITTINGS

BRASS FLARE FITTINGS: Used with copper, brass, aluminum & welded steel tubing. Used on lines handling hard-to-hold liquids & gasses, including gasoline, grease, oil, water, vacuum lines, air lines, LP & natural gas lines, refrigeration & air conditioning. Temperature ranges from -65° F to +250° F.

FLARE x FPT GAS CONNECTOR ADAPTERS



- Yellow zinc plated steel
- 5/8" OD = 15/16" - 16 thread

PART #	DESCRIPTION	PKG./CTN.
GCA38-38F	3/8" OD flare x 3/8" FPT	10/10
GCA38-12F	3/8" OD flare x 1/2" FPT	10/10
GCA12-12F	1/2" OD flare x 1/2" FPT	10/10
GCA1516-12F	5/8" OD flare x 1/2" FPT	10/10
GCA1516-34F	5/8" OD flare x 3/4" FPT	10/10

TRANSITION MALE ADAPTERS



- CPVC socket x brass MPT

PART #	DESCRIPTION	PKG./CTN.
TMA12-LF	1/2" x 1/2"	1
TMA34-LF	3/4" x 3/4"	1

TRANSITION FEMALE ADAPTERS



- CPVC socket x brass FPT

PART #	DESCRIPTION	PKG./CTN.
TFA12-LF	1/2" x 1/2"	1
TFA34-LF	3/4" x 3/4"	1
TFA1-LF	1" x 1"	1

HEX TRANSITION UNION



- CPVC spigot x brass compression

PART #	DESCRIPTION	PKG./CTN.
HTU12	1/2" x 1/2"	1

HOSE BARB TEES



- Nylon
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB x BARB	
NBT18	1/8" x 1/8" x 1/8"	10/100
NBT14	1/4" x 1/4" x 1/4"	10/100
NBT38	3/8" x 3/8" x 3/8"	10/100
NBT12	1/2" x 1/2" x 1/2"	10/100
NBT58	5/8" x 5/8" x 5/8"	10/100
NBT34	3/4" x 3/4" x 3/4"	10/100

NYLON MALE x HOSE BARB ADAPTER



- Nylon
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	MPT x BARB	
NBA14M-14	1/4" x 1/4"	10/100
NBA14M-38	1/4" x 3/8"	10/100
NBA14M-12	1/4" x 1/2"	10/100
NBA38M-14	3/8" x 1/4"	10/100
NBA38M-38	3/8" x 3/8"	10/100
NBA38M-12	3/8" x 1/2"	10/100
NBA38M-58	3/8" x 5/8"	10/100
NBA12M-14	1/2" x 1/4"	10/100
NBA12M-38	1/2" x 3/8"	10/100
NBA12M-12	1/2" x 1/2"	10/100
NBA12M-58	1/2" x 5/8"	10/100
NBA12M-34	1/2" x 3/4"	10/100
NBA34M-38	3/4" x 3/8"	10/100
NBA34M-12	3/4" x 1/2"	10/100
NBA34M-34	3/4" x 3/4"	10/100
NBA34M-58	3/4" x 5/8"	10/100
NBA34M-1	3/4" x 1"	10/100
NBA1M-58	1" x 5/8"	10/100
NBA1M-1	1" x 1"	10/100

NYLON HOSE BARB SPLICERS



- Nylon
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
NBS18	1/8" x 1/8"	10/100
NBS14	1/4" x 1/4"	10/100
NBS516	5/16" x 5/16"	10/100
NBS38	3/8" x 3/8"	10/100
NBS12	1/2" x 1/2"	10/100
NBS58	5/8" x 5/8"	10/100
NBS34	3/4" x 3/4"	10/100

NYLON HOSE BARB 90° ELBOWS



- Nylon
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
NBE14	1/4" x 1/4"	10/100
NBE12	1/2" x 1/2"	10/100
NBE38	3/8" x 3/8"	10/100

NYLON HOSE BARB / INSERT FITTINGS

NYLON MALE x HOSE BARB 90° ELBOWS

- Nylon
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	MPT x BARB	
NBE38M-38	3/8" x 3/8"	10
NBE38M-12	3/8" x 1/2"	10
NBE38M-58	3/8" x 5/8"	10

NYLON INSERT COUPLING



- Nylon
- Used with flexible polyethylene plastic pipe

PART #	DESCRIPTION	PKG./CTN.
NIC12	1/2" x 1/2"	1
NIC34	3/4" x 3/4"	1
NIC1	1" x 1"	1
NIC114	1-1/4" x 1-1/4"	1
NIC112	1-1/2" x 1-1/2"	1
NIC2	2" x 2"	1

NYLON INSERT ELBOW



- Nylon
- Used with flexible polyethylene plastic pipe

PART #	DESCRIPTION	PKG./CTN.
NIE12	1/2"	1
NIE34	3/4"	1
NIE1	1"	1
NIE114	1-1/4"	1
NIE112	1-1/2"	1
NIE2	2"	1

NYLON INSERT MALE ADAPTER ELBOW



- Nylon
- Used with flexible polyethylene plastic pipe

PART #	DESCRIPTION	PKG./CTN.
	INSERT x MPT	
NIEM12	1/2" x 1/2"	1
NIEM34	3/4" x 3/4"	1
NIEM1	1" x 1"	1
NIEM114	1-1/4" x 1-1/4"	1

NYLON INSERT TEE



- Nylon
- Used with flexible polyethylene plastic pipe

PART #	DESCRIPTION	PKG./CTN.
NIT12	1/2"	1
NIT34	3/4"	1
NIT1	1"	1
NIT114	1-1/4"	1
NIT112	1-1/2"	1
NIT2	2"	1

NYLON MALE INSERT ADAPTER



- Nylon
- Used with flexible polyethylene plastic pipe

PART #	DESCRIPTION	PKG./CTN.
	INSERT x MPT	
NMIA12	1/2"	1
NMIA34	3/4"	1
NMIA1	1"	1
NMIA114	1-1/4"	1
NMIA112	1-1/2"	1
NMIA2	2"	1

NYLON GARDEN HOSE ADAPTERS



NHN34M34B



NHN34M12M
NHN34M34M



NHN34M34F
NHN34MH34F

- Nylon
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
NHN34M34B	3/4" MHT x 3/4" barb	10
NHN34M12M	3/4" MHT x 1/2" MPT	10
NHN34M12F	3/4" MHT x 1/2" FPT	10
NHN34M34M	3/4" MHT x 3/4" MPT	10
NHN34M34F	3/4" MHT x 3/4" FPT	10
NHN34MH34F	3/4" MHT x 3/4" FHT	10

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

6.1.25

POLY INSERT FITTINGS

INSERT x MALE ADAPTERS



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x MPT	
PIAM12	1/2"	10
PIAM34	3/4"	10
PIAM1	1"	10
PIAM114	1-1/4"	10
PIAM112	1-1/2"	10
PIAM2	2"	10

INSERT x FEMALE ADAPTERS



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x FPT	
PIAF12	1/2"	10
PIAF34	3/4"	10
PIAF1	1"	10
PIAF114	1-1/4"	10
PIAF112	1-1/2"	10

INSERT COUPLINGS



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
PIC12	1/2"	10
PIC34	3/4"	10
PIC1	1"	10
PIC114	1-1/4"	10
PIC112	1-1/2"	10
PIC2	2"	10

INSERT REDUCING COUPLINGS



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
PIRC34-12	3/4" x 1/2"	10
PIRC1-12	1" x 1/2"	10
PIRC1-34	1" x 3/4"	10
PIRC114-1	1-1/4" x 1"	10
PIRC112-114	1-1/2" x 1-1/4"	10
PIRC2-112	2" x 1-1/2"	10

INSERT TEES



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB x BARB	
PIT12	1/2"	10
PIT34	3/4"	10
PIT1	1"	10
PIT114	1-1/4"	10
PIT112	1-1/2"	10

INSERT REDUCING TEE



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB x BARB	
PIRT34-12-12	3/4" x 1/2" x 1/2"	10
PIRT34-12	3/4" x 3/4" x 1/2"	10
PIRT1-34-34	1" x 3/4" x 3/4"	10
PIRT1-12	1" x 1" x 1/2"	10
PIRT1-34	1" x 1" x 3/4"	10
PIRT112-1	1-1/2" x 1-1/2" x 1"	10
PIRT2-1	2" x 2" x 1"	10

INSERT x MALE 90° ELBOWS



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x MPT	
PIEM12	1/2"	10
PIEM34	3/4"	10
PIEM1	1"	10
PIEM114	1-1/4"	10
PIEM112	1-1/2"	10

INSERT x FEMALE 90° ELBOW



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x FPT	
PIEF12	12"	10
PIEF34	3/4"	10

RED BRASS INSERT FITTINGS

Used with copper, brass, and aluminum tubing. Low and medium air, water, and oil pressure lines. All tube sizes are outside diameter, temperature ranges from -65°F to 250°F.

INSERT 90° ELBOWS



- Poly
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
PIE12	1/2"	10
PIE34	3/4"	10
PIE1	1"	10
PIE114	1-14"	10
PIE112	1-1/2"	10

RED BRASS FEMALE INSERT ADAPTER



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
RBFIA34-LF	3/4"	1
RBFIA1-LF	1"	1
RBFIA114-LF	1-1/4"	1
RBFIA112-LF	1-1/2"	1

RED BRASS INSERT COUPLING



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
RBIC34-LF	3/4"	1
RBIC1-LF	1"	1
RBIC114-LF	1-1/4"	1
RBIC112-LF	1-1/2"	1
RBIC2-LF	2"	1

RED BRASS INSERT ELBOW



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
RBIE34-LF	3/4"	1
RBIE1-LF	1"	1
RBIE114-LF	1-1/4"	1

RED BRASS INSERT SWEAT ADAPTER



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
RBISA34-LF	3/4"	1
RBISA1-LF	1"	1

RED BRASS INSERT TEE



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
RBIT34-LF	3/4"	1
RBIT1-LF	1"	1
RBIT114-LF	1-1/4"	1

RED BRASS MALE INSERT ADAPTER



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	INSERT X MPT	
RBMIA12-LF	1/2" x 1/2"	1
RBMIA34-LF	3/4" x 3/4"	1
RBMIA1-34M-LF	1" x 3/4"	1
RBMIA1-LF	1" x 1"	1
RBMIA114-LF	1-1/4" x 1-1/4"	1
RBMIA112-LF	1-1/2" x 1-1/2"	1
RBMIA2-LF	2" x 2"	1

RED BRASS MALE INSERT ELBOW



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	INSERT X MPT	
RBMIE34-LF	3/4" x 3/4"	1
RBMIE1-34-LF	1" x 3/4"	1
RBMIE1-LF	1" x 1"	1

BRAXTON HARRIS CO., INC.

GALVANIZED STEEL INSERT FITTINGS

Used with copper, brass, and aluminum tubing. Low and medium air, water, and oil pressure lines. All tube sizes are outside diameter, temperature ranges from -65°F to 250°F.

RED BRASS MALE INSERT ROPE ADAPTER



- For use with flexible polyethylene plastic pipe
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	INSERT X MPT	
RBMIRA1-114-LF	1" x 1-1/4"	1

INSERT x MALE ADAPTERS



- Galvanized steel
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x MPT	
GIA12-12M	1/2"	10
GIA34-34M	3/4"	10
GIA1-1M	1"	10
GIA114-114M	1-1/4"	10
GIA112-112M	1-1/2"	10
GIA2-2M	2"	10

INSERT x FEMALE ADAPTERS



- Galvanized steel
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x FPT	
GIA12-12F	1/2"	10
GIA34-34F	3/4"	10
GIA1-1F	1"	10
GIA114-114F	1-1/4"	10
GIA112-112F	1-1/2"	10

INSERT COUPLINGS



- Galvanized steel
- Barb refers to pipe ID
- For flexible polyethylene plastic pipe (only)

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
GIC12	1/2"	10
GIC34	3/4"	10
GIC1	1"	10
GIC114	1-1/4"	10
GIC112	1-1/2"	10
GIC2	2"	10

BRASS HOSE BARBS

FITS INSIDE DIAMETER OF VARIOUS RUBBER HOSE SIZES

HOSE BARB x FEMALE BALL END SWIVEL ADAPTERS



- Brass
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x FPT SWIVEL	
BBA14-14FS	1/4"	10
BBA38-38FS	3/8"	10
BBA12-12FS	1/2"	10

BARB TO BARB HOSE SPLICERS



- Brass
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x BARB	
BBS316	3/16"	10
BBS14	1/4"	10
BBS516	5/16"	10
BBS38	3/8"	10
BBS12	1/2"	10
BBS58	5/8"	10

BRASS HOSE BARBS

HOSE BARB x MALE ADAPTERS



- Brass
- Barb x MPT
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x MPT	
BBA18-18M	1/8" x 1/8"	10
BBA316-18M	3/16" x 1/8"	10
BBA316-14M	3/16" x 1/4"	10
BBA14-18M	1/4" x 1/8"	10
BBA14-14M	1/4" x 1/4"	10
BBA14-38M	1/4" x 3/8"	10
BBA14-12M	1/4" x 1/2"	10
BBA516-18M	5/16" x 1/8"	10
BBA516-14M	5/16" x 1/4"	10
BBA516-38M	5/16" x 3/8"	10
BBA38-18M	3/8" x 1/8"	10
BBA38-14M	3/8" x 1/4"	10
BBA38-38M	3/8" x 3/8"	10
BBA38-12M	3/8" x 1/2"	10
BBA38-34M	3/8" x 3/4"	10
BBA12-14M	1/2" x 1/4"	10
BBA12-38M	1/2" x 3/8"	10
BBA12-12M	1/2" x 1/2"	10
BBA12-34M	1/2" x 3/4"	10
BBA58-38M	5/8" x 3/8"	10
BBA58-12M	5/8" x 1/2"	10
BBA58-34M	5/8" x 3/4"	10
BBA34-12M	3/4" x 1/2"	10
BBA34-34M	3/4" x 3/4"	10
BBA1-34M	1" x 3/4"	10
BBA1-1M	1" x 1"	10

HOSE BARB x FEMALE ADAPTERS



- Brass
- Barb x FPT
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x FPT	
BBA18-18F	1/8" x 1/8"	10
BBA316-18F	3/16" x 1/8"	10
BBA316-14F	3/16" x 1/4"	10
BBA14-18F	1/4" x 1/8"	10
BBA14-14F	1/4" x 1/4"	10
BBA14-38F	1/4" x 3/8"	10
BBA516-18F	5/16" x 1/8"	10
BBA516-14F	5/16" x 1/4"	10
BBA516-38F	5/16" x 3/8"	10
BBA38-18F	3/8" x 1/8"	10
BBA38-14F	3/8" x 1/4"	10
BBA38-38F	3/8" x 3/8"	10
BBA38-12F	3/8" x 1/2"	10
BBA12-14F	1/2" x 1/4"	10
BBA12-38F	1/2" x 3/8"	10
BBA12-12F	1/2" x 1/2"	10
BBA34-34F	3/4" x 3/4"	10
BBA1-34F	1" x 3/4"	10

HOSE BARB x MALE 90° ELBOWS



- Brass
- Barb x MPT
- Barb refers to hose ID
- Fits inside diameter of various rubber hose sizes

PART #	DESCRIPTION	PKG./CTN.
	BARB x MPT	
BBE14-18M	1/4" x 1/8"	10
BBE14-14M	1/4" x 1/4"	10
BBE38-18M	3/8" x 1/8"	10
BBE38-14M	3/8" x 1/4"	10
BBE38-38M	3/8" x 3/8"	10
BBE38-12M	3/8" x 1/2"	10
BBE12-14M	1/2" x 1/4"	10
BBE12-38M	1/2" x 3/8"	10
BBE12-12M	1/2" x 1/2"	10
BBE58-12M	5/8" x 1/2"	10

BRAXTON HARRIS CO., INC.

BRASS PEX FITTINGS

BRASS PEX FITTINGS SPECIFICATIONS:
- **ASTM F-1807-2008**
- **NSF 14/61**
- **IAPMO**
- **CSA B137.5-05**
- **COMPLIANT TO SECTION 1417(D) OF SAFE DRINKING WATER ACT AND CALIFORNIA LEAD FREE CONTENT REQUIREMENTS OF SECTION 116875**

PEX COUPLINGS



- Brass
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x PEX (F1807)	
PC38-LF	3/8" x 3/8"	50
PC12-LF	1/2" x 1/2"	50
PC34-LF	3/4" x 3/4"	50
PC1-LF	1" x 1"	25

PEX REDUCING COUPLING



- Brass
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x PEX (F1807)	
PRC12-38-LF NEW	1/2" x 3/8"	50
PRC34-12-LF	3/4" x 1/2"	50
PRC1-34-LF	1" x 3/4"	25

PEX 90° ELBOWS



- Brass
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x PEX (F1807)	
PE38-LF	3/8" x 3/8"	50
PE12-LF	1/2" x 1/2"	50
PE34-12-LF	3/4" x 1/2"	50
PE34-LF	3/4" x 3/4"	50
PE1-LF	1" x 1"	50

PEX MALE 90° ELBOWS



- Brass
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x MPT	
PE38P38M-LF	3/8" x 3/8"	10
PE12P12M-LF	1/2" x 1/2"	25

PEX x FEMALE DROP EAR ELBOW



- Brass
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x FPT	
PDEE12-LF	1/2" x 1/2"	10
PDEE34-12-LF	3/4" x 1/2"	25

PEX TEES



- Brass
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x PEX (F1807) x PEX (F1807)	
PT38-38-38-LF	3/8" x 3/8" x 3/8"	100
PT12-12-12-LF	1/2" x 1/2" x 1/2"	50
PT12-12-34-LF	1/2" x 1/2" x 3/4"	50
PT34-12-12-LF	3/4" x 1/2" x 1/2"	50
PT34-12-34-LF	3/4" x 1/2" x 3/4"	25
PT34-34-12-LF	3/4" x 3/4" x 1/2"	25
PT34-34-34-LF	3/4" x 3/4" x 3/4"	25
PT34-34-1-LF	3/4" x 3/4" x 1"	10
PT1-34-34-LF	1" x 3/4" x 3/4"	10
PT1-1-12-LF	1" x 1" x 1/2"	10
PT1-1-34-LF	1" x 1" x 3/4"	10
PT1-1-1-LF	1" x 1" x 1"	10

BRASS PEX FITTINGS

PEX x MALE ADAPTERS



- Brass
- PEX (F1807) x MPT
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x MPT	
PMA12P12M-LF	1/2" x 1/2"	50
PMA12P34M-LF	1/2" x 3/4"	50
PMA34P12M-LF	3/4" x 1/2"	50
PMA34P34M-LF	3/4" x 3/4"	50
PMA34P1M-LF	3/4" x 1"	25
PMA1P1M-LF	1" x 1"	25

PEX x FEMALE ADAPTERS



- Brass
- PEX (F1807) x FPT
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x FPT	
PFA12P18F-LF	1/2" x 1/8"	10
PFA12P12F-LF	1/2" x 1/2"	50
PFA12P34F-LF	1/2" x 3/4"	50
PFA34P34F-LF	3/4" x 3/4"	50
PFA1P1F-LF	1" x 1"	10

PEX x MALE SWEAT ADAPTERS



- Brass
- PEX (F1807) x MSWT
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x MSWT	
PMCA38P12MS-LF	3/8" x 1/2"	50
PMCA12P12MS-LF	1/2" x 1/2"	50
PMCA12P34MS-LF	1/2" x 3/4"	50
PMCA34P34MS-LF	3/4" x 3/4"	50
PMCA1P1MS-LF	1" x 1"	50

PEX x FEMALE SWEAT ADAPTERS



- Brass
- PEX (F1807) x FSWT
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x FSWT	
PFCA12P12FS-LF	1/2" x 1/2"	50
PFCA12P34FS-LF	1/2" x 3/4"	50
PFCA34P12FS-LF	3/4" x 1/2"	50
PFCA34P34FS-LF	3/4" x 3/4"	50
PFCA1P1FS-LF	1" x 1"	25

PEX x FEMALE SWIVEL 90° ELBOW



- Brass
- PEX (F1807) x FPT
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x FPT	
PFPSE12-LF	1/2" x 1/2" (plastic nut)	50
PFBSE12-LF	1/2" x 1/2" (brass nut)	50

PEX x FEMALE SWIVEL ADAPTERS



- Brass
- PEX (F1807) x faucet connection (female)
- PEX (F1807) x FPT
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x FPT	
PFPSA12-LF	1/2" x 1/2" (plastic nut)	50
PFBSA12-LF	1/2" x 1/2" (brass nut)	50
PFBSA34-LF	3/4" x 3/4" (brass nut)	25

PEX TRANSITION FITTINGS



- Brass
- PEX (F1807) x polybutylene
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
	PEX (F1807) x POLYBUTYLENE	
PTF12-LF	1/2" x 1/2"	50
PTF34-LF	3/4" x 3/4"	50

PEX PLUGS



- Brass
- PEX (F1807) connection
- Meets NSF, UPC, and CSA code approvals
- Lead free

PART #	DESCRIPTION	PKG./CTN.
PBP12-LF	1/2"	50
PBP34-LF	3/4"	50
PBP1-LF	1"	50

PEX CRIMP RINGS



- Copper
(Priced per piece)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PCR38	3/8"	100
PCR12	1/2"	100
PCR34	3/4"	100
PCR1	1"	25

BRAXTON HARRIS CO., INC.

6.1.25

BRASS PEX FITTINGS/STUB-OUTS

PEX CLAMPS




• Stainless steel
(Priced per piece)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PSC38	3/8"	100
PSC12	1/2"	100
PSC34	3/4"	100
PSC1	1"	50

PEX CRIMPING TOOLS



• For use on PEX fittings
• Professional quality
• Tool can be calibrated in the field

PART #	DESCRIPTION	PKG./CTN.
CTP38	3/8"	1
CTP12	1/2"	1
CTP34	3/4"	1
CTP12-34	1/2" or 3/4" combo	1

PEX STAINLESS STEEL COMBO CRIMPING TOOL



• Ratchet mechanism assures complete crimps which eliminates the need for a crimp gauge
• Tool is 11" long

PART #	DESCRIPTION	PKG./CTN.
RTP	3/8", 1/2", 3/4" or 1"	1

PEX CRIMP RING CUTTER



PART #	DESCRIPTION	PKG./CTN.
PCRC	Pex crimp ring cutter	1

ONE HANDED PEX CRIMPING TOOL



• Used for 3/8", 1/2", 5/8", 3/4" and 1" stainless steel cinch clamps
• Quick ratchet release
• Complete cinch indicator
• Adjustment/calibration tools included
• Steel body with comfort rubber grip handles

PART #	DESCRIPTION	PKG./CTN.
CTPO	One handed PEX crimping tool for stainless steel bands	1

3 HANDLE OETIKER PEX RATCHETING CRIMP TOOL



• For copper ring/stainless steel bands

PART #	DESCRIPTION	PKG./CTN.
CTPO3	3 handle Oetiker PEX ratcheting crimp tool	1

GO/NO-GO GAUGE



• For measuring PEX Crimp

PART #	DESCRIPTION	PKG./CTN.
GNGG	Gauge	1

STUB OUTS



• Eliminates extra fittings, nipples, solder, flux or tools for pressure testing
• 1/2" nom. male sweat inlet
• Meets ASTM B-88 specifications
• 1/2" nom. male sweat connection
• Spun closed ends are guaranteed leakproof

PART #	DESCRIPTION		PKG./CTN.
	SIZE	COPPER	
SO12-6M	1/2" x 6"	Type M	1
SO12-8L	1/2" x 8"	Type L	1

STUB OUT ELBOWS



• Connects tub valves to tub spout in one step
• Full-flow
• 1/2" nom. male sweat inlet
• Spun closed ends are guaranteed leakproof
• Materials and bend meet ANSI and ASTM specifications
• 1/2" nom. male sweat inlet

PART #	DESCRIPTION	PKG./CTN.
SOE12-6	1/2" x 1/2" Cop Swt x 6" L	1
SOE12-8	1/2" x 1/2" Cop Swt x 8" L	1

PEX STUB OUT ELBOWS




• Copper
• Accepts sweat & compression valves
• Easy adapting of copper stub out with installation of PEX
• Stub-out ells combine elbow & cap in one quick & easy fitting
• ASTM 1870 PEX

PART #	DESCRIPTION	PKG./CTN.
SOE12P-6	1/2" PEX(F1807) x 6" L	1
SOE12P-6F	1/2" PEX(F1807) x 6" L w/ flange	1
SOE12P-8	1/2" PEX(F1807) x 8" L	1
SOE34P-8	3/4" PEX(F1807) x 8" L	1

WATER HAMMER ARRESTERS/COMPRESSION COUPLINGS

WATER HAMMER ARRESTERS



WHA12M-LF
WHA34M-LF

WHAC12-LF

WHAP12-LF

WHAMC12-LF

WHAFSMH34-LF

WHACT38-LF not pictured

- AA - mini size
- Can be installed in any direction
- Stops pipe banging & protects plumbing fixtures
- 250° F maximum working temperature
- 300 PSI maximum working pressure
- Complies with ASSE 1010, NSF-61 & UPC

PART #	DESCRIPTION	PKG./CTN.
WHA12M-LF	1/2" MPT	1
WHA34M-LF	3/4" MPT	1
WHACT38-LF	3/8" OD comp	1
WHAC12-LF	1/2" CPVC	1
WHAP12-LF	1/2" PEX (F1807) tee	1
WHAMC12-LF	1/2" male SWT	1
WHAFSMH34-LF	3/4" swivel FHT x 3/4" MHT	1

MALLEABLE IRON COMPRESSION COUPLINGS (REGULAR)



- Comp. x comp.
- Must be restrained on both ends
- Galvanized for corrosion protection
- For use on IPS & sch. 40 pipe
- Metal friction rings
- EPDM gasket
- Pressure rating 125 PSI @ 120°F

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LENGTH	
GCC38	3/8" IPS	2-1/4"	1
GCC12	1/2" IPS	2-1/4"	1
GCC34	3/4" IPS	2-1/2"	1
GCC1	1" IPS	2-3/4"	1
GCC114	1-1/4" IPS	2-7/8"	1
GCC112	1-1/2" IPS	2-13/16"	1
GCC2	2" IPS	3"	1
GCC212	2-1/2" IPS	3-11/16"	1
GCC3	3" IPS	4"	1
GCC4	4" IPS	8-1/8"	1


MALLEABLE IRON COMPRESSION COUPLINGS (LONG)



- Comp. x comp
- Must be restrained on both ends
- For use on IPS & sch. 40 pipe
- Galvanized for corrosion protection
- Metal friction rings
- EPDM gasket
- Pressure rating 125 PSI @ 120°F

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LENGTH	
GCCL12	1/2" IPS	3-3/8"	1
GCCL34	3/4" IPS	3-5/8"	1
GCCL1	1" IPS	3-7/8"	1
GCCL114	1-1/4" IPS	4-1/8"	1
GCCL112	1-1/2" IPS	4-5/16"	1
GCCL2	2" IPS	4-1/2"	1
GCCL212	2-1/2"	6-3/4"	1
GCCL3	3"	7"	1


BRONZE COMPRESSION COUPLINGS (REGULAR)



- 125 PSI @ 140°F
- 3" length
- Must be restrained on both ends
- For use on galvanized pipe & copper tubing
- Lead free

PART #	DESCRIPTION		PKG./CTN.
	CTS	IPS	
BCC012-LF	1/2"	3/8"	1
BCC034-LF	3/4"	1/2"	1
BCC01-LF	1"	3/4"	1
BCC0114-LF	1-1/4"	1"	1
BCC0112-LF	1-1/2"	1-1/4"	1
BCC112-LF	-	1-1/2"	1

BRONZE COMPRESSION COUPLINGS (LONG)




- 125 PSI @ 140°F.
- 5" length
- Must be restrained on both ends
- For use on galvanized pipe & copper tubing
- Lead free

PART #	DESCRIPTION		PKG./CTN.
	CTS	IPS	
BCCL012-LF	1/2"	3/8"	1
BCCL034-LF	3/4"	1/2"	1
BCCL01-LF	1"	3/4"	1
BCCL0114-LF	1-1/4"	1"	1
BCCL0112-LF	1-1/2"	1-1/4"	1
BCCL112-LF	-	1-1/2"	1
BCCL02-LF	2"	-	1
BCCL2-LF	-	2"	1

BRAXTON HARRIS CO., INC.

COMPRESSION/REPAIR COUPLINGS/TEES

BRONZE COMPRESSION TEES



- 125 PSI @ 140°F
- Must be restrained on both compression ends
- For use on galvanized pipe & copper tubing
- Lead free (BCT01-34 is not lead free)

PART #	DESCRIPTION			PKG./CTN.
	CTS	IPS BRANCH	IPS	
BCT012-12-LF	1/2"	1/2"	3/8"	1
BCT034-12-LF	3/4"	1/2"	1/2"	1
BCT01-12-LF	1"	1/2"	3/4"	1
BCT034-34-LF	3/4"	3/4"	1/2"	1
BCT01-34-LF	1"	3/4"	3/4"	1

PVC COMPRESSION COUPLINGS



- 125 PSI
- Must be restrained on both ends
- Use on cold water lines only
- For use on IPS & sch. 40 pipe

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LENGTH	
PCC38	3/8" IPS	3-7/16"	30/120
PCC12	1/2" IPS	3-3/4"	30/120
PCC34	3/4" IPS	3-15/16"	30/120
PCC1	1" IPS	4-3/4"	25/100
PCC114	1-1/4" IPS	5-3/16"	25/100
PCC112	1-1/2" IPS	5-3/8"	15/60
PCC2	2" IPS	6"	6/24
PCC212	2-1/2" IPS	7-7/8"	2/8
PCC3	3" IPS	8"	2/8
PCC4	4" IPS	12"	2/8
PCC6	6" IPS	11"	1/4


CPVC COMPRESSION COUPLINGS



- Suitable for hot water
- 125 PSI
- Must be restrained on both ends

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LENGTH	
CCC12	1/2" CTS	3-3/4"	1/25
CCC34	3/4" CTS	5"	1/25


PVC COMPRESSION TEES



- Threaded inlet
- 125 PSI
- Must be restrained on both compression ends
- Use on cold water lines only
- For use on IPS & sch. 40 pipe

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LENGTH	
PCT12	1/2" IPS	4-3/4"	1/24
PCT34	3/4" IPS	5"	1/10
PCT1	1" IPS	5-1/2"	1/10
PCT114	1-1/4" IPS	5-3/4"	1/10
PCT112	1-1/2" IPS	6-1/2"	1/10
PCT2	2" IPS	7-1/2"	1/10

COPPER REPAIR COUPLINGS



- 6" length full-slip copper repair coupling
- Ideal for tight spaces
- Safe for repair of cold or hot water lines

PART #	DESCRIPTION	PKG./CTN.
CRC12	1/2" x 6"	1
CRC34	3/4" x 6"	1

PVC EXPANDING REPAIR COUPLINGS



- Heavy-duty PVC construction with double o-ring Buna-N-Seal
- Rated @ 150 PSI @ 72°F
- Designed for solvent weld installation in new or existing pipe lines
- The expansion capacity makes them ideal for repairing existing lines
- Not for use with compressed air or natural gas lines
- Use on cold water lines only
- For use on IPS & sch. 40 pipe
- Complies with ASTM and ANSI standards

PART #	DESCRIPTION			PKG./CTN.
	SIZE	BODY LENGTH	MAXIMUM EXTENSION	
PERC12	1/2" IPS	5-3/4"	2"	37/148
PERC34	3/4" IPS	6-3/4"	2-1/4"	23/92
PERC1	1" IPS	7-3/4"	2-1/2"	12/48
PERC114	1-1/4" IPS	9"	2-5/8"	16/64
PERC112	1-1/2" IPS	10"	3"	16/64
PERC2	2" IPS	10-1/2"	3"	9/36
PERC212	2-1/2" IPS	13"	4-3/16"	9/36
PERC3	3" IPS	14-1/2"	4-3/16"	1/1
PERC4	4" IPS	14-1/2"	4-3/16"	1/1

WATER METER/NO-HUB COUPLINGS/SADDLES

WATER METER COUPLINGS & GASKETS



- Brass coupling with gasket
- Lead free

PART #	DESCRIPTION			PKG./CTN.
	LENGTH	IPT	METER THDS.	
WMC12-LF	2-3/8"	1/2"	3/4"	10
WMC34-LF	2-1/2"	3/4"	1"	10
WMC1-LF	2-5/8"	1"	1-1/4"	1

WATER METER COUPLING GASKETS



- Gasket only for water meter couplings

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WMCG12	1/2"	25
WMCG34	3/4"	25
WMCG1	1"	25

NO-HUB COUPLINGS



- No-hub couplings are used to join no-hub cast iron soil pipe & fittings
- Made in accordance with Cast Iron Soil Pipe Institute Standard # 310
- Couplings are shipped as assembled units
- Stainless steel corrugated shield & clamp are assembled over a molded one-piece neoprene sealing sleeve
- Band & shield are ASI301 stainless steel & screw is ASI305 stainless steel
- No-hub gasket sleeves conform to ASTM standards C564

PART #	DESCRIPTION	PKG./CTN.
NHC112	1-1/2"	100
NHC2	2"	100
NHC2-112	2" x 1-1/2"	100
NHC3	3"	100
NHC3-2	3" x 2"	100
NHC4	4"	100
NHC4-2	4" x 2"	50
NHC4-3	4" x 3"	50
NHC5	5"	30
NHC6	6"	30
NHC8	8"	20
NHC10	10"	10

HEAVY DUTY NO-HUB COUPLINGS



- Manufactured to CISPI Standard 310, ASTM C1540, IAPMO 6034
- Gaskets conform to ASTM C564
- Includes 4pcs 304 grade stainless steel 9/16" band and 3/8" S.S. screws
- Stainless steel housing and shield
- 80 inch/lb installation torque

PART #	DESCRIPTION	PKG./CTN.
NHCH112	1-1/2"	100
NHCH2	2"	100
NHCH3	3"	80
NHCH4	4"	60
NHCH5	5"	30
NHCH6	6"	30
NHCH8	8"	20
NHCH10	10"	1

FLEXIBLE SADDLE FITTINGS FOR PVC



FST



FSW

- These flexible saddles demonstrate superior flexibility in more than one way
- The saddles elastomeric construction allows a single size to securely fit 6" through 12" pipe diameters
- The saddle's flexibility eliminates the need for a large inventory of rigid PVC saddles of various sizes
- This saddle design will accommodate polyethylene pipe used in slip lining sewer systems
- Inlet range from SCH-40 down to SDR-35 includes standard weight soil pipe

PART #	DESCRIPTION	PKG./CTN.
FST4	Saddle "T" 4" with stainless steel series 300 clamps	1
FST6	Saddle "T" 6" with stainless steel series 300 clamps	1
FSW4	Saddle "Y" 4" with stainless steel series 300 clamps	1
FSW6	Saddle "Y" 6" with stainless steel series 300 clamps	1
FSFGC	4" to 12" replacement clamp	1

BRAXTON HARRIS CO., INC.

FLEXIBLE COUPLINGS/CAPS

BORE DONUT



- Extruded rubber
- Will adapt from any 6" nominal bore pipe to 4" cast iron or plastic
- Grips & rolls easily
- Meets ASTM specifications

PART #	DESCRIPTION	PKG./CTN.
BD	Bore donut	1

FLEXIBLE DRAIN TRAP J-BEND



PART #	DESCRIPTION	PKG./CTN.
FDT112-114	1-1/4" or 1-1/2"	1

FLEXIBLE COUPLING REPLACEMENT CLAMP



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RCFC4	4"	10

FLEXIBLE DRAIN & TRAP CONNECTORS



- Rubber with 300 series stainless steel clamps
- Meets UPC, BOCA, CSA, So. Bldg. Code Congress & other plumbing codes

PART #	DESCRIPTION	PKG./CTN.
FDTC1	Connects 1-1/4" or 1-1/2" tubular to 1-1/4" or 1-1/2" tubular (Replaces Fernco* # TC150)	1/100
FDTC2	Connects 1" DWV or 1-1/2" CTS to 1-1/4" or 1-1/2" tubular	1/100
FDTC3	Connects 1-1/2" DWV or CTS to 1-1/4" or 1-1/2" tubular (Replaces # DTC210)	1/100
FDTC4	Connects 2" DWV to 1-1/4" or 1-1/2" tubular (Replaces # DTC215)	1/100

FLEXIBLE TRANSITION COUPLINGS



- Fits plastic, cast iron, copper & lead in any combination
- All stainless steel clamps & housings
- Internal sealing beads for absolute leak-free operation & reduced creepage
- High-tech elastomeric cast couplings provide max. strength & flexibility
- Easiest to install because special material allows for highest strength yet thinner walls
- Maximum puncture resistance
- 1-1/4" through 4" are IAPMO listed

PART #	DESCRIPTION	PKG./CTN.
	FITS PIPE SIZE (OD)	
FTC112	1-1/2" x 1-1/2"	1/100
FTC112-114	1-1/2" x 1-1/4"	1/100
FTC2	2" x 2"	1/100
FTC2-112	2" x 1-1/2"	1/100
FTC3	3" x 3"	1/90
FTC3-2	3" x 2"	1/90
FTC4	4" x 4"	1/60
FTC4-2	4" x 2"	1/60
FTC4-3	4" x 3"	1/60
FTC5-4	5" x 4"	1/30
FTC6	6" x 6"	1/18
FTC6-4	6" x 4"	1/20
FTC8	8" x 8"	1/10

FLEXIBLE CLEAN-OUTS/TEST CAPS



- Rubber with 300 series stainless steel clamp
- For use on PVC, ABS, CI, steel pipe, etc.
- 5/16" hex screw w/ screwdriver slot

PART #	DESCRIPTION	PKG./CTN.
FC112	1-1/2" pipe size	1/160
FC2	2" pipe size	1/150
FC3	3" pipe size	1/100
FC4	4" pipe size	1/80
FC5	5" pipe size	1/40
FC6	6" pipe size	1/40
FC8	8" pipe size	1/5

FLEXIBLE CAPS/TORQUE WRENCHES/PIPE LUBE

FLEXIBLE HEAVY DUTY TEST CAP



- Can be used on cast iron, PVC, ABS, and steel pipe
- Meets UPC, BOCA, CSA, Southern Building Code and other building codes
- EPDM material with 300 series stainless steel clamp

PART #	DESCRIPTION	PKG./CTN.
FCH112	1-1/2"	1
FCH2	2"	1
FCH3	3"	1
FCH4	4"	1

DUAL-TITE GASKETS



- Service weight gaskets

PART #	DESCRIPTION	PKG./CTN.
DTG2	2"	1/150
DTG3	3"	1/75
DTG4	4"	1/60
DTG5	5"	1/30
DTG6	6"	1/30
DTG8	8"	1/20
DTG10	10"	1/10
DTG12	12"	1/10
DTG15	15"	1/5

MULTI-TITE GASKETS



- Service weight gaskets
- Multi-seal rings on the outside of this neoprene gasket makes it the easiest gasket to install
- Meets ASTM standard C564

PART #	DESCRIPTION	PKG./CTN.
MTG2	2"	1/150
MTG3	3"	1/75
MTG4	4"	1/60
MTG5	5"	1/30
MTG6	6"	1/30
MTG8	8"	1/20
MTG10	10"	1/10
MTG12	12"	1/10
MTG15	15"	1/5

DELUXE NO-HUB TORQUE WRENCH



- For easier no-hub soil pipe installation
- For tightening nut on worm drive clamps
- Ratchets one way
- Built-in reversing lever

PART #	DESCRIPTION	PKG./CTN.
NHTW	5/16" hex socket set at 60 PSI	1

MEGA NO-HUB TORQUE WRENCH



- Slide down rocking reversing feature
- Heavy duty build with chrome vanadium sockets

PART #	DESCRIPTION	PKG./CTN.
MNHTW60	60 lb. - 5/16" socket	1/15
MNHTW80	80 lb. - 5/16" socket	1/15
MNHTW38-80	80 lb. - 3/8" socket	1/15

PIPE LUBE



- For the lubrication of slip-on or o-ring type joints with rubber or synthetic rubber type gaskets
- NSF certified
- In compliance with pipe manufacturers, all gaskets installed on 5" or large pipe must use adhesive lubricant during installation

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PLQ	1 quart	12
PLG	1 gallon	4
PLAQ	1 quart adhesive lube	4

MICRO GEAR CLAMPS



(CARTON QUANTITY ONLY)


PART #	DESCRIPTION			PKG./CTN./MSTR.
STANDARD:	**TRADE SIZE**	**MINIMUM**	**MAXIMUM**	
5202	4	1/4"	5/8"	10/10/1000
100% STAINLESS STEEL:				
6202	4	1/4"	5/8"	10/10/1000

BRAXTON HARRIS CO., INC.

GEAR/REPAIR CLAMPS

GEAR CLAMPS







- 57 series is part stainless steel
- 67 series is all stainless steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION			PKG./CTN./MSTR.
STANDARD:	**TRADE SIZE**	**MINIMUM**	**MAXIMUM**	
5704	4	1/4"	5/8"	10/10/2000
5706	6	1/4"	7/8"	10/10/2000
5708	8	7/16"	1"	10/10/1000
5710	10	1/2"	1-1/16"	10/10/1000
5712	12	1/2"	1-1/4"	10/10/1000
5716	16	11/16"	1-1/2"	10/10/1000
5720	20	3/4"	1-3/4"	10/10/1000
5724	24	1"	2"	10/10/1000
5728	28	1-1/4"	2-1/4"	10/10/1000
5732	32	1-1/2"	2-1/2"	10/10/1000
5736	36	1-3/4"	2-3/4"	10/10/1000
5740	40	1"	3"	10/10/500
5748	48	1-5/8"	3-1/2"	10
5752	52	1-7/8"	3-3/4"	10/10/500
5764	64	2-1/2"	4-1/2"	10/10/500
5772	72	3"	5"	10/10/250
5788	88	4"	6"	10/10/250
57104	104	5"	7"	10/10/250
100% STAINLESS STEEL:				
6706-1	6	1/4"	7/8"	10/10/1000
6708-1	8	7/16"	1"	10/10/1000
6710-1	10	1/2"	1-1/16"	10/10/1000
6712-1	12	1/2"	1-1/4"	10/10/1000
6716-1	16	11/16"	1-1/2"	10/10/1000
6720-1	20	3/4"	1-3/4"	10/10/1000
6724-1	24	1"	2"	10/10/1000
6728-1	28	1-1/4"	2-1/4"	10/10/1000
6732-1	32	1-1/2"	2-1/2"	10/10/1000
6736-1	36	1-3/4"	2-3/4"	10/10/1000
6740-1	40	1"	3"	10/10/500
6752-1 NEW	52	1-7/8"	3-3/4"	10
6764-1 NEW	64	2-1/2"	4-1/2"	10/10/500
6772-1 NEW	72	3"	5"	10
6788-1 NEW	88	4"	6"	10
67104-1 NEW	104	5"	7"	10

STAINLESS STEEL REPAIR CLAMPS





- Type 301 stainless steel shield
- High content neoprene gasket
- Not designed for hot water lines
- Plated malleable iron lugs
- Plated long neck carriage bolt & nut

PART #	DESCRIPTION		PKG./CTN.
	IPS/SCH. 40	**NOM. CTS**	
3" ONE BOLT CLAMPS:			
SSRC38	3/8"	1/2"	6/72
SSRC12	1/2"	3/4"	6/72
SSRC34	3/4"	1"	6/72
SSRC1	1"	1-1/4"	6/72
SSRC114	1-1/4"	1-1/2"	6/72
SSRC112	1-1/2"	-	6/72
SSRC2	2"	-	6/72
SSRC212	2-1/2"	-	1
SSRC3	3"	-	1
SSRC4	4"	-	1
SSRC6 NEW	6"	-	1/6
6" TWO BOLT CLAMPS:			
SSRCL38	3/8"	1/2"	1
SSRCL12	1/2"	3/4"	6/36
SSRCL34	3/4"	1"	6/36
SSRCL1	1"	1-1/4"	1
SSRCL114	1-1/4"	1-1/2"	1
SSRCL112	1-1/2"	-	1
SSRCL2	2"	-	1
SSRCL212	2-1/2"	-	1
SSRCL3	3"	-	1
SSRCL4	4"	-	1
SSRCL6 NEW	6"	-	1/4

REPAIR CLAMPS/BALL VALVES

STEEL HINGED PIPE REPAIR CLAMPS



- Steel hinged body
- Neoprene gasket
- Includes 2 ea, nuts and bolts

PART #	DESCRIPTION	PKG./CTN.
SHPRC12	1/2" IPS	1
SHPRC34	3/4" IPS	1
SHPRC1	1" IPS	1
SHPRC114	1-1/4" IPS	1
SHPRC112	1-1/2" IPS	1
SHPRC2	2" IPS	1
SHPRC212	2-1/2" IPS	1
SHPRC3	3" IPS	1


PVC BALL VALVES



- One-piece construction
- EPDM seats • EPDM o-rings
- Suitable for swimming pools
- Quarter-turn operation
- Not for use with compressed air
- Solvent ends comply with ASTM D2466
- Rated 150 PSI

PART #	DESCRIPTION		PKG./CTN.
PBV12	1/2"	Solvent weld	25/100
PBV34	3/4"	Solvent weld	25/100
PBV1	1"	Solvent weld	20/80
PBV114	1-1/4"	Solvent weld	15/60
PBV112	1-1/2"	Solvent weld	10/40
PBV2	2"	Solvent weld	6/24
PBV212	2-1/2"	Solvent weld	1/20
PBV3	3"	Solvent weld	1/10
PBV4	4"	Solvent weld	1/6
PBVT12	1/2"	Threaded	25/100
PBVT34	3/4"	Threaded	25/100
PBVT1	1"	Threaded	20/80
PBVT114	1-1/4"	Threaded	15/60
PBVT112	1-1/2"	Threaded	10/40
PBVT2	2"	Threaded	6/24
PBVT212	2-1/2"	Threaded	1/20
PBVT3	3"	Threaded	1/10
PBVT4	4"	Threaded	1/6

CPVC BALL VALVES



- CPVC construction
- For use on both hot & cold water lines
- For use with CPVC pipe
- Quarter-turn operation
- Rated @ 100 PSI @ 160°F
- Teflon® seats
- Solvent ends comply with ASTM D2846
- EPDM o-rings • Large flow opening
- Not for use with compressed air

PART #	DESCRIPTION	PKG./CTN.
CBV12	1/2" solvent weld	1/20
CBV34	3/4" solvent weld	1/20

BRASS FULL PORT BALL VALVES



THREADED



SOLDER

- Forged brass • 400 PSI water, oil & gas
- 150 PSI working steam pressure • Hard chrome plated brass ball
- Teflon® seals • Quarter-turn operation
- Dacromet plated steel handles with vinyl grip & vibration proof nut
- Ideal for regulating flow • Lead free

PART #	DESCRIPTION		PKG./CTN.
	SIZE	PORT SIZE	
THREADED ENDS:			
BBVTFP14-LF	1/4" FPT	.315"	10
BBVTFP38-LF	3/8" FPT	.394"	10
BBVTFP12-LF	1/2" FPT	.590"	25
BBVTFP34-LF	3/4" FPT	.787"	15
BBVTFP1-LF	1" FPT	.984"	10
BBVTFP114-LF	1-1/4" FPT	1.26"	5
BBVTFP112-LF	1-1/2" FPT	1.57"	4
BBVTFP2-LF	2" FPT	1.96"	2
SOLDER ENDS:			
BBVFP12-LF	1/2" C x C	.590"	25
BBVFP34-LF	3/4" C x C	.787"	15
BBVFP1-LF	1" C x C	.984"	10
BBVFP114-LF	1-1/4" C x C	1.26"	5
BBVFP112-LF	1-1/2" C x C	1.57"	4
BBVFP2-LF	2" C x C	1.96"	2

BRAXTON HARRIS CO., INC.

VALVES


PEX FULL PORT BALL VALVES



- 400 PSI Water, Oil, Gas
- 150 PSI working steam pressure
- Hard chrome plated brass ball
- Quarter turn operation
- Dacromet plated steel handles with vinyl grip and vibration proof nut
- Ideal for regulation flow
- CSA UPC approved • Lead free

PART #	DESCRIPTION	PKG./CTN.
BBVT12PFP-LF	1/2" PEX (F1807)	1
BBVT34PFP-LF	3/4" PEX (F1807)	1
BBVT1PFP-LF	1" PEX (F1807)	1

BRASS STOP/STOP & WASTE VALVES



- 125 PSI
- With stuffing box
- Neoprene seal washer
- Cast iron handle
- Mostly used where valve will be opened & closed frequently, also to regulate flow
- Stop & waste valves allow the draining of the non-pressure side of valve
- Lead free

PART #	DESCRIPTION	PKG./CTN.
THREADED STOP VALVES:		
BSVT12-LF	1/2" FPT	1
BSVT34-LF	3/4" FPT	1
SOLDER STOP VALVES:		
BSV12-LF	1/2" C x C	1
BSV34-LF	3/4" C x C	1
COMPRESSION STOP VALVES:		
Compression ends for solderless connection to copper tubing.		
BSVC12-LF	1/2" (5/8" OD)	1
BSVC34-LF	3/4" (7/8" OD)	1
COMPRESSION STOP & WASTE VALVES:		
BSWVC12-LF	1/2" (5/8" OD)	1
BSWVC34-LF	3/4" (7/8" OD)	1

WE SHIP SAME DAY.


BRASS GATE VALVES



- 125 PSI - 150 (WOG)
- Solid wedge disc. Non-rising stem
- Heavy cast iron handle
- Gate valves are intended for use in either a fully open or closed position
- Lead free

PART #	DESCRIPTION	PKG./CTN.
BGVT12	1/2" IPS (threaded)	1
BGVT34	3/4" IPS (threaded)	1
BGVT1	1" IPS (threaded)	1
BGVT114	1-1/4" IPS (threaded)	1
BGVT112	1-1/2" IPS (threaded)	1
BGVT2	2" IPS (threaded)	1
BGV12	1/2" C x C (solder)	1
BGV34	3/4" C x C (solder)	1
BGV1	1" C x C (solder)	1

WASHER BOX BOILER DRAINS



- Heavy brass construction
- With stuffing box to enable one to change packing without removing valve
- With neoprene sealing washers
- Cast iron handle
- 3/4" hose thread outlet

PART #	DESCRIPTION	PKG./CTN.
WBBD	2-1/8" L shank valve inlet conn. w/ 1/2" MPT threads, reamed for 1/2" copper	1/12
WBBD58	5/8" OD compression inlet conn.	1/12

BOILER DRAINS



- Brass
- Hose thread outlet
- Note on valves with stuffing box: The stuffing box enables one to change packing without removing valve
- With heavy cast iron handles

PART #	DESCRIPTION	PKG./CTN.
BD12	1/2" MPT x 1/2" copper SWT	1/12
BD34	3/4" MPT	1/12
BDSB12	1/2" MPT with stuffing box	1/12
BDSB34	3/4" MPT with stuffing box	1/12
BD12F	1/2" FPT	1/12
BD34F	3/4" FPT	1/12
BDSB34F	3/4" FPT with stuffing box	1/12

VALVES

QUARTER-TURN BOILER DRAIN



- MHT outlet
- Forged brass
- T-handle
- Teflon seats

PART #	DESCRIPTION	PKG./CTN.
BDQ12	1/2" FPT x 3/4" MHT	1/10

DRAIN CAP



- Includes rubber gasket
- 5/16" - 24

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DC	Stop & waste valve replacement drain cap	10

FPT x FPT HEAVY PATTERN GAS APPLIANCE BALL VALVES



- One piece body construction
- Certified 1/2" psi at appliance
- Certified 5 psi for indoor appliance
- Forged brass body

PART #	DESCRIPTION	PKG./CTN.
GBVH12	1/2" FIP x 1/2" FIP	1/10
GBVH34	3/4" FIP x 1/2" FIP	1/20

FLARE x FPT HEAVY PATTERN GAS APPLIANCE BALL VALVES



- One piece body construction
- 5/8" OD = 15/16" - 16 thd
- Certified 1/2" psi at appliance
- Certified 5 psi for indoor appliance
- Forged brass body

PART #	DESCRIPTION	PKG./CTN.
GABVH38-12	3/8" OD flare x 1/2" FPT	1
GABVH12-12	1/2" OD flare x 1/2" FPT	1


FLARE x FLARE HEAVY PATTERN GAS APPLIANCE BALL VALVES



- One piece body construction
- 5/8" OD = 15/16" - 16 thd
- Certified 1/2" psi at appliance
- Certified 5 psi for indoor appliance
- Forged brass body

PART #	DESCRIPTION	PKG./CTN.
GABVH12	1/2" OD flare x 1/2" OD flare	1
GABVH38	3/8" OD flare x 3/8" OD flare	1


FLARE x MPT GAS APPLIANCE BALL VALVES



- Brass
- 5/8" OD = 15/16" - 16 thd

PART #	DESCRIPTION	PKG./CTN.
GABV12-12M	1/2" OD flare x 1/2" MPT	1

FLARE x FPT GAS APPLIANCE BALL VALVES



- Brass
- Two piece body construction
- 5/8" OD = 15/16" - 16 thd

PART #	DESCRIPTION	PKG./CTN.
GABV38-12	3/8" OD flare x 1/2" FPT	1
GABV12-12	1/2" OD flare x 1/2" FPT	1
GABV1516-12	5/8" OD flare x 1/2" FPT	1
GABV1516-34	5/8" OD flare x 3/4" FPT	1
GABV58	5/8" OD flare x 5/8" FPT	1

FLARE x FLARE GAS APPLIANCE BALL VALVES



- Brass

PART #	DESCRIPTION	PKG./CTN.
GABV38	3/8" OD flare x 3/8" OD flare	1
GABV12	1/2" OD flare x 1/2" OD flare	1

FINE FLARE x FPT GAS APPLIANCE BALL VALVES



- Two piece body
- Lever handle
- CSA approved, UL listed
- ASME B16.33 C6A3.16, ANSI Z21.15.
- 9/16"- 24 fine flare threads (for 3/8" O.D. tube) x 1/2" FPT
- Heavy forged brass construction
- 1/4" turn operation
- Chrome plated brass ball
- Operating Temp.: 0 to 175°F
- 1/2 to 5 PSI rating

PART #	DESCRIPTION	PKG./CTN.
GABV916-12 NEW	9/16"- 24 Fine Flare x 1/2" FPT	1

QUARTER-TURN GAS BALL VALVES



- CSA certified for use w/ natural, mfg., mixed, liquified petroleum & LP gs/air mixtures up to 2 PSIG
- Heavy forged brass construction
- FPT x FPT
- Lever handle
- Temperatures up to 175°F

PART #	DESCRIPTION	PKG./CTN.
LEVER HANDLE:		
GBV38	3/8" FPT	12/144
GBV12	1/2" FPT	12/144
GBV34	3/4" FPT	12/144
GBV1	1" FPT	12/144
GBV114	1-1/4" FPT	4/16
GBV112	1-1/2" FPT	4/16
GBV2	2" FPT	1/4
SQUARE HEAD:		
GBVSH12	1/2" FPT	12/144
GBVSH34	3/4" FPT	12/144

BRAXTON HARRIS CO., INC.

6.1.25

VALVES/GAS COCKS

GAS APPLIANCE CONNECTOR BALL VALVES (ANGLE)



- Brass
- 5/8" OD = 15/16" - 16 thread
- CSA certified for use w/ natural, mfg., mixed, liquefied petroleum & LP gs/air mixtures up to 2 PSIG
- Quarter-turn operation

PART #	DESCRIPTION	PKG./CTN.
GABVA38-12F	3/8" OD flare x 1/2" FPT	1
GABVA12-12F	1/2" OD flare x 1/2" FPT	1
GABVA58-34F	5/8" OD flare x 3/4" FPT	1

LOG LIGHTER VALVES



- 1/2" FPT threads
- Meets AGA & CGA standards
- Brass escutcheon
- 1/4" key included
- Pressure test in open & closed position after installation
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
LLVS	Straight (chrome plated)	1
LLVS-PB	Straight (polished brass)	1
LLVA	Angle (chrome plated)	1
LLVA-PB	Angle (polished brass)	1
LLVAQ	Angle w/quarter turn (chrome plated)	1
LLVSQ	Straight w/quarter turn (chrome plated)	1

LOG LIGHTER KIT



- Includes iron log lighter bar, multi-turn angle log lighter valve, and log lighter key

PART #	DESCRIPTION	PKG./CTN.
LLVAK	Angle valve (chrome plated)	1
LLVSK	Straight valve (chrome plated)	1

FOR LOG LIGHTER BURNER BARS GO TO H43

LOG LIGHTER KEYS



PART #	DESCRIPTION	PKG./CTN.
LLK3-14	3" length x 1/4" conn. (die cast zinc)	1
LLK3-516	3" length x 5/16 conn. (die cast zinc)	1
LLK3-14B	3" length x 1/4" conn. (cast brass)	1
LLK3-516B	3" length x 5/16 conn. (cast brass)	1
LLK6-14B	6" length x 1/4" conn. (cast brass)	1
LLK6-516B	6" length x 5/16 conn. (cast brass)	1
LLK7-516	7" length x 5/16 conn. (die cast zinc)	1
LLK12-14	12" Length x 1/4" conn. (cast brass)	1
LLK12-516	12" Length x 5/16" conn. (cast brass)	1

LEVER HANDLE GAS COCKS



- Brass
- Tapered plug construction
- External bottom check
- Rated @ 2 PSIG

PART #	DESCRIPTION	PKG./CTN.
LHGC38	3/8" FPT	1
LHGC12	1/2" FPT	1
LHGC34	3/4" FPT	1
LHGC1	1" FPT	1
LHGC114	1-1/4" FPT	1
LHGC112	1-1/2" FPT	1/6
LHGC2	2" FPT	1/6

FLAT/TEE HEAD GAS COCKS




- Brass
- Tapered plug constructions
- External bottom check
- Rated @ 2 PSIG

PART #	DESCRIPTION	PKG./CTN.
FHGC12	1/2" FPT	1

GAS COCKS/CHECK VALVES

SQUARE HEAD GAS COCKS



- Brass
- Tapered plug constructions
- External bottom check
- Rated @ 2 PSIG

PART #	DESCRIPTION	PKG./CTN.
SHGC12	1/2" FPT	1
SHGC34	3/4" FPT	1
SHGC1	1" FPT	1
SHGC114	1-1/4" FPT	1

IN-LINE PVC CHECK VALVES



- Stainless steel spring loaded PVC poppet
- Rated 200 PSI
- Used to stop siphoning & backflow in hot tubs, swimming pools, spas, solar installations, etc.
- 5 PSI needed to open valve

PART #	DESCRIPTION		PKG./CTN.
PCV12	1/2"	Solvent weld	1/20
PCV34	3/4"	Solvent weld	1/20
PCV1	1"	Solvent weld	1/20
PCV114	1-1/4"	Solvent weld	1/20
PCV112	1-1/2"	Solvent weld	1/20
PCV2	2"	Solvent weld	1/20
PCVT12	1/2"	Threaded	1/20
PCVT34	3/4"	Threaded	1/20
PCVT1	1"	Threaded	1/20
PCVT114	1-1/4"	Threaded	1/20
PCVT112	1-1/2"	Threaded	1/20
PCVT2	2"	Threaded	1/20

CHECK VALVES (SEWAGE EJECTOR/SUMP PUMP)



- New improved flapper • Improves pump operations
- Strong metal encased in styrene buna rubber
- Stop check valve chatter • Eliminates vibration & hum
- Prevents backflow of water & odorous gases
- Replaces check valve & union • Allows full flow
- Stops pump noises • Saves installation time

PART #	DESCRIPTION	PKG./CTN.
	INTAKE & OUTFLOW CONNECTION	
CV114-112	3-way for 1-1/4" IPS or 1-1/2" copper or 1-1/2" IPS	1/48
CV2	2" IPS	1/24

BRASS SWING CHECK VALVES



- 125 PSI - 200 WOG
- Used to prevent the backflow of fluid
- Lead free

PART #	DESCRIPTION	PKG./CTN.
BSCVT12-LF	1/2" FPT (threaded)	1
BSCVT34-LF	3/4" FPT (threaded)	1
BSCVT1-LF	1" FPT (threaded)	1
BSCV12-LF	1/2" C x C (solder)	1
BSCV34-LF	3/4" C x C (solder)	1
BSCV1-LF	1" C x C (solder)	1

IN-LINE BRASS CHECK VALVES



- 200 PSI
- Maintenance-free operation
- Stainless steel spring loaded
- 5 PSI to open
- Used to prevent the backflow of fluids
- Cast brass
- Lead free

PART #	DESCRIPTION	PKG./CTN.
BCVT12-LF	1/2" FPT	1
BCVT34-LF	3/4" FPT	1
BCVT1-LF	1" FPT	1

SUMP PUMP DISCHARGE KIT



- Kit contains: 24' of flexible poly drain tubing, 1-1/4" male adapter & a rust-proof clamp
- Double cuffs every 6 ft. 1-1/4" ID

PART #	DESCRIPTION	PKG./CTN.
SPDK	24' kit complete	1kit

SUMP PUMP CHECK VALVE



- Flapper in check valve prevents backflow of water
- Made of durable vinyl material
- Check valve has 1-1/4" male iron pipe threads to screw into sump pump
- The other end of the valve fits various other types of installations
- The check valve works with any standard corrugated polyethylene sump pump hose
- Works with standard 1-1/4" polyethylene pipe & clamp; or solvent weld 1-1/2" PVC pipe to check valve

PART #	DESCRIPTION	PKG./CTN.
SPCV	Sump pump check valve	1

BRAXTON HARRIS CO., INC.

RADIATOR FITTINGS/TOOLS

PRESSURE REGULATORS



- Rugged bronze robust body
- Inbuilt back-pass check
- Fully pressure-balanced piston
- Inserted copper seat
- CSA approved
- UPC approved
- Outlet pressure adjustable from 10-70 PSI

PART #	DESCRIPTION	PKG./CTN.
PRC12	1/2" FPT	1
PRC34	3/4" FPT	1

PRESSURE REGULATORS (COMPACT)



- Automatically reduces & regulates inlet pressure to standard factory setting @ 45 PSI
- Fully pressure balanced piston
- Compact iron body
- Inbuilt back-pass check
- Outlet pressure adjustable from 10-70 PSI
- CSA approved
- UPC approved

PART #	DESCRIPTION	PKG./CTN.
PRC12C	1/2" FPT	1
PRC34C	3/4" FPT	1

STEAM RADIATOR VALVES



- Brass
- Heavy angle pattern
- Includes nut & tailpiece

PART #	DESCRIPTION	PKG./CTN.
RVS12	1/2" FPT x MPT	1
RVS34	3/4" FPT x MPT	1
RVS1	1" FPT x MPT	1
RVS114	1-1/4" FPT x MPT	1

HOT WATER RADIATOR VALVES



- Brass
- Heavy angle pattern
- Includes nut & tailpiece

PART #	DESCRIPTION	PKG./CTN.
RVHW34	3/4" FPT x MPT	1
RVHW1	1" FPT x MPT	1
RVHW114	1-1/4" FPT x MPT	1

RADIATOR AIR VALVE



- Steam radiator valve
- Max. operating pressure - 5 PSI
- Max. pressure - 10 PSI
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
RAV	1/8" MPT angle conn.	1

ADJUSTABLE RADIATOR AIR VALVE



- Steam radiator valve
- Adjustable
- Max. operating pressure - 1-1/2 PSI
- Max. pressure - 10 PSI
- Chrome plated finish

PART #	DESCRIPTION	PKG./CTN.
ARAV	1/8" MPT angle conn.	1

RADIATOR UNION ELBOWS



- Brass

PART #	DESCRIPTION	PKG./CTN.
RUE34	3/4" FPT x MPT	1
RUE1	1" FPT x MPT	1
RUE114	1-1/4" FPT x MPT	1

RADIATOR COIN KEY AIR VALVE & KEY



RAVWK RCKAV RCKAVK

- 1/8" MIP

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RAVWK	Air valve w/ key	50/50
RCKAV	Coin key air valve (only)	100/100
RCKAVK	Key (only)	100/100

CAST IRON BOILER PLUGS



PART #	DESCRIPTION	PKG./CTN.
CIBP2	2"	1/10
CIBP212	2-1/2"	1/10
CIBP3	3"	1/10

RADIATOR FITTINGS/TOOLS/HOSE BIBBS

FIT-ALL ACE BOILER REPAIR PLUG



PART #	DESCRIPTION	PKG./CTN.
FABRP	Boiler repair plug	1/12

SELF-TAPPING BOILER REPAIR "PK" PLUGS



PART #	DESCRIPTION	PKG./CTN.
STBRP14	1/4"	1/12
STBRP516	5/16"	1/12
STBRP38	3/8"	1/12

DOUBLE TAP BUSHING (DUPLEX BUSHING)



- Galvanized malleable iron
- For copper oil lines to come into & out of oil tank
- Less compression fittings
- Use w/ MPT x comp. fittings

PART #	DESCRIPTION	PKG./CTN.
DTB2-38	2" x 3/8"	1/20
DTB2-12	2" x 1/2"	1/20

3-IN-1 RADIATOR REPAIR TOOL



- For re-tapping and reaming out radiators

PART #	DESCRIPTION	PKG./CTN.
RRT	3-in-1 repair tool	1/5

RADIATOR NIPPLE WRENCH



- Capacity 1/2", 3/4", 1-1/4", 1-1/2" & 2"
- May also be used as spud key & spud wrench

PART #	DESCRIPTION	PKG./CTN.
RNW	Plated malleable iron	1

QUARTER-TURN HOSE BIBBS



- MHT outlet
- Forged brass
- T-handle
- Teflon seats

PART #	DESCRIPTION	PKG./CTN.
HBQ12	1/2" MPT x 3/4" MHT	1
HBQ34	3/4" MPT x 3/4" MHT	1

HOSE BIBBS



- Cast brass
- MHT outlet

PART #	DESCRIPTION	PKG./CTN.
HB12	1/2" MPT x 3/4" MHT	1/12
HB34	3/4" MPT x 3/4" MHT	1/12
HBRH	1/2" & 3/4" replacement handle 12 broach round	1/10

SILLCOCKS (LAWN FAUCETS)



- Brass
- MHT outlet
- With notched flange for screws
- With heavy cast iron handle

PART #	DESCRIPTION	PKG./CTN.
SC12	1/2" FPT x 3/4" MHT	1/12
SC34	3/4" FPT x 3/4" MHT	1/12
SC12C	1/2" SWT x 3/4" MHT	1/12
SC34C	3/4" SWT x 3/4" MHT	1/12

FROST-FREE SILLCOCKS



- NSF61 compliant
- Heavy brass construction
- Chrome plated
- Notched for stable installation
- Multi-turn
- 3/4" male hose thread outlet
- Heavy cast iron handle

PART #	DESCRIPTION		PKG./CTN.
	LENGTH	INLET	
FFS4	4"	1/2" MPT/ SWT	1
FFS6	6"	1/2" MPT/ SWT	1
FFS8	8"	1/2" MPT/ SWT	1
FFS10	10"	1/2" MPT/ SWT	1
FFS12	12"	1/2" MPT/ SWT	1
FFS34-4	4"	3/4" MPT/ 1/2" FPT	1
FFS34-6	6"	3/4" MPT/ 1/2" FPT	1
FFS34-8	8"	3/4" MPT/ 1/2" FPT	1
FFS34-10	10"	3/4" MPT/ 1/2" FPT	1
FFS34-12	12"	3/4" MPT/ 1/2" FPT	1
WITH ANTI-SIPHON:			
FFSA4	4"	1/2" MPT/ SWT	1
FFSA6	6"	1/2" MPT/ SWT	1
FFSA8	8"	1/2" MPT/ SWT	1
FFSA10	10"	1/2" MPT/ SWT	1
FFSA12	12"	1/2" MPT/ SWT	1

BRAXTON HARRIS CO., INC.

VALVES


VALVE & SILLCOCK HANDLES



- Die cast
- For low pressure valves

PART #	DESCRIPTION		PKG./CTN.
	DESCRIPTION	**BROACH**	
VSH2-12	2" wheel	12 pt.	1/10
VSH2-16	2" wheel	16 pt.	1/10
VSH2-325	2" wheel	.325 square	1/10

FAUCET HOSE ANCHOR



- Lasting solution to loosen exterior faucets
- Works on brick, vinyl siding, concrete , stucco, etc.
- Can be used in new home construction or existing home repair
- Will not rust

PART #	DESCRIPTION	PKG./CTN.
FHA	Faucet hose anchor	1/10

BACK FLOW PREVENTERS/ VACUUM BREAKERS



- Brass
- 3/4" FHT inlet x 3/4" MHT outlet
- Vandal-proof breakoff screw
- Self-draining
- 125 PSI, 180°F temp. rating
- CSA approved
- UPC approved

PART #	DESCRIPTION	PKG./CTN./MSTR.
BFP	Rough brass	1/10/50
BFP-CP	Chrome plated	1/20


VACUUM BREAKER



- Ideal for shower heads
- Chrome plated brass
- 1/2" FPT x 1/2" MPT

PART #	DESCRIPTION	PKG./CTN.
VB-CP	Vacuum breaker	1

FLOAT VALVES



- Bronze
- Locknuts included
- Ideal for water troughs, evaporative coolers & many other applications
- Machined flange for support against tank wall

PART #	DESCRIPTION			PKG./CTN.
	INLET	**OUTLET**	**FLOAT ROD THDS.**	
FV12	1/2" MPT	1/2" MPT	1/4" - 20	1
FV34	3/4" MPT	3/4" MPT	1/4" - 20	1

FROST-PROOF YARD HYDRANTS



- Deluxe
- Heavy brass valve body
- 3/4" FPT inlet x 3/4" MHT outlet
- Lever control operates by cam principal & provides variable flow
- 1" galvanized pipe
- With shut-off valve below the frost line

PART #	DESCRIPTION	PKG./CTN.
	BURY DEPTH	
FPYH1	1'	1
FPYH2	2'	1
FPYH3	3'	1
FPYH4	4'	1
FPYH5	5'	1
FPYH6 NEW	6'	1
FPYH8 NEW	8'	1
FPYHP NEW	Plunger only	1


SELF-CLOSING GAS & OIL FAUCET



- For use with all petroleum products, except trichlorethylene
- Not for use with detergents or water
- Zamac construction
- Convenient hole to lock handle in closed position

PART #	DESCRIPTION	PKG./CTN.
SCGOF	3/4" MPT with plain outlet	1


QUARTER-TURN FAUCET



- Polyethylene for greater chemical resistance
- Metallic gold color

PART #	DESCRIPTION	PKG./CTN.
QTF	3/4" MPT with plain end outlet	1

DRAIN COCK



- Hex shoulder
- Lever handle
- Lead free

PART #	DESCRIPTION	PKG./CTN.
DCL14M-LF	1/4" MPT	1

AIR COCKS

TEE HANDLE, ROUND SHOULDER AIR COCKS

FEMALE x FEMALE AIR COCKS



- Round shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
ACT18F	1/8" FPT	1/10
ACT14F	1/4" FPT	1/10


MALE x FEMALE AIR COCKS



- Round shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
ACT14M14F NEW	1/4" MPT x 1/4" FPT	1/10
ACT38M38F	3/8" MPT x 3/8" FPT	1/10
ACT12M12F	1/2" MPT x 1/2" FPT	1/10

MALE x SPIGOT PETCOCK



- Round shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
PCT18M	1/8" MPT x spigot	1/10
PCT14M	1/4" MPT x spigot	1/10

TEE HANDLE, HEX SHOULDER AIR COCKS

FEMALE x FEMALE AIR COCKS



- Hex shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
ACTH18F	1/8" FPT	1/10
ACTH14F	1/4" FPT	1/10
ACTH38F	3/8" FPT	1/10

MALE x MALE AIR COCKS



- Hex shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
ACTH18M	1/8" MPT	1/10
ACTH14M	1/4" MPT	1/10
ACTH38M	3/8" MPT	1/10

MALE x FEMALE AIR COCKS



- Hex shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
ACTH14M14F	1/4" MPT x 1/4" FPT	1/10

MALE x SPIGOT PETCOCK



- Hex shoulder
- Tee handle

PART #	DESCRIPTION	PKG./CTN.
PCTH18M	1/8" MPT x spigot	1/10
PCTH14M	1/4" MPT x spigot	1/10
PCTH38M	3/8" MPT x spigot	1/10

LEVER HANDLE, ROUND SHOULDER AIR COCKS

FEMALE x FEMALE AIR COCKS




- Round shoulder
- Lever handle

PART #	DESCRIPTION	PKG./CTN.
ACL14F	1/4" FPT	1/10
ACL38F	3/8" FPT	1/10
ACL12F	1/2" FPT	1/10

BRAXTON HARRIS CO., INC.

AIR COCKS/NEEDLE VALVES


MALE x FEMALE AIR COCKS



- Round shoulder
- Lever handle

PART #	DESCRIPTION	PKG./CTN.
ACL18M18F	1/8" MPT x 1/8" FPT	1/10
ACL38M38F	3/8" MPT x 3/8" FPT	1/10
ACL12M12F	1/2" MPT x 1/2" FPT	1/10

MALE x SPIGOT PETCOCK



- Round shoulder
- Lever handle

PART #	DESCRIPTION	PKG./CTN.
PCL18M	1/8" MPT x spigot	1/10

LEVER HANDLE, HEX SHOULDER AIR COCKS


FEMALE x FEMALE AIR COCKS



- Hex shoulder
- Lever handle

PART #	DESCRIPTION	PKG./CTN.
ACLH18F	1/8" FPT	1/10
ACLH14F	1/4" FPT	1/10
ACLH38F	3/8" FPT	1/10


MALE x MALE AIR COCKS



- Hex shoulder
- Lever handle

PART #	DESCRIPTION	PKG./CTN.
ACLH14M	1/4" MPT	1/10

MALE x FEMALE AIR COCKS



- Hex shoulder
- Lever handle

PART #	DESCRIPTION	PKG./CTN
ACLH18M18F	1/8" MPT x 1/8" FPT	1/10
ACLH14M14F	1/4" MPT x 1/4" FPT	1/10
ACLH38M38F	3/8" MPT x 3/8" FPT	1/10

FEMALE x FEMALE SHUT OFF COCKS




- Not for use with potable water

PART #	DESCRIPTION	PKG./CTN
SOC14F	1/4" FPT x 1/4" FPT	1/10

STRAIGHT PATTERN NEEDLE VALVES


COMPRESSION x COMPRESSION NEEDLE VALVES



- Straight pattern
- Tube sizes are outside diameter
- Lead free

PART #	DESCRIPTION	PKG./CTN.
NV14C-LF	1/4" OD (tube) compression	10/100
NV38C-LF	3/8" OD (tube) compression	10/100

COMPRESSION x MALE NEEDLE VALVES




- Straight pattern
- Tube sizes are outside diameter
- Lead free

PART #	DESCRIPTION	PKG./CTN.
NV14C18M-LF	1/4" OD (tube) compression x 1/8" MPT	1/10
NV14C14M-LF	1/4" OD (tube) compression x 1/4" MPT	1/10

NEEDLE/SEWER RELIEF VALVES & CLEANOUTS

FEMALE x FEMALE NEEDLE VALVES



- Straight pattern
- Lead free

PART #	DESCRIPTION	PKG./CTN.
NV14-LF	1/4" FPT	1/10

ANGLE PATTERN NEEDLE VALVES

COMPRESSION x MALE NEEDLE VALVES



- Angle pattern
- Tube sizes are outside diameter
- Lead free

PART #	DESCRIPTION	PKG./CTN.
NVA14C18M-LF	1/4" OD (tube) compression x 1/8" MPT	1/10
NVA14C14M-LF	1/4" OD (tube) compression x 1/4" MPT	1/10

SEWER RELIEF/BACKWATER/ SADDLE VALVES

SEWER RELIEF VALVES/PLUGS



- Designed for use in outside cleanouts to eliminate costly damage due to sewage back-up
- Fits cast iron or plastic pipes
- Provides a visible warning that sewage is backing up
- Spring-loaded to automatically close preventing sewer gases from escaping
- ABS material

PART #	DESCRIPTION	PKG./CTN.
SRV112	1-1/2"	1/50
SRV2	2"	1/100
SRV3	3"	1/100
SRV312	3-1/2"	1/100
SRV4	4"	1/100

SEWER RELIEF VALVE CLEANOUT



- Releases waste to outside of buildings in the event of sewer line blockage, preventing costly damage due to sewage backflow or overflow
- Applicable in residential, commercial, or industrial settings - any structure connected to sewer lines or septic tanks
- Meets ASTM specifications
- Automatic unlock and re-lock
- Vandal- resistant
- Safe in yard or high traffic areas
- Solvent welds over 4"
- Schedule 40 DWV pipe
- Removable lid provides full access to cleanout
- May be used to replace existing exterior cleanout
- Easily adaptable to new or existing sewer lines
- Water and waste swirl in bowl until blockage is cleared

PART #	DESCRIPTION	PKG./CTN.
SRVC4	4"	1

CAST IRON BACKWATER VALVE



- Reduces backflow in drainage system
- All neoprene gaskets
- 300 series stainless bolts and washers
- Repairable in service

PART #	DESCRIPTION	PKG./CTN.
BWV3	3" service weight	1
BWV4	4" service weight	1
BWV6	6" service weight	1
NHBV2	2" no hub	1
NHBV3	3" no hub	1
NHBV4	4" no hub	1
NHBV6	6" no hub	1

WE SHIP SAME DAY!

BRAXTON HARRIS CO., INC.

BACKWATER VALVES/SADDLE VALVES

PLASTIC BACKWATER VALVES



- Easy access threaded cover with a positive seal elastomeric gasket
- Non-corrosive flexible flapper provides seal against backflow
- Sockets are sch. 40 DWV
- Stepped body encourages flow
- Reduces backflow in drainage systems
- Magnetic strip for underground detection
- UPC, CSA & SBCCI approved

PART #	DESCRIPTION	PKG./CTN.
PBWV112	1-1/2" PVC	1
PBWV2	2" PVC	1
PBWV3	3" PVC	1
PBWV4	4" PVC	1
PBWV6	6" PVC	1
PBWVA2	2" ABS	1
PBWVA3	3" ABS	1
PBWVA4	4" ABS	1
PBWVA6	6" ABS	1

BACKWATER VALVE W/PLASTIC ACCESS SLEEVE AND LID



- Fits 3" schedule 40 DWV pipe
- Easy access threaded plastic cover with a positive seal elastomeric gasket
- Non-corrosive flexible flapper provides seal against backflow
- Comes with an 18" plastic access sleeve
- UPC, CSA AND SBCCI approved
- Magnetic strip for underground detection


PART #	DESCRIPTION	PKG./CTN.
PBWV3ES	3" with extension kit and plastic lid	1
PBWV3ESC	3" with extension kit and cast iron lid	1
PBWV4ES	4" with extension kit and plastic lid	1

BACKWATER VALVE FLAPPER WITH SEAL



PART #	DESCRIPTION	PKG./CTN.
PBWV2F	2" backwater valve flapper with seal	1
PBWV3F	3" backwater valve flapper with seal	1
PBWV4F	4" backwater valve flapper with seal	1


BRASS SADDLE CLAMP WITH VALVE




- Lead free

PART #	DESCRIPTION	PKG./CTN.
BSCWV-LF	1/4" brass saddle clamp w/ valve	1/10

SADDLE VALVES





- Self-tapping, compression
- Fits 3/8", 1/2", or 3/4" copper tubing
- Outlet is 1/4" slip & 1/8" iron pipe thread
- Lead free


PART #	DESCRIPTION	PKG./CTN.
SV14-LF	Heavy-duty	1
SVI14-LF	Standard	1

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

SECTION F ..... HANGERS / PIPE STRAPS / STUD GUARDS / FASTENERS


F1


F1


F1


F2


F2


F3


F3


F3


F4


F5


F5


F6


F6


F6


F7


F7


F8


F9


F9


F9


F9


F10


F10


F11


F11


F13


F14


F15

WE SHIP SAME DAY.

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

QUICK REFERENCE GUIDE

SECTION F .....HANGERS / PIPE STRAPS / STUD GUARDS / FASTENERS

HANGER IRON / HANGER TAPE / PIPE STRAPS F1

NAILS / PIPE HOOKS F2

STUD PROTECTORS / STUD SHOES / STUD BRACKETS F3

STUD PLATES/ FHA STRAPS F4

PIPE HANGERS / CLAMPS / INSULATORS F5

HOOKS / CLAMPS F6

SWIVEL RINGS / CLEVIS HANGERS F7

CONDUIT HANGERS F8

SPLIT RINGS / ANCHORS / SCREWS F9

SCREWS / BOLTS / WASHERS F10

NUTS / ANCHOR KITS / GASKETS F11

DIELECTRIC INSULATION F14

SAMMY'S HANGERS F15

WE SHIP SAME DAY.

HANGER IRON/TAPE/PIPE & TUBE STRAPS

HANGER IRON



HI34-10_ HI34-50_ HI34-100_




HI34-10CC HI34-100CC

- For hanging pipes, ducts, etc.
- Perforated
- 1/4" holes
- 3/16" & 1/4" holes in galvanized steel
- 1/4" holes in copper clad
- Gauge may vary slightly due to galvanize & copper coating

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LIGHT GAUGE (GALVANIZED STEEL):		
HI34-10L	3/4" x 10' (28 ga.)	50/50
HI34-50L	3/4" x 50' (28 ga.)	1/10
HI34-100L	3/4" x 100' (28 ga.)	1/10
MEDIUM GAUGE (GALVANIZED STEEL):		
HI34-10M	3/4" x 10' (24 ga.)	50/50
HI34-50M	3/4" x 50' (24 ga.)	1/10
HI34-100M	3/4" x 100' (24 ga.)	1/6
HEAVY GAUGE (GALVANIZED STEEL):		
HI34-10H	3/4" x 10' (20 ga.)	50/50
HI34-50H	3/4" x 50' (20 ga.)	1/10
HI34-100H	3/4" x 100' (20 ga.)	1/5
HEAVY GAUGE (COPPER CLAD):		
HI34-10CC	3/4" x 10' (20 ga.)	50/50
HI34-100CC	3/4" x 100' (20 ga.)	1/10

PLASTIC HANGER TAPE



- Use as a pipe hanger, duct hanger, tubing strap, etc.
- Can be cut to length with utility knife or scissors
- .050 thick with 1/8" holes spaced 3/4" apart
- 125 lb. max. load (ASTM A-370-77)
- Flexible, non-conductive, non-abrasive

PART #	DESCRIPTION	PKG./CTN.
HT34-10P	3/4" x 10'	1/100
HT34-25P	3/4" x 25'	1/50
HT34-50P	3/4" x 50'	1/20
HT34-100P	3/4" x 100'	1/20
HT2-100P	2" x 100'	1/5

PIPE STRAPS



PSG2H



PSG1H

- Galvanized steel
- For steel pipes

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	I.P.S	
TWO HOLE: *Galvanized steel pipe straps.*		
PSG2H38	3/8"	100/100
PSG2H12	1/2"	100/100
PSG2H34	3/4"	100/100
PSG2H1	1"	100/100
PSG2H114	1-1/4"	50/50
PSG2H112	1-1/2"	50/50
PSG2H2	2"	50/50
PSG2H212	2-1/2"	25/25
PSG2H3	3"	10/10
PSG2H312	3-1/2"	15/15
PSG2H4	4"	10/10
PSG2H6 NEW	6"	25/25
ONE HOLE: *Galvanized steel pipe straps.*		
PSG1H12	1/2"	100/100
PSG1H34	3/4"	100/100
PSG1H1	1"	100/100
PSG1H114	1-1/4"	100/100
PSG1H112	1-1/2"	50/50
PSG1H2	2"	50/50

TUBE STRAPS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	CTS	
COPPER PLATED TUBE STRAPS: *Two-hole.*		
TSCP12	1/2"	100/100
TSCP12-10	1/2" (10 pieces)	10/100
TSCP34	3/4"	100/100
TSCP34-10	3/4" (10 pieces)	10/100
TSCP1	1"	100/100
TSCP114	1-1/4"	100/100
TSCP112	1-1/2"	100/100
TSCP2	2"	100/100
SOLID COPPER TUBE STRAPS: *Two-hole.*		
TSC014	1/4"	100/100
TSC038	3/8"	100/100
TSC012	1/2"	100/100
TSC034	3/4"	100/100
TSC01	1"	100/100
TSC114	1-1/4"	25/25
TSC112	1-1/2"	25/25

BRAXTON HARRIS CO., INC.

6.1.25

NAILS/PIPE HOOKS

COPPER COATED NAILS



• Copper-clad • 13 gauge

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CCN114	1-1/4" copper coated nail	200/800

"J" NAILS



• Copper-clad

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	CTS	
JNCC12	1/2"	100
JNCC34	3/4"	100

FLAT "J" NAILS/HOOKS



• Copper-clad

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	CTS	
JNF34	1/2" & 3/4"	100
JNF1	1"	100

"COPPER BOY" PIPE HOOKS



• Copper-clad

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PHC12-212	1/2" x 2-1/2"	100
PHC34-212	3/4" x 2-1/2"	100

WE SHIP SAME DAY.

PIPE HOOKS



PHS



PHC



PHV

• 10 ga.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	IPS	
PLAIN FINISH STEEL PIPE HOOKS:		
PHS12-4	1/2" x 4"	50/50
PHS12-6	1/2" x 6"	50/50
PHS12-8	1/2" x 8"	50/50
PHS12-10	1/2" x 10"	50/50
PHS34-4	3/4" x 4"	50/50
PHS34-6	3/4" x 6"	50/50
PHS34-8	3/4" x 8"	50/50
PHS34-10	3/4" x 10"	50/50
PHS1-4	1" x 4"	50/50
PHS1-6	1" x 6"	50/50
PHS1-8	1" x 8"	50/50
PHS1-10	1" x 10"	50/50
PHS114-6	1-1/4" x 6"	50/50
PHS114-8	1-1/4" x 8"	50/50
PHS114-10	1-1/4" x 10"	50/50
PHS112-6	1-1/2" x 6"	50/50
PHS112-8	1-1/2" x 8"	50/50
PHS2-8	2" x 8"	50/50
COPPER-CLAD STEEL PIPE HOOKS:		
PHC12-4	1/2" x 4"	50/50
PHC12-6	1/2" x 6"	50/50
PHC12-8	1/2" x 8"	50/50
PHC34-4	3/4" x 4"	50/50
PHC34-6	3/4" x 6"	50/50
PHC34-8	3/4" x 8"	50/50
PHC34-10	3/4" x 10"	50/50
PHC1-4	1" x 4"	50/50
PHC1-6	1" x 6"	50/50
PHC1-8	1" x 8"	50/50
PHC1-10	1" x 10"	50/50
PHC114-6	1-1/4" x 6"	50/50
PHC114-8	1-1/4" x 8"	50/50
PHC112-6	1-1/2" x 6"	50/50
PHC112-8	1-1/2" x 8"	50/50
PHC2-8	2" x 8"	50/50
VINYL COATED STEEL PIPE HOOKS:		
PHV12-6	1/2" X 6"	50/50
PHV34-6	3/4" X 6"	50/50

STUD PROTECTORS/SHOES/BRACKETS

STUD PROTECTORS/GUARDS



- Protects piping & wiring during wall construction
- Galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SP16G3	1-1/2" x 3" 16 ga.	100
SP16G6	1-1/2" x 6" 16 ga.	100
SP16G12	1-1/2" x 12" 16 ga.	100
SP18G3	1-1/2" x 3" 18 ga.	100
SP18G5	1-1/2" x 5" 18 ga.	100
SP18G6	1-1/2" x 6" 18 ga.	100
SP22G3	1-1/2" x 3" 22 ga.	100
SP22G6	1-1/2" x 6" 22 ga.	100

INTERLOCKING STUD PROTECTORS



- 1-1/2" x 6"
- Tie plates
- Galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
ISP16G6	1-1/2" x 6" - 16 ga.	100
ISP20G6	1-1/2" x 6" - 20 ga.	100
ISP16G312-6	3-1/2" x 6" - 16 ga.	50

STUD PROTECTORS-BOCA PLATES (SELF-NAILED)



- Galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SP16G3-5	3" x 5" - 16 gauge (offset end prong)	100
SP18G3-5	3" x 5" - 18 gauge	100
SP16G5-8	5" x 8" - 16 gauge (6 holes/ 3 each end)	25

STUD SHOES




- Stud/joist reinforcement when notching stud or pipe runs
- Opening accommodates up to 2" pipe
- 18 ga. • 4 nail-holes on each side
- Galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SSS	Single-stud shoe 1-5/8" W x 5-1/2" L x 3-1/4" H	25
SSD	Double-stud shoe 3" W x 5-1/2" L x 3-1/4" H	25
SST	Triple-stud shoe 4-1/2" W x 5-1/2" L x 3-1/4" H	10

SELF-NAILING STUB OUT BRACKET



- For use with water closets or hose bibbs
- 16 ga.

(CARTON QUANTITY ONLY)

PART #	FITS	FINISH	PKG./CTN.
SOBS16-12-34C	1/2" CTS, 3/4" CTS (Ref#109-N-6)	copper plated	25/25
SOBSI16	Inserts 1/2" to 1" CTS, 1/2" and 3/4" CPVC	galvanized	25/25

PEX BEND SUPPORT



- PEX turnout bend support used for potable water installations

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PBS38-12	3/8" x 1/2" pex bend support (Ref#704)	25

GALVANIZED STUD BRACKETS



- For 1-11/32" inserts on 2" centers
- Can be nailed or screwed to wood or metal studs
- SBI14-20G is 14 ga. galvanized steel
- SBI20-18G and SBI20-26G are 20 ga. galvanized steel

(CARTON QUANTITY ONLY)

PART #	FITS	LENGTH	FINISH	PKG./CTN.
SBI14-20G	Inserts 1/2" to 1" CTS, 1/2" and 3/4" CPVC (Ref#103-18)	20"	galvanized	50/50
SBI20-18G	Inserts 1/2" to 1" CTS, 1/2" and 3/4" CPVC (Ref#601-20)	18"	galvanized	50/50
SBI20-26G	Inserts 1/2" to 1" CTS, 1/2" and 3/4" CPVC (Ref#601-26)	26"	galvanized	50/50

COPPER PLATED STUD BRACKETS



- For 1/2" hole on 2" centers, 3/4" and 1" holes on 4" centers
- Can be nailed or screwed to wood or metal studs
- 16 ga. galvanized steel

(CARTON QUANTITY ONLY)

PART #	FITS	LENGTH	FINISH	PKG./CTN.
SB16-20-12C	1/2" CTS (Ref#101-18)	20"	copper plated	50/50
SB16-26-12C	1/2" CTS	26"	copper plated	50/50
SB16-20-12-1C	1/2" to 1" CTS (Ref#107-18)	20"	copper plated	50/50
SB16-26-12-1C	1/2" to 1" CTS	26"	copper plated	50/50

BRAXTON HARRIS CO., INC.

STUD BRACKETS/PLATES/FHA STRAPS

NOTCHED STUD BRACKET



- For 1/2" CTS notched on 2" centers, 3/4" and 1" CTS holes on 4" centers
- Self-nailing and/or screw hole options
- 18 ga.

(CARTON QUANTITY ONLY)

PART #	FITS	LENGTH	FINISH	PKG./CTN.
SBNS18-18-12-1C	1/2", 3/4", and 1" CTS (Ref#140)	18"	copper plated	50/50

FLAT COPPER PLATED BRACKET



- 16 gauge thickness
- For use on water heater connections
- Use for 3/4" and 1" copper pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SBW134-20	3/4"-1"cts x 20" (Ref#102-18)	50/50

PROTECTIVE PLATES



- 16 ga. galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PP16G112-6	1-1/2" x 6" (1 hole each end)	100
PP16G5-18	5" x 18" (20 holes)	15
PP16G5-8	5" x 8" (6 holes)	25
PP16G312-18	3-1/2" x 18" (4 holes)	25
PP16G312-6	3-1/2" x 6" (2 holes each end)	25
PP16G312-5	3" x 5" (6 holes)	25
PP16G312-6-6O	3-1/2" x 6" (12 offset holes - 6 on each end)	25

WE SHIP SAME DAY.

FHA STRAPS



- Protects wiring & pipe during wall construction
- Also used for tying 2" x 4"s together
- Galvanized steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HEAVY (12 GA.):		
FHAS9	1-1/2" x 9"	50
FHAS12	1-1/2" x 12"	50
FHAS18	1-1/2" x 18"	50
FHAS24	1-1/2" x 24"	50
MEDIUM (16 GA.):		
FHASM9	1-1/2" x 9"	50
FHASM12	1-1/2" x 12"	50
FHASM18	1-1/2" x 18"	50
FHASM24	1-1/2" x 24"	50
FHASM3-6-3S	3" x 6"	50
LIGHT (18 GA.):		
FHASL9	1-1/2" x 9"	50
FHASL12	1-1/2" x 12"	50
FHASL18	1-1/2" x 18"	50
FHASL24	1-1/2" x 24"	50
WITH 6 OFFSET HOLES (16 GA.):		
FHASM3-18	3" x 18"	50
FHASM5-18-6O	5" x 18"	50
12 HOLES W/ 6 VARIED PATTERN HOLES ON EACH SIDE (18 GA.):		
FHASL3-9-6V	3" x 9"	50
FHASL3-12-6V	3" x 12"	50
FHASL3-18-6V	3" x 18"	50
FHASL3-24-6V	3" x 24"	50

SINGLE-SHOT HANGERS




- Pre-loaded nail
- Copper safe
- Use on metal stud, hang from a joint or guide through a hole

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SSH12	1/2" Nom. CTS	50
SSH34	3/4" Nom. CTS	50

PIPE HANGERS/CLAMPS/INSULATORS

3-WAY INSTALLATION PIPE CLAMPS



- Pre-loaded nail
- Silence gap greatly reduces chances for noise common to overly-restrictive clamps
- Can be installed three different ways

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
3WIPC12	1/2". Nom. CTS	50
3WIPC34	3/4". Nom. CTS	50

HALF PIPE CLAMPS



- Supports PVC, copper, CPVC & polybutylene tubing
- Nail preloaded in clamp
- Insulates against water-line noise
- Impact-resistant to 0°F
- Max. temp. 160° continuous

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HC038	3/8" Nom. CTS	100/100
HC012	1/2" Nom. CTS	50/2000
HC034	3/4" Nom. CTS & 1/2" IPS	50/1000
HC01	1" Nom. CTS & 3/4" IPS	50/500

FULL PIPE CLAMPS



- Supports PVC, copper, CPVC & polybutylene tubing
- Nail preloaded in clamp.
- Insulates against waterline noise

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FC012	1/2" Nom. CTS	100/100
FC034	3/4" Nom. CTS & 1/2" IPS	50/50
FC01	1" Nom. CTS & 3/4" IPS	25/25

2-HOLE PIPE CLAMPS



- Eliminates noise from tubing expanding & contracting
- Supports PVC, copper, CPVC & polybutylene tubing
- Impact-resistant to 0°F
- Max. temp. 160° continuous

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
2HPC12	1/2" Nom. CTS	100/100
2HPC34	3/4" Nom. CTS	100/100
2HPC1	1" Nom. CTS	50/50
2HPC114	1-1/4" Nom. CTS	50/50
2HPC112	1-1/2" Nom. CTS	25/25
2HPC2	2" Nom. CTS	25/25

INSULATING SUSPENSION CLAMPS



- Insulation & suspension in one clamp
- Eliminates noise from tubing expanding & contracting
- Supports PVC, copper, CPVC & polybutylene tubing
- Impact-resistant to 0°F
- Max. temp. 160° continuous

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
ISC12	1/2" Nom. CTS	50/50
ISC34	3/4" Nom. CTS	50/50
ISC1	1" Nom. CTS	50/50
ISC114	1-1/4" Nom. CTS	50/50
ISC112	1-1/2" Nom. CTS	25/25
ISC2	2" Nom. CTS	25/25

PIPE INSULATORS



- Supports copper, CPVC & polybutylene tubing
- Holds pipe securely
- Eliminates wrapping
- Drill 1-3/8" hole to install
- Eliminates noise from tubing expanding & contracting
- Impact-resistant to 0°F
- Max. temp. 160° continuous

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PI12	1/2" Nom. CTS	25/25
PI34	3/4" Nom. CTS	25/25
PI1	1" Nom. CTS	25/25

METAL STUD INSULATORS



- Use with copper pipe
- Fire-retardant plastic
- Impact-resistant to 0°F
- Max. temp. 160° continuous

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN. /MSTR.
MSI12	1/2" Nom. CTS	100/100/1000
MSI34	3/4" Nom. CTS	100/100/1000
MSI1	1" Nom. CTS	50/50/500
MSI38-12-34	3/8", 1/2", 3/4" Nom. CTS	50/50/500

INSERT FOR CPVC



- Fire retardant plastic
- For use with support brackets (SBI series) to insulate and support CPVC tubing


(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN. /MSTR.
MSI12C	1/2" insert	100/100/200
MSI34C	3/4" insert	100/100/200

BRAXTON HARRIS CO., INC.

HOOKS/CLAMPS

"J" HOOKS



- Incredibly fast pipe installation
- Super-strong "I" beam design
- Stem finger locks pipe into hanger
- Each hanger comes complete & ready-to-use with two ring-shank nails preloaded onto the stem
- Scooped tip cradles pipe during layout
- Cable tie slots can be used to permanently circle pipe
- Nail holes spaced for easy calculation of drainage fall

PART #	DESCRIPTION	PKG./CTN.
COPPER TUBE SIZE:		
JH012	1/2" CTS	25
JH034	3/4" CTS	25
JH01	1" CTS	25
COPPER TUBE SIZE (TWO PIPES):		
JHT012-034	1/2" x 3/4" CTS	10
DWV:		
JHD112	1-1/2" DWV	25/125
JHD2	2" DWV	25/125
JHD3	3" DWV	25/125
JHD4	4" DWV	25/125

UNIVERSAL BEAM CLAMPS



- Top or bottom of beam & reversible
- 3/8" UNC bolt thread
- Steel set-screw
- Black finished malleable iron casting
- Meets federal specification SP-69C (Type 19 & 23)
- UL Listed PM approved for NFPA 13

PART #	DESCRIPTION		PKG./CTN.
	ROD SIZE	MAX. LOAD	
UBC38	3/8"	400 lbs.	25
UBC12	1/2"	500 lbs.	25

"C" STYLE BEAM CLAMPS



- Black finished carbon steel
- UL Listed FM approved for NFPA 13
- Meets federal specification WW-H-17 (Type 23), MSS-SP-69 (Type 23)

PART #	DESCRIPTION		PKG./CTN.
	ROD SIZE	MAX. LOAD	
CSBC38	3/8"	400 lbs.	25
CSBC12	1/2"	500 lbs.	25

UNIVERSAL STRUT CLAMP



- Fits copper pipe and thinwall steel conduit
- Bolt and nut included
- Design load includes a safety factor of 5.0

PART #	DESCRIPTION			PKG./CTN.
	PIPE SIZE	THICKNESS	MAX LOAD	
SSU12 NEW	1/2"	16 GA	600 lbs.	10
SSU34 NEW	3/4"	16 GA	600 lbs.	10
SSU1 NEW	1"	16 GA	600 lbs.	10
SSU114 NEW	1-1/4"	16 GA	800 lbs.	10
SSU112 NEW	1-1/2"	14 GA	800 lbs.	10
SSU2 NEW	2"	14 GA	800 lbs.	10
SSU3 NEW	3"	12 GA	1000 lbs.	25
SSU4 NEW	4"	11 GA	1000 lbs.	10

RISER CLAMPS FOR IRON PIPE



- Black finished carbon steel
- For schedule 40 iron pipe only. Not for soil pipe
- Meets federal specifications WW-H-71 (Type 8), MSS-SP-69 (Type 8)

PART #	DESCRIPTION			PKG./CTN.
	IPS	OVERALL WIDTH	MAX. LOAD	
RCIP34	3/4"	9-3/8"	220 lbs.	25
RCIP1	1"	9-3/8"	220 lbs.	25
RCIP114	1-1/4"	10"	250 lbs.	25
RCIP112	1-1/2"	10-3/8"	250 lbs.	25
RCIP2	2"	10-7/8"	300 lbs.	25
RCIP212	2-1/2"	11-1/4"	400 lbs.	25
RCIP3	3"	11-3/4"	500 lbs.	10
RCIP312	3-1/2"	13-1/4"	670 lbs.	10
RCIP4	4"	13-1/2"	750 lbs.	10

RISER CLAMPS FOR COPPER TUBING



- Copper epoxy coated carbon steel
- Meets federal specifications A-A-1192A (Type 8), MSS-SP-69 (Type 8)

PART #	DESCRIPTION		PKG./CTN.
	CTS	MAX. LOAD	
CPRCCT12 NEW	1/2"	75 lbs.	25
CPRCCT34	3/4"	75 lbs.	25
CPRCCT1	1"	120 lbs.	25
CPRCCT114 NEW	1-1/4"	150 lbs.	25
CPRCCT112	1-1/2"	150 lbs.	25
CPRCCT2	2"	150 lbs.	25
CPRCCT212 NEW	2-1/2"	300 lbs.	25
CPRCCT3 NEW	3"	300 lbs.	10

SWIVEL RINGS/CLEVIS HANGERS

SWIVEL RINGS FOR COPPER TUBING



- Copper epoxy coated carbon steel
- Supplied with nuts
- Meets federal specifications WW-H-171 (Type 10), MSS-SP-69 (Type 10)

PART #	DESCRIPTION			PKG./CTN.
	CTS	ROD SIZE	MAX. LOAD	
CPSR12	1/2"	3/8"	300 lbs.	25
CPSR34	3/4"	3/8"	300 lbs.	25
CPSR1	1"	3/8"	300 lbs.	25
CPSR114	1-1/4"	3/8"	300 lbs.	25
CPSR112	1-1/2"	3/8"	300 lbs.	25
CPSR2	2"	1/2"	300 lbs.	20
CPSR212	2-1/2"	1/2"	525 lbs.	20
CPSR3	3"	1/2"	525 lbs.	10


SWIVEL RINGS FOR IRON PIPE



- Zinc plated carbon steel
- Supplied with zinc electroplated nuts
- UL listed FM approved
- Meets federal specifications WW-H-171E (Type 10), MSS-SP-69 (Type 10)

PART #	DESCRIPTION			PKG./CTN.
	IPS	ROD SIZE	MAX. LOAD	
GSR12	1/2"	3/8"	400 lbs.	25
GSR34	3/4"	3/8"	400 lbs.	25
GSR1	1"	3/8"	400 lbs.	25
GSR114	1-1/4"	3/8"	400 lbs.	25
GSR112	1-1/2"	3/8"	400 lbs.	25
GSR2	2"	1/2"	400 lbs.	20
GSR212	2-1/2"	1/2"	600 lbs.	20
GSR3	3"	1/2"	600 lbs.	10
GSR4	4"	1/2"	1000 lbs.	10

PIPE HANGERS (FOR PVC PIPE)



- For ABS, PVC & DWV pipe
- Galvanized steel 3/4" wide
- Nails included
- Manifold-type

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
GALVANIZED:		
GPH112-12	1-1/2" x 12"	50/50
GPH2-12	2" x 12"	50/50
GPH3-12	3" x 12"	50/50
GPH4-12	4" x 12"	50/50
PLASTIC COATED:		
PCPH112-12	1-1/2" x 12"	50/50
PCPH2-12	2" x 12"	50/50
PCPH3-12	3" x 12"	50/50
PCPH4-12	4" x 12"	50/50

BOLT-TYPE LIGHT DUTY CLEVIS HANGERS FOR IRON PIPE



- Plain finish
- Carbon steel
- Meets federal specification WW-H-171E (Type 1), ANSI/MSS-58 (Type 1)

PART #	DESCRIPTION			PKG./CTN.
	IPS	ROD SIZE	MAX. LOAD	
LDCHIP12	1/2"	3/8"	250 lbs.	25
LDCHIP34	3/4"	3/8"	250 lbs.	25
LDCHIP1	1"	3/8"	250 lbs.	25
LDCHIP114	1-1/4"	3/8"	250 lbs.	25
LDCHIP112	1-1/2"	3/8"	250 lbs.	25
LDCHIP2	2"	3/8"	250 lbs.	20
LDCHIP212	2-1/2"	1/2"	350 lbs.	20
LDCHIP3	3"	1/2"	350 lbs.	10
LDCHIP4	4"	5/8"	400 lbs.	10
LDCHIP6	6"	3/4"	450 lbs.	5

BRAXTON HARRIS CO., INC.

6.1.25

CLEVIS HANGERS/CONDUIT HANGERS

BOLT-TYPE LIGHT DUTY CLEVIS HANGERS FOR IRON PIPE



- Zinc plated
- UL Listed
- FM approved
- Meets federal specifications: WW-H-171 (Type 1), MSS-SP-69 (Type 1)
- Made of 400# steel

PART #	DESCRIPTION			PKG./CTN.
	IPS	ROD SIZE	MAX. LOAD	
LDCHIPG12	1/2"	3/8"	250 lbs.	25
LDCHIPG34	3/4"	3/8"	250 lbs.	25
LDCHIPG1	1"	3/8"	250 lbs.	25

BOLT-TYPE STANDARD DUTY CLEVIS HANGERS FOR IRON PIPE



- Zinc plated
- Standard duty
- Made of 401# steel

PART #	DESCRIPTION			PKG./CTN.
	IPS	ROD SIZE	MAX. LOAD	
CHIG12	1/2"	3/8"	730 lbs.	25
CHIG34	3/4"	3/8"	730 lbs.	25
CHIG1	1"	3/8"	730 lbs.	25
CHIG114	1-1/4"	3/8"	730 lbs.	25
CHIG112	1-1/2"	3/8"	730 lbs.	25
CHIG2	2"	3/8"	730 lbs.	20
CHIG3	3"	1/2"	1130 lbs.	10
CHIG4	4"	5/8"	1430 lbs.	10

BOLT-TYPE STANDARD DUTY CLEVIS HANGERS FOR COPPER PIPE



- Copper epoxy coated
- Standard duty
- Meets federal specifications MSS SP-58 (Type 1) and WW-H-171(Type 1)

PART #	DESCRIPTION			PKG./CTN.
	IPS	ROD SIZE	MAX. LOAD	
CHCT12 NEW	1/2"	3/8"	750 lbs.	10
CHCT34 NEW	3/4"	3/8"	750 lbs.	10
CHCT1 NEW	1"	3/8"	750 lbs.	25
CHCT114 NEW	1-1/4"	3/8"	750 lbs.	10
CHCT112 NEW	1-1/2"	3/8"	750 lbs.	10
CHCT2 NEW	2"	3/8"	750 lbs.	10
CHCT212 NEW	2-1/2""	3/8"	850 lbs.	10
CHCT3 NEW	3"	3/8"	1050 lbs.	10

BELL STYLE COPPER EPOXY PIPE HANGER



- Copper epoxy

PART #	DESCRIPTION	PKG./CTN.
CPHB12	1/2" IPS	25
CPHB34	3/4" IPS	25
CPHB1	1" IPS	25

CONDUIT HANGER WITH BOLT



- Bright Zinc electroplated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION			PKG./CTN.
	TRADE SIZE	RIGID SIZE	EMT SIZE	
CHB12	0	3/8"	1/2"	100
CHB34	1	3/4"	3/4"	50
CHB1	2	1"	1"	50
CHB114	3	1-1/4"	1-1/4"	50
CHB112	4	1-1/2"	1-1/2"	25
CHB2	5	2"	2"	25
CHB212	6	2-1/2"	2-1/2"	10
CHB3	7	3"	3"	10
CHB4	9	4"	4"	10

SPLIT RINGS FOR IRON PIPE



SRIPB



SRIPG

- Malleable iron

PART #	DESCRIPTION			PKG./CTN.
	IPS	ROD SIZE	MAX. LOAD	
BLACK FINISH:				
SRIPB12	1/2"	3/8"	180 lbs.	25
SRIPB34	3/4"	3/8"	180 lbs.	25
SRIPB1	1"	3/8"	180 lbs.	25
SRIPB114	1-1/4"	3/8"	180 lbs.	25
SRIPB112	1-1/2"	3/8"	180 lbs.	25
SRIPB2	2"	3/8"	180 lbs.	25
ZINC PLATED FINISH:				
SRIPG12	1/2"	3/8"	180 lbs.	25
SRIPG34	3/4"	3/8"	180 lbs.	25
SRIPG1	1"	3/8"	180 lbs.	25
SRIPG114	1-1/4"	3/8"	180 lbs.	25
SRIPG112	1-1/2"	3/8"	180 lbs.	25
SRIPG2	2"	3/8"	180 lbs.	20
SRIPG3	3"	1/2"	300 lbs.	20

SPLIT RINGS/ANCHORS/SCREWS

SPLIT RINGS FOR COPPER TUBING



- Copper epoxy coated malleable iron
- Hinged

PART #	DESCRIPTION			PKG./CTN.
	CTS	ROD PIPE	MAX. LOAD	
SRCTCP38	3/8"	3/8"	180 lbs.	25
SRCTCP12	1/2"	3/8"	180 lbs.	25
SRCTCP34	3/4"	3/8"	180 lbs.	25
SRCTCP1	1"	3/8"	180 lbs.	25
SRCTCP114	1-1/4"	3/8"	180 lbs.	25
SRCTCP112	1-1/2"	3/8"	180 lbs.	25
SRCTCP2	2"	3/8"	180 lbs.	20

DROP-IN ANCHOR



- Zinc plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DIA38	3/8"	100/100
DIA12	1/2"	50/50
DIA58 NEW	5/8"	25/25
DIA34 NEW	3/4"	25/25

CEILING FLANGES



- Carbon steel.
- 2-3/4" L x 1-3/8" W
- 2" center to center of side holes

PART #	DESCRIPTION		PKG./CTN.
	ROD SIZE	MAX. LOAD	
BLACK FINISH:			
BCF38	3/8"	180 lbs.	25
BCF12	1/2"	180 lbs.	25
ZINC PLATED FINISH:			
GCF38	3/8"	180 lbs.	25
GCF12	1/2"	180 lbs.	25
COPPER EPOXY FINISH:			
CCF38	3/8"	180 lbs.	25

ALL-THREAD STEEL ROD



(Priced per rod) (CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
6' LENGTH: *Priced per 6' rod.*		
ATSR38-6	3/8" x 6' plain finish	25/25
ATSRP38-6	3/8" x 6' zinc plated finish	25/25
ATSR12-6	1/2" x 6' plain finish	12/12
ATSRP12-6	1/2" x 6' zinc plated finish	12/12
10' LENGTH: *Priced per 10' rod. (Motor freight shipments only)*		
ATSR38-10	3/8" x 10' plain finish	25/25
ATSRP38-10	3/8" x 10' zinc plated finish	25/25

PLATED HEX ROD COUPLINGS



- For plain & zinc plated threaded steel rods
- Zinc plated carbon steel

PART #	DESCRIPTION		PKG./CTN.
	THD. DIAMETER	LENGTH	
PHRC14-78	1/4"	7/8"	50/1000
PHRC38-134	3/8"	1-3/4"	50/1000
PHRC12-134	1/2"	1-3/4"	50/1000
PHRC58-218	5/8"	2-1/8"	50/200

HEX-HEAD LAG SCREWS



- Zinc plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	SIZE	
HLS38-1	3/8" x 1"	100
HLS38-112	3/8 x 1-1/2"	100
HLS38-2	3/8" x 2"	100
HLS38-212	3/8" x 2-1/2"	50
HLS38-3	3/8" x 3"	50

DRILL POINT TECH SCREWS



- Hex head
- Zinc plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DPS8-12	# 8 x 1/2"	100
DPS8-34	# 8 x 3/4"	100
DPS10-34	# 10 x 3/4"	100
DPS10-1	# 10 x 1"	100
DPS10-112	# 10 x 1-1/2"	100
DPS12-1	# 12 x 1"	100
DPS12-2	# 12 x 2"	100

HEX-HEAD TAPPING SCREWS



- Zinc plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HTS7-12	# 7 x 1/2"	100
HTS8-12	# 8 x 1/2"	100
HTS8-34	# 8 x 3/4"	100
HTS8-1	# 8 x 1"	100
HTS8-112	# 8 x 1-1/2"	50
HTS8-2	# 8 x 2"	50
HTS10-34	# 10 x 3/4"	100
HTS10-1	# 10 x 1"	100

BRAXTON HARRIS CO., INC.

6.1.25

SCREWS/BOLTS/WASHERS

FLAT PHILLIPS HEAD WOOD SCREWS




- Zinc plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LENGTH	
WS10-112	# 10	1-1/2"	100
WS12-1	# 12	1"	100
WS12-114	# 12	1-1/4"	100
WS12-112	# 12	1-1/2"	100
WS12-2	# 12	2"	100
WS12-212	# 12	2-1/2"	100
WS12-3	# 12	3"	100
WS14-114	# 14	1-1/4"	100
WS14-112	# 14	1-1/2"	100
WS14-2	# 14	2"	100
WS14-212	# 14	2-1/2"	100
WS14-3	# 14	3"	100
WS14-4	# 14	4"	100

STOVE BOLTS




- Zinc plated
- With nuts

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	SIZE	
SB14-34	1/4" x 3/4"	100
SB14-1	1/4" x 1"	100
SB14-114	1/4" x 1-1/4"	100
SB14-112	1/4" x 1-1/2"	100
SB14-2	1/4" x 2"	100

SPRING WING TOGGLE BOLTS



- Zinc plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	SIZE	
SWTB316-4	3/16" x 4"	50
SWTB14-3	1/4" x 3"	100
SWTB14-4	1/4" x 4"	100
SWTB14-6	1/4" x 6"	100
SWTB38-4	3/8" x 4"	40
SWTB38-6	3/8" x 6"	25

DRYWALL SCREWS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DWS6-2 NEW	#6 x 2"	100

TOGGLE BOLTS AND SPRING WINGS



- Chrome Plated
- 1/4" Threads
- 3" Length

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE		
TB14-3	1/4" x 3"	Bolt only	50
TB14-4	1/4" x 4"	Bolt only	50
TB14-6	1/4" x 6"	Bolt only	50
TB38-4	3/8" x 4"	Bolt only	50
TB38-6	3/8" x 6"	Bolt only	50
SW316	3/16"	Spring wing only	50
SW14	1/4"	Spring wing only	50
SW38	3/8"	Spring wing only	50

HEX-HEAD MACHINE BOLTS



- For pipe flanges
- Grade 2

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FINISH	
HHMB12-134	1/2" x 1-3/4"	Plain	50
HHMB12-214	1/2" x 2-1/4"	Plain	50
HHMB34-312 NEW	3/4" x 3-1/2"	Plain	20
HHMB34-314 NEW	3/4" x 3-1/4"	Plain	25
HHMB58-212	5/8" x 2-1/2"	Plain	25
HHMB58-234	5/8" x 2-3/4"	Plain	25
HHMB58-3	5/8" x 3"	Plain	25
HHMB78-334	7/8" x 3-3/4"	Plain	15/60
HHMB78-4	7/8" x 4"	Plain	15/60
HHMBP12-214 NEW	1/2" x 2-1/4"	Zinc plated	50
HHMBP34-312 NEW	3/4" x 3-1/2"	Zinc plated	20
HHMBP34-314 NEW	3/4" x 3-1/4"	Zinc plated	25
HHMBP58-234 NEW	5/8" x 2-3/4"	Zinc plated	25
HHMBP58-3 NEW	5/8" x 3""	Zinc plated	25
HHMBP78-334 NEW	7/8" x 3-3/4"	Zinc plated	15/60
HHMBP78-4 NEW	7/8" x 4"	Zinc plated	15/60

FLAT WASHERS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FINISH	
FW38	3/8"	Plain	100
FW12	1/2"	Plain	100
FW58	5/8"	Plain	50
FW34	3/4"	Plain	25
FWP38	3/8"	Zinc plated	100
FWP12	1/2"	Zinc plated	100
FWP58	5/8"	Zinc plated	50
FWP34	3/4"	Zinc plated	50

NUTS/WASHERS/ANCHOR KITS/GASKETS

HEX NUTS



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FINISH	
FHN14-20	1/4" - 20	Plain	100
FHN516-18	5/16" - 18	Plain	100
FHN38-16	3/8" - 16	Plain	100
FHN12-13	1/2" - 13	Plain	100
FHN58-11	5/8" - 11	Plain	100
FHN34-10	3/4" - 10	Plain	50
FHNP14-20	1/4" - 20	Zinc plated	100
FHNP38-16	3/8" - 16	Zinc plated	100
FHNP12-13	1/2" - 13	Zinc plated	100
FHNP58-11	5/8" - 11	Zinc plated	50
FHNP34-10	3/4" - 10	Zinc plated	50

FLAT FENDER WASHERS



- 1-1/2" OD

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FINISH	
FWP14-112	1/4" ID	Zinc plated	100
FWP38-112	3/8" ID	Zinc plated	100
FWP12-112	1/2" ID	Zinc plated	100

5/16" ANCHOR KIT WITH DRILL BIT



- Kit includes: 50 ea. - # 14 5/16" x 1-1/2" screws, 50 ea. - anchors, 1 ea. - 5/16" drill bit and resealable container
- With hex-head screws, slotted for regular or Phillips screwdriver

PART #	DESCRIPTION	PKG./CTN.
AK516	5/16" x 1-1/2"	1/36

1/4" ANCHOR KIT WITH DRILL BIT



- Kit includes: 100 ea. - #10 1/4" x 1" screws, 100 ea . - anchors, 1 ea. - 1/4" drill bit and resealable container
- With hex-head screws, slotted for regular or Phillips screwdriver

PART #	DESCRIPTION	PKG./CTN.
AK14	1/4" x 1"	1/36

3/16" ANCHOR KIT WITH DRILL BIT



- Kit includes: 100 ea. - #10 1/4" x 1" screws, 100 ea . - anchors, 1 ea. - 1/4" drill bit and resealable container
- With hex-head screws, slotted for regular or Phillips screwdriver

PART #	DESCRIPTION	PKG./CTN.
AK316	3/16" x 1"	1/50

FLANGE CONNECTION KITS W/ ASBESTOS-FREE GASKETS & PLAIN FINISH BOLTS



FCKFF



FCK

- Kit includes bolts, nuts & one asbestos-free full-face or ring gasket
- Bolts & hex nuts meet ASTM A307
- Gaskets meet ASTM specifications, F152, F36A, F146. 150 lb.
- Made of Garlock 4401
- 1/16" thick
- Temp. rating of 750°F


PART #	DESCRIPTION			PKG./CTN.
	IPS PIPE SIZE	BOLT SIZE	BOLTS/KIT	
KITS WITH FULL FACE GASKETS:				
FCKFF112	1-1/2"	1/2" x 2-1/4"	4	1
FCKFF2	2"	5/8" x 2-3/4"	4	1
FCKFF212	2-1/2"	5/8" x 3"	4	1
FCKFF3	3"	5/8" x 3"	4	1
FCKFF4	4"	5/8" x 3"	8	1
FCKFF5	5"	3/4" x 3-1/4"	8	1
FCKFF6	6"	3/4" x 3-1/4"	8	1
FCKFF8	8"	3/4" x 3-1/2"	8	1
FCKFF10	10"	7/8" x 3-3/4"	12	1
FCKFF120	12"	7/8" x 4"	12	1
KITS WITH RING GASKETS:				
FCK1	1"	1/2" x 2"	4	1
FCK114	1-1/4"	1/2" x 2-1/4"	4	1
FCK112	1-1/2"	1/2" x 2-1/4"	4	1
FCK2	2"	5/8" x 2-3/4"	4	1
FCK212	2-1/2"	5/8" x 3"	4	1
FCK3	3"	5/8" x 3"	4	1
FCK4	4"	5/8" x 3"	8	1
FCK5	5"	3/4" x 3-1/4"	8	1
FCK6	6"	3/4" x 3-1/4"	8	1
FCK8	8"	3/4" x 3-1/2"	8	1
FCK10	10"	7/8" x 3-3/4"	12	1
FCK120	12"	7/8" x 4"	12	1

BRAXTON HARRIS CO., INC.


6.1.22

FLANGE GASKETS

FLANGE CONNECTION KITS W/ ASBESTOS-FREE GASKETS & ZINC PLATED BOLTS



FCKFFP



FCKP

- Kit includes zinc plated bolts, nuts & one asbestos-free full-face or ring gasket
- Bolts & hex nuts meet ASTM A307
- Gaskets meet ASTM specifications, F152, F36A, F146. 150 lb.
- Made of Garlock 4401
- 1/16" thick
- Temp. rating of 750°F

PART #	DESCRIPTION			PKG./CTN.
	IPS PIPE SIZE	BOLT SIZE	BOLTS/KIT	
KITS WITH FULL FACE GASKETS:				
FCKFFP112	1-1/2"	1/2" x 2-1/4"	4	1
FCKFFP2	2"	5/8" x 2-3/4"	4	1
FCKFFP212	2-1/2"	5/8" x 3"	4	1
FCKFFP3	3"	5/8" x 3"	4	1
FCKFFP4	4"	5/8" x 3"	8	1
FCKFFP5	5"	3/4" x 3-1/4"	8	1
FCKFFP6	6"	3/4" x 3-1/4"	8	1
FCKFFP8	8"	3/4" x 3-1/2"	8	1
FCKFFP10	10"	7/8" x 3-3/4"	12	1
FCKFFP120	12"	7/8" x 4"	12	1
KITS WITH RING GASKETS:				
FCKP1	1"	1/2" x 2"	4	1
FCKP114	1-1/4"	1/2" x 2-1/4"	4	1
FCKP112	1-1/2"	1/2" x 2-1/4"	4	1
FCKP2	2"	5/8" x 2-3/4"	4	1
FCKP212	2-1/2"	5/8" x 3"	4	1
FCKP3	3"	5/8" x 3"	4	1
FCKP4	4"	5/8" x 3"	8	1
FCKP5	5"	3/4" x 3-1/4"	8	1
FCKP6	6"	3/4" x 3-1/4"	8	1
FCKP8	8"	3/4" x 3-1/2"	8	1
FCKP10	10"	7/8" x 3-3/4"	12	1
FCKP120	12"	7/8" x 4"	12	1

FLANGE CONNECTION KITS WITH RED RUBBER GASKETS & PLAIN FINISH BOLTS



FCKFFRG



FCKRG

- Kit includes plain finish bolts, nuts & one red rubber full-face or ring gasket
- Hex bolts & nuts meet ASTM A307
- Rubber gaskets meet ASTM D1330
- 1/16" thick • Temp. rating of 350°F
- Do not use w/ steam applications

PART #	DESCRIPTION			PKG./CTN.
	IPS PIPE SIZE	BOLT SIZE	BOLTS/KIT	
KITS WITH RED RUBBER FULL-FACE GASKETS:				
FCKFFRG34	3/4"	1/2" x 2"	4	1
FCKFFRG1	1"	1/2" x 2"	4	1
FCKFFRG114	1-1/4"	1/2" x 2-1/4"	4	1
FCKFFRG112	1-1/2"	1/2" x 2-1/4"	4	1
FCKFFRG2	2"	5/8" x 2-3/4"	4	1
FCKFFRG212	2-1/2"	5/8" x 3"	4	1
FCKFFRG3	3"	5/8" x 3"	4	1
FCKFFRG312	3-1/2"	5/8" x 3"	8	1
FCKFFRG4	4"	5/8" x 3"	8	1
FCKFFRG5	5"	3/4" x 3-1/4"	8	1
FCKFFRG6	6"	3/4" x 3-1/4"	8	1
FCKFFRG8	8"	3/4" x 3-1/2"	8	1
FCKFFRG10	10"	7/8" x 3-3/4"	12	1
FCKFFRG120	12"	7/8" x 4"	12	1
KITS WITH RED RUBBER RING GASKETS:				
FCKRG1	1"	1/2" x 2"	4	1
FCKRG112	1-1/2"	1/2" x 2-1/4"	4	1
FCKRG2	2"	5/8" x 2-3/4"	4	1
FCKRG212	2-1/2"	5/8" x 3"	4	1
FCKRG3	3"	5/8" x 3"	4	1
FCKRG4	4"	5/8" x 3"	8	1
FCKRG5	5"	3/4" x 3-1/4"	8	1
FCKRG6	6"	3/4" x 3-1/4"	8	1
FCKRG8	8"	3/4" x 3-1/2"	8	1
FCKRG10	10"	7/8" x 3-3/4"	12	1
FCKRG120	12"	7/8" x 4"	12	1

FLANGE GASKETS

FLANGE CONNECTION KITS WITH RED RUBBER GASKETS & ZINC PLATED BOLTS



FCKFFRGP



FCKRGP

- Kit includes zinc plated bolts, nuts & one red rubber full-face or ring gasket
- Hex bolts & nuts meet ASTM A307
- Rubber gaskets meet ASTM D1330
- 1/16" thick • Temp. rating of 350°F
- Do not use w/ steam applications

PART #	DESCRIPTION			PKG./CTN.
	IPS PIPE SIZE	BOLT SIZE	BOLTS/KIT	
KITS WITH RED RUBBER FULL-FACE GASKETS:				
FCKFFRGP34	3/4"	1/2" x 2"	4	1
FCKFFRGP1	1"	1/2" x 2"	4	1
FCKFFRGP114	1-1/4"	1/2" x 2-1/4"	4	1
FCKFFRGP112	1-1/2"	1/2" x 2-1/4"	4	1
FCKFFRGP2	2"	5/8" x 2-3/4"	4	1
FCKFFRGP212	2-1/2"	5/8" x 3"	4	1
FCKFFRGP3	3"	5/8" x 3"	4	1
FCKFFRGP312	3-1/2"	5/8" x 3"	8	1
FCKFFRGP4	4"	5/8" x 3"	8	1
FCKFFRGP5	5"	3/4" x 3-1/4"	8	1
FCKFFRGP6	6"	3/4" x 3-1/4"	8	1
FCKFFRGP8	8"	3/4" x 3-1/2"	8	1
FCKFFRGP10	10"	7/8" x 3-3/4"	12	1
FCKFFRGP120	12"	7/8" x 4"	12	1
KITS WITH RED RUBBER RING GASKETS:				
FCKRGP1	1"	1/2" x 2"	4	1
FCKRGP112	1-1/2"	1/2" x 2-1/4"	4	1
FCKRGP2	2"	5/8" x 2-3/4"	4	1
FCKRGP212	2-1/2"	5/8" x 3"	4	1
FCKRGP3	3"	5/8" x 3"	4	1
FCKRGP4	4"	5/8" x 3"	8	1
FCKRGP5	5"	3/4" x 3-1/4"	8	1
FCKRGP6	6"	3/4" x 3-1/4"	8	1
FCKRGP8	8"	3/4" x 3-1/2"	8	1
FCKRGP10	10"	7/8" x 3-3/4"	12	1
FCKRGP120	12"	7/8" x 4"	12	1

RED RUBBER GASKETS



RGFFR



RGR


- Meets ASTM D1330
- 1/16" thick
- Temp. rating 350°F
- Do not use w/ steam applications


PART #	DESCRIPTION	PKG./CTN.
RED RUBBER FULL-FACE GASKETS:		
RGFFR12	1/2" IPS	1
RGFFR34	3/4" IPS	1
RGFFR1	1" IPS	1
RGFFR114	1-1/4" IPS	1
RGFFR112	1-1/2" IPS	1
RGFFR2	2" IPS	1
RGFFR212	2-1/2" IPS	1
RGFFR3	3" IPS	1
RGFFR312	3-1/2" IPS	1
RGFFR4	4" IPS	1
RGFFR5	5" IPS	1
RGFFR6	6" IPS	1
RGFFR8	8" IPS	1
RGFFR10	10" IPS	1
RGFFR120	12" IPS	1
RED RUBBER RING GASKETS:		
RGR12	1/2" IPS	1
RGR34	3/4" IPS	1
RGR1	1" IPS	1
RGR114	1-1/4" IPS	1
RGR112	1-1/2" IPS	1
RGR2	2" IPS	1
RGR212	2-1/2" IPS	1
RGR3	3" IPS	1
RGR312	3-1/2" IPS	1
RGR4	4" IPS	1
RGR5	5" IPS	1
RGR6	6" IPS	1
RGR8	8" IPS	1
RGR10	10" IPS	1

BRAXTON HARRIS CO., INC.

FLANGE GASKETS/DIELECTRIC INSULATION

ASBESTOS-FREE GASKETS





- Meets ASTM F152, F36A, & F146
- Made of Garlock 4401
- 1/16" thick
- Temp. rating 750°F

PART #	DESCRIPTION	PKG./CTN.
ASBESTOS-FREE FULL-FACE GASKETS:		
FFG34	3/4" IPS	1
FFG1	1" IPS	1
FFG114	1-1/4" IPS	1
FFG112	1-1/2" IPS	1
FFG2	2" IPS	1
FFG212	2-1/2" IPS	1
FFG3	3" IPS	1
FFG312	3-1/2" IPS	1
FFG4	4" IPS	1
FFG5	5" IPS	1
FFG6	6" IPS	1
FFG8	8" IPS	1
FFG10	10" IPS	1
FFG120	12" IPS	1
ASBESTOS-FREE RING GASKETS:		
RG12	1/2" IPS	1
RG34	3/4" IPS	1
RG1	1" IPS	1
RG114	1-1/4" IPS	1
RG112	1-1/2" IPS	1
RG2	2" IPS	1
RG212	2-1/2" IPS	1
RG3	3" IPS	1
RG312	3-1/2" IPS	1
RG4	4" IPS	1
RG5	5" IPS	1
RG6	6" IPS	1
RG8	8" IPS	1
RG10	10" IPS	1
RG120	12" IPS	1

DIELECTRIC INSULATION KITS



PART #	SIZE	SLEEVES	WASHERS	PKG./CTN.
DIK112	1-1/2"	4	8	1
DIK2	2"	4	8	1
DIK212	2-1/2"	4	8	1
DIK3	3"	4	8	1
DIK4	4"	8	16	1
DIK5	5"	8	16	1
DIK6	6"	8	16	1
DIK8	8"	8	16	1
DIK10	10"	12	24	1
DIK12	12"	12	24	1

MAKE-A-GASKET RUBBER SHEET



- 6" x 6" square
- 1/16" thickness
- Cut into gaskets, shims, vibration dampers, seals, etc.

PART #	DESCRIPTION	PKG./CTN.
MAGRS	6" x 6"	1

WE SHIP SAME DAY.

SAMMY® TRUSS/PIPE HANGERS FOR SUSPENDED ANCHORING SYSTEMS

- **DRILL / DRIVE / DONE!!**
- **Installs in seconds, saves time & installation costs.**
- **Use in applications where easy access to the back of the installed fastener is prohibited.**
- **No retaining nut required.**
- **Patent pending.**
- **UL listed. UL tested to comply with NFPA 13 standards. FM approved.**

SAMMY X-PRESS® HANGERS



- Expands to provide direct attachment in metal deck (22-20 ga.) & purlin or metal deck (18-16 ga.)
- #s SXP20 & SXP35 tested in accordance with NFPA 13 & NEC standards
- Patent pending

	PART #	APPROVALS	STEEL GA.	ROD SIZE	MAX PIPE SIZE	APPLICATION
PIPE HANGER	SXP 20	FM	12 ga.	3/8-16	4"	Metal Deck
	SXP 35	FM	12 ga.	3/8-16	4"	Purlin
	SXP 20	UL	22-12 ga.	3/8-16	2.5"	Metal Deck
	SXP 35	UL	18-12 ga.	3/8-16	3.5"	Purlin
	PART #	APPROVALS	CONCRETE	ROD SIZE	MAX PIPE SIZE	THICKNESS
	SXP 20	UL	Structural	3/8-16		3000 PSI
	SXP 20	UL	Lightweight	3/8-16	2.5"	535 PCF
	PART #	APPROVALS	STEEL GA.	LOAD RATING		
LUMINAIRE FITTING	SXP 20	UL	Min. 22 ga.	187 lbs.		
	SXP 35	UL	Min. 22 ga.	187 lbs.		
	SXP 20	UL	Min. 16 ga.	250 lbs.		
	SXP 35	UL	Min. 16 ga.	250 lbs.		

PART #	DESCRIPTION	PKG./CTN.
SXP20	Metal deck application	25/125
SXP35	Purlin application	25/125

SAMMY X-PRESS® SIDE WINDER HANGER



- Expands to provide horizontal attachment in purlin (16-12 ga.)
- SWXP35 tested in accordance with NFPA 13 standards
- Patent pending

PART #	APROVALS	STEEL GA.	ROD SIZE	MAX. PIPE SIZE	APPLICATION
SSWXP35	UL	16-12 ga.	3/8-6	3.5"	Purlin

PART #	DESCRIPTION	PKG./CTN.
SSWXP35	Purlin application	25/125

SAMMY X-PRESS® SWIVEL HANGER




- Pipe hanger for X-Treme roof pitches.
  - 89° in purlin.
  - 45° in metal deck for 12/12 pitch.
- Patent pending.

PART #	ROD SIZE	PIPE SIZE	STEEL THICKNESS	TEST LOAD
SSXP20	3/8-16	3/4"-2"	22-20 ga.	750 lbs
SSXP35	3/8-16	3/4"-3.5"	16-12 ga.	1250 lbs

PART #	DESCRIPTION	PKG./CTN.
SSXP20	Metal deck application	25/125
SSXP35	Purlin application	25/125

SAMMY X-PRESS® UNIVERSAL HANGER INSTALLATION TOOL



- # SUXPIT universal tool includes: bit receiver, hex wrench & 25/64" drill bit
- Makes installation of Sammy X-Press® hangers, sidewinder hangers & swivel hangers as easy as DRILL / DRIVE / DONE!!

PART #	DESCRIPTION	PKG./CTN.
SUXPIT	Universal hanger installation tool	25/125

SAMMY SADDLE® CABLE/PIPE/ CONDUIT HANGER



- Snap-nut anywhere onto threaded rod
- Non-corrosive & non-conductive
- Supports cable, pipe or conduit
- Use multiple hangers per rod
- Plenum rated (Complies with National Electrical Codes)
- Plenum rated tie-wires included
- UL listed/Description: Cable hanger, Cat. No. 5 C-Z2000 Plenum rated, complies with NEC Standards
- US patent No. 6,146,076

PART #	DESCRIPTION		PKG./CTN.
	ROD SIZE	ULTIMATE PULLOUT (LBS.)	
SCZ2000	1/4" & 3/8"	181	25

BRAXTON HARRIS CO., INC.

NOTES

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

SECTION G.....TUBULAR / BATH WASTES & OVERFLOW

G1


G1


G2

G3

G3

G3


G4


G4


G5


G5


G6


G7


G7


G8


G8


G9


G9


G10



G11


G13


G13


G13


G14


G14


G15


G16


G17


G17

QUICK GUIDE

WE SHIP SAME DAY.

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

QUICK REFERENCE GUIDE

SECTION G.....TUBULAR / BATH WASTES & OVERFLOW

PLASTIC TUBULAR..... G1

CHROME PLATED BRASS TUBULAR..... G5

BATH WASTES..... G10

CONVERSION KITS..... G11

BATH WASTE COMPONENTS..... G13

HANDICAP COVERS..... G15

LAVATORY DRAINS / POP-UP ASSEMBLIES / P.O. PLUGS..... G16

WASTE CONNECTORS / AIR ADMITTANCE VALVES..... G17

WE SHIP SAME DAY.

PLASTIC TUBULAR

P-TRAPS



- White plastic, unless specified
- Includes winged nuts & washers
- Decorative P-traps come with adapter and deep box escutcheon

PART #	DESCRIPTION	PKG./CTN.
PT114	1-1/4" less adapter w/premium blue washers	1/100
PT112	1-1/2" with adapter w/premium blue washers	1/50
PT114PW	1-1/4" less adapter w/poly washers	1/50
PT112PW	1-1/2" with adapter w/poly washers	1/50
PT114-CP	1-1/4" chrome plated	1/50
PT112-CP	1-1/2" x 1-1/4" chrome plated	1/50
PT112-PB	1-1/2" x 1-1/4" polished brass	1/50
PT112-SN	1-1/2" x 1-1/4" satin nickel	1/50

DEEP BOX ESCUTCHEONS



- White polyethylene

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DBFP0114	1-1/4" OD deep box	5
DBFP0112	1-1/2" OD deep box	5

PLASTIC LOW PATTERN FLANGES (WHITE POLYETHYLENE)



- Ideal for painted walls
- Corrosion-resistant
- Cannot pit or rust
- Will not lose original grip

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LPFP0114	1-1/4" OD (tubular)	25
LPFP0112	1-1/2" OD (tubular)	25

S-TRAPS



- White plastic
- Includes winged nuts & premium blue washers
- Bagged
- For boxed add $.69 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
ST114	1-1/4" less adapter w/ flange	1/60
ST112	1-1/2" with adapter w/ flange	1/60


END OUTLET CONTINUOUS WASTES



- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" x 16"
- Bagged
- For boxed add $.69 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
EOCWU16	Universal (SJ or DC)	1/40
EOCWD16	Direct connect only	1/40

END OUTLET TELESCOPIC WASTES




- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" adjustable up to 16"
- Bagged
- For boxed add $.69 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
EOTW16	Slip-joint	1/25
EOTWDB16	Slip-joint with 3/4" branch	1/25
EOTWD16	Direct connect	1/25
EOTWDB12-16	Slip joint with 1/2" branch	1/25
EOTWDDB16	Direct connect with 3/4" branch	1/25
EOTWU16	Universal end outlet (SJ or DC)	1/25
EOTWDBU12-16	Universal with 1/2" branch (SJ or DC)	1/60
EOTWDBU16	Universal with 3/4" branch (SJ or DC)	1/60

BRAXTON HARRIS CO., INC.

PLASTIC TUBULAR


CENTER OUTLET CONTINUOUS WASTES



- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" x 16"
- Bagged
- For boxed add $.69 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
COCWU16	Universal (SJ or DC)	1/40
COCW16	Slip-joint	1/25
COCWD16	Direct connect	1/50


DISPOSER KITS



- White plastic
- Includes winged nuts, premium blue washers & rubber connection washer
- 1-1/2"
- Bagged
- For boxed add $.69 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
EODK	Baffle tee	1/50
EODKTT	Telescopic tee	1/25
RDCW	Rubber disposer connector washer only	1/25

J-BENDS FOR P-TRAPS & SINK TRAPS



- White plastic
- Includes nuts & washers
- 1-1/2" tubular
- Bagged
- For boxed add $.45 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
JB112	For P-traps	1/60
JBC112	For sink traps (captured nut)	1/60

SWIVEL SINK TRAPS



- White plastic
- Includes nuts & washers
- 1-1/2" x 1-1/4"
- Bagged
- For boxed add $.45 to list price & -BX to end of part number

PART #	DESCRIPTION	PKG./CTN.
SSTSS	Quick repair	1/60
SSTSF	For threaded pipe	1/60
SSTSSW	For schedule 40	1/60

DOUBLE-OFFSET



- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" PVC
- Bagged

PART #	DESCRIPTION	PKG./CTN.
DO112	Slip-joint both ends	1/25

SINGLE-FLANGE SINK TAILPIECES

- White plastic
- Sold in bulk

PART #	DESCRIPTION	PKG./CTN.
SFST114-12	1-1/4" x 12"	1/100
SFST4	1-1/2" x 4"	1/200
SFST6	1-1/2" x 6"	1/200
SFST8	1-1/2" x 8"	1/200
SFST12	1-1/2" x 12"	1/200

DOUBLE-FLANGE SINK TAILPIECE

- White plastic
- Sold in bulk

PART #	DESCRIPTION	PKG./CTN.
DFST16	1-1/2" x 16"	1/100

PLASTIC TUBULAR

EXTENSION TUBES (SINGLE-SLIPJOINT)



- Slip-joint one end
- White plastic
- Includes winged nuts & premium blue washers
- Bagged

PART #	DESCRIPTION	PKG./CTN.
ETOE114-6	1-1/4" x 6"	1/100
ETOE114-12	1-1/4" x 12"	1/100
ETOE6	1-1/2" x 6"	1/100
ETOE8	1-1/2" x 8"	1/100
ETOE12	1-1/2" x 12"	1/100

EXTENSION TUBES (DOUBLE-SLIPJOINT)



- Slip-joint both ends
- White plastic
- Includes winged nuts & premium blue washers
- Bagged

PART #	DESCRIPTION	PKG./CTN.
ETDE114-16	1-1/4" x 16"	1/100
ETDE16	1-1/2" x 16"	1/50

EXTENSION TUBES (SOLVENT)

- White plastic

PART #	DESCRIPTION	PKG./CTN.
SET114-8	1-1/4" x 8"	1
SET112-6	1-1/2" x 6"	1
SET112-12	1-1/2" x 12"	1


WASTE ARMS



- White plastic
- Includes nuts & washers
- 1-1/2"
- Bagged

PART #	DESCRIPTION		PKG./CTN.
	SIZE	**TYPE**	
WT7	7"	Slip-joint	1/80
WT15	15"	Slip-joint	1/60
WT20	20"	Slip-joint	1/25
WTD7	7"	Direct connect	1/80
WTD15	15"	Direct connect	1/60
WTD20	20"	Direct connect	1/25

DISHWASHER BRANCH TAILPIECES



- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" x 8"
- Bagged

PART #	DESCRIPTION		PKG./CTN.
	SIZE	**TYPE**	
DBTSJ12	1/2" (5/8" OD) branch	Slip-joint	1/25
DBTSJ34	3/4" (7/8" OD) branch	Slip-joint	1/25
DBTDH12	1/2" (5/8" OD) branch	Direct connect	1/100
DBTDH34	3/4" (7/8" OD) branch	Direct connect	1/100
DBTU12	1/2" (5/8" OD) branch	Universal	1/25
DBTU34	3/4" (7/8" OD) branch	Universal	1/25

TRAP ADAPTER (MARVEL ADAPTER)

- White plastic
- Includes winged nut & premium blue washer
- 1-1/2"
- Bagged

PART #	DESCRIPTION	PKG./CTN.
TANW	1-1/2" x 1-1/2"	1/100

DOUBLE-SLIP ELBOWS



- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" x 1-1/2"
- Bagged

PART #	DESCRIPTION	PKG./CTN.
DSE45-112	45° elbow	1/100
DSE112	90° elbow	1/100

DOUBLE-SLIP COUPLING

- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" x 1-1/2"
- Bagged

PART #	DESCRIPTION	PKG./CTN.
DSC	Coupling	1/100

BRAXTON HARRIS CO., INC.

PLASTIC TUBULAR

THREE-WAY TEE



- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2" x 1-1/2" x 1-1/2"
- Bagged

PART #	DESCRIPTION	PKG./CTN.
3WT112	Tee	1/80

CENTER OUTLET TEE/BAFFLE TWIN ELBOW



- With baffle
- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2"
- Bagged

PART #	DESCRIPTION	PKG./CTN.
BTE112	Tee	1/80

END OUTLET TEES



BTD BT

- With baffle
- White plastic
- Includes winged nuts & premium blue washers
- 1-1/2"
- Bagged

PART #	DESCRIPTION	PKG./CTN.
BTD112	Direct connect	1/80
BT112	Slip-joint	1/80

FLEXI-EXTENSIONS

- White plastic
- Includes nuts & washers
- Slip-joint

PART #	DESCRIPTION	PKG./CTN.
SJE114-9	1-1/4" x 9"	1/100
SJE112-12	1-1/2" x 12"	1/100

FLEXI-FLANGE TAILPIECE



- White plastic
- Includes nuts & washers
- Direct connect

PART #	DESCRIPTION	PKG./CTN.
FT112-12	1-1/2" x 12"	1/100

FLEXI-J-BEND

- White plastic
- Includes nuts & washers
- Slip-joint

PART #	DESCRIPTION	PKG./CTN.
JBT112-114	1-1/2" x 1-1/4"	1/50

FLEXI-COUPLING



- White plastic

PART #	DESCRIPTION	PKG./CTN.
C112-114	1-1/2" x 1-1/4"	1/100

FLANGED HI-WAY INSERT

- White plastic

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FHWI	1-1/2" x 1"	25

WING SLIP-JOINT NUTS



- Handtite wingnut
- White plastic
- Bagged

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJNP112	1-1/2" FPT x 1-1/2" tube	100/100
SJNP114	1-1/4" FPT x 1-1/4" tube	100/100

SPLIT NUTS



- 2-piece
- White plastic with washer
- Bagged
- Replace fractured or stripped slip nuts without tubular disassembly

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJNPS114	1-1/4" split nut	25
SJNPS112	1-1/2" split nut	25

PLASTIC/CHROME PLATED TUBULAR

BEVELED SLIP-JOINT WASHERS

SJWP_



SJWS_

- Beveled
- Bagged

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJWP114	1-1/4" x 1-1/4" white polyethylene	100
SJWP112	1-1/2" x 1-1/2" white polyethylene	100
SJWP112-114	1-1/2" x 1-1/4" white polyethylene	100
SJWP2	2" x 2" white polyethylene	100
SJWS114	1-1/4" x 1-1/4" premium blue	100
SJWS112	1-1/2" x 1-1/2" premium blue	100
SJWS112-114	1-1/2" x 1-1/4" premium blue	100

FLANGED TAILPIECE WASHERS

TPWF_



TPWFS_

- Bagged

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TPWF112	1-1/2" x 1-1/2" white poly	100
TPWFS112	1-1/2" x 1-1/2" premium blue	100

WE SHIP SAME DAY.

P-TRAPS (LESS CLEANOUT)



- Chrome plated brass
- Includes nuts, washers & flange
- Boxed
- To add deep box escutcheon to chrome plated finish add $1.77 to list price & "D" to end of part number

PART #	DESCRIPTION				PKG./CTN.
	SIZE	GAUGE	FINISH	NUTS	
BPT17-114	1-1/4"	17	CP	Brass	1/25
BPT17-112	1-1/2"	17	CP	Brass	1/25
BPT20-114	1-1/4"	20	CP	Zinc	1/25
BPT20-114B	1-1/4"	20	CP	Brass	1/25
BPT20-112	1-1/2"	20	CP	Zinc	1/25
BPT20-112B	1-1/2"	20	CP	Brass	1/25
BPT114	1-1/4"	22	CP	Zinc	1/25
BPT114B	1-1/4"	22	CP	Brass	1/25
BPT112	1-1/2"	22	CP	Zinc	1/25
BPT112B	1-1/2"	22	CP	Brass	1/25
Decorative P-traps come with deep box escutcheon & 17 gauge tubular.					
Please contact us for other sizes & finishes.					
BPT114D-SN	1-1/4"	17	Satin nickel (brushed)	Brass	1/15
BPT114D-OB	1-1/4"	17	Oil rubbed bronze	Brass	1/15
BPT114D-PB	1-1/4"	17	Polished brass	Brass	1/15

P-TRAPS (WITH CLEANOUT)



- Chrome plated brass
- Includes nuts, washers & flange
- Boxed
- To add deep box escutcheon add $1.77 to list price & "D" to end of part number

PART #	DESCRIPTION			PKG./CTN.
	SIZE	GAUGE	NUTS	
BPT17-114C	1-1/4"	17	Brass	1/25
BPT17-112C	1-1/2"	17	Brass	1/25
BPT20-114C	1-1/4"	20	Zinc	1/25
BPT20-112C	1-1/2"	20	Zinc	1/25
SEMICAST WITH CLEANOUT:				
BPT17-114CC	1-1/4"	17 (arm)	Brass	1/25
BPT17-112CC	1-1/2"	17 (arm)	Brass	1/25

BRAXTON HARRIS CO., INC.

6.1.25

CHROME PLATED BRASS TUBULAR

WALL ARM FOR P-TRAP



- Chrome plated brass
- Bagged

PART #	DESCRIPTION		PKG./CTN.
	SIZE	GAUGE	
BWA17-114	1-1/4" x 7-1/2"	17	25/100
BWA17-112	1-1/2" x 7-1/2"	17	25/100

ADJUSTABLE SINK TRAP



- Chrome plated brass
- With cast IPS elbow
- Includes nuts, washers & flange
- Boxed

PART #	DESCRIPTION			PKG./CTN.
	SIZE	GAUGE	NUTS	
BAST17-112	1-1/2"	17	Brass	1/40

S-TRAPS (LESS CLEANOUT)



- Chrome plated brass
- Includes nuts, washers & flange
- Boxed

PART #	DESCRIPTION				PKG./CTN.
	SIZE	GAUGE	NUTS	FLANGE	
BST17-114	1-1/4"	17	Brass	Low Pattern	1/25
BST17-114D	1-1/4"	17	Brass	Deep Box	1/25
BST17-112	1-1/2"	17	Brass	Low Pattern	1/25
BST17-112D	1-1/2"	17	Brass	Deep Box	1/25
BST114	1-1/4"	22	Zinc	Low Pattern	1/25
BST112	1-1/2"	22	Zinc	Low Pattern	1/25

END OUTLET CONTINUOUS WASTES



- Chrome plated brass
- Includes nuts & washers
- 1-1/2" x 16"
- Boxed

PART #	DESCRIPTION			PKG./CTN.
	TYPE	GAUGE	NUTS	
BEOCW17-16	Slip-joint	17	Brass	1/25
BEOCW20-16	Slip-joint	20	Zinc	1/25
BEOCW16	Slip-joint	22	Zinc	1/25
BEOCWD16	Direct con.	22	Zinc	1/25

END OUTLET DISPOSAL KIT



- Chrome plated brass
- Includes nuts & washers
- 1-1/2" x 13"
- Boxed

PART #	DESCRIPTION			PKG./CTN.
	TYPE	GAUGE	NUTS	
BEODK17	Direct con.	17	Brass	1/25
BEODK	Direct con.	20	Zinc	1/25

CENTER OUTLET CONTINUOUS WASTES



- Chrome plated brass
- Includes nuts & washers
- 1-1/2" x 16"
- Boxed

PART #	DESCRIPTION			PKG./CTN.
	TYPE	GAUGE	NUTS	
BCOCW17-16	Slip-joint	17	Brass	1/25
BCOCW20-16	Slip-joint	20	Zinc	1/25
BCOCW16	Slip-joint	22	Zinc	1/25
BCOCWD16	Direct con.	22	Zinc	1/25

J-BENDS



BJB_




BJBC_

- Chrome plated brass
- Includes nuts & washers
- Boxed

PART #	DESCRIPTION				PKG./CTN.
	SIZE	TYPE	GAUGE	NUTS	
BJB17-114	1-1/4"	Slip-joint	17	Brass	1/25
BJB17-112	1-1/2"	Slip-joint	17	Brass	1/25
BJB114	1-1/4"	Slip-joint	22	Zinc	1/25
BJB112	1-1/2"	Slip-joint	22	Zinc	1/25
BJBC114	1-1/4"	Slip-joint (captured nut)	20	Zinc	1/25
BJBC112	1-1/2"	Slip-joint (captured nut)	20	Zinc	1/50
BJBC22-112 NEW	1-1/2"	Slip-joint (captured nut)	22	Zinc	1/25

CHROME PLATED BRASS TUBULAR

WASTE ARMS



- 22 gauge
- Chrome plated brass
- 1-1/2"
- Bagged

PART #	DESCRIPTION		PKG./CTN.
	TYPE	LENGTH	
BWT7	Slip-joint	7"	60
BWT12	Slip-joint	12"	50
BWT15	Slip-joint	15"	40
BWT20	Slip-joint	20"	40
BWTD7	Direct connect	7"	60
BWTD12	Direct connect	12"	50
BWTD15	Direct connect	15"	40
BWTD20	Direct connect	20"	40

DISHWASHER BRANCH TAILPIECES



- 22 gauge
- Chrome plated brass
- Bagged

PART #	DESCRIPTION		PKG./CTN.
		BRANCH	
BDBT6	1-1/2" x 6" direct connect	1/2" (5/8")	1/25
BDBT8	1-1/2" x 8" direct connect	1/2" (5/8")	1/50
BDBT34-8	1-1/2" x 8" direct connect	3/4" (7/8")	1/50
BDBTSJ12	1-1/2" x 8" slip-joint	1/2" (5/8")	1/50
BDBTSJ34-8	1-1/2" x 8" slip-joint	3/4" (7/8")	1/50

DOUBLE SLIP-JOINT EXTENSION TUBE



- 22 gauge
- Chrome plated brass

PART #	DESCRIPTION			PKG./CTN.
	SIZE	GAUGE	NUTS	
BETDE114-16	1-1/4" x 16"	22	Zinc	1
BETDE16	1-1/2" x 16"	22	Zinc	1

SLIP-JOINT EXTENSION TUBE



- Chrome plated brass
- Bagged
- Decorative finishes available in 17 ga.

PART #	DESCRIPTION			PKG./CTN.
	SIZE	GAUGE	NUTS	
BETOE17-114-6 NEW	1-1/4" x 6"	17	Brass	1
BETOE17-114-8	1-1/4" x 8"	17	Brass	1
BETOE17-114-12	1-1/4" x 12"	17	Brass	1
BETOE17-8	1-1/2" x 8"	17	Brass	1
BETOE17-12	1-1/2" x 12"	17	Brass	1
BETOE20-114-8	1-1/4" x 8"	20	Brass	1
BETOE114-6	1-1/4" x 6"	22	Zinc	80
BETOE114-8	1-1/4" x 8"	22	Zinc	60
BETOE114-12	1-1/4" x 12"	22	Zinc	50
BETOE6	1-1/2" x 6"	22	Zinc	80
BETOE8	1-1/2" x 8"	22	Zinc	60
BETOE12	1-1/2" x 12"	22	Zinc	50

SOLDER EXTENSION TUBE



- 20 gauge
- Chrome plated brass

PART #	DESCRIPTION		PKG./CTN.
	SIZE	GAUGE	
BSET114-12	1-1/4" x 12"	20	1

DOUBLE OFFSETS



- Chrome plated brass
- 11-1/2" length
- Bagged

PART #	DESCRIPTION			PKG./CTN.
	SIZE	GAUGE	NUTS	
BDO114	1-1/4"	20	Zinc	80
BDO112	1-1/2"	20	Zinc	80

BRAXTON HARRIS CO., INC.

CHROME PLATED BRASS TUBULAR

DOUBLE-FLANGE SINK TAILPIECES



- 22 gauge
- Chrome plated brass
- Bagged

PART #	DESCRIPTION	PKG./CTN.
BDFST16	1-1/2" x 16"	40

SINGLE-FLANGE SINK TAILPIECES



- Chrome plated brass
- Bagged

PART #	DESCRIPTION		PKG./CTN.
	SIZE	**GAUGE**	
BSFST17114-8	1-1/4" x 8"	17	1
BSFST17114-12	1-1/4" x 12"	17	1
BSFST17-6	1-1/2" x 6"	17	1
BSFST17-8	1-1/2" x 8"	17	1
BSFST17-12	1-1/2" x 12"	17	1
BSFST114-8	1-1/4" x 8"	22	1
BSFST114-12	1-1/4" x 12"	22	1
BSFST4	1-1/2" x 4"	22	100
BSFST6	1-1/2" x 6"	22	80
BSFST8	1-1/2" x 8"	22	60
BSFST12	1-1/2" x 12"	22	50

DOUBLE-THREADED SINK TAILPIECES



- Chrome plated brass
- Bagged
- Decorative finishes available in 17 ga.

PART #	DESCRIPTION		PKG./CTN.
	SIZE	**GAUGE**	
BDTST17-114-6	1-1/4" x 6"	17	1
BDTST17-114-8	1-1/4" x 8"	17	1
BDTST17-114-12	1-1/4" x 12"	17	1
BDTST17-12	1-1/2" x 12"	17	1
BDTST114-6	1-1/4" x 6"	20	80
BDTST114-8	1-1/4" x 8"	20	60
BDTST114-12	1-1/4" x 12"	20	50
BDTST6	1-1/2" x 6"	20	80
BDTST8	1-1/2" x 8"	20	60
BDTST12	1-1/2" x 12"	20	50

BRASS COVER TUBE



- 20 gauge
- Chrome plated brass
- Plain ends with no threads

PART #	DESCRIPTION	PKG./CTN.
BCT114-3	3' x 1-1/4"	1
BCT138-3	3' x 1-3/8"	1
BCT112-3	3' x 1-1/2"	1
BCT134-3	3' x 1-3/4"	1
BCT2-3	3' x 2"	1

SLIP JOINT END OUTLET TEE



- 20 gauge
- Chrome plated brass
- Slip joint connection
- Includes zinc nuts and washers
- 4" tailpiece

PART #	DESCRIPTION	PKG./CTN.
BBT112	1-1/2" slip joint tee	1

SLIP JOINT CENTER OUTLET TEE



- 20 gauge
- Chrome plated brass
- Slip joint connection
- Includes zinc nuts and washers
- 4" tailpiece

PART #	DESCRIPTION	PKG./CTN.
BBTE112	1-1/2" slip joint tee	1

CHROME PLATED BRASS TUBULAR

DOUBLE SLIP ELBOWS



- Chrome plated brass
- Includes Zinc nuts & washers
- Compression ends

PART #	DESCRIPTION	PKG./CTN.
SR45-114	1-1/4", 45° elbow	1
SR45-112	1-1/2", 45° elbow	1
SRE114	1-1/4", 90° elbow	1
SRE112	1-1/2", 90° elbow	1

SLIP REPAIR COUPLINGS



- Chrome plated brass
- Includes Zinc nuts & washers
- Compression ends
- 22 ga.

PART #	DESCRIPTION	PKG./CTN.
SRC114	1-1/4" coupling	1
SRC112	1-1/2" coupling	1

SLIP REPAIR TEE



- Chrome plated cast brass
- Includes nuts & washers
- Compression ends

PART #	DESCRIPTION	PKG./CTN.
SRT112	1-1/2" x 1-1/2" x 1-1/2"	1

SLIP-JOINT NUTS (ZINC DIE CAST)



- Less washer
- Chrome plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
	FPT x TUBE	
SJN114	1-1/4" x 1-1/4"	25
SJN112	1-1/2" x 1-1/2"	25
SJN112-114	1-1/2" x 1-1/4"	25
SJN2	2" x 2"	25
SJN2-112	2" x 1-1/2"	25

SLIP-JOINT NUTS (BRASS)



- Less washer
- Chrome plated

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJNB114	1-1/4" x 1-1/4"	25
SJNB112	1-1/2" x 1-1/2"	25
SJNB112-114	1-1/2" x 1-1/4"	25
SJNB2	2" x 2"	25

RUBBER SLIP-JOINT WASHERS



- Square-cut rubber

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SJW114	1-1/4" x 1-1/4"	100
SJW112	1-1/2" x 1-1/2"	100
SJW112-114	1-1/2" x 1-1/4"	100
SJW2	2" x 2"	100

SLIP-JOINT NUTS & WASHERS



- Chrome plated brass
- Nut packed with square-cut rubber washer

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
ZINC DIE CAST NUT:	FPT x TUBE	
SJNW114	1-1/4" x 1-1/4"	25
SJNW112	1-1/2" x 1-1/2"	25
SJNW112-114	1-1/2" x 1-1/4"	25
SJNW2	2" x 2"	25
BRASS NUT:		
SJNBW114	1-1/4" x 1-1/4"	25
SJNBW112	1-1/2" x 1-1/2"	25
SJNBW112-114	1-1/2" x 1-1/4"	25
SJNBW2	2" x 2 "	25

BRAXTON HARRIS CO., INC.

PLASTIC BATH WASTES

BATH WASTE KITS



- For chrome plated brass drain (instead of chrome plated zinc die cast) add a -CP to the end of the part number

CHOOSE YOUR TRIM >>

<< CHOOSE YOUR ROUGH-IN

	Description	LTWT	LTWT1	TTWT	TTWT1	TLWT
 BW40RK1/ BW40RK2	Sch 40 half kit	PLTWHK2	PLTWHK1	PTTWHK2	PTTWHK1	—
	Sch 40 half kit w/ test	PLTWHK2K	PLTWHK1K	PTTWHK2K	PTTWHK1K	—
BW40DRK1/ BW40DRK2	Sch 40 half kit	PLTWDHK2	PLTWDHK1	PTTWDHK2	PTTWDHK1	—
	Sch 40 half kit w/ test	PLTWDHK2K	PLTWDHK1K	PTTWDHK2K	PTTWDHK1K	—
 BW40DTRK1/ BW40DTRK2	Sch 40 half kit	PLTWDTHK2	PLTWDTHK1	PTTWDTHK2	PTTWDTHK1	—
	Sch 40 half kit w/ test	PLTWDTHK2K	PLTWDTHK1K	PTTWDTHK2K	PTTWDTHK1K	—
 BW40FRK1/ BW40FRK2	Sch 40 full bath waste	PLTW40	PLTW40-1	PTTW40	PTTW40-1	—
	Sch 40 full bath waste w/ test	PLTW40K	PLTW40-1K	PTTW40K	PTTW40-1K	—
 BWPFRK1/ BWPFRK2	Plastic tubular full bath waste	PLTW	PLTW1	PTTW	PTTW1	PTLW (w/ plunger #PLA)
 BWPFRK3	Plastic tubular above floor full bath waste	PLTAFW	PLTAFW1	PTTAFW	PTTAFW	—
 BWPFRK4	Plastic tubular shoe outlet full bath waste	PLTSOW	PLTSOW1	PTTSOW	PTTSOW1	—
 BW17FRK1/ BW17FRK2	Brass 17 gauge tubular full bath waste	BLTW	BLTW1	BTTW	BTTW1	BTLW (w/ plunger #BLA)

PLASTIC BATH WASTES/CONVERSION KITS

SCHEDULE 40 CABLE DRIVE DRAINS



- Tee Included (pipe not included)
- 1-1/2" PVC schedule 40 fittings
- Solvent weld
- 27" cable
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
CD	Chrome plated	1/20
CD-SN	PVD satin nickel (brushed)	1/32
CD-OB	Oil rubbed bronze	1/32
CD-PB	PVD polished brass	1/32
CD-WH	White	1/32


PLASTIC LIFT & TURN 2-HOLE BATH CONDENSATE WASTE



- Includes: 2-Hole face plate with finished screws, 1-1/2" coarse threads brass lift and turn drain, white PVC tubular with condensation head and waste overflow washer

PART #	DESCRIPTION	PKG./CTN.
PLTWC	Chrome plated	1
PLTWC-BX	Chrome plated (boxed)	1

STANDING BATH WASTE



- 1-1/2" male x female
- Chrome plated finish
- All brass

PART #	DESCRIPTION	PKG./CTN.
SBW112	Bath waste	1/60

CONVERSION TRIM KITS - TOE TOUCH



- 1-1/2" toe touch drain with 2-hole overflow plate
- Trim only
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
TTWT	Chrome plated zinc die cast	1/48
TTWT-CP	Chrome plated brass	1/48
TTWT-SN	PVD satin nickel (brushed)	1/48
TTWT-OB	Oil rubbed bronze	1/48
TTWT-PB	PVD polished brass	1/48
TTWT-NP	PVD polished nickel	1/48
TTWT-AP	Aged pewter	1/48
TTWT-SB	PVD satin bronze (brushed)	1/48
TTWT-FB	Flat black	1/48

CONVERSION TRIM KITS - TOE TOUCH



- 1-1/2" toe touch drain with 1-hole overflow plate
- Trim only
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
TTWT1	Chrome plated zinc die cast	1/48
TTWT1-CP	Chrome plated brass	1/48
TTWT1-SN	PVD satin nickel (brushed)	1/48
TTWT1-OB	Oil rubbed bronze	1/48
TTWT1-PB	PVD polished brass	1/48
TTWT1-NP	PVD polished nickel	1/48
TTWT1-AP	Aged pewter	1/48
TTWT1-SB	PVD satin bronze (brushed)	1/48
TTWT1-FB	Flat black	1/48

BRAXTON HARRIS CO., INC.

CONVERSION KITS

CONVERSION TRIM KITS - LIFT & TURN



- 1-1/2" lift & turn drain with 2-hole overflow plate
- Trim only
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
LTWT	Chrome plated zinc die cast	1/48
LTWT-CP	Chrome plated brass	1/48
LTWT-SN	PVD Satin nickel (brushed)	1/48
LTWT-OB	Oil rubbed bronze	1/48
LTWT-PB	PVD polished brass	1/48
LTWT-NP	PVD polished nickel	1/48
LTWT-AP	Aged pewter	1/48
LTWT-SB	PVD satin bronze (brushed)	1/48
LTWT-FB	Flat black	1/48

CONVERSION TRIM KITS - UNIVERSAL



- 1-1/4" lift & turn drain with 1-1/4" x 1-1/2" bushing & 2-hole overflow plate
- Trim only
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
LTWT112-114	Chrome plated zinc die cast	1/48
LTWT112-114-CP	Chrome plated brass	1/48
LTWT112-114-SN	PVD satin nickel (brushed)	1/48
LTWT112-114-OB	Oil rubbed bronze	1/48
LTWT112-114-PB	PVD polished brass	1/48
LTWT112-114-NP	PVD polished nickel	1/48
LTWT112-114-AP	Aged pewter	1/48
LTWT112-114-SB	PVD satin bronze (brushed)	1/48
LTWT112-114-FB	Flat black	1/48


CONVERSION TRIM KITS - LIFT & TURN



- 1-1/2" lift & turn drain with 1-hole overflow plate
- Trim only
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
LTWT1	Chrome plated zinc die cast	1/48
LTWT1-CP	Chrome plated brass	1/48
LTWT1-SN	PVD satin nickel (brushed)	1/48
LTWT1-OB	Oil rubbed bronze	1/48
LTWT1-PB	PVD polished brass	1/48
LTWT1-NP	PVD polished nickel	1/48
LTWT1-AP	Aged pewter	1/48
LTWT1-SB	PVD satin bronze (brushed)	1/48
LTWT1-FB	Flat black	1/48

CONVERSION TRIM KITS - UNIVERSAL



- 1-1/4" lift & turn drain with 1-1/4" x 1-1/2" bushing & 1-hole overflow plate
- Trim only
- Other finishes available

PART #	DESCRIPTION	PKG./CTN.
LTWT112-114-1	Chrome plated zinc die cast	1/48
LTWT112-114-1-CP	Chrome plated brass	1/48
LTWT112-114-1-SN	PVD satin nickel (brushed)	1/48
LTWT112-114-1-OB	Oil rubbed bronze	1/48
LTWT112-114-1-PB	PVD polished brass	1/48
LTWT112-114-1-NP	PVD polished nickel	1/48
LTWT112-114-1-AP	Aged pewter	1/48
LTWT112-114-1-SB	PVD satin bronze (brushed)	1/48
LTWT112-114-1-FB	Flat black	1/48

BATH WASTE COMPONENTS

BATH DRAIN STOPPER



- 1-1/2" bath drain stopper only

PART #	DESCRIPTION	PKG./CTN.
BDS112-NP	PVD Polished Nickel	1
BDS112-OB	Oil Rubbed Bronze	1
BDS112-PB	PVD Polished Brass	1
BDS112-SB	PVD Satin Bronze	1
BDS112-SN	PVD Satin Nickel	1
BDS112-FB	Flat black	1

BRASS TUBULAR KIT LESS TRIM



- 17 gauge
- Less trim

PART #	DESCRIPTION	PKG./CTN.
BW17FRK1	1-1/2" without plunger	1
BW17FRK2	1-1/2" with plunger	1

PLASTIC TUBULAR KIT LESS TRIM



- Less trim

PART #	DESCRIPTION	PKG./CTN.
BWPFRK1	1-1/2"	1
BWPFRK2	BWPFRK1 w/ plunger	1
BWPFRK3	1-1/2" above floor outlet kit	1
BWPFRK4	1-1/2" shoe outlet kit	1

SCHEDULE 40 TUBULAR KIT LESS TRIM



- Less trim

PART #	DESCRIPTION	PKG./CTN.
BW40FRK1	1-1/2" 1-hole	1
BW40FRK2	1-1/2" 2-hole	1

BATH WASTE TRIM KIT FOR 2-HOLE OVERFLOW FACEPLATE



- Threaded for 3/8" stem
- Kit Includes:
  - Schedule 40 top 2-Hole elbow with test
  - Schedule 40 drain elbow
  - 1-1/2" coarse threaded body with test
  - Waste overflow rubber washer and waste shoe washer

PART #	DESCRIPTION	PKG./CTN.
BWTK2	Bath waste trim kit for 2-hole faceplate	1

LIFT & TURN FACEPLATE AND STOPPER



- Chrome plated
- 3/8" stem
- Includes one hole face plate and lift and turn stopper only

PART #	DESCRIPTION	PKG./CTN.
BWT1	1-hole face plate and stopper only	1
BWT2	2-hole face plate and stopper only	1

LINKAGE ASSEMBLY (FIT-ALL)



- Replacement for trip-lever bath waste

PART #	DESCRIPTION	PKG./CTN.
BLA	Universal assembly	1/20

BRAXTON HARRIS CO., INC.

BATH WASTE COMPONENTS

CONVERSION BAR



- Secures overflow elbow to tub
- Converts two-hole to one-hole face plate

PART #	DESCRIPTION	PKG./CTN.
OFPCB	Conversion bar	25

WASTE & OVERFLOW WASHER



- 2-1/8" ID x 3-3/16" OD beveled from 3/16" to 9/16"

PART #	DESCRIPTION	PKG./CTN.
WOW	Sponge rubber	50/500

CHANNELED WASTE & OVERFLOW WASHER



- Channel groove to fit Price Pfister* & Sayco*
- 2-1/8" ID x 3-3/16" OD beveled

PART #	DESCRIPTION	PKG./CTN.
CWOW	Molded rubber	1

SCHEDULE 40 BATH WASTE FITTINGS



SE112



TE112



TE112-2



TE112-2C



SD112



DT112



DDT112

- White PVC

PART #	DESCRIPTION	PKG./CTN.
SE112	Shoe elbow	50/200
TE112	Top elbow, 1-hole	50/200
TE112-2	Top elbow, 2-hole	50/200
TE112-2C	Top elbow, 2-hole (condensate)	50/200
SD112	1-1/2" direct drain for bathwaste	1
DT112	1-1/2" drain tee for bathwaste	1
DDT112	1-1/2" directional drain tee for bathwaste	1


TUB DRAIN CONVERSION BUSHING



- Brass bushing

PART #	DESCRIPTION	PKG./CTN.
TDB112-114	Converts 1-1/4" (1-3/8") to 1-1/2"	1
TDB2316-178	For Kohler* 1-7/8" to 2-3/16"	1

1-HOLE WASTE AND OVERFLOW TEST KIT



- Used for 1-hole faceplate and 3/8" stem tub drain

PART #	DESCRIPTION	PKG./CTN.
BWTPK1-38	1-hole waste and overflow test kit	1

TEST PLUGS FOR BATH WASTES



TPOFP



TP

PART #	DESCRIPTION	PKG./CTN.
TPOFP	2-3/8" dia. head, fits 2-hole face plate	25
TP14	1-3/4" dia. head, fits 1-hole face plate 1/4 stem - 20 x 1" long threads	25
TP38	2" dia. head, fits 3/8" drain 3/8 stem- 16 x 1-1/2" long threads	25
TP516	2" dia. head, fits 5/16" drain 5/16 stem- 18 x 1-1/2" long threads	25

HANDICAP COVERS

P-TRAP, TWO ANGLE VALVE & SUPPLY LINE COVERS



- Flexible waste and supply piping covers allow for easy installation
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular and cast brass P-trap assemblies
- Includes P-traps & 2 angle valve & supply line covers

PART #	DESCRIPTION	PKG./CTN.
TW2SC	4-piece kit	1/15

P-TRAP, ONE ANGLE VALVE & SUPPLY LINE COVER



- Flexible waste and supply piping covers allow for easy installation
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular and cast brass P-trap assemblies
- Includes P-trap & 1 ea. angle valve & supply line cover

PART #	DESCRIPTION	PKG./CTN.
TW1SC	3-piece kit	1/15

P-TRAP W/ TWO-ANGLE VALVE/ SUPPLY LINE COVERS & TWO 1-1/4" OFFSET GRID DRAIN COVERS



- Fits all tubular and cast brass P-trap assemblies
- Same as # TW2SC above except with 1 ea. # OC 1-1/4" offset grid strainer covers

PART #	DESCRIPTION	PKG./CTN.
TW2S1OC	6-piece kit	1/15

P-TRAP ASSEMBLY COVERS



- Flexible waste and supply piping covers allow for easy installation
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular and cast brass P-trap assemblies

PART #	DESCRIPTION	PKG./CTN.
TC	2-piece kit	1/15

1-1/4" OFFSET GRID DRAIN COVER



- Flexible waste and supply piping covers allow for easy installation.
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular and cast brass P-trap assemblies
- Includes 1 ea. 1-1/4" x 5" offset grid strainer cover

PART #	DESCRIPTION	PKG./CTN.
OC	1-piece kit	1/15

CONTINUOUS WASTE COVER



- Flexible waste and supply piping covers allow for easy installation
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular and cast brass P-trap assemblies

PART #	DESCRIPTION	PKG./CTN.
CWC	Includes 1 ea. continuous or end waste cover 6-piece kit	1/15

STOP COVER



- Flexible waste and supply piping covers allow for easy installation.
- Satisfies ADA article 4.19.4 compliance requirements
- Fits all tubular and cast brass P-trap assemblies
- Includes 1 stop cover

PART #	DESCRIPTION	PKG./CTN.
SC	1-piece kit	1/15

PVC HANDICAP WRAP



- PVC A.D.A. tape.
- Handicap wrap for insulating sink traps & water lines
- Sufficient length to wrap approx. 5 ea. P-traps

PART #	DESCRIPTION	PKG./CTN.
HW2-40	2" x 40"	1/24

BRAXTON HARRIS CO., INC.

LAV. DRAINS/PO PLUGS/ POP-UP ASSEM.

COMMERCIAL LAVATORY GRID DRAIN



- Chrome plated
- Total length is 8-1/4"
- Thread length is 2-1/4"
- 17 gauge tailpiece is 6" in length
- With overflow
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
CLD114	1-1/4" tailpiece x 6" length	1/50

COMMERCIAL LAVATORY DRAIN WITHOUT OVERFLOW HOLES



- 17 ga.
- For vessel sinks
- With grid strainer & mack washer
- 1-1/16" thread depth on bottom of grid strainer
- Chrome plated brass with brass locknut
- Fully finished
- No overflow
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
CLD114NF	1-1/4" tailpiece x 6" length	1/50

COMMERCIAL OFFSET GRID DRAIN



- Handicap-style off set for wheelchair access
- 17 ga.
- Chrome plated
- Decorative finishes available
- 1-1/4" x 7" tailpiece

PART #	DESCRIPTION	PKG./CTN.
HSLD114	Offset grid drain	1/25

PO PLUGS (WITH OVERFLOW)



- Chrome plated brass
- Side-hole for lavatory overflow
- With rubber stopper & beaded chain

PART #	DESCRIPTION	PKG./CTN.
POPB5	1-1/4" x 5" length 1-piece	1/30
POPB5-2	1-1/4" x 5" length 2-piece	1
POPB8	1-1/4" x 8" length 1-piece	1
POPB8-2	1-1/4" x 8" length 2-piece	1
POPB12	1-1/4" x 12" length 1-piece	1
POPB12-2	1-1/4" x 12" length 2-piece	1

ONE-PIECE CO PLUGS



- Chrome plated brass
- Less side hole for lavatory overflow
- With rubber stopper & beaded chain

PART #	DESCRIPTION	PKG./CTN.
COPB5	Brass 1-1/4" tailpiece x 5" overall height	1
COPP5	Plastic 1-1/4" tailpiece x 5" overall height	1


ONE-PIECE PLASTIC PO PLUG



- 1-piece
- Chrome plated plastic
- 1-1/4" x 5" length
- With rubber stopper & beaded chain

PART #	DESCRIPTION	PKG./CTN.
POPP5	PO (with overflow)	1

BRASS POP-UP ASSEMBLY



- 17 ga. tailpiece
- Heavy pattern brass casting
- Chrome plated body & trim
- Solid brass nut
- Heavy gauge linkage
- 6-1/2" tailpiece
- 1-1/4" thread depth
- Individually boxed

PART #	DESCRIPTION	PKG./CTN.
PUA	Assembly	1/50
PUR	Rod with strap	1
PURC	Rod clip	1
PUABR	Chrome plated steel rod w/ plastic ball	1

WASTE CONNECTORS/AIR ADMITTANCE

TRAP WASTE CONNECTORS (MALE)



- With poly washer
- Brass, body, ferrule & nut
- Tubular x male pipe (female swt.)

PART #	DESCRIPTION	PKG./CTN.
TCM114	1-1/4" OD x 1-1/4" MPT	1/25
TCM114-112	1-1/4" OD x 1-1/2" MPT or FSWT	1/25
TCM112	1-1/2" OD x 1-1/2" MPT or FSWT	1/25

TRAP WASTE CONNECTORS (FEMALE)



- With poly washer
- Brass, body, ferrule & nut
- Tubular x female pipe

PART #	DESCRIPTION	PKG./CTN.
TCF114	1-1/4" OD x 1-1/4" FPT	1/25
TCF114-112	1-1/4" OD x 1-1/2" FPT	1/25
TCF112	1-1/2" OD x 1-1/2" FPT	1/25

PRO VENT AIR ADMITTANCE VALVE



- Automatic plumbing vent permits air to automatically enter drain line to prevent siphonage
- Seal closes as drainage stops to prevent sewer gas from entering home
- No metal parts to rust
- Tested to NSF-24-19
- For use with sinks, tubs, showers, washing machines, dishwashers, etc.
- Withstands greater than 25 lbs. back pressures
- Actuates with less than 1/2 lb. PSI
- Maintains a 2.8" water column

PART #	DESCRIPTION	PKG./CTN.
PV112	1-1/2" MPT ABS material	25/200

TRAP AIR VENT



- With tailpiece

PART #	DESCRIPTION	PKG./CTN.
TAV112	1-1/2"	1/15

TAILPIECE FOR PRO VENT



- Fits BHC # TAV112
- 1-1/2" dia. x 5-1/2" overall length

PART #	DESCRIPTION	PKG./CTN.
PVTP112	1-1/2"	1/15

SMALL AIR ADMITTANCE VALVE



- Can be used as individual, branch, circuit or stack vent
- Fits 1-1/2" and 2" pipe
- Will vent up to 160 DFUs on branch and up to 24 DPUs on stack
- Residential or commercial use
- Meets ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, Warnock Hersey specifications

PART #	DESCRIPTION	PKG./CTN.
AAVS	Fits 1-1/2" & 2"	1/50

LARGE AIR ADMITTANCE VALVE



- Can be used as individual, branch, circuit or stack vent
- Fits 3" and 4" pipe
- Will vent up to 500 DFUs on stack
- Residential or commercial use
- Meets ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, Warnock Hersey specifications

PART #	DESCRIPTION	PKG./CTN.
AAVL	Fits 3" & 4"	1/10

BRAXTON HARRIS CO., INC.

NOTES

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

SECTION H .....PLASTIC / BRASS / CAST IRON SPECIALTIES


H1


H3


H3


H3


H5


H6


H10


H13


H14


H14


H15


H15


H16


H17


H17


H18


H18


H19


H20


H20


H21


H21


H22


H23


H24


H25


H26


H26


H28


H30


H31


H32



H33


H34


H34


H35


H36


H42


H42


H42


H43


H43

QUICK GUIDE

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

QUICK REFERENCE GUIDE

SECTION H .....PLASTIC / BRASS / CAST IRON SPECIALTIES

PLASTIC SPECIALTIES H1
- Closet Flanges H1
- Extension Kits H2
- Urinal Flange Kits H3
- Shower Drains H3
- Replacement Strainers H5
- Commercial Drains H6
- Pipe Fit Base Drains H10
- General Purpose Drains H13
- Inside Pipe Fit Drains H14
- Floor Drains H14
- Replacement Strainers / Rings H15
- Pipe Fit Base Cleanouts H16
- General Purpose Cleanouts H17
- Inside Pipe Fit Cleanouts H17
- Cleanouts H17
- Plugs H18
- PVC Floor Sinks H19
- Backwater Valves H20
- Access Cover Panels H21
- Cover Plates H21
- Saddle Tees H22
- Wedges H22
- Traps H22
- Test Caps H22
- Water Meter Boxes / Keys H23

BRASS SPECIALTIES H24
- Drains / Strainers H24
- Closet Flanges H25
- Repair Flanges H26
- Extension Cleanout Cover Sets / Plugs / Screws H26
- Cleanout Plugs H28

CAST IRON SPECIALTIES H30
- Cleanouts / Ferrules H30
- Closet Flanges H31
- Backwater Devices H32
- Drains H33
- Roof Drains / Slop Sinks / Floor Sinks H34
- Shower Drains H35
- Commercial Drains H36
- Replacement Strainers H42
- Test Plugs H42
- Vent Boxes / Vent Caps H42
- Gas Burners / Log Lighter Burners H43
- Lead Pouring Products H43

PLASTIC SPECIALTIES

CLOSET FLANGES

FLAT-FIT CLOSET FLANGES



- Has four mounting slots to allow precise alignment of water closet
- Has 8 screwholes to allow a secure mount to the floor
- Fits flush with floor
- 3" fits inside pipe
- 3" x 4" fits over 3" or inside of 4" sch. 40 DWV pipe
- Units less knockout do not have pipe stop

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
CF3P	Inside 3"	PVC	Less knockout	1/20
CF3A	Inside 3"	ABS	Less knockout	1/20
CF3PK	Inside 3"	PVC	With knockout	1/20
CF3AK	Inside 3"	ABS	With knockout	1/20
CF3-4P	Over 3"/ Inside 4"	PVC	Less knockout	1/20
CF3-4A	Over 3"/ Inside 4"	ABS	Less knockout	1/20
CF3-4PK	Over 3"/ Inside 4"	PVC	With knockout	1/20
CF3-4AK	Over 3"/ Inside 4"	ABS	With knockout	1/20

FLAT-FIT CLOSET FLANGES WITH ADJUSTABLE METAL RING



- 3" x 4" fits over 3" or inside 4" sch. 40 DWV pipe
- Two radial slots for closet bolts
- 6 screw holes

PART #	FITS	MATERIAL	FLANGE	KNOCKOUT	PKG./CTN.
CF3-4PMR	Over 3"/ Inside 4"	PVC	Metal	Less knockout	1/20
CF3-4AMR	Over 3"/ Inside 4"	ABS	Metal	Less knockout	1/20
CF4PMR	Over 4"	PVC	Metal	Less knockout	1/20
CF3-4PKMR	Over 3"/ Inside 4"	PVC	Metal	With knockout	1/20
CF3-4AKMR	Over 3"/ Inside 4"	ABS	Metal	With knockout	1/20
CF3-4PSMR	Over 3"/ Inside 4"	PVC	SS	Less knockout	1/20
CF3-4PKSMR	Over 3"/ Inside 4"	PVC	SS	With knockout	1/20

FLAT-FIT CLOSET FLANGES WITH ADJUSTABLE PLASTIC RING



- Ring will not corrode
- Ring rotates for easy installation
- Two groove slots and two radial slots
- Has six screw holes to allow a secure mount to the floor

PART #	FITS	MATERIAL	FLANGE	KNOCKOUT	PKG./CTN.
CF3-4PSR	Over 3"/ Inside 4"	PVC	PVC	Less knockout	1/20
CF3-4PKSR	Over 3"/ Inside 4"	PVC	PVC	With knockout	1/20
CF4PSR	Over 4"	PVC	PVC	Less knockout	1/20
CF4PKSR	Over 4"	PVC	PVC	With knockout	1/20

CLOSET FLANGES

45° CLOSET FLANGE



- Fits over 3" DWV with 4" sweep
- With plastic swivel ring
- Provides maximum set when used with a socket x socket 45° elbow
- More versatile than an offset closet flange

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
CF3-4-45PPR	Over 3"/ Inside 4"	PVC	Less knockout	1/20
CF3-4-45APR	Over 3"/ Inside 4"	ABS	Less knockout	1/20

4-WAY OFFSET CLOSET FLANGE



- Allows up to a 2" offset in placement of water closet
- Allows for four directional adjustments
- Fits over 3" or inside 4" schedule 40 DWV pipe

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
CF3-4PO	Over 3"/ Inside 4"	PVC	Less knockout	1/20
CF3-4AO	Over 3"/ Inside 4"	ABS	Less knockout	1/20

2" OFFSET CLOSET FLANGE



- Fits over 3" or inside 4" schedule 40 DWV pipe
- With four closet bolt slots & two mounting screw holes

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
CF3-4PO4-2	Over 3"/ Inside 4"	PVC	Less knockout	1/20

OFFSET CLOSET FLANGE WITH METAL RING



- Fits over 3" or inside 4" sch. 40 DWV pipe
- With adjustable metal rings
- With two radial slots for closet bolts

PART #	FITS	MATERIAL	FLANGE	KNOCKOUT	PKG./CTN.
CF3-4POMR	Over 3"/ Inside 4"	PVC	Metal	Less knockout	1/20
CF3-4AOMR	Over 3"/ Inside 4"	ABS	Metal	Less knockout	1/20
CF3-4POSR	Over 3"/ Inside 4"	PVC	SS	Less knockout	1/20

SPIGOT FIT CLOSET FLANGE



- Fits Over 3" schedule 40 DWV pipe
- Flush Fit

PART #	FITS	MATERIAL	FLANGE	KNOCKOUT	PKG./CTN.
CF3SP NEW	Over 3"	3"	PVC	Less knockout	1/20

BRAXTON HARRIS CO., INC.

6.1.25

PLASTIC SPECIALTIES

CLOSET FLANGES

PUSH-IN CLOSET FLANGE (GASKET)



- Fits inside 3" or 4" cast iron or schedule 40 DWV pipe
- 3" barrel length

PART #	FITS	BARREL	MATERIAL	FLANGE	PKG./CTN.
CF3-3G	Inside 3"	3"	PVC	PVC	1/20
CF4-3G NEW	Inside 4"	3"	PVC	PVC	1/6

PUSH-IN REPAIR FLANGE (GASKET)



- One-piece construction
- Gasket permanently attached to hub of flange
- Seals entire length of tailpiece extension
- Can be cut to desired length
- Fits inside 4" PVC, DWV, no-hub service weight & extra heavy cast iron

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
PIRFG4	Inside 4"	PVC	Less knockout	1

PUSH-IN REPAIR FLANGE (O-RING)



- Replaces broken cast iron closet flange
- Compression o-ring joint
- Two o-ring diameters to accommodate different inside pipe sizes
- No need to remove lead joint, no tearing up of floors & no caulking of lead joints
- Slides inside cast iron, schedule 30 & 40 ABS, PVC
- Simply engage o-ring for snug fit, align both slots with proper closet position & push into pipe for compression seal. Then secure flange to floor for proper installation.

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
PIRFO3	Inside 3"	PVC	Less knockout	1/24
PIRFO4	Inside 4"	PVC	Less knockout	1/24

PUSH-IN REPAIR FLANGE (BOLTS)



- Replaces broken cast iron closet flanges
- Allows up to 3" of adjustment to riser
- Compression joint
- Slides inside 4" cast iron, ABS & PVC pipes
- Simply slip into pipe & tighten 3 stainless steel bolts
- Great for concrete construction
- No need to remove lead joint, no tearing up of floors & no caulking of lead joints
- Use with a flanged wax ring

PART #	FITS	MATERIAL	KNOCKOUT	PKG./CTN.
PIRFB4	Inside 4"	PVC	Less knockout	1/24

CLOSET FLANGES WITH LONG BARREL



- Extended shank to reach riser below floor height
- Eliminates need for chipping & repairing concrete
- Faster repairs

PART #	FITS	BARREL	MATERIAL	FLANGE	PKG./CTN.
CF3LB	Inside 3"	4"	PVC	PVC	20
CF3-4LB	Over 3"/ Inside 4"	4"	PVC	PVC	20

CLOSET FLANGES

CLOSET FLANGES WITH LONG BARREL AND ADJUSTABLE SWIVEL RING



- Fits inside 3" cast iron or sch. 40 DWV
- Extended shank to reach riser below floor height
- Eliminates need for chipping & repairing concrete
- Faster repairs

PART #	FITS	BARREL	MATERIAL	FLANGE	PKG./CTN.
PLASTIC SWIVEL FLANGE					
CF3LBA	Inside 3"	4"	PVC	PVC	1
CF3LB6A	Inside 3"	6"	PVC	PVC	1
CF3LB6AA	Inside 3"	6"	ABS	ABS	1
CF3-4LB6A	Over 3"/ Inside 4"	6"	PVC	PVC	1
CF3-4LB6AA	Over 3"/ Inside 4"	6"	ABS	ABS	1
METAL SWIVEL FLANGE					
CF3LBAMR	Inside 3"	4"	PVC	Metal	1
CF3LBASR	Inside 3"	4"	PVC	SS	1
CF3LB6AMR	Inside 3"	6"	PVC	Metal	1
CF3LB6AMRA	Inside 3"	6"	ABS	Metal	1
CF3-4LB6AMR	Over 3"/ Inside 4"	6"	PVC	Metal	1
CF3-4LB6AMRA	Over 3"/ Inside 4"	6"	ABS	Metal	1
CF3-4LB6ASR	Over 3"/ Inside 4"	6"	PVC	SS	1

CLOSET FLANGE EXTENSIONS

CLOSET FLANGE SPACER KIT

H



- Reusable toilet gasket
- Used in issues arising from remodeling projects
- Kit includes: 2 gaskets, 1/2" spacer, 1/4" x 3-1/2" closet bolt kit, 2 plastic shims

PART #	DESCRIPTION	PKG./CTN.
CFSK	Closet flange spacer kit	1/10

CLOSET FLANGE EXTENSION KIT (WITHOUT GASKETS)

H




- Includes adhesive caulk & all hardware
- For replacing, repairing or retiling bathroom floors
- Complete with 3 ea. 1/4" extenders for easy adjustment, 2 ea. 3-1/2" closet bolts w/ washers & nuts & adhesive caulk
- Anchor closet bolts when closet ring is broken

PART #	DESCRIPTION	PKG./CTN.
CFEK	Complete kit	1/10

PLASTIC SPECIALTIES

CLOSET FLANGE EXTENSIONS

CLOSET FLANGE EXTENSION KITS (WITH ATTACHED GASKETS)



- For replacing, repairing or retiled bathroom floors
- Complete with 2 ea. 3-1/2" closet bolts with washers & nuts
- Anchor closet bolts when closet ring is broken
- No caulking required

PART #	DESCRIPTION	PKG./CTN.
WITH 1 EA. 1/4" THICK FLANGE & 1 EA. 1/2" THICK FLANGE:		
CFEK14	Complete kit	1
WITH 1 EA. 1/2" THICK FLANGE:		
CFEK12	Complete kit	1
FLANGE (ONLY) :		
CFE14	1/4" thick, with gasket	1/10
CFE14LG	1/4" thick, less gasket	1/10
CFE12	1/2" thick, with gasket	1/10
CFE12LG	1/2" thick, less gasket	1/10

URINAL FLANGE KITS


ADJUSTABLE URINAL FLANGE KITS



- Makes installation of urinal fast & easy
- Horizontal slots accommodate urinals with 3-1/2" to 7" flange mounting centers
- Kit includes bolts, nuts, washers & gasket

PART #	DESCRIPTION	PKG./CTN.
SOCKET FIT *Fits over 2" schedule 40 DWV pipe.*		
AUFK	2" PVC	1
SPIGOT FIT *Solvent welds directly into any 2" tee, elbow, coupling, etc. 1-1/2" long tailpiece is easily cut to accommodate various wall finishes.*		
AUFKS	2" PVC	1

RADIALLY ADJUSTABLE URINAL FLANGE KIT



- Socket fit
- Allows parallel alignment using radial slots
- Adjusts to 4" or 6" centers
- Kit includes bolts, nuts, washers & gaskets

PART #	DESCRIPTION	PKG./CTN.
RAUFK	2" PVC	1/25

SHOWER DRAINS

FIBERGLASS/ACRYLIC SHOWER STALL DRAIN WITH RECEPTOR BASE



- Allows for secondary drainage
- Fits all standard fiberglass/acrylic shower stall bases
- Welds over 2" schedule 40 DWV pipe
- 4-1/4" stainless steel strainer
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
FSSD2	2" PVC	1/50

FIBERGLASS/ACRYLIC SHOWER STALL DRAIN



- Fits all standard fiberglass/acrylic shower stall bases
- Welds or no-caulks over 2" schedule 40 DWV pipe
- With 4-1/4" stainless steel snap-in strainer
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
SWSSD2	2" PVC solvent weld	1/20
NCSSD2	2" no caulk	1/20

OFFSET SHOWER STALL DRAIN



- Fits over 2" schedule 40 DWV pipe
- 4-1/4" stainless steel strainer
- Accepts knock-out test cap for testing
- Allows for secondary drainage
- Solvent weld

PART #	DESCRIPTION	PKG./CTN.
OFSSD2	2" PVC	1

PLASTIC NO-CAULK SHOWER DRAIN



- Compression gasket-type
- Designed for fiberglass shower stalls
- Fits 2" schedule 40 plastic or cast iron pipe
- 4-1/4" OD snap-in stainless steel strainer
- Supplied with wrench for tightening compression nut
- (Ref. # 101 PNC)
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
NCSD2	2" PVC, with stainless steel strainer	1/50

BRAXTON HARRIS CO., INC.

PLASTIC SPECIALTIES

SHOWER DRAINS

RESIDENTIAL PLASTIC SHOWER DRAINS

- 6-1/2" Pan
- PVC is grey in color
- Comes with test insert
- Strainers and tops available in decorative finishes. For finish replace last two letters of part# with "-" and finish (ie SD2-3-2P-4-SN)
- All strainers cast except for the stamped stainless steel
- Replacement strainers and rings located on page H15

with Clamping Ring and 2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE



Part# SD2-3-2P-4SS



4" Diameter Round Strainer



4" Diameter Square Strainer



2" x 3" Sch 40 DWV 6-1/2" Pan

Stamped Stainless Steel *Part# MS2RS4SS*	Cast Chrome Plated *Part# MS2RS4CP*	Cast Nickel Bronze *Part# MS2RS4NB*	Cast Chrome Plated Less Ring *Part# MS2RS4CP*	Cast Chrome Plated *Part# MS2SSR4CP*	Cast Nickel Bronze *Part# MS2SSR4NB*	Cast Brass *Part# MS2SSR4PB*
SD2-3-2M-4SS	SD2-3-2M-4CP	SD2-3-2M-4NB	SD2-3-2M-4SLCP	SD2-3-2M-4SCP	SD2-3-2M-4SNB	SD2-3-2M-4SPB

with Clamping Ring and 2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>


<< CHOOSE YOUR BASE



Part# SD2-3-2P-4SS



4-1/4" Diameter Round Strainer



4-1/4" Diameter Round Strainer with Ring



4-1/4" Diameter Square Strainer



4-1/4" Square Stamped Snap-in Strainer w/Square Top Spud



2" x 3" Sch 40 DWV 6-1/2" Pan

Stamped Stainless Steel *Part# PS2RS4SS*	Cast Chrome Plated *Part# PS2RS4CP*	Cast Nickel Bronze *Part# PS2RS4NB*	Cast Chrome Plated *Part# RSC338-414CP*	Cast Nickel Bronze *Part# RSC338-414NB*	Cast Chrome Plated *Part# RSSC338*	Stamped Stainless Steel *Part# RSSIS*
SD2-3-2P-4SS *Part# changed from BDSD2-3*	SD2-3-2P-4CCP	SD2-3-2P-4CNB	SD2-3-2P-4CRCP	SD2-3-2P-4CRNB	SD2-3-2P-4SCCP	SD2-3-2P-4SSSS

PLASTIC SPECIALTIES

SHOWER DRAIN STRAINERS

SQUARE SCREW-IN STRAINER (CAST)



- Chrome plated cast brass
- 4-1/4" outside diameter, square
- 3-3/8" screw-hole to screw-hole centers
- Fits BHC #SD2-3-2 series
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
RSSC338	4-1/4" CP cast brass	1

SNAP-IN STRAINERS


RSSS


SSSS


RS-WH


RSSIS

- #s RSSS & RS-WH fit #s NCSD2, BNCSD2, SWSSD2 shower drains
- Decorative finishes available

PART #	SIZE	MATERIAL	PRONG CENTERS	PKG./CTN.
RSSS	4-1/4" OD round	Stainless Steel	2-7/8"	1
SSSS	4-1/4" OD round	Stainless Steel	2-7/8"	1
RS-WH	4-1/4" OD round	White Plastic	2-3/4"	1
RSSIS	4-1/4" OD square	Stainless Steel	2-7/8"	1

SNAP-IN DRAIN COVERS (STAINLESS STEEL)



- Heavy-duty
- Covers all cast iron, clay, tile & plastic pipe drains
- Ideal for swimming pool drains

PART #	DESCRIPTION	PKG./CTN.
SIDC112	Fits 1-1/2" pipe, 3" OD cover	1
SIDC2	Fits 2" pipe, 3" OD cover	1
SIDC3	Fits 3" pipe, 4" OD cover	1
SIDC4	Fits 4" pipe, 5" OD cover	1

ROUND SCREW-IN STRAINERS



- Stainless steel
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
RSSI	4-1/4" OD with 2-5/8" centers, fits BHC # SD2-3-2P series, FSSD2 & GPD2-3 drains	1
RSSI338	4" OD with 3-3/8" centers, fits BHC # SD2-3-2P series drain	1
RSSI338-414	4-1/4" OD with 3-3/8" centers, fits BHC # SD2-3-2P series drain	1

SHOWER DRAIN STRAINERS

FIT-ALL DRAIN PROTECTOR



- 3-1/8" with clip on bottom
- Aluminum

PART #	DESCRIPTION	PKG./CTN.
FADP	Fit-all drain protector	1

SHOWER DRAIN ACCESSORIES

EXTEND-A-DRAIN EXTENSION KIT



- Drain extension kit raises your drain height by 1/4" to 1/2"
- Easy to install
- Two convenient sizes: 3-3/8" diameter and 4-3/8" diameter

PART #	DESCRIPTION	PKG./CTN.
EAD338	3-3/8" extension kit	1
EAD438	4-3/8" extension kit	1

WEEP HOLE PROTECTOR



- Clear plastic drainage disk circles drain opening in a shower floor
- Ridges allow for drainage of water to the weep holes
- Inner and outer diameter of the disk are perforated to customize depending on shower drain size

PART #	DESCRIPTION	PKG./CTN.
WHP	Weep hole protector	1

INTEGRATED REMOVABLE HAIR STRAINER



- Integrated hair strainer

PART #	DESCRIPTION	PKG./CTN.
IRHS	Hair strainer	1

WATERLESS TRAP SEAL



PART #	DESCRIPTION	PKG./CTN.
WTS114 NEW	1-1/4" Waterless Trap Seal	1
WTS112 NEW	1-1/2" Waterless Trap Seal	1
WTS2	2" Waterless Trap Seal	1
WTS3	3" Waterless Trap Seal	1
WTS312	3-1/2" Waterless Trap Seal	1
WTS4	4" Waterless Trap Seal	1
WTS6 NEW	6" Waterless Trap Seal	1

BRAXTON HARRIS CO., INC.

PLASTIC SPECIALTIES

COMMERCIAL DRAINS

COMMERCIAL DRAINS

- 8-1/2" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie PD8C2-3-312M-5S-SN)
- PVC is grey in color
- Replacement strainers and rings located on page H15

with Clamping Ring and 3-1/2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		4" Diameter Round Strainer		5" Diameter Round Strainer		
		Cast Nickel Bronze *Part# MS312RS4NB*	Cast Brass *Part# MS312RS4PB*	Cast Chrome Plated *Part# MS312RS5CP*	Cast Nickel Bronze *Part# MS312RS5NB*	Cast Brass *Part# MS312RS5PB*
	2" x 3" Sch 40 DWV *Part# PDB8C2-3-312*	PD8C2-3-312M-4NB	PD8C2-3-312M-4PB	PD8C2-3-312M-5CP	PD8C2-3-312M-5NB	PD8C2-3-312M-5PB
	3" x 4" Sch 40 DWV *Part# PDB8C3-4-312*	PD8C3-4-312M-4NB	PD8C3-4-312M-4PB	PD8C3-4-312M-5CP	PD8C3-4-312M-5NB	PD8C3-4-312M-5PB

with Clamping Ring and 3-1/2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		5" Diameter Round Strainer				5" Diameter Round Strainer with Ring		
		Stamped Stainless Steel *Part# PS312RS5SS*	Cast Chrome Plated *Part# PS312RS5CP*	Cast Nickel Bronze *Part# PS312RS5NB*	Cast Brass *Part# PS312RS5PB*	Cast Chrome Plated *Part# PS312RSR5CP*	Cast Nickel Bronze *Part# PS312RSR5NB*	Cast Brass *Part# PS312RSR5PB*
	2" x 3" Sch 40 DWV *Part# PDB8C2-3-312*	PD8C2-3-312P-5SS	PD8C2-3-312P-5CP	PD8C2-3-312P-5NB	PD8C2-3-312P-5PB	PD8C2-3-312P-5RCP	PD8C2-3-312P-5RNB	PD8C2-3-312P-5RPB
	3" x 4" Sch 40 DWV *Part# PDB8C3-4-312*	PD8C3-4-312P-5SS	PD8C3-4-312P-5CP	PD8C3-4-312P-5NB	PD8C3-4-312P-5PB	PD8C3-4-312P-5RCP	PD8C3-4-312P-5RNB	PD8C3-4-312P-5RPB

PLASTIC SPECIALTIES

COMMERCIAL DRAINS (Continued)

COMMERCIAL DRAINS (Continued)

- 8-1/2" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie PD8C2-3-312M-5S-SN)
- PVC is grey in color
- Replacement strainers and rings located on page H15

with Clamping Ring and 3-1/2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>





6" Diameter Round Strainer



5" Diameter Square Strainer



6" Diameter Square Strainer

<< CHOOSE YOUR BASE

	Cast Chrome Plated *Part# MS312RS6CP*	Cast Nickel Bronze *Part# MS312RS6NB*	Cast Brass *Part# MS312RS6PB*	Cast Chrome Plated *Part# MS312SSR5CP*	Cast Nickel Bronze *Part# MS312SSR5NB*	Cast Brass *Part# MS312SSR5PB*	Cast Nickel Bronze *Part# MS312SSR6NB*	Cast Brass *Part# MS312SSR6PB*
 2" x 3" Sch 40 DWV *Part# PDB8C2-3-312*	PD8C2-3-312M-6CP	PD8C2-3-312M-6NB	PD8C2-3-312M-6PB	PD8C2-3-312M-5SCP	PD8C2-3-312M-5SNB	PD8C2-3-312M-5SPB	PD8C2-3-312M-6SNB	PD8C2-3-312M-6SPB
 3" x 4" Sch 40 DWV *Part# PDB8C3-4-312*	PD8C3-4-312M-6CP	PD8C3-4-312M-6NB	PD8C3-4-312M-6PB	PD8C3-4-312M-5SCP	PD8C3-4-312M-5SNB	PD8C3-4-312M-5SPB	PD8C3-4-312M-6SNB	PD8C3-4-312M-6SPB


with Clamping Ring and 3-1/2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>





6" Diameter Round Strainer



6" Diameter Round Strainer with Ring

<< CHOOSE YOUR BASE

	Stamped Stainless Steel *Part# PS312RS6SS*	Cast Chrome Plated *Part# PS312RS6CP*	Cast Nickel Bronze *Part# PS312RS6NB*	Cast Brass *Part# PS312RS6PB*	Cast Chrome Plated *Part# PS312RSR6CP*	Cast Nickel Bronze *Part# PS312RSR6NB*	Cast Brass *Part# PS312RSR6PB*
 2" x 3" Sch 40 DWV *Part# PDB8C2-3-312*	PD8C2-3-312P-6SS	PD8C2-3-312P-6CP	PD8C2-3-312P-6NB	PD8C2-3-312P-6PB	PD8C2-3-312P-6RCP	PD8C2-3-312P-6RNB	PD8C2-3-312P-6RPB
 3" x 4" Sch 40 DWV *Part# PDB8C3-4-312*	PD8C3-4-312P-6SS	PD8C3-4-312P-6CP	PD8C3-4-312P-6NB	PD8C3-4-312P-6PB	PD8C3-4-312P-6RCP	PD8C3-4-312P-6RNB	PD8C3-4-312P-6RPB

BRAXTON HARRIS CO., INC.

PLASTIC SPECIALTIES

COMMERCIAL DRAINS (Continued)

PLASTIC COMMERCIAL DRAINS FOR SLAB

- Used where membrane is not needed
- 8-1/2" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie PSD2-3-312M-5S-SN)
- PVC is grey in color
- Replacement strainers and rings located on page H15

with 3-1/2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE





4" Diameter Round Strainer



5" Diameter Round Strainer

	Cast Nickel Bronze *Part# MS312RS4NB*	Cast Brass *Part# MS312RS4PB*	Cast Chrome Plated *Part# MS312RS5CP*	Cast Nickel Bronze *Part# MS312RS5NB*	Cast Brass *Part# MS312RS5PB*
 2" x 3" Sch 40 DWV *Part# PSDB2-3-312*	PSD2-3-312M -4NB	PSD2-3-312M -4PB	PSD2-3-312M -5CP	PSD2-3-312M -5NB	PSD2-3-312M -5PB
 3" x 4" Sch 40 DWV *Part# PSDB3-4-312*	PSD3-4-312M -4NB	PSD3-4-312M -4PB	PSD3-4-312M -5CP	PSD3-4-312M -5NB	PSD3-4-312M -5PB

with 3-1/2" Plastic Spud


CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE





5" Diameter Round Strainer



5" Diameter Round Strainer with Ring

	Stamped Stainless Steel *Part# PS312RS5SS*	Cast Chrome Plated *Part# PS312RS5CP*	Cast Nickel Bronze *Part# PS312RS5NB*	Cast Brass *Part# PS312RS5PB*	Cast Chrome Plated *Part# PS312RSR5CP*	Cast Nickel Bronze *Part# PS312RSR5NB*	Cast Brass *Part# PS312RSR5PB*
 2" x 3" Sch 40 DWV *Part# PSDB2-3-312*	PSD2-3-312P -5SS	PSD2-3-312P -5CP	PSD2-3-312P -5NB	PSD2-3-312P -5PB	PSD2-3-312P -5RCP	PSD2-3-312P -5RNB	PSD2-3-312P-5RPB
 3" x 4" Sch 40 DWV *Part# PSDB3-4-312*	PSD3-4-312P -5SS	PSD3-4-312P -5CP	PSD3-4-312P -5NB	PSD3-4-312P -5PB	PSD3-4-312P -5RCP	PSD3-4-312P -5RNB	PSD3-4-312P-5RPB

PLASTIC SPECIALTIES

COMMERCIAL DRAINS (Continued)

PLASTIC COMMERCIAL DRAINS FOR SLAB (Continued)

- Used where membrane is not needed
- 8-1/2" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie PSD2-3-312M-5S-SN)
- PVC is grey in color
- Replacement strainers and rings located on page H15

with 3-1/2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>





6" Diameter Round Strainer



5" Diameter Square Strainer



6" Diameter Square Strainer

<< CHOOSE YOUR BASE

	Cast Chrome Plated *Part# MS312RS6CP*	Cast Nickel Bronze *Part# MS312RS6NB*	Cast Brass *Part# MS312RS6PB*	Cast Chrome Plated *Part# MS312SSR5CP*	Cast Nickel Bronze *Part# MS312SSR5NB*	Cast Brass *Part# MS312SSR5PB*	Cast Nickel Bronze *Part# MS312SSR6NB*	Cast Brass *Part# MS312SSR6PB*
 2" x 3" Sch 40 DWV *Part# PSDB2-3-312*	PSD2-3-312M -6CP	PSD2-3-312M -6NB	PSD2-3-312M -6PB	PSD2-3-312M -5SCP	PSD2-3-312M -5SNB	PSD2-3-312M -5SPB	PSD2-3-312M -6SNB	PSD2-3-312M -6SPB
 3" x 4" Sch 40 DWV *Part# PSDB3-4-312*	PSD3-4-312M -6CP	PSD3-4-312M -6NB	PSD3-4-312M -6PB	PSD3-4-312M -5SCP	PSD3-4-312M -5SNB	PSD3-4-312M -5SPB	PSD3-4-312M -6SNB	PSD3-4-312M -6SPB


with 3-1/2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>





6" Diameter Round Strainer



6" Diameter Round Strainer with Ring

<< CHOOSE YOUR BASE

	Stamped Stainless Steel *Part# PS312RS6SS*	Cast Chrome Plated *Part# PS312RS6CP*	Cast Nickel Bronze *Part# PS312RS6NB*	Cast Brass *Part# PS312RS6PB*	Cast Chrome Plated *Part# PS312RSR6CP*	Cast Nickel Bronze *Part# PS312RSR6NB*	Cast Brass *Part# PS312RSR6PB*
 2" x 3" Sch 40 DWV *Part# PSDB2-3-312*	PSD2-3-312P -6SS	PSD2-3-312P -6CP	PSD2-3-312P -6NB	PSD2-3-312P -6PB	PSD2-3-312P -6RCP	PSD2-3-312P -6RNB	PSD2-3-312P -6RPB
 3" x 4" Sch 40 DWV *Part# PSDB3-4-312*	PSD3-4-312P -6SS	PSD3-4-312P -6CP	PSD3-4-312P -6NB	PSD3-4-312P -6PB	PSD3-4-312P -6RCP	PSD3-4-312P -6RNB	PSD3-4-312P -6RPB

COMMERCIAL DRAINS

BRAXTON HARRIS CO., INC.

PLASTIC SPECIALTIES

PIPE FIT BASE DRAINS

PIPE FIT BASE DRAINS WITH 3-1/2" SPUD

- Adjustable to desired height
- PVC is grey in color
- 5" diameter metal square spud/strainers and 5" round strainers are available in decorative finishes. For finish replace last two letters of part# with "-" and finish (ie PFD3-4-312M-5S-SN)
- 3" x 4" fits inside 3" Sch 40 DWV and outside 4" Sch 40 DWV pipe
- 4" DWV fits outside 4" Sch 40 DWV pipe
- 4" Hub fits inside 4" Sch 40 DWV pipe
- The following connections include Primer Tap: 3"x4" and 4" DWV. 4" Hub does not include Primer Tap
- Replacement strainers and rings located on page H15

with 3-1/2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>


<< CHOOSE YOUR BASE

		 5" Diameter Round Strainer			 6" Diameter Round Strainer		
		Cast Chrome Plated *Part# MS312RS5CP*	Cast Nickel Bronze *Part# MS312RS5NB*	Cast Brass *Part# MS312RS5PB*	Cast Chrome Plated *Part# MS312RS6CP*	Cast Nickel Bronze *Part# MS312RS6NB*	Cast Brass *Part# MS312RS6PB*
	3" x 4" DWV *Part# PFBPT3-4-312*	PFD3-4-312M-5CP	PFD3-4-312M-5NB	PFD3-4-312M-5PB	PFD3-4-312M-6CP	PFD3-4-312M-6NB	PFD3-4-312M-6PB
	4" DWV *Part# PFBPT4-312*	PFD4-312M-5CP	PFD4-312M-5NB	PFD4-312M-5PB	PFD4-312M-6CP	PFD4-312M-6NB	PFD4-312M-6PB
	4" Hub *Part# PFB4H-312*	PFD4H-312M-5CP	PFD4H-312M-5NB	PFD4H-312M-5PB	PFD4H-312M-6CP	PFD4H-312M-6NB	PFD4H-312M-6PB

with 3-1/2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 5" Diameter Round Strainer				 5" Diameter Round Strainer with Ring		
		Stamped Stainless Steel *Part# PS312RS5SS*	Cast Chrome Plated *Part# PS312RS5CP*	Cast Nickel Bronze *Part# PS312RS5NB*	Cast Brass *Part# PS312RS5PB*	Cast Chrome Plated *Part# PS312RSR5CP*	Cast Nickel Bronze *Part# PS312RSR5NB*	Cast Brass *Part# PS312RSR5PB*
	3" x 4" DWV *Part# PFBPT3-4-312*	PFD3-4-312P-5SS	PFD3-4-312P-5CP	PFD3-4-312P-5NB	PFD3-4-312P-5PB	PFD3-4-312P-5RCP	PFD3-4-312P-5RNB	PFD3-4-312P-5RPB
	4" DWV *Part# PFBPT4-312*	PFD4-312P-5SS	PFD4-312P-5CP	PFD4-312P-5NB	PFD4-312P-5PB	PFD4-312P-5RCP	PFD4-312P-5RNB	PFD4-312P-5RPB
	4" Hub *Part# PFB4H-312*	PFD4H-312P-5SS	PFD4H-312P-5CP	PFD4H-312P-5NB	PFD4H-312P-5PB	PFD4H-312P-5RCP	PFD4H-312P-5RNB	PFD4H-312P-5RPB

PLASTIC SPECIALTIES

PIPE FIT BASE DRAINS (Continued)

PIPE FIT BASE DRAINS WITH 3-1/2" SPUD (Continued)

- Adjustable to desired height
- PVC is grey in color
- 5" diameter metal square spud/strainers and 5" round strainers are available in decorative finishes. For finish replace last two letters of part# with "-" and finish (ie PFD3-4-312M-5S-SN)
- 3" x 4" fits inside 3" Sch 40 DWV and outside 4" Sch 40 DWV pipe
- 4" DWV fits outside 4" Sch 40 DWV pipe
- 4" Hub fits inside 4" Sch 40 DWV pipe
- The following connections include Primer Tap: 3"x4" and 4" DWV. 4" Hub does not include Primer Tap
- Replacement strainers and rings located on page H15

with 3-1/2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>


<< CHOOSE YOUR BASE

		 5" Diameter Square Strainer			 6" Diameter Square Strainer	
		Cast Chrome Plated *Part# MS312SSR5CP*	Cast Nickel Bronze *Part# MS312SSR5NB*	Cast Brass *Part# MS312SSR5PB*	Cast Nickel Bronze *Part# MS312SSR6NB*	Cast Brass *Part# MS312SSR6PB*
	3" x 4" DWV *Part# PFBPT3-4-312*	PFD3-4-312M-5SCP	PFD3-4-312M-5SNB	PFD3-4-312M-5SPB	PFD3-4-312M-6SNB	PFD3-4-312M-6SPB
	4" DWV *Part# PFBPT4-312*	PFD4-312M-5SCP	PFD4-312M-5SNB	PFD4-312M-5SPB	PFD4-312M-6SNB	PFD4-312M-6SPB
	4" Hub *Part# PFB4H-312*	PFD4H-312M-5SCP	PFD4H-312M-5SNB	PFD4H-312M-5SPB	PFD4H-312M-6SNB	PFD4H-312M-6SPB

with 3-1/2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 6" Diameter Round Strainer			 6" Diameter Round Strainer with Ring		
		Stamped Stainless Steel *Part# PS312RS6SS*	Cast Chrome Plated *Part# PS312RS6CP*	Cast Nickel Bronze *Part# PS312RS6NB*	Cast Brass *Part# PS312RS6PB*	Cast Chrome Plated *Part# PS312RSR6CP*	Cast Nickel Bronze *Part# PS312RSR6NB*	Cast Brass *Part# PS312RSR6PB*
	3" x 4" DWV *Part# PFBPT3-4-312*	PFD3-4-312P-6SS	PFD3-4-312P-6CP	PFD3-4-312P-6NB	PFD3-4-312P-6PB	PFD3-4-312P-6RCP	PFD3-4-312P-6RNB	PFD3-4-312P-6RPB
	4" DWV *Part# PFBPT4-312*	PFD4-312P-6SS	PFD4-312P-6CP	PFD4-312P-6NB	PFD4-312P-6PB	PFD4-312P-6RCP	PFD4-312P-6RNB	PFD4-312P-6RPB
	4" Hub *Part# PFB4H-312*	PFD4H-312P-6SS	PFD4H-312P-6CP	PFD4H-312P-6NB	PFD4H-312P-6PB	PFD4H-312P-6RCP	PFD4H-312P-6RNB	PFD4H-312P-6RPB

BRAXTON HARRIS CO., INC.

6.1.25

PLASTIC SPECIALTIES

PIPE FIT BASE DRAINS (Continued)

PIPE FIT BASE DRAINS WITH 2" SPUD

- Fits over 2" sch 40 DWV pipe
- Adjustable to desired height
- PVC is grey in color
- Replacement strainers and rings located on page H15

with 2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>



<< CHOOSE YOUR BASE

	 4" Diameter Round Strainer with Ring			 4" Diameter Square Strainer with Ring			
  2" Sch 40 DWV *Part# PFBPT2-2*	Stamped Stainless Steel *Part# MS2RS4SS*	Cast Chrome Plated *Part# MS2RS4CP*	Cast Nickel Bronze *Part# MS2RS4NB*	Cast Chrome Plated Less Ring *Part# MS2RS4CP*	Cast Chrome Plated *Part# MS2SSR4CP*	Cast Nickel Bronze *Part# MS2SSR4NB*	Cast Brass *Part# MS2SSR4PB*
	PFD2-2M-4SS	PFD2-2M-4CP	PFD2-2M-4NB	PFD2-2M-4SLCP	PFD2-2M-4SCP	PFD2-2M-4SNB	PFD2-2M-4SPB

with 2" Plastic Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

	 4-1/4" Diameter Round Strainer			 4-1/4" Diameter Round Strainer with Ring		 4-1/4" Diameter Square Cast Strainer w/ Round Top Spud	 4-1/4" Square Stamped Snap-in Strainer w/ Square Top Spud
  2" Sch 40 DWV *Part# PFBPT2-2*	Stamped Stainless Steel *Part# PS2RS4SS*	Cast Chrome Plated *Part# PS2RS4CP*	Cast Nickel Bronze *Part# PS2RS4NB*	Cast Chrome Plated *Part# RSC338-414CP*	Cast Nickel Bronze *Part# RSC338-414NB*	Cast Chrome Plated *Part# RSSC338*	Stamped Stainless Steel *Part# RSSIS*
	PFD2-2P-4SS	PFD2-2P-4CP	PFD2-2P-4NB	PFD2-2P-4RCP	PFD2-2P-4RNB	PFD2-2P-4SCP	PFD2-2P-4SSSS

PLASTIC SPECIALTIES

GENERAL PURPOSE DRAINS

GENERAL PURPOSE DRAINS



- Made of white PVC
- Strainers are 1/16" thick (stamped) and 5/16" thick (cast)

PART #	Connection (DWV)	Brass Inserts	Strainer Material/Finish	O.D. Strainer/ Grouting Ring	Screw Hole Centers	Replacement Strainer/ Ring	Grouting Ring	Total Drain Height
GPD2-3	in 2" x over 3"	no	Stamped Polished S.S.	4-1/4"	2-5/8"	RSSI	no	2"
GPD2-3-4SS	in 2" x over 3"	yes	Stamped Polished S.S.	4-1/4"	3-3/8"	RSSI338-414	no	1-3/8"
GPD2-3-4CP	in 2" x over 3"	yes	Cast Chrome Plated	4-1/4"	3-3/8"	RSC338-414CP	no	1-1/2"
GPD2-3-4RCP	in 2" x over 3"	yes	Cast Chrome Plated	4-1/4"/4-1/2"	3-3/8"	RSC338-414CP / CDR4CP	yes	1-1/2"
GPD2-3-4NB	in 2" x over 3"	yes	Cast Nickel Bronze	4-1/4"	3-3/8"	RSC338-414NB	no	1-1/2"
GPD2-3-4RNB	in 2" x over 3"	yes	Cast Nickel Bronze	4-1/4"/4-1/2"	3-3/8"	RSC338-414NB/ CDR4NB	yes	1-1/2"
GPDL2-3-4SS	in 2" x over 3"	yes	Stamped Polished S.S.	4-1/4"	3-3/8"	RSSI338-414	no	2"
GPDL2-3-4CP	in 2" x over 3"	yes	Cast Chrome Plated	4-1/4"	3-3/8"	RSC338-414CP	no	2-1/8"
GPDL2-3-4RCP	in 2" x over 3"	yes	Cast Chrome Plated	4-1/4"/4-1/2"	3-3/8"	RSC338-414CP / CDR4CP	yes	2-1/8"
GPDL2-3-4NB	in 2" x over 3"	yes	Cast Nickel Bronze	4-1/4"	3-3/8"	RSC338-414NB	no	2-1/8"
GPDL2-3-4RNB	in 2" x over 3"	yes	Cast Nickel Bronze	4-1/4"/4-1/2"	3-3/8"	RSC338-414NB/ CDR4NB	yes	2-1/8"
GPD3-4	in 3" x over 4"	no	Stamped Polished S.S.	4-15/16"/ 5-1/8"	4-3/8"	——	yes (PVC body)	2-1/4"
GPD3-4-5SS	in 3" x over 4"	yes	Stamped Polished S.S.	5-3/16"	4-3/8"	RSC438-514SS	no	2-3/8"
GPD3-4-5CP	in 3" x over 4"	yes	Cast Chrome Plated	5-3/16"	4-3/8"	RSC438-514CP	no	2-1/2"
GPD3-4-5RCP	in 3" x over 4"	yes	Cast Chrome Plated	5-3/16"/5-1/2"	4-3/8"	RSC438-514CP/ CDR5CP	yes	2-1/2"
GPD3-4-5NB	in 3" x over 4"	yes	Cast Nickel Bronze	5-3/16"	4-3/8"	RSC438-514NB	no	2-1/2"
GPD3-4-5RNB	in 3" x over 4"	yes	Cast Nickel Bronze	5-3/16"/5-1/2"	4-3/8"	RSC438-514NB/ CDR5NB	yes	2-1/2"
GPD3-4-5PB	in 3" x over 4"	yes	Cast Brass	5-3/16"	4-3/8"	RSC438-514NB	no	2-1/2"
GPD3-4-5RPB	in 3" x over 4"	yes	Cast Brass	5-3/16"/5-1/2"	4-3/8"	RSC438-514PB/ CDR5PB	yes	2-1/2"
GPD4-6SS	over 4"	yes	Stamped Polished S.S.	6-1/8"	4-7/8"	RSSI478-618SS	no	2-3/8"
GPD4-6CP	over 4"	yes	Cast Chrome Plated	6-1/8"	4-7/8"	RSC478-618CP	no	2-1/2"
GPD4-6RCP	over 4"	yes	Cast Chrome Plated	6-1/8"/6-1/2"	4-7/8"	RSC478-618CP/ CDR6CP	yes	2-1/2"
GPD4-6NB	over 4"	yes	Cast Nickel Bronze	6-1/8"	4-7/8"	RSC478-618NB	no	2-1/2"
GPD4-6RNB	over 4"	yes	Cast Nickel Bronze	6-1/8"/6-1/2"	4-7/8"	RSC478-618NB/ CDR6NB	yes	2-1/2"
GPD4-6PB	over 4"	yes	Cast Brass	6-1/8"	4-7/8"	RSC478-618PB	no	2-1/2"
GPD4-6RPB	over 4"	yes	Cast Brass	6-1/8"/6-1/2"	4-7/8"	RSC478-618PB/ CDR6PB	yes	2-1/2"

BRAXTON HARRIS CO., INC.

6.1.25

PLASTIC SPECIALTIES

INSIDE PIPE FIT DRAINS

INSIDE PIPE FIT DRAINS

- PVC base
- Strainers are 5/16" thick
- Replacement strainers and rings located on page H15



Used in applications where modifications are needed after concrete pour.

1) Simply cut pipe flush to the floor with pipe saw (DPS8 or DPS13).
2) Use pipe fitting saver tool (PFST series) to recess pipe 3/8" below concrete slab surface.
3) Glue drain to inside of pipe. Strainer should be flush with the floor.
4) In applications with tile, glue top of drain flush with tile.

with Cast Metal Strainer

CHOOSE YOUR STRAINER >>

<< CHOOSE YOUR BASE

		 3-1/2" Diameter Round Strainer		 4-1/2" Diameter Round Strainer	
		Cast Chrome Plated	Cast Nickel Bronze	Cast Chrome Plated	Cast Nickel Bronze
 Inside 3"		IPD3-312CP	IPD3-312NB	——	——
 Inside 4"		——	——	IPD4-412CP	IPD4-412NB

FLOOR DRAINS

FLOOR DRAIN WITH TRAP



- One-piece construction
- For concrete floors on or below grade
- 3-1/4" sump bowl
- 2" full flow
- 2" solvent weld outlet
- With full plastic grate
- 2" concealed cleanout
- Threaded for backwater device

PART #	DESCRIPTION	PKG./CTN.
PFDT2	2"	1

BELL TRAP DRAINS


BTD112-2


BTD3-4
BTD4

- Molded-in bell in lid
- Use 2" coupling to convert 6" x 6" x 1-1/2" to 2" outlet
- Fits schedule 40 DWV pipe

PART #	DESCRIPTION	PKG./CTN.
BTD112-2	PVC, 6" x 6" with 1-1/2" x 2" outlet, 4-9/16" dia. strainer	1
BTD3-4	PVC, 9" x 9" with 3" x 4" outlet, 7-3/4" dia. strainer	1
BTD4	PVC, 9" x 9" with 4" hub-fit outlet, 7-3/4" dia. strainer	1

PLASTIC SPECIALTIES

FLOOR DRAINS/BACKWATER DEVICES/REPLACEMENT STRAINERS

HEAVY TRAFFIC COMMERCIAL DRAINS (GENERAL PURPOSE)



- 9" diameter grate with 24 sq. inches flow area
- With PVC sediment bucket
- PVC clamping collar with molded-in weep holes
- PVC base connector
- Many uses: area drain, floor drain/sink, yard drain, garbage drain

PART #	DESCRIPTION	PKG./CTN.
GPHTD3	3" grate drain	1
GPHTD4	4" grate drain	1

SNAP-IN DRAINS



SID2
SID3
SID4



SIDS3
SIDS4

- May be solvent welded or just inserted inside pipe
- Allows for cutting drain pipe flush with floor
- May be used as a strainer for vent stack or air inlet
- Fits into sch. 40 DWV pipe

PART #	DESCRIPTION	PKG./CTN.
SID2	2" PVC, all plastic, w/ 2-3/8" dia. strainer	1/20
SID3	3" PVC, all plastic, w/ 3-1/2" dia. strainer	1/20
SID4	4" PVC, all plastic, w/ 4-1/2" dia. strainer	1/20
SIDS3	3" PVC, with 3-1/2" dia. stainless steel strainer	1
SIDS4	4" PVC, with 4-1/2" dia. stainless steel strainer	1

PLASTIC ROOF DRAINS



PRD

UDC

- With gravel guard & dome
- Threaded brass inserts for attaching under deck clamp
- Can be tapped for trap primer
- Dome fill area 50 square inches

PART #	DESCRIPTION	PKG./CTN.
PRD3	3" PVC base w/ CI dome, fits over 3" sch. 40 DWV	1
PRDP3 NEW	3" PVC base w/ plastic dome, fits over 3" sch. 40 DWV	1
PRD4	4" PVC base w/ CI dome, fits over 3" sch. 40 DWV	1
PRDP4 NEW	4" PVC base w/ plastic dome, fits over 3" sch. 40 DWV	1
UDC	2", 3" & 4" underdeck clamp, 2-1/4" W x .275" thick with 1/4" x 6" bolts	1

BACKWATER DEVICES



BD2




BDP2

- Ball included
- Sleeve type

PART #	DESCRIPTION	PKG./CTN.
BD2	2" MPT brass body	1
BDP2	2" MPT plastic body	1

REPLACEMENT STRAINERS



RSC338-414CP



RSSC338

- Two screws included
- Available in some decorative finishes. For finish remove CP, NB, PB, SS and add "-" and finish (ie RSSI-SN or RSC438-514-SN)

PART #	SIZE	TYPE	DESCRIPTION	PKG./CTN.
RSC238-312CP	3-1/2"	Round	Cast Chrome Plated	1
RSC238-312NB	3-1/2"	Round	Cast Nickel Bronze	1
RSC314-412CP	4-1/2"	Round	Cast Chrome Plated	1
RSC314-412NB	4-1/2"	Round	Cast Nickel Bronze	1
RSSC338	4-1/4"	Square	Cast Chrome Plated	1
RSC338-4CP	4"	Round	Cast Chrome Plated	1
RSC338-4NB	4"	Round	Cast Nickel Bronze	1
RSC338-414CP	4-1/4"	Round	Cast Chrome Plated	1
RSC338-414NB	4-1/4"	Round	Cast Nickel Bronze	1
RSSI438-514SS	5-3/16"	Round	Stamped Polished S.S.	1
RSC438-514CP	5-3/16"	Round	Cast Chrome Plated	1
RSC438-514NB	5-3/16"	Round	Cast Nickel Bronze	1
RSC438-514PB	5-3/16"	Round	Cast Brass	1
RSSI478-618SS	6-1/8"	Round	Stamped Polished S.S.	1
RSC478-618CP	6-1/8"	Round	Cast Chrome Plated	1
RSC478-618NB	6-1/8"	Round	Cast Nickel Bronze	1
RSC478-618PB	6-1/8"	Round	Cast Brass	1

CLEANOUT AND DRAIN RINGS



- Used as grouting ring

PART #	OD	DESCRIPTION	FITS STRAINER/COVER	PKG./CTN.
CDR4CP	4-1/2"	Cast Chrome Plated	RSC338-414CP	1
CDR4NB	4-1/2"	Cast Nickel Bronze	RSC338-414NB	1
CDR5CP	5-1/2"	Cast Chrome Plated	RSC438-514CP	1
CDR5NB	5-1/2"	Cast Nickel Bronze	RSC438-514NB/ CC5NB	1
CDR6CP	6-1/2"	Cast Chrome Plated	RSC478-618CP	1
CDR6NB	6-1/2"	Cast Nickel Bronze	RSC478-618NB/ CC6NB	1
CDR6PB NEW	6-1/2"	Cast Polished Brass	RSC478-618PB/ CC6PB	1

BRAXTON HARRIS CO., INC.

6.1.25

PLASTIC SPECIALTIES

PIPE FIT BASE CLEANOUTS



PIPE FIT BASE COMMERCIAL CLEANOUTS

- Adjustable to desired height
- PVC is grey in color
- Countersunk plugs included
- Covers are 3/16" thick cast nickel bronze or brass for PFC4H-312P-6PB
- The following connections include primer tap: 3"x4" and 4" DWV. 4" Hub does not include primer tap
- 3" x 4" fits inside 3" Sch 40 DWV and outside 4" Sch 40 DWV pipe. 4" DWV fits outside 4" Sch 40 DWV pipe. 4" Hub Fits inside 4" Sch 40 DWV pipe

with 3", 3-1/2" and 4" Metal Spuds

<< CHOOSE YOUR BASE	CHOOSE YOUR SPUD/COVER >>		
	 5" Diameter Round Cover with Ring		
	3" Spud (2-1/2" plug)	3-1/2" Spud (3-1/2" plug)	4" Spud (3-1/2" plug)
 3" x 4" DWV *Part# PFBPT3-4(-3, -312")*	PFC3-4-3M-5NB	PFC3-4-312M-5NB	—
 4" DWV *Part# PFBPT4(-312", -4")*	—	PFC4-312M-5NB	PFC4-4M-5NB
 4" Hub *Part# PFB4H-312*	—	PFC4H-312M-5NB	—

with Plastic Spud

<< CHOOSE YOUR BASE	CHOOSE YOUR SPUD/COVER >>			
	 5" Diameter Round Cover	 5" Diameter Round Cover w/ Ring	 6" Diameter Round Cover	 6" Diameter Round Cover w/ Ring
	3-1/2" Spud (2-1/2" plug)	3-1/2" Spud (2-1/2" plug)	3-1/2" Spud (2-1/2" plug)	3-1/2" Spud (2-1/2" plug)
 3" x 4" DWV *Part# PFBPT3-4-312*	PFC3-4-312P-5NB	PFC3-4-312P-5RNB	PFC3-4-312P-6NB	PFC3-4-312P-6RNB
 4" DWV *Part# PFBPT4-312*	PFC4-312P-5NB	PFC4-312P-5RNB	PFC4-312P-6NB	PFC4-312P-6RNB
 4" Hub *Part# PFB4H-312*	PFC4H-312P-5NB	PFC4H-312P-5RNB	PFC4H-312P-6NB *(Nickel Bronze)* PFC4H-312P-6PB *(Brass)*	PFC4H-312P-6RNB

PLASTIC SPECIALTIES

GENERAL PURPOSE CLEANOUTS

GENERAL PURPOSE CLEANOUTS



- Made of white PVC
- Strainers are 5/16" thick (cast)

PART #	Connection (DWV)	O.D. of Cover/Grouting Ring	Screw Hole Centers	Replacement Cover	Grouting Ring	Total Drain Height
GPC3-4NB	over 3" x in 4"	5-3/16"	4-3/8"	CC5NB	no	2-1/2"
GPC3-4RNB	over 3" x in 4"	5-3/16"/ 5-1/2"	4-3/8"	CC5NB	yes	2-1/2"

INSIDE PIPE FIT CLEANOUTS

INSIDE PIPE FIT CLEANOUTS



- PVC base
- Covers are 5/16" thick
- PVC Countersunk plug included

Used in applications where modifications are needed after concrete pour.
1) Simply cut pipe flush to the floor with pipe saw (DPS8 or DPS13).
2) Use pipe fitting saver tool (PFST series) to recess pipe 3/8" below concrete slab surface.
3) Glue cleanout to inside of pipe. Cover should be flushwith the floor.
4) In applications with tile, glue top of cleanout flush with tile.

with Cast Metal Cover

CHOOSE YOUR COVER >>

<< CHOOSE YOUR BASE

		
		3-1/2" Diameter Round Cover (2" IPS Plug)
		Cast Nickel Bronze
 Inside 3" DWV		IPC3-312NB
 Inside 4" DWV		——

	
	4-1/2" Diameter Round Cover (3" IPS Plug)
	Cast Nickel Bronze
Inside 3" DWV	——
Inside 4" DWV	IPC4-412NB

CLEANOUTS/PLUGS

HUB FITTING CLEANOUT



- 3-1/2" IPS countersunk plug
- Solvent welds into 4" fitting hubs

PART #	DESCRIPTION	PKG./CTN.
SIC4H NEW	4" PVC hub fitting cleanout	1

FLUSH-FIT CLEANOUTS



- 2" x 3" fits over 2" or inside 3" sch. 40 DWV pipe
- 3" x 4" fits over 3" or inside 4" sch. 40 DWV pipe
- With built-in stop

PART #	DESCRIPTION	PKG./CTN.
SIC2-3	2" x 3" w/ 2" IPS PVC plug	1/80
SIC3-4	3" x 4" w/ 3" IPS PVC plug	1/80
SIC2-3BP	2" x 3" w/ 2" IPS countersunk brass plug	1
SIC3-4BP	3" x 4" w/ 3" IPS countersunk brass plug	1

BRAXTON HARRIS CO., INC.

6.1.25

PLASTIC SPECIALTIES

SNAP-IN CLEANOUTS



- Allows cutting pipe flush with floor or wall
- Solvent welds into sch. 40 DWV pipe
- Countersunk with slot & square
- May be removed with T-slot tool or 3/4" ratchet
- 2" fits inside 2", 3" fits inside 3", 4" fits inside 4" sch. 40 DWV pipe

PART #	DESCRIPTION	PKG./CTN.
SIC2	2" PVC w/ 1-1/2" IPS (1-7/8" OD) C.O. plug	1
SIC3	3" PVC w/ 2-1/2" IPS (2-13/16" OD) C.O. plug	1
SICH3 NEW	Heavy duty 3" PVC w/ 2-1/2" IPS (2-13/16" OD) C.O. plug	1
SIC4	4" PVC w/ 3-1/2" IPS (4" OD) C.O. plug	1
SICH4 NEW	Heavy duty 4" PVC w/ 3-1/2" IPS (4" OD) C.O. plug	1
SIC2BI NEW	2" PVC w/ threaded brass insert, 1-1/2" IPS C.O. plug	1
SIC3BI NEW	3" PVC w/ threaded brass insert, 2-1/2" IPS C.O. plug	1
SIC4BI NEW	4" PVC w/ threaded brass insert, 3-1/2" IPS C.O. plug	1

GENERAL PURPOSE ACCESS FITTINGS



- For use with internal pipe cleanout

PART #	DESCRIPTION	PKG./CTN.
GPAF3-4NB NEW	3" x 4" with NB cover	1
GPAF3-4RNB NEW	3" x 4" with NB cover & ring	1
GPAF3-4PB NEW	3" x 4" with PB cover	1
GPAF3-4RPB NEW	3" x 4" with PB cover & ring	1
GPAF4NB NEW	4" with NB cover	1
GPAF4RNB NEW	4" with NB cover & ring	1
GPAF4PB NEW	4" with PB cover	1
GPAF4RPB NEW	4" with PB cover & ring	1

COUNTERSUNK PLASTIC PLUGS



- White plastic

PART #	DESCRIPTION		PKG./CTN.
	IPS	MATERIAL	
PPC112	1-1/2"	PVC	25
PPC2	2"	PVC	25
PPC212	2-1/2"	PVC	25
PPC3	3"	PVC	25
PPC312	3-1/2"	PVC	25
PPC4	4"	PVC	25

RAISED HEAD PLASTIC PLUGS



- White plastic

PART #	DESCRIPTION		PKG./CTN.
	IPS	MATERIAL	
PPR112	1-1/2"	PVC	25
PPR2	2"	PVC	25
PPR3	3"	PVC	25
PPR312	3-1/2"	PVC	25
PPR4	4"	PVC	25
PPR6	6"	PVC	10

COUNTERSUNK CLEANOUT PLUGS (WITH THREADED BRASS INSERTS)



- White plastic
- With threaded brass insert to attach cover plate

PART #	DESCRIPTION		PKG./CTN.
	IPS	MATERIAL	
ECPP112	1-1/2"	PVC	1
ECPP2	2"	PVC	1
ECPP212	2-1/2"	PVC	1
ECPP3	3"	PVC	1
ECPP312	3-1/2"	PVC	1
ECPP4	4"	PVC	1

EXTENSION CLEANOUT COVER SET



- For floor application
- 16 ga. stainless steel access cover
- Countersunk plug drilled & tapped for 1/4 -20 mech. screw
- Furnished with 1/4 - 20 x 4" flat head machine screw

PART #	DESCRIPTION	PKG./CTN.
ECS2-4H	2" plug with 4" cover	1
ECS3-5H	3" plug with 5" cover	1

EXTENSION CLEANOUT COVER SET/KIT



- 24 ga. stainless steel access cover
- PVC plug with brass insert, and 2-1/2" screw

PART #	DESCRIPTION	PKG./CTN.
ECS3P-5	3" plug with 5" cover	1
ECS312P-6	3-1/2" plug with 6" cover	1

SEWER POP-UP VALVE



- Automatic relief valve for sewer cleanout riser
- Relieves blocked sewage outside house
- Eliminates possible health hazards inside house
- Prevents costly property damage inside house
- For standard 3" or 4" PVC cleanout connections
- PVC material
- Use with PVC or ABS

PART #	DESCRIPTION	PKG./CTN.
SPUV	Automatic relief valve	1/50

SEWER RELIEF VALVES/PLUGS



- Designed for use in outside cleanouts to eliminate costly damage due to sewage back-up
- Fits cast iron or plastic pipes
- Provides a visible warning that sewage is backing up
- Spring loaded to automatically close preventing sewer gases from escaping
- ABS material

PART #	DESCRIPTION	PKG./CTN.
SRV112	1-1/2"	1/50
SRV2	2"	1/100
SRV3	3"	1/100
SRV312	3-1/2"	1/100
SRV4	4"	1/100

PLASTIC SPECIALTIES

PVC FLOOR SINKS

PVC FLOOR SINKS

-Top outside diameter: 12" x 12"
-Total height: 7-7/8"
-Floor grate diameter: 9" x 9"
-Load Classification: Light duty, max 2000 lbs.
-Certified to ASME A112.6.7
-Unique designed grates for easy capture water flow into drain

CHOOSE YOUR TOP GRATE/BOTTOM STRAINER >>

<< CHOOSE YOUR BODY		 Body Only	 1/2" Top w/ Dome	 3/4" Top w/ Dome	 Full Top w/ Dome	 1/2" Top w/ Flat	 3/4" Top w/ Flat	 Full Top w/ Flat
 2" Hub		PFS2H	PFS2H-12D	PFS2H-34D	PFS2H-FD	PFS2H-12F	PFS2H-34F	PFS2H-FF
 3" Hub		PFS3H	PFS3H-12D	PFS3H-34D	PFS3H-FD	PFS3H-12F	PFS3H-34F	PFS3H-FF
 4" Hub		PFS4H	PFS4H-12D	PFS4H-34D	PFS4H-FD	PFS4H-12F	PFS4H-34F	PFS4H-FF
 2"x3" DWV		PFS2-3	PFS2-3-12D	PFS2-3-34D	PFS2-3-FD	PFS2-3-12F	PFS2-3-34F	PFS2-3-FF
 3"x4" DWV		PFS3-4	PFS3-4-12D	PFS3-4-34D	PFS3-4-FD	PFS3-4-12F	PFS3-4-34F	PFS3-4-FF
 4" DWV		PFS4	PFS4-12D	PFS4-34D	PFS4-FD	PFS4-12F	PFS4-34F	PFS4-FF

TOP GRATES FOR PVC FLOOR SINKS

12TGP

34TGP

FTGP

- 3/4" Thick, 9" x 9" diameter
- Unique design for easy capture of water into drain

PART #	DESCRIPTION	PKG./CTN.
12TGP	1/2 top grate	1/4
34TGP	3/4 top grate	1/4
FTGP	Full top grate	1/4

BOTTOM STRAINERS FOR FLOOR SINKS


ADBSCI / ADBS2 / ADBS3 / ADBS4


AFBS

- Fits all sizes of cast iron or PVC floor sinks
- Made of cast aluminum

PART #	DESCRIPTION	PKG./CTN.
ADBSCI	Fit-all aluminum dome strainer	1/4
ADBS2	2" aluminum dome strainer	1/4
ADBS3	3" aluminum dome strainer	1/4
ADBS4	4" aluminum dome strainer	1/4
AFBS	2" aluminum flat strainer	1/4

BRAXTON HARRIS CO., INC.

6.1.22

PLASTIC SPECIALTIES

BACKWATER VALVES

PLASTIC BACKWATER VALVES



- Easy access threaded cover with a positive seal elastomeric gasket
- Non-corrosive flexible flapper provides seal against back flow
- Sockets are sch. 40 DWV
- Stepped body encourages flow
- Reduces back flow in drainage systems
- Magnetic strip for underground detection
- UPC, CSA & SBCCI approved

PART #	DESCRIPTION	PKG./CTN.
PBWV112	1-1/2" PVC	1
PBWV2	2" PVC	1
PBWVA2	2" ABS	1
PBWV3	3" PVC	1
PBWVA3	3" ABS	1
PBWV4	4" PVC	1
PBWVA4	4" ABS	1
PBWV6	6" PVC	1
PBWVA6	6" ABS	1
REPLACEMENT FLAPPER WITH SEAL:		
PBWV2F	2" replacement flapper w/ seal	1
PBWV3F	3" replacement flapper w/ seal	1
PBWV4F	4" replacement flapper w/ seal	1

BACKWATER VALVE W/PLASTIC ACCESS SLEEVE AND LID



- Fits 3" schedule 40 DWV pipe
- Easy access threaded plastic cover with a positive seal elastomeric gasket
- Non-corrosive flexible flapper provides seal against back flow
- Comes with an 18" plastic access sleeve
- UPC, CSA AND SBCCI approved
- Magnetic strip for underground detection

PART #	DESCRIPTION	PKG./CTN.
PBWV3ES	3" with extension kit and plastic lid	1
PBWV3ESC	3" with extension kit and cast iron lid	1
PBWV4ES	4" with extension kit and plastic lid	1

MUSHROOM VENT CAP



- Made of gray PVC
- Three screws to install

PART #	DESCRIPTION	PKG./CTN.
MVC3-4 NEW	Fits 3" or 4" cap	1/4

BACKWATER VALVE FLAPPER WITH SEAL



PART #	DESCRIPTION	PKG./CTN.
PBWV2F	2" backwater valve flapper with seal	1
PBWV3F	3" backwater valve flapper with seal	1
PBWV4F	4" backwater valve flapper with seal	1

PLASTIC OVER FITTING REPAIR FITTING



PART #	DESCRIPTION	PKG./CTN.
POFRF112	1-1/2" PVC	1
POFRF2	2" PVC	1
POFRF3	3" PVC	1
POFRFA112	1-1/2" ABS	1
POFRFA2	2" ABS	1

WE SHIP SAME DAY.

PLASTIC SPECIALTIES

ACCESS COVER PANELS

Save money on costly sheetrock repairs by providing for future access now. Provides access to plumbing at tubs, showers, valves, cleanouts, etc. Paintable, easy to install.
Fits flush with wall. Do not install where excessive heat or open flame may be present.
May be installed in the ceiling as well as in the wall.


PLASTIC ACCESS COVER



- Made of white high impact polystyrene
- Edges are beveled with four countersunk screw holes

PART #	DESCRIPTION	PKG./CTN.
PAC	12" x 12"	1/20

PLASTIC SNAP-IN ACCESS PANELS



- Made of durable white ABS
- Panel snaps into frame
- Corners on side of frame have pilot holes for drilling when more secure anchoring is necessary

PART #	DESCRIPTION	PKG./CTN.
PAPSI6-9	6" x 9"	1/25
PAPSI8	8" x 8"	1/25
PAPSI14	14" x 14"	1/20
PAPSI14-29	14" x 29"	1/6

PLASTIC HINGED ACCESS PANELS




- This easy access door is the first plastic access door that is both hinged & removable
- Constructed of white, durable, heavy-duty, high-impact styrene plastic

PART #	DESCRIPTION	PKG./CTN.
PAP8	Wall opening: 8" square. Panel overall dimensions: 9-3/4" sq. Interior opening: 7-3/4" sq. Depth 1"	1/6
PAP14	Wall opening: 14" square. Panel overall dimensions: 16-3/4" sq. Interior opening: 13-3/4" sq. Depth 1-1/4"	1/6

COVER PLATES

CLEANOUT COVER PLATES



CCPF_ CCPB_

- Manufactured from high-impact plastic
- Supplied with #14 wood screw
- White finish can be painted or wallpapered
- Chrome plated cover plates feature matte finish

PART #	DESCRIPTION	PKG./CTN.
FLAT DESIGN	***Hides cleanout fitting.***	
MATTE CHROME FINISH:		
CCPFC0414	4-1/4" OD chrome finish	25/200
CCPFC0514	5-1/4" OD chrome finish	25/200
CCPFC0714	7-1/4" OD chrome finish	25/200
CCPFC0914	9-1/4" OD chrome finish	25/200
WHITE FINISH:		
CCPFW0414	4-1/4" OD white finish	25/200
CCPFW0514	5-1/4" OD white finish	25/200
CCPFW0714	7-1/4" OD white finish	25/200
CCPFW0914	9-1/4" OD white finish	25/200
BELL DESIGN	***Used when cleanout fitting is not recessed into wall. 1-1/4" deep.***	
MATTE CHROME FINISH:		
CCPBC0414	4-1/4" OD chrome finish	25/200
CCPBC0514	5-1/4" OD chrome finish	25/200
CCPBC0714	7-1/4" OD chrome finish	25/200
CCPBC0914	9-1/4" OD chrome finish	25/200
WHITE FINISH:		
CCPBW0414	4-1/4" OD white finish	25/200
CCPBW0514	5-1/4" OD white finish	25/200
CCPBW0714	7-1/4" OD white finish	25/200
CCPBW0914	9-1/4" OD white finish	25/200

DOME EXTENSION COVER PLATES



- High grade stainless steel

PART #	DESCRIPTION	PKG./CTN.
ECD4	4" stainless steel	1
ECD6	6" stainless steel	1
ECD8	8" stainless steel	1

BRAXTON HARRIS CO., INC.

6.1.25

PLASTIC SPECIALTIES

SADDLE TEES

PLASTIC SADDLE TEES & KITS



- Solvent weld to pipe. Kits includes V-bolts, nuts & washers
- 2" schedule 40 DWV fits inside 1-1/2" schedule 40 DWV with a bushing
- 3" inlets designed to accept 3" schedule 40 DWV pipe
- 4" inlets designed to accept 4" schedule 40 DWV pipe

PART #	DESCRIPTION	PKG./CTN.
PST3-2-PART	3" x 2" PVC saddle tee only	1
PST4-2-PART	4" x 2" PVC saddle tee only	1
PST4-3-PART	4" x 3" PVC saddle tee only	1
PSTK3-2	3" x 2" PVC kit (less gasket)	1/4
PSTK4-2	4" x 2" PVC kit (less gasket)	1/4
PSTK4-3	4" x 3" PVC kit (less gasket)	1/4
PSTK4-4	4" x 4" PVC kit (less gasket)	1/4
PSTKG3-2	3" x 2" PVC kit (with gasket)	1
PSTKG4-2	4" x 2" PVC kit (with gasket)	1
PSTKG4-3	4" x 3" PVC kit (with gasket)	1
PSTKG4-4	4" x 4" PVC kit (with gasket)	1
VBOLT3-PART	3" V bolt for 3" saddle tees	1
VBOLT4-PART	4" V bolt for 4" saddle tees	1

GASKET

Used when installing plastic saddle tee on cast iron or sewer pipe.
(Not pictured)

PSTKG	6" x 7" x 1/4" thick, closed-cell foam gasket	1

WEDGES

PLASTIC WEDGES



- 1-1/2" L x 3/8" W x 1/8" H
- Provides an economical means to stabilize or level plumbing fixtures, appliances & furniture due to irregularities in concrete or finished floor
- 1/8" height adjustment
- May be stacked for greater height adjustment
- Hundreds of uses
- PW1000CD and PW400CD are priced per display. PWS is priced per bag. PW is priced per piece.

PART #	DESCRIPTION	PKG./CTN.
PWS	10 pcs. (poly bagged)	10
PW	100 pcs. (poly bagged) (CARTON QUANTITY ONLY)	100
PW400CD	400 pcs. (counter display)	1/1
PW1000CD	1000 pcs. (counter display)	1/6

STACKABLE PLASTIC WEDGES



- 1-15/16" L x 1-1/8"W x 1/4" H
- Stackable
- Flexible wedges can be trimmed
- Ridged wedges can be driven
- Hundreds of uses
- Priced per piece: FWW and RWW
- Priced per display: FWW350CD and RWW350CD

PART #	DESCRIPTION	PKG./CTN.
FWW	Flexible wedges (CARTON QUANTITY ONLY)	10
FWW350CD	Flexible wedges (350 pc. counter display)	1/6
RWW	Rigid wedges (CARTON QUANTITY ONLY)	10
RWW350CD	Rigid wedges (350 pc. counter display)	1/6

TRAPS

PVC P-TRAPS/RUNNING TRAPS



- Smooth flowing one-piece PVC
- Made of Schedule 40 PVC

PART #	DESCRIPTION	PKG./CTN.
PT34	3/4" PVC P-trap	1/25
RT34	3/4" PVC running trap	25/100

TEST CAPS

KNOCK-OUT PLUGS/TEST CAPS

- Insert-type, white polystyrene
- Disposable
- Use with plastic waste & drain pipe for leak testing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
KOP112	1-1/2" pipe size	100/2,000
KOP2	2" pipe size	100/2,000
KOP3	3" pipe size	50/500
KOP4	4" pipe size	25/500

TECHNO TEST PLUG CAPS



- Heavy-duty PVC
- High pressure tested, over six stories
- Easily solvent cemented over end of DWV pipe
- Will not clog or go down in pipe

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TTPC112	1-1/2" tests 1-1/2" DWV pipe	100/100
TTPC2	2" tests 2" DWV pipe	100/100
TTPC3	3" tests 3" DWV pipe	50/50
TTPC4	4" tests 4" DWV pipe	25/25
TTPC6	6" tests 6" DWV pipe	10/10

PLASTIC SPECIALTIES

DEEP TECHNO TEST PLUG CAPS

- Heavy-duty PVC
- High pressure tested, over six stories
- Deep design is easily glued over end of DWV pipe to help adequately cover unevenly cut pipe
- Diameter prevents cover from falling in pipe.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN./MSTR.
TTPCD112	1-1/2" tests 1-1/2" DWV pipe	100/100/800
TTPCD2	2" tests 2" DWV pipe	100/100/600
TTPCD3	3" tests 3" DWV pipe	50/50/250
TTPCD4	4" tests 4" DWV pipe	25/25/150

DUAL-FIT TEST CAPS (PVC)



- Each cap fits two sizes of sch. 40 pipe
- Moderate pressure test cap
- Higher rated than knock-out plug/test caps

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
DFTC112-2	1-1/2" x 2" tests 1-1/2" & 2" sch. 40 pipe	100
DFTC3-4	3" x 4" tests 3" & 4" sch. 40 pipe	50

SLIP-ON PLASTIC CAPS



- Orange color
- Protects DWV pipe from trash during construction
- Do not use for pressure testing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SOPC112	1-1/2"	50
SOPC2	2"	25
SOPC3	3"	10
SOPC4	4"	10

WATER METER BOXES/KEYS

VALVE BOXES



- Box can be extended w/ 6" iron or plastic pipe
- Round, heavy-duty, high-impact
- With overlapping snap-in green lid

PART #	DESCRIPTION	PKG./CTN.
VB612	6-1/2" top dia. x 8-1/2" bottom dia. x 9" deep	1/36
VB10	10" top dia. x 13-1/8" bottom dia. x 10" deep	1

VALVE BOX LIDS



- Round
- Heavy-duty, high-density, high-impact
- Green solid plastic lid

PART #	DESCRIPTION	PKG./CTN.
VBL612	For BHC # VB612 valve box	1
VBL10	For BHC # VB10 valve box	1

WATER METER BOXES




WMB10
WMBSC

WMB
WMBMRL


- Heavy-duty plastic

PART #	DESCRIPTION	PKG./CTN.
WMB10	10" box w/ green lid Top dim: 15-1/8" L x 9-5/8" W x 10-1/4" H	1
WMB	12" box w/ black lid Top dim: 17" L x 11-7/8" W x 12-1/8" H	1
WMBSC	12" box w/ green "sewer" marked lid Top dim: 17" L x 11-7/8" W x 12-1/8" H	1
WMBMRL	12" box w/ black reader lid Top dim: 17" L x 11-7/8" W x 12-1/8" H	1
JWMB	Jumbo box w/ black lid Top dim: 21-1/4" L x 15-5/8" W x 12-1/8" H	1
JWMBMRL	Jumbo box w/ black reader lid Top dim: 21-1/4" L x 15-5/8" W x 12-1/8" H	1

WATER METER BOX LIDS



WMBL



JWMBL

PART #	DESCRIPTION	PKG./CTN.
WMB10L	13-1/2" x 8-1/8" lid for #WMB10	1
WMBL	15-1/2" x 10-1/4" lid for #WMB	1
WMBSCL	15-1/2" x 10-1/4" "Sewer" marked lid for #WMB	1
WMBLCI	15-1/2" x 10-1/4" cast iron lid for #WMB	1
WMBRLCI	15-1/2" x 10-1/4" cast iron reader lid for #WMB	1
JWMBL	19-1/2" x 13-3/4" lid for #JWMB	1
JWMBMRL	19-1/2" x 13-3/4" reader lid for #JWMB	1

BRAXTON HARRIS CO., INC.

PLASTIC SPECIALTIES

WATER METER BOX EXTENSIONS



PART #	DESCRIPTION	PKG./CTN.
WMBE6	6" extension for #WMB	1
JWMBE6	6" extension for #JWMB	1


WATER METER KEYS



- Used to open & close water & gas mains
- Painted steel with vinyl dipped comfort handle

PART #	DESCRIPTION	PKG./CTN.
WMK12-27	1/2" rod, 27" long	1
WMK12-30C	1/2" rod, 30" long combo w/lid key	1
WMK12-36	1/2" rod, 36" long	1
WMK58-27	5/8" rod, 27" long	1
WMK58-30C	5/8" rod, 30" long combo w/lid key	1
WMK58-36	5/8" rod, 36" long	1
WMK58-60	5/8" rod, 60" long	1
WMK34-36	3/4" rod, 36" long	1
WMK34-60	3/4" rod, 60" long	1

WATER METER BOX KEYS





PART #	DESCRIPTION	PKG./CTN.
WMBK	Key	1
WMBWK	Combination wrench & key	1

SHOWER DRAINS

FEMALE IRON PIPE SHOWER DRAINS



- Brass body
- I.P.S. connection
- Stainless steel grid

PART #	DESCRIPTION	PKG./CTN.
FIPSD112	1-1/2" IPS	10
FIPSD2	2" IPS	10


BRASS NO-CAULK SHOWER DRAIN



- Fits over 2" sch. 40 DWV pipe
- Designed for fiberglass shower stalls
- Brass body w/ snap-in 4-1/4" SS strainer
- With wrench
- (Ref. # 140NC)
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
BNCSD2	2" brass no-caulk shower drain	1/36
NCSDRGC	2" CTS rubber replacement gasket	1/10
NCSDRG	2" rubber replacement gasket	1/10

INSIDE CAULK SHOWER STALL DRAIN



- Designed for fiberglass shower stalls
- Brass body w/ snap-in 4-1/4" strainer
- Fits 2" sch. 40 & cast iron pipe
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
ICSD2	2" inside caulk with SS strainer	1/10
ICSD2-PB	2" inside caulk with PVD PB strainer	1/10

IPS SHOWER STALL DRAINS



- Designed for fiberglass shower stalls
- Brass body w/ snap-in 4-1/4" strainer

PART #	DESCRIPTION	PKG./CTN.
BIPSSD112	1-1/2" IPS stainless steel strainer	1/10
BIPSSD112-PB	1-1/2" IPS PVD polished brass strainer	1/36
BIPSSD2	2" IPS stainless steel strainer	1/10
BIPSSD2-PB	2" IPS PVD polished brass strainer	1/36

PLASTIC SPECIALTIES

FLOOR/URINAL DRAINS

INSIDE CAULK FLOOR DRAINS (BRASS)



- For use in areas where pan liner is not required
- Brass body

PART #	DESCRIPTION		PKG./CTN.
	SIZE	STRAINER	
ICFD2	2"	Stainless steel	1
ICFDB2	2"	CP brass	1
ICFDB3	3"	CP brass	1


BRASS URINAL DRAINS



- Chrome plated brass strainer
- 4-1/4" OD

PART #	DESCRIPTION	PKG./CTN.
UD2I	2" IPS	1
UD2D	2" DWV	1

BRASS URINAL FLANGE KIT



- Complete kit. Includes all necessary hardware
- Fits American Std.*, Crane*, Eljer*, Gerber* & Kohler*

PART #	DESCRIPTION	PKG./CTN.
UFK	2" IPS x 4-1/4"	1

STRAINERS

ROUND SNAP-IN STRAINERS


RSSS


SSSS


RS-WH


RSSIS

- RSSS & RS-WH fits #s NCSD2, BNCSD2, SWSSD2 shower drains
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
RSSS	Stainless steel, 4-1/4" OD & 2-7/8" prong centers	1
SSSS	Stainless steel, 4-1/4" OD & 2-3/4" prong centers	1
RS-WH	White plastic, 4-1/4" OD & 2-7/8" prong centers	1
RSSIS	Stainless steel, square 4-1/4" OD & 2-7/8" prong centers	

SCREW-IN STRAINERS



- Stainless steel
- Decorative finishes available

PART #	DESCRIPTION	PKG./CTN.
RSSI	Round, 4-1/4" OD w/ 2-5/8" centers, fits BHC #s SD2-3-2P series, FSSD2 & GPD2-3	1
RSSI338	Round, 4" OD w/ 3-3/8" centers, fits BHC # SD2-3-2P series	1
RSSI338-414	Round, 4-1/4" OD w/ 3-3/8" centers, fits BHC # SD2-3-2P series	1
RSSC338	Square, 4-1/4" OD w/ 3-3/8" centers, fits BHC # SD2-3-2P series (cast brass)	1

CLOSET FLANGES

CLOSET FLANGES (BRASS)


CF4B


CF4BD


CF4BH

- 4" hub
- For repair or replacement
- For lead connection

PART #	DESCRIPTION	PKG./CTN.
	PIPE SIZE	
CF4B	4" 14 oz. straight	10
CF4BD	4" deep seal / 1-1/8"	10
CF4BH	4" heavy (16 oz.)	1

BRAXTON HARRIS CO., INC.

BRASS SPECIALTIES

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

FOUR-WAY OFFSET CLOSET FLANGES (BRASS)



- Offset 1-1/2"
- For lead connection
- Clip allows four-way offset

PART #	DESCRIPTION	PKG./CTN.
	PIPE SIZE	
CF4BO	4" offset, 2" deep	1

REPAIR FLANGES

ORIGINAL SPANNER FLANGE

H




- Eliminates the need to replace broken closet flanges, saving time & money
- Simply place the flange under the broken area of the ring & tighten the nut
- Use with brass, copper, plastic or cast iron closet flanges

PART #	DESCRIPTION	PKG./CTN./MSTR.
SF	Repair flange (carded)	1/24/2400

SPANNER FLANGE KIT

H



- Same features of # SF above, plus can be fastened to floor to hold repair flange in place
- Includes all necessary parts
- Can be connected to make complete repair ring

PART #	DESCRIPTION	PKG./CTN./MSTR.
SFK	Spanner flange kit (carded)	1/6/72

CLOSET FLANGE SUPPORTS (FOR WOODEN & CONCRETE FLOORS)

H



- Gives added support if floor is rotted or if rough-cut hole is too large
- Easy to install
- Requires only an electric drill and a screwdriver
- Comes complete with screws
- PVC flange support fits 3", 4" & 3" x 4" flange
- Cast iron flange support fits 3" or 4" standard flange

PART #	DESCRIPTION	PKG./CTN.
CFSP	Fits PVC, plastic & brass (stainless steel)	1
CFSC	Fits cast iron	1

CLOSET FLANGE REPAIR RING



- Replaces most closet rings
- Unique screw table attach to wood or concrete sub-floor
- Can mount on top of broken or old plastic or cast iron ring

PART #	DESCRIPTION	PKG./CTN.
FRR	Flange repair ring	1/10

TWO PIECE CLOSET FLANGE REPAIR RING W/ CLOSET BOLT SET

H




- ***IMPROVED DESIGN!***
- Moss Bay* Style
- Comes with closet bolts, nuts and washers
- Used to repair corroded toilet flanges
- Quick installation
- **Stainless steel flange**

PART #	DESCRIPTION	PKG./CTN./MSTR.
FRR2	2-piece flange repair ring	1/5/60

EXTENSION CLEANOUT COVER SETS/ PLUGS

EXTENSION CLEANOUT COVER SETS (BRASS PLUG WITH COVER & SCREW)



- 24 ga. stainless steel access cover
- Countersunk plug drilled & tapped for 1/4 -20 mech. screw
- Furnished with 1/4 - 20 x 4" flat head machine screw

PART #	DESCRIPTION		PKG./CTN.
	PLUG DIA. IPS	**COVER DIA.**	
ECS112-3	1-1/2"	3"	1
ECS2-4	2"	4"	1
ECS212-5	2-1/2"	5"	1
ECS3-5	3"	5"	1
ECS3-6	3"	6"	1
ECS312-6	3-1/2"	6"	1
ECS312-7	3-1/2"	7"	1
ECS4-7	4"	7"	1
ECS5-8	5"	8"	1
ECS6-8	6"	8"	1
ECS6-10	6"	10"	1
ECS8-10	8"	10"	1

BRASS SPECIALTIES

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

EXTENSION COVER PLUGS (BRASS)



- Countersunk plug drilled & tapped for 1/4 -20 mech. screw
- Without cover & screw

PART #	DESCRIPTION	PKG./CTN.
	IPS	
ECBP112	1-1/2"	1
ECBP2	2"	1
ECBP212	2-1/2"	1
ECBP3	3"	1
ECBP312	3-1/2"	1
ECBP4	4"	1
ECBP5	5"	1
ECBP6	6"	1
ECBP8	8"	1

CLEANOUT PLUGS (BRASS)



- Countersunk plug drilled & tapped for 1/4
- Tap does not go all the way through the plug

PART #	DESCRIPTION	PKG./CTN.
	IPS	
CPST112	1-1/2"	1
CPST2	2"	1
CPST212	2-1/2"	1
CPST3	3"	1
CPST312	3-1/2"	1
CPST4	4"	1

EXTENSION COVERS/SCREWS

EXTENSION CLEANOUT COVER SET/KIT



- For floor application
- 16 ga. stainless steel access cover
- Countersunk plug drilled & tapped for 1/4 -20 mech. screw
- Furnished with 1/4 - 20 x 4" flat head machine screw

PART #	DESCRIPTION	PKG./CTN.
ECS2-4H	2" plug with 4" cover	1
ECS3-5H	3" plug with 5" cover	1

EXTENSION COVER SETS (LESS PLUG)



- Furnished with 1/4 - 20 x 4" flat head machine screw

PART #	DESCRIPTION	PKG./CTN.
	WALL MOUNT WITH 4" SCREW *24 ga., stainless steel*	
EC3B1-4	3"	1
EC4B1-4	4"	1
EC5B1-4	5"	1
EC6B1-4	6"	1
EC7B1-4	7"	1
EC8B1-4	8"	1
EC10B1-4	10"	1
EC12B1-4	12"	1
	FLOOR MOUNT WITH 4" SCREW *14 ga., stainless steel*	
FEC3B1-4	3"	1
FEC4B1-4	4"	1
FEC5B1-4	5"	1
FEC6B1-4	6"	1
FEC7B1-4	7"	1
FEC8B1-4	8"	1
FEC10B1-4	10"	1

EXTENSION CLEANOUT COVER SET/KIT



- 24 ga. stainless steel access cover
- PVC plug with brass insert, and 2-1/2" screw

PART #	DESCRIPTION	PKG./CTN.
ECS3P-5	3" plug with 5" cover	1
ECS312P-6	3-1/2" plug with 6" cover	1

EXTENSION COVER SCREWS



- Chrome plated
- Flat slotted head machine screw

PART #	DESCRIPTION	PKG./CTN.
ECB1-212	1/4" x 2-1/2", 1/4" - 20 x 2-1/2"	20/100
ECB1-4	1/4" x 4", 1/4" - 20 x 4"	20/100
ECB1-6	1/4" x 6", 1/4" - 20 x 6"	20/100

BRAXTON HARRIS CO., INC.

BRASS SPECIALTIES

EXTENSION/ACCESS COVERS

EXTENSION COVERS (ACCESS COVERS)



- **WALL MOUNT -** 24 ga. stainless steel (Without bolts)

PART #	DESCRIPTION	PKG./CTN.
EC3	3" diameter	25/100
EC4	4" diameter	25/100
EC5	5" diameter	25/100
EC6	6" diameter	25/100
EC7	7" diameter	25/100
EC8	8" diameter	25/100
EC10	10" diameter	25/100

FLOOR EXTENSION COVERS (ACCESS COVERS)




- **FLOOR MOUNT**
- Heavy-duty, 16 ga. stainless steel
- Without bolts

PART #	DESCRIPTION	PKG./CTN.
FEC3	3" diameter	1/4
FEC4	4" diameter	1
FEC5	5" diameter	1
FEC6	6" diameter	1
FEC7	7" diameter	1
FEC8	8" diameter	1
FEC10	10" diameter	1

PLUG WRENCH/ BRASS CLEANOUT PLUGS

DRUM TRAP COVER




- Chrome plated zinc die cast
- Flanged
- With gasket

PART #	DESCRIPTION	PKG./CTN.
DTC	3" IPS 4-3/8" flange diameter	1/10

PLUG WRENCH/ BRASS CLEANOUT PLUGS

COUNTERSUNK CLEANOUT PLUG WRENCH



- Used to install or remove countersunk plugs

PART #	DESCRIPTION	PKG./CTN.
CPW	6-way (4 square and 2 slotted head sizes)	1
CPW4	4-way (4 square head sizes)	1

DRUM TRAP PLUG WRENCH

H



- For use on countersunk plugs
- Four sizes: 3/4", 1", 1-1/8" & 1-3/8"
- Square sockets for drum plugs, drain covers & line plugs.

PART #	DESCRIPTION	PKG./CTN./MSTR.
DTPW	Drum trap plug wrench	1/8/16

P.O. PLUG WRENCH

H



- For installing or removing basket strainers, P.O. plugs and tub drains
- Holds pop-up plugs & basket strainers in position & keeps them from turning during installation

PART #	DESCRIPTION	PKG./CTN.
POPW	P.O. plug wrench	1/50

BRASS PLUGS

NEW ORLEANS CODE CLEANOUT PLUGS



- Brass
- Raised head

PART #	DESCRIPTION	PKG./CTN.
CPNOCR112	1-1/2" IPS raised	1/6
CPNOCR212	2-1/2" IPS raised	1/6
CPNOCR3	3" IPS raised	1/6
CPNOCR312	3-1/2" IPS raised	1/6
CPNOCR5	5" IPS raised	1/6

BRASS SPECIALTIES

BRASS PLUGS

SOUTHERN CODE CLEANOUT PLUGS



- Brass
- Countersunk square head

PART #	DESCRIPTION	PKG./CTN.
	IPS	
CPSCC112	1-1/2"	1
CPSCC2	2"	1
CPSCC212	2-1/2"	1
CPSCC3	3"	1
CPSCC312	3-1/2"	1
CPSCC4	4"	1
CPSCC5	5"	1
CPSCC6	6"	1
CPSCC8	8"	1

SOUTHERN CODE CLEANOUT PLUGS



- Brass
- Raised square head

PART #	DESCRIPTION	PKG./CTN.
	IPS	
CPSCR1	1"	1
CPSCR114	1-1/4"	1
CPSCR112	1-1/2"	1
CPSCR2	2"	1
CPSCR212	2-1/2"	1
CPSCR3	3"	1
CPSCR312	3-1/2"	1
CPSCR4	4"	1
CPSCR5	5"	1
CPSCR512	5-1/2"	1
CPSCR6	6"	1
CPSCR8	8"	1
CPSCR10	10"	1

BRASS PLUGS/FIT-ALL PLUGS

OHIO CODE CLEANOUT PLUGS





- Brass
- Heavy pattern
- Ohio, New York, and Richmond code

PART #	DESCRIPTION	PKG./CTN.
CPOCC112	1-1/2" IPS countersunk	1/6
CPOCC2	2" IPS countersunk	1/6
CPOCC212	2-1/2" IPS countersunk	1/6
CPOCC3	3" IPS countersunk	1/6
CPOCC312	3-1/2" IPS countersunk	1/6
CPOCC4	4" IPS countersunk	1/6
CPOCC5	5" IPS countersunk	1/6
CPOCC6	6" IPS countersunk	1
CPOCC8	8" IPS countersunk	1
CPOCR112	1-1/2" IPS raised	1/6
CPOCR2	2" IPS raised	1/6
CPOCR3	3" IPS raised	1/6
CPOCR312	3-1/2" IPS raised	1/6
CPOCR4	4" IPS raised	1/6
CPOCR5	5" IPS raised	1/6

LEAD FIT-ALL PLUGS



- Cast iron core
- Sizes are exact measurements, not IPS


PART #	DESCRIPTION	PKG./CTN.
	PLUG SIZE	
LFAP2	2"	1
LFAP212	2-1/2"	1
LFAP3	3"	1
LFAP312	3-1/2"	1
LFAP4	4"	1
LFAP412	4-1/2"	1
LFAP5	5"	1
LFAP512	5-1/2"	1
LFAP6	6"	1

BRAXTON HARRIS CO., INC.

CAST IRON SPECIALTIES

CLEANOUTS

STANDARD BODY CLEANOUTS (PLAIN END) WITH SOUTHERN CODE BRASS PLUGS



- With brass plugs
- Service weight or no-hub

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	PLUG SIZE	
WITH COUNTERSUNK PLUGS:			
SCC2-112	2"	1-1/2"	1
SCC3-212	3"	2-1/2"	1
SCC4-3	4"	3"	1
SCC4-312	4"	3-1/2"	1
SCC5-4	5"	4"	1
SCC6-5	6"	5"	1
WITH RAISED HEAD PLUGS:			
SCR2-112	2"	1-1/2"	1
SCR3-212	3"	2-1/2"	1
SCR4-3	4"	3"	1
SCR4-312	4"	3-1/2"	1
SCR5-4	5"	4"	1
SCR6-5	6"	5"	1


NO-HUB CLEANOUTS WITH SOUTHERN CODE BRASS PLUGS



PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	PLUG SIZE	
WITH COUNTERSUNK PLUGS:			
NHCC2-112	2"	1-1/2"	1
NHCC3-212	3"	2-1/2"	1
NHCC4-312	4"	3-1/2"	1
WITH RAISED HEAD PLUGS:			
NHCR2-112	2"	1-1/2"	1
NHCR3-212	3"	2-1/2"	1
NHCR4-312	4"	3-1/2"	1

CLEANOUTS


STANDARD BODY CLEANOUTS (PLAIN END) WITH HEAVY PATTERN BRASS PLUGS



- With heavy pattern plugs
- Service weight or no-hub

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	PLUG SIZE	
WITH COUNTERSUNK PLUGS:			
SCHC2-112	2"	1-1/2"	1
SCHC3-212	3"	2-1/2"	1
SCHC4-3	4"	3"	1
SCHC4-312	4"	3-1/2"	1
SCHC5-4	5"	4"	1
SCHC6-5	6"	5"	1
WITH RAISED HEAD PLUGS:			
SCHR2-112	2"	1-1/2"	1
SCHR3-212	3"	2-1/2"	1
SCHR4-3	4"	3"	1
SCHR4-312	4"	3-1/2"	1
SCHR5-4	5"	4"	1
SCHR6-5	6"	5"	1

PANELLA PUSH-ON CLEANOUTS WITH BRASS PLUGS



- Less gasket, with southern code plug
- Fits service weight or extra heavy pipe
- Cuts pipe to desired level
- Lube multi-tite gasket (not included) & push over plain end of pipe
- Tap with lead hammer to seat & install plug
- 3" overall height
- Meets ASTM A74-98, ASME A112.36.2M-91

PART #	FITS	PLUG	W/ GASKET	PKG./CTN.
PCC4-312	4" SV	3-1/2" countersunk	No	1
PCR4-312	4" SV	3-1/2" raised head	No	1
PCC4-312G	4" SV	3-1/2" countersunk	Yes	1
PCR4-312G	4" SV	3-1/2" raised head	Yes	1
PCC4-312S	4" Sch 40	3-1/2" countersunk	No	1
PCR4-312S	4" Sch 40	3-1/2" raised head	No	1
PCC4-312SG	4" Sch 40	3-1/2" countersunk	Yes	1
PCR4-312SG	4" Sch 40	3-1/2" raised head	Yes	1
PCC6-4 NEW	6" Sch 40	4" countersunk	No	1

CAST IRON SPECIALTIES

CLEANOUTS/FERRULES

PANELLA PUSH-ON CLEANOUTS - BODY ONLY



- Fits service weight or extra heavy pipe
- Cuts pipe to desired level
- Lube multi-tite gasket (not included) & push over plain end of pipe
- 3" overall height
- Meets ASTM A74-98, ASME A112.36.2M-91

PART #	FITS	W/ GASKET	PKG./CTN.
PAN4-312 NEW	4" SV	No	1
PAN4-312P NEW	4" Sch 40	No	1
PAN6-4 NEW	6" SV	No	1

NO-HUB TAPPED SCREW FERRULES - BODY ONLY



- No-hub cleanout
- Does not include plug

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	TAPPING SIZE	
NHTFB2	2"	1-1/2"	1
NHTFB3	3"	2-1/2"	1
NHTFB4	4"	3-1/2"	1

TAPPED SCREW FERRULES



- Long pattern plain end cleanout
- Caulk connection
- Does not include plug
- 4" height

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	TAPPING SIZE	
TSF2-112	2"	1-1/2" IPS	1
TSF3-212	3"	2-1/2" IPS	1
TSF4-3	4"	3" IPS	1
TSF4-312	4"	3-1/2" IPS	1
TSF5-4	5"	4" IPS	1
TSF6-5	6"	5" IPS	1

SEWER BOX



- Available with marked lid

PART #	DESCRIPTION	PKG./CTN.
SB8	8" with "Sewer" marked lid	1/4
SB10	10" with "Sewer" marked lid	1/4
SBW8	8" with "Water" marked lid	1/4
SBW10	10" with "Water" marked lid	1/4
SBP8	8" with plain lid (no marking)	1/4
SBP10	10" with plain lid (no marking)	1/4

CLOSET FLANGES

CLOSET FLANGES



- Notched & slotted
- Inside caulk connection
- Service weight

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF4-1C	4"	1"	1
CF4-112C	4"	1-1/2"	1
CF4-2C	4"	2"	1
CF4-212C	4"	2-1/2"	1
CF4-3C	4"	3"	1
CF4-4C	4"	4"	1
CF4-6C	4"	6"	1

CLOSET FLANGE WITH TEST CAP



- Adjustable (slotted)
- Stainless steel bolts and washers

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF4-2CT	4"	2"	1

EXTRA HEAVY CLOSET FLANGES



- Designed for extra heavy pipe
- Notched & slotted
- Inside caulk connection
- 5" ID with no bead

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF4-212CEH	4"	2-1/2"	1
CF4-4CEH	4"	4"	1
CF4-6CEH	4"	6"	1

NO-HUB CLOSET FLANGE



- May be used with no-hub soil pipe or in conventional soil pipe hubs with neoprene slip type gasket
- Notched & slotted

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF3-312CNH	3"	3-1/2"	1/4
CF4-312CNH	4"	3-1/2"	1/4

BRAXTON HARRIS CO., INC.

6.1.25

CAST IRON SPECIALTIES

CLOSET FLANGES

PUSH-IN CLOSET FLANGES WITH GASKET



- Used with cast iron or schedule 40 DWV pipe

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF3-2CG	3"	2"	1
CF3-4CG	3"	4"	1
CF4-2CG	4"	2"	1
CF4-3CG CF4-	4"	3"	1
4CG	4"	4"	1
CF4-6CG	4"	6"	1


QUICK SET CLOSET FLANGE WITH TEST CAP



- Stainless steel bolts and washers

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF3-3CQST	3"	3"	1
CF4-2CQST	4"	2"	1

QUICK SET CLOSET FLANGE WITH OFFSET



- Offset 1"
- Stainless steel bolts and washers

PART #	DESCRIPTION	PKG./CTN.
	PIPE SIZE	
CF4-1CQSO	4" no caulk	1

QUICK-SET CLOSET FLANGES/NO-CAULK



- Cuts installation time by 80%. Eliminates need for lead or oakum
- Ideal for repair or new construction
- Just push over plastic or cast iron pipe, anchor to floor & tighten bolts
- Includes four stainless steel bolts & washers for even clamping
- The neoprene gasket meets ASTM C564 specifications

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF3-2CQS	3"	2"	1
CF4-2CQS	4"	2"	1
CF4-3CQS	4"	3"	1
CF4-4CQS	4"	4"	1
CF4-6CQS	4"	6"	1

FOUR-WAY OFFSET CLOSET FLANGES (CAST IRON)



- Offset 1-1/2"
- Inside caulk
- Internal clip allows for 360° offset

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF4-2CFWO	4"	2"	1
CF4-4CFWO	4"	4"	1

FOUR-WAY ADJUSTABLE OFFSET CLOSET FLANGES



- Offset 2"
- Adjustable

PART #	DESCRIPTION			PKG./CTN.
		PIPE SIZE	DEPTH	
CF4-2CAFWO	Inside caulk	4"	2"	1
CF4-2CAFWON	No hub	4"	2"	1

REDUCING CLOSET FLANGES



- Notched & slotted
- Caulk connection
- 4" inlet x 3" outlet

PART #	DESCRIPTION		PKG./CTN.
	PIPE SIZE	DEPTH	
CF4-3-3CR	4"	3"	1

BACKWATER DEVICES/DRAINS

BACKWATER DEVICES



BD2



BDP2

- Ball included
- Sleeve type

PART #	DESCRIPTION	PKG./CTN.
	SIZE	
BD2	2" MPT, brass body	1
BDP2	2" MPT, plastic body	1

TRAP STANDARDS



- Stainless steel strainer
- Fits American Standard*, Kohler*, Crane* & Eljer* service sinks
- Cast iron body with white coating

PART #	DESCRIPTION	PKG./CTN.
	SIZE	
TS2	2" IPS outlet	1
TS3	3" IPS outlet	1

CAST IRON SPECIALTIES

FLOOR DRAINS WITH P-TRAP



- Throat of drain is threaded for backwater device (Not included)
- No-hub

PART #	DESCRIPTION	PKG./CTN.
CONCEALED CLEANOUT:		
FDCC2	2" drain	1
EXPOSED CLEANOUT:		
FD2	2" drain	1
STRAINER FOR FDCC2 & FD2 FLOOR DRAINS:		
FDRS	6-3/8" cast iron strainer	1

BELL TRAP



Loose Lid



Hinged Lid

- Bell attached

PART #	CONNECTION	DRAIN TOP	STRAINER OD	REPL STR.	PKG./CTN.
LOOSE LID:					
BTCSL6-2	2" spigot	6" x 6"	4-7/8"	LRS478	1/4
BTCSL9-3	3" spigot	9" x 9"	6-7/8"	LRS678	1/4
BTCSL12-4	4" spigot	12" x 12"	9-3/4"		1/4
HINGED LID:					
BTCIH6-2	2" inside caulk	6" x 6"	4-7/8"		1/4
BTCIH9-3	3" inside caulk	9" x 9"	6-7/8"		1/4
BTCIH12-4	4" inside caulk	12" x 12"	9-3/4"		1/4
BTCNH9-3	3" no hub/ spigot	9" x 9"	6-7/8"		1/4
BTCNH12-4	4" no hub/ spigot	12" x 12"	9-3/4"		1/4

PITTSBURGH BELL TRAP



PBTCI9-4



LRS678

- Plain cesspool outlet
- 4" inside caulk outlet
- Less bell
- 4-1/2" overall height

PART #	CONNECTION	DRAIN TOP	STRAINER OD	REPL STR.	PKG./CTN.
PBTCI9-4	4" inside caulk	9" x 9"	6-7/8"	LRS678	1

DES MOINES PATTERN FLOOR DRAIN



- Bolt down lid
- Integral trap

PART #	DESCRIPTION	PKG./CTN.
DMPFD3	3" with trap	1

INSIDE CAULK READING STYLE CLEANOUT



PART #	DESCRIPTION	PKG./CTN.
RSCCI4	4" inside caulk	1

PIPE DRAIN WITH OHIO STYLE GRATE



PART #	DESCRIPTION	PKG./CTN.
6PD	6" pipe drain with Ohio style grate	1/4

KENTUCKY INSIDE CAULK DRAIN



- Heavy duty cast iron strainer and body
- Loose set strainer

PART #	DESCRIPTION	PKG./CTN.
KD3	3" inside caulk	4/16
KDS3	3" replacement strainer	1/4
KD4	4" inside caulk	4/16
KDS4	4" replacement strainer	1/4

ST. LOUIS CODE DRAIN



- Loose set strainer

PART #	DESCRIPTION	PKG./CTN.
SLCD3	3" inside caulk	4/16
SLCDS	3" replacement strainer	1/4

FRESH AIR INLET/FLOOR DRAIN



PART #	DESCRIPTION	PKG./CTN.
FAI3	3" spigot fit	1/4
FAI4	4" spigot fit	1/4

FULL WATERWAY FLOOR DRAIN



- Extra heavy locking strainer
- Traffic rated for 2000 lbs.

PART #	DESCRIPTION	PKG./CTN.
FWFD2IC	2" inside caulk	1
FWFD2NH	2" no hub	1
FWFDS2	2" replacement strainer	1
FWFD3IC	3" inside caulk	1
FWFD3NH	3" no hub	1
FWFDS3	3" replacement strainer	1
FWFD4IC	4" inside caulk	1
FWFD4NH	4" no hub	1
FWFDS4	4" replacement strainer	1

BRAXTON HARRIS CO., INC.

6.1.25

CAST IRON SPECIALTIES

*Manufacturers' names are used only to describe whose products BHC products will fit. They are not O.E.M. manufactured, licensed, or endorsed by those manufacturers.

PERFORATED SEWER STRAINER WITH LEGS



- Four tapered legs
- Designed to fit hub end of cast iron and clay pipe
- Rated for foot traffic

PART #	DESCRIPTION	PKG./CTN.
PSSL4	4" (5-1/2" Diameter)	1
PSSL6	6" (7-3/8" Diameter)	1
PSSL8	8" (10-1/8" Diameter)	1
PSSL10	10" (12-1/4" Diameter)	1
PSSL12	12" (14-1/4" Diameter)	1

STRAINER FOR HUB OPENINGS IN SOIL PIPE



- Bar grate

PART #	DESCRIPTION	PKG./CTN.
FSPS2	2" (2-3/4" diameter)	1/4
FSPS3	3" (3-3/4" diameter)	1/4
FSPS4	4" (4-7/8" diameter)	1/4
FSPS6	6" (6-7/8" diameter)	1/4

FLOOR SINKS

ROUND SLOP SINK



- Black in color
- Hydrant cesspool
- With removable screwed round strainer (4-1/2" dia.)
- 12" round dia. x 6" deep

PART #	DESCRIPTION	PKG./CTN.
RSS2	2" IPS outlet	1

PORCELAIN COATED FLOOR SINKS



- 12" x 12" square x 6" deep
- White porcelain coated cast iron
- One-piece coated grate
- Aluminum dome strainer
- No-hub connection

PART #	DESCRIPTION	PKG./CTN.
FS2NH	2" no-hub connection	1
FS3NH	3" no-hub connection	1
FS4NH	4" no-hub connection	1

TOP GRATE FOR CAST IRON FLOOR SINKS

12TGCI


34TGCI

FTGCI

PART #	DESCRIPTION	PKG./CTN.
12TGCI	1/2 top grate	1/4
34TGCI	3/4 top grate	1/4
FTGCI	Full top grate	1/4

BOTTOM STRAINERS FOR FLOOR SINKS


ADBSCI / ADBS2 / ADBS3 / ADBS4


AFBS

- Fits all sizes of cast iron or PVC floor sinks
- Made of cast aluminum

PART #	DESCRIPTION	PKG./CTN.
ADBSCI	Fit-all aluminum dome strainer	1/4
ADBS2	2" aluminum dome strainer	1/4
ADBS3	3" aluminum dome strainer	1/4
ADBS4	4" aluminum dome strainer	1/4
AFBS	5-1/4" x 5-1/4" aluminum square flat strainer (1/4" thick)	1/4

ROOF DRAINS

ROOF DRAIN



- 10" diameter pan
- 5-1/2" dome
- 8" height
- Cast Iron dome
- 50 square inches of drain area

PART #	DESCRIPTION	PKG./CTN.
CRD3IC	3" inside caulk	1
CRD3NH	3" no hub	1
CRD4IC	4" inside caulk	1
CRD4NH	4" no hub	1
CRDD512	5-1/2" cast iron roof drain dome	1

ROOF DRAIN WITH SQUARE PAN



- 8-1/2" square pan
- Cast iron dome and drain
- Supplied with stainless steel bolts

PART #	DESCRIPTION	PKG./CTN.
CRDS2NH	2" no hub	1
CRDS3NH	3" no hub	1
CRDS4NH	4" no hub	1
CRDS6NH	6" no hub	1

TAPPED SADDLE TEE



- 4" x 2" IPT (Iron Pipe Threads)
- Complete with U-bolt and nuts

PART #	DESCRIPTION	PKG./CTN.
TST4-2	4" x 2" tapped saddle tee	1

CAST IRON SPECIALTIES

SHOWER DRAINS

RESIDENTIAL CAST IRON SHOWER DRAINS

- 6-1/2" Pan
- Tops available in decorative finishes. For finish replace last two letters of part# with "-" and finish (ie CD6-2IPS-2M-4-SN)
- All strainers are cast except for the Stainless Steel, which is stamped.
- 4" Diameter Round
- Replacement strainers located on page H42

with Clamping Ring and 2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 4" Diameter Round Strainer			 4" Diameter Square Strainer			
		Stamped Stainless Steel *Part# MS2RS4SS*	Cast Chrome Plated *Part# MS2RS4CP*	Cast Nickel Bronze *Part# MS2RS4NB*	Cast Chrome Plated Less Ring *Part# MS2RS4CP*	Cast Chrome Plated *Part# MS2SSR4CP*	Cast Nickel Bronze *Part# MS2SSR4NB*	Cast Brass *Part# MS2SSR4PB*
	2" IPS *Part# CDB6-2IPS-2*	CD6-2IPS-2M-4SS	CD6-2IPS-2M-4CP	CD6-2IPS-2M-4NB	CD6-2IPS-2M-4SLCP	CD6-2IPS-2M-4SCP	CD6-2IPS-2M-4SNB	CD6-2IPS-2M-4SPB
	2" Inside Caulk *Part# CDB6-2IC-2*	CD6-2IC-2M-4SS	CD6-2IC-2M-4CP	CD6-2IC-2M-4NB	CD6-2IC-2M-4SLCP	CD6-2IC-2M-4SCP	CD6-2IC-2M-4SNB	CD6-2IC-2M-4SPB
	2" No Hub *Part# CDB6-2NH-2*	CD6-2NH-2M-4SS	CD6-2NH-2M-4CP	CD6-2NH-2M-4NB	CD6-2NH-2M-4SLCP	CD6-2NH-2M-4SCP	CD6-2NH-2M-4SNB	CD6-2NH-2M-4SPB

with Screw-in Brass Clamping Ring and 2" Metal Spud

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 4" Diameter Round Strainer			 4" Diameter Square Strainer			
		Stamped Stainless Steel *Part# MS2RS4SS*	Cast Chrome Plated *Part# MS2RS4CP*	Cast Nickel Bronze *Part# MS2RS4NB*	Cast Chrome Plated Less Ring *Part# MS2RS4CP*	Cast Chrome Plated *Part# MS2SSR4CP*	Cast Nickel Bronze *Part# MS2SSR4NB*	Cast Brass *Part# MS2SSR4PB*
	2" IPS *Part# CDBB6-2IPS-2*	CDB6-2IPS-2M-4SS	CDB6-2IPS-2M-4CP	CDB6-2IPS-2M-4NB	CDB6-2IPS-2M-4SLCP	CDB6-2IPS-2M-4SCP	CDB6-2IPS-2M-4SNB	CDB6-2IPS-2M-4SPB
	2" Inside Caulk *Part# CDBB6-2IC-2*	CDB6-2IC-2M-4SS	CDB6-2IC-2M-4CP	CDB6-2IC-2M-4NB	CDB6-2IC-2M-4SLCP	CDB6-2IC-2M-4SCP	CDB6-2IC-2M-4SNB	CDB6-2IC-2M-4SPB
	2" No Hub *Part# CDBB6-2NH-2*	CDB6-2NH-2M-4SS	CDB6-2NH-2M-4CP	CDB6-2NH-2M-4NB	CDB6-2NH-2M-4SLCP	CDB6-2NH-2M-4SCP	CDB6-2NH-2M-4SNB	CDB6-2NH-2M-4SPB

BRAXTON HARRIS CO., INC.

CAST IRON SPECIALTIES

COMMERCIAL DRAINS

CAST IRON COMMERCIAL DRAINS WITH 7" PAN & CLAMPING RING

- 7" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie CD7-2IPS-312M-5S-SN)
- Replacement strainers located on page H42

with 7" Pan

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 4" Diameter Round Strainer		 5" Diameter Round Strainer		
		Cast Nickel Bronze *Part# MS312RS4NB*	Cast Brass *Part# MS312RS4PB*	Cast Chrome Plated *Part# MS312RS5CP*	Cast Nickel Bronze *Part# MS312RS5NB*	Cast Brass *Part# MS312RS5PB*
 2" IPS *Part# CDB7-2IPS-312*		CD7-2IPS -312M-4NB	CD7-2IPS -312M-4PB	CD7-2IPS -312M-5CP	CD7-2IPS -312M-5NB	CD7-2IPS -312M-5PB
 2" No Caulk (MJ) *Part# CDB7-2NC-312*		CD7-2NC -312M-4NB	CD7-2NC -312M-4PB	CD7-2NC -312M-5CP	CD7-2NC -312M-5NB	CD7-2NC -312M-5PB
 2" No Hub *Part# CDB7-2NH-312*		CD7-2NH -312M-4NB	CD7-2NH -312M-4PB	CD7-2NH -312M-5CP	CD7-2NH -312M-5NB	CD7-2NH -312M-5PB
 3" IPS *Part# CDB7-3IPS-312*		CD7-3IPS -312M-4NB	CD7-3IPS -312M-4PB	CD7-3IPS -312M-5CP	CD7-3IPS -312M-5NB	CD7-3IPS -312M-5PB
 3" No Caulk (MJ) *Part# CDB7-3NC-312*		CD7-3NC -312M-4NB	CD7-3NC -312M-4PB	CD7-3NC -312M-5CP	CD7-3NC -312M-5NB	CD7-3NC -312M-5PB
 3" No Hub *Part# CDB7-3NH-312*		CD7-3NH -312M-4NB	CD7-3NH -312M-4PB	CD7-3NH -312M-5CP	CD7-3NH -312M-5NB	CD7-3NH -312M-5PB
 4" No Hub *Part# CDB7-4NH-312*		CD7-4NH -312M-4NB	CD7-4NH -312M-4PB	CD7-4NH -312M-5CP	CD7-4NH -312M-5NB	CD7-4NH -312M-5PB

CAST IRON SPECIALTIES



COMMERCIAL DRAINS (Continued)

CAST IRON COMMERCIAL DRAINS WITH 7" PAN & CLAMPING RING (Continued)

- 7" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie CD7-2IPS-312M-5S-SN)
- Replacement strainers located on page H42

with 7" Pan

CHOOSE YOUR SPUD/STRAINER >>

		 6" Diameter Round Strainer			 5" Diameter Square Strainer			 6" Diameter Square Strainer	
		Cast Chrome Plated *Part# MS312RS6CP*	Cast Nickel Bronze *Part# MS312RS6NB*	Cast Brass *Part# MS312RS6PB*	Cast Chrome Plated *Part# MS312SSR5CP*	Cast Nickel Bronze *Part# MS312SSR5NB*	Cast Brass *Part# MS312SSR5PB*	Cast Nickel Bronze *Part# MS312SSR6NB*	Cast Brass *Part# MS312SSR6PB*
 2" IPS *Part# CDB7-2IPS-312*		CD7-2IPS -312M-6CP	CD7-2IPS- 312M-6NB	CD7-2IPS -312M-6PB	CD7-2IPS -312M-5SCP	CD7-2IPS -312M-5SNB	CD7-2IPS -312M-5SPB	CD7-2IPS -312M-6SNB	CD7-2IPS -312M-6SPB
 2" No Caulk (MJ) *Part# CDB7-2NC-312*		CD7-2NC -312M-6CP	CD7-2NC -312M-6NB	CD7-2NC -312M-6PB	CD7-2NC -312M-5SCP	CD7-2NC -312M-5SNB	CD7-2NC -312M-5SPB	CD7-2NC -312M-6SNB	CD7-2NC -312M-6SPB
 2" No Hub *Part# CDB7-2NH-312*		CD7-2NH -312M-6CP	CD7-2NH -312M-6NB	CD7-2NH -312M-6PB	CD7-2NH -312M-5SCP	CD7-2NH -312M-5SNB	CD7-2NH -312M-5SPB	CD7-2NH -312M-6SNB	CD7-2NH -312M-6SPB
 3" IPS *Part# CDB7-3IPS-312*		CD7-3IPS -312M-6CP	CD7-3IPS -312M-6NB	CD7-3IPS -312M-6PB	CD7-3IPS -312M-5SCP	CD7-3IPS -312M-5SNB	CD7-3IPS -312M-5SPB	CD7-3IPS -312M-6SNB	CD7-3IPS -312M-6SPB
 3" No Caulk (MJ) *Part# CDB7-3NC-312*		CD7-3NC -312M-6CP	CD7-3NC -312M-6NB	CD7-3NC -312M-6PB	CD7-3NC -312M-5SCP	CD7-3NC -312M-5SNB	CD7-3NC -312M-5SPB	CD7-3NC -312M-6SNB	CD7-3NC -312M-6SPB
 3" No Hub *Part# CDB7-3NH-312*		CD7-3NH -312M-6CP	CD7-3NH -312M-6NB	CD7-3NH -312M-6PB	CD7-3NH -312M-5SCP	CD7-3NH -312M-5SNB	CD7-3NH -312M-5SPB	CD7-3NH -312M-6SNB	CD7-3NH -312M-6SPB
 4" No Hub *Part# CDB7-4NH-312*		CD7-4NH -312M-6CP	CD7-4NH -312M-6NB	CD7-4NH -312M-6PB	CD7-4NH -312M-5SCP	CD7-4NH -312M-5SNB	CD7-4NH -312M-5SPB	CD7-4NH -312M-6SNB	CD7-4NH -312M-6SPB

BRAXTON HARRIS CO., INC.

6.1.25

CAST IRON SPECIALTIES

COMMERCIAL DRAINS (Continued)



CAST IRON COMMERCIAL DRAINS WITH 9" PAN & CLAMPING RING

- 9" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie CD7-2IPS-312M-5S-SN)
- Replacement strainers located on page H42

with 9" Pan

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 4" Diameter Round Strainer		 5" Diameter Round Strainer		
		Cast Nickel Bronze *Part# MS312RS4NB*	Cast Brass *Part# MS312RS4PB*	Cast Chrome Plated *Part# MS312RS5CP*	Cast Nickel Bronze *Part# MS312RS5NB*	Cast Brass *Part# MS312RS5PB*
	2" IPS *Part# CDB9-2IPS-312*	CD9-2IPS-312M -4NB	CD9-2IPS-312M -4PB	CD9-2IPS-312M -5CP	CD9-2IPS-312M -5NB	CD9-2IPS-312M -5PB
	2" No Caulk (MJ) *Part# CDB9-2NC-312*	CD9-2NC-312M -4NB	CD9-2NC-312M -4PB	CD9-2NC-312M -5CP	CD9-2NC-312M -5NB	CD9-2NC-312M -5PB
	2" No Hub *Part# CDB9-2NH-312*	CD9-2NH-312M -4NB	CD9-2NH-312M -4PB	CD9-2NH-312M -5CP	CD9-2NH-312M -5NB	CD9-2NH-312M -5PB
	2" Push-on *Part# CDB9-2P-312*	CD9-2P-312M -4NB	CD9-2P-312M -4PB	CD9-2P-312M -5CP	CD9-2P-312M -5NB	CD9-2P-312M -5PB
	3" IPS *Part# CDB9-3IPS-312*	CD9-3IPS-312M -4NB	CD9-3IPS-312M -4PB	CD9-3IPS-312M -5CP	CD9-3IPS-312M -5NB	CD9-3IPS-312M -5PB
	3" No Caulk (MJ) *Part# CDB9-3NC-312*	CD9-3NC-312M -4NB	CD9-3NC-312M -4PB	CD9-3NC-312M -5CP	CD9-3NC-312M -5NB	CD9-3NC-312M -5PB
	3" No Hub *Part# CDB9-3NH-312*	CD9-3NH-312M -4NB	CD9-3NH-312M -4PB	CD9-3NH-312M -5CP	CD9-3NH-312M -5NB	CD9-3NH-312M -5PB
	4" IPS *Part# CDB9-4IPS-312*	CD9-4IPS-312M -4NB	CD9-4IPS-312M -4PB	CD9-4IPS-312M -5CP	CD9-4IPS-312M -5NB	CD9-4IPS-312M -5PB
	4" No Caulk (MJ) *Part# CDB9-4NC-312*	CD9-4NC-312M -4NB	CD9-4NC-312M -4PB	CD9-4NC-312M -5CP	CD9-4NC-312M -5NB	CD9-4NC-312M -5PB
	4" No Hub *Part# CDB9-4NH-312*	CD9-4NH-312M -4NB	CD9-4NH-312M -4PB	CD9-4NH-312M -5CP	CD9-4NH-312M -5NB	CD9-4NH-312M -5PB
	4" Push-on *Part# CDB9-4P-312*	CD9-4P-312M -4NB	CD9-4P-312M -4PB	CD9-4P-312M -5CP	CD9-4P-312M -5NB	CD9-4P-312M -5PB

COMMERCIAL DRAINS

CAST IRON SPECIALTIES

COMMERCIAL DRAINS (Continued)

CAST IRON COMMERCIAL DRAINS WITH 9" PAN & CLAMPING RING (Continued)

- 9" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie CD7-2IPS-312M-5S-SN)
- Replacement strainers located on page H42

with 9" Pan

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 6" Diameter Round Strainer			 5" Diameter Square Strainer			 6" Diameter Square Strainer	
		Cast Chrome Plated *Part# MS312RS6CP*	Cast Nickel Bronze *Part# MS312RS6NB*	Cast Brass *Part# MS312RS6PB*	Cast Chrome Plated *Part# MS312SSR5CP*	Cast Nickel Bronze *Part# MS312SSR5NB*	Cast Brass *Part# MS312SSR5PB*	Cast Nickel Bronze *Part# MS312SSR6NB*	Cast Brass *Part# MS312SSR6PB*
 2" IPS *Part# CDB9-2IPS-312*		CD9-2IPS-312M-6CP	CD9-2IPS-312M-6NB	CD9-2IPS-312M-6PB	CD9-2IPS-312M-5SCP	CD9-2IPS-312M-5SNB	CD9-2IPS-312M-5SPB	CD9-2IPS-312M-6SNB	CD9-2IPS-312M-6SPB
 2" No Caulk (MJ) *Part# CDB9-2NC-312*		CD9-2NC-312M-6CP	CD9-2NC -312M-6NB	CD9-2NC-312M-6PB	CD9-2NC-312M-5SCP	CD9-2NC-312M-5SNB	CD9-2NC-312M-5SPB	CD9-2NC-312M-6SNB	CD9-2NC-312M-6SPB
 2" No Hub *Part# CDB9-2NH-312*		CD9-2NH-312M-6CP	CD9-2NH-312M-6NB	CD9-2NH-312M-6PB	CD9-2NH-312M-5SCP	CD9-2NH-312M-5SNB	CD9-2NH-312M-5SPB	CD9-2NH-312M-6SNB	CD9-2NH-312M-6SPB
 2" Push-on *Part# CDB9-2P-312*		CD9-2P-312M-6CP	CD9-2P-312M-6NB	CD9-2P-312M-6PB	CD9-2P-312M-5SCP	CD9-2P-312M-5SNB	CD9-2P-312M-5SPB	CD9-2P-312M-6SNB	CD9-2P-312M-6SPB
 3" IPS *Part# CDB9-3IPS-312*		CD9-3IPS-312M-6CP	CD9-3IPS-312M-6NB	CD9-3IPS-312M-6PB	CD9-3IPS-312M-5SCP	CD9-3IPS-312M-5SNB	CD9-3IPS-312M-5SPB	CD9-3IPS-312M-6SNB	CD9-3IPS-312M-6SPB
 3" No Caulk (MJ) *Part# CDB9-3NC-312*		CD9-3NC-312M-6CP	CD9-3NC-312M-6NB	CD9-3NC-312M-6PB	CD9-3NC-312M-5SCP	CD9-3NC-312M-5SNB	CD9-3NC-312M-5SPB	CD9-3NC-312M-6SNB	CD9-3NC-312M-6SPB
 3" No Hub *Part# CDB9-3NH-312*		CD9-3NH-312M-6CP	CD9-3NH-312M-6NB	CD9-3NH-312M-6PB	CD9-3NH-312M-5SCP	CD9-3NH-312M-5SNB	CD9-3NH-312M-5SPB	CD9-3NH-312M-6SNB	CD9-3NH-312M-6SPB
 4" IPS *Part# CDB9-4IPS-312*		CD9-4IPS-312M-6CP	CD9-4IPS-312M-6NB	CD9-4IPS-312M-6PB	CD9-4IPS-312M-5SCP	CD9-4IPS-312M-5SNB	CD9-4IPS-312M-5SPB	CD9-4IPS-312M-6SNB	CD9-4IPS-312M-6SPB
 4" No Caulk (MJ) *Part# CDB9-4NC-312*		CD9-4NC-312M-6CP	CD9-4NC-312M-6NB	CD9-4NC-312M-6PB	CD9-4NC-312M-5SCP	CD9-4NC-312M-5SNB	CD9-4NC-312M-5SPB	CD9-4NC-312M-6SNB	CD9-4NC-312M-6SPB
 4" No Hub *Part# CDB9-4NH-312*		CD9-4NH -312M-6CP	CD9-4NH -312M-6NB	CD9-4NH-312M-6PB	CD9-4NH-312M-5SCP	CD9-4NH-312M-5SNB	CD9-4NH-312M-5SPB	CD9-4NH-312M-6SNB	CD9-4NH-312M-6SPB
 4" Push-on *Part# CDB9-4P-312*		CD9-4P-312M-6CP	CD9-4P-312M-6NB	CD9-4P-312M-6PB	CD9-4P-312M-5SCP	CD9-4P-312M-5SNB	CD9-4P-312M-5SPB	CD9-4P-312M-6SNB	CD9-4P-312M-6SPB

COMMERCIAL DRAINS

BRAXTON HARRIS CO., INC.

CAST IRON SPECIALTIES

COMMERCIAL DRAINS (Continued)

CAST IRON COMMERCIAL SLAB DRAINS WITH 7" PAN

- 7" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie CSD7-2NC-312M-5S-SN)
- Replacement strainers located on page H42

with 7" Pan

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 4" Diameter Round Strainer		 5" Diameter Round Strainer		
		Cast Nickel Bronze *Part# MS312RS4NB*	Cast Brass *Part# MS312RS4PB*	Cast Chrome Plated *Part# MS312RS5CP*	Cast Nickel Bronze *Part# MS312RS5NB*	Cast Brass *Part# MS312RS5PB*
 2" No Caulk (MJ) *Part# CSDB7-2NC-312*		CSD7-2NC-312M -4NB	CSD7-2NC-312M -4PB	CSD7-2NC-312M -5CP	CSD7-2NC-312M -5NB	CSD7-2NC-312M -5PB
 2" No Hub *Part# CSDB7-2NH-312*		CSD7-2NH-312M -4NB	CSD7-2NH-312M -4PB	CSD7-2NH-312M -5CP	CSD7-2NH-312M -5NB	CSD7-2NH-312M -5PB
 3" No Hub *Part# CSDB7-3NH-312*		CSD7-3NH-312M -4NB	CSD7-3NH-312M -4PB	CSD7-3NH-312M -5CP	CSD7-3NH-312M -5NB	CSD7-3NH-312M -5PB
 4" No Hub *Part# CSDB7-3NH-312*		CSD7-4NH-312M -4NB	CSD7-4NH-312M -4PB	CSD7-4NH-312M -5CP	CSD7-4NH-312M -5NB	CSD7-4NH-312M -5PB

CAST IRON SPECIALTIES

COMMERCIAL DRAINS (Continued)


CAST IRON COMMERCIAL SLAB DRAINS WITH 7" PAN (Continued)

- 7" Pan
- Primer tapped with 1/2" plug
- 5" round and square tops available in special finishes. For finish replace last two letters of part# with "-" and finish (ie CSD7-2NC-312M-5S-SN)
- Replacement strainers located on page H42

with 7" Pan

CHOOSE YOUR SPUD/STRAINER >>

<< CHOOSE YOUR BASE

		 6" Diameter Round Strainer		 5" Diameter Square Strainer			 6" Diameter Square Strainer	
	Cast Chrome Plated *Part# MS312RS6CP*	Cast Nickel Bronze *Part# MS312RS6NB*	Cast Brass *Part# MS312RS6PB*	Cast Chrome Plated *Part# MS312SSR5CP*	Cast Nickel Bronze *Part# MS312SSR5NB*	Cast Brass *Part# MS312SSR5PB*	Cast Nickel Bronze *Part# MS312SSR6NB*	Cast Brass *Part# MS312SSR6PB*
 2" No Caulk (MJ) *Part# CSDB7-2NC-312*	CSD7-2NC-312M-6CP	CSD7-2NC-312M-6NB	CSD7-2NC-312M-6PB	CSD7-2NC-312M-5SCP	CSD7-2NC-312M-5SNB	CSD7-2NC-312M-5SPB	CSD7-2NC-312M-6SNB	CSD7-2NC-312M-6SPB
 2" No Hub *Part# CSDB7-2NH-312*	CSD7-2NH-312M-6CP	CSD7-2NH-312M-6NB	CSD7-2NH-312M-6PB	CSD7-2NH-312M-5SCP	CSD7-2NH-312M-5SNB	CSD7-2NH-312M-5SPB	CSD7-2NH-312M-6SNB	CSD7-2NH-312M-6SPB
 3" No Hub *Part# CSDB7-3NH-312*	CSD7-3NH-312M-6CP	CSD7-3NH-312M-6NB	CSD7-3NH-312M-6PB	CSD7-3NH-312M-5SCP	CSD7-3NH-312M-5SNB	CSD7-3NH-312M-5SPB	CSD7-3NH-312M-6SNB	CSD7-3NH-312M-6SPB
 4" No Hub *Part# CSDB7-3NH-312*	CSD7-4NH-312M-6CP	CSD7-4NH-312M-6NB	CSD7-4NH-312M-6PB	CSD7-4NH-312M-5SCP	CSD7-4NH-312M-5SNB	CSD7-4NH-312M-5SPB	CSD7-4NH-312M-6SNB	CSD7-4NH-312M-6SPB

BRAXTON HARRIS CO., INC.

CAST IRON SPECIALTIES

REPLACEMENT STRAINERS

REPLACEMENT STRAINERS


RSC338-414CP


RSSC338

- Two screws included
- Available in some decorative finishes. For finish remove CP, NB, PB, SS and add "-" and finish (ie RSSI-SN or RSC438-514-SN)

PART #	SIZE	TYPE	DESCRIPTION	PKG./CTN.
RSC238-312CP	3-1/2"	Round	Cast Chrome Plated	1
RSC238-312NB	3-1/2"	Round	Cast Nickel Bronze	1
RSC314-412CP	4-1/2"	Round	Cast Chrome Plated	1
RSC314-412NB	4-1/2"	Round	Cast Nickel Bronze	1
RSSC338	4-1/4"	Square	Cast Chrome Plated	1
RSC338-4CP	4"	Round	Cast Chrome Plated	1
RSC338-4NB	4"	Round	Cast Nickel Bronze	1
RSC338-414CP	4-1/4"	Round	Cast Chrome Plated	1
RSC338-414NB	4-1/4"	Round	Cast Nickel Bronze	1
RSSI438-514SS	5-3/16"	Round	Stamped Polished S.S.	1
RSC438-514CP	5-3/16"	Round	Cast Chrome Plated	1
RSC438-514NB	5-3/16"	Round	Cast Nickel Bronze	1
RSC438-514PB	5-3/16"	Round	Cast Brass	1
RSSI478-618SS	6-1/8"	Round	Stamped Polished S.S.	1
RSC478-618CP	6-1/8"	Round	Cast Chrome Plated	1
RSC478-618NB	6-1/8"	Round	Cast Nickel Bronze	1
RSC478-618PB	6-1/8"	Round	Cast Brass	1

TEST PLUGS

STRAIGHT PATTERN WING NUT TEST PLUGS



- Straight pattern
- For testing cast iron soil pipe drainage systems
- Cold water only
- 10 PSI max

PART #	DESCRIPTION		PKG./CTN.
	FITS INSIDE PIPE SIZE	UNEXPANDED OUTER DIMENSION	
WNTPS2	2"	1-3/4"	1
WNTPS3	3"	2-3/8"	1
WNTPS4	4"	3-5/8"	1
WNTPS5	5"	4-1/2"	1
WNTPS6	6"	5-1/2"	1
WNTPS8	8"	7-1/2"	1
WNTPS10	10"	9-1/2"	1
WNTPS12	12"	11-1/2"	1

TEST PLUGS

ANGLED PATTERN WING NUT TEST PLUGS



- Angled pattern
- For testing cast iron soil pipe drainage systems
- Cold water only
- 10 PSI max

PART #	DESCRIPTION		PKG./CTN.
	FITS INSIDE PIPE SIZE	UNEXPANDED OUTER DIMENSION	
WNTPA2	2"	1-3/4"	1
WNTPA3	3"	2-3/8"	1
WNTPA4	4"	3-5/8"	1
WNTPA6	6"	5-1/2"	1

BLIND PLUG



NO HUB


NO HUB - SERVICE WEIGHT

PART #	DESCRIPTION	PKG./CTN.
BP2NH	2" no hub	1
BP3NH	3" no hub	1
BP4NH	4" no hub	1
BPSW2	2" no hub - service weight	1
BP3SW	3" no hub - service weight	1
BP4SW	4" no hub - service weight	1

VENT BOXES AND CAPS

PHILADELPHIA STYLE VENT BOX



- 4-7/8" OD connection
- 5-3/8" tall
- 6-5/8" OD drain top
- Strainer secured by overlapping lug and screw
- Integral cast baffles

PART #	DESCRIPTION	PKG./CTN.
PRVB4	4" inside caulk vent box	1/4
PRVBC	Replacement strainer	1/4

CAST IRON SPECIALTIES

VENT BOXES AND CAPS

PERFORATED VENT BOX



PART #	DESCRIPTION	PKG./CTN.
PVB6	6" x 6" x 2" perforated vent box	1

VENT CAP



PART #	DESCRIPTION	PKG./CTN.
VC	Fits 3" or 4" pipe	1/4

GAS BURNERS/LOG LIGHTER BURNER

ROUND LOG LIGHTER BURNER



- 1-3/4" height
- 4-1/2" wide
- Tapped 1/2" IPS in bottom and sides
- Supplied with close nipple orifice and 1/2" plug
- Removable lid

PART #	DESCRIPTION	PKG./CTN.
LLR	Natural gas	1
LLRLP	LP gas	1

RECTANGULAR LOG LIGHTER BURNER WITH REMOVABLE LID



- 8-3/4" length x 1-1/2" height
- 1-3/4" wide
- Supplied with close nipple orifice and 1/2" plug
- Removable lid

PART #	DESCRIPTION	PKG./CTN.
LLRRL	Natural gas	1
LLRRLLP	LP gas	1

GAS BURNERS/LOG LIGHTER BURNER

"T" LOG LIGHTER BURNER



- 12-1/4" length x 1-3/8" height with 1/2" IPS connection in center and ends
- Supplied with close nipple orifice and two 1/2" plugs

PART #	DESCRIPTION	PKG./CTN.
LLTC	Natural gas	1
LLTCLP	LP gas	1


TWO LEG LOG LIGHTER BURNER



- 14" length x 1-3/4" height
- 2-1/4" wide
- Supplied with close nipple orifice and two 1/2" plugs
- Ledge over burner holes prevents clogging

PART #	DESCRIPTION	PKG./CTN.
LLTL	Natural gas	1
LLTLLP	LP gas	1

LOG LIGHTER BURNER BAR



- For use with real logs- 30,000 BTU

PART #	DESCRIPTION	PKG./CTN.
LLS	Straight pattern/end connect - Natural gas	1
LLSLP	Straight pattern/end connect - LP gas	1
LLT	Tee pattern/center connect - Natural gas	1
LLA	Angled pattern/center connect - Natural gas	1

LEAD POURING PRODUCTS

LEAD INGOT



- Ingot has five plugs, each weighing 5 lbs.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LI	25 lb. ingot	1 ingot

BRAXTON HARRIS CO., INC.

6.1.25

CAST IRON SPECIALTIES

LEAD POURING PRODUCTS

LEAD JOINT RUNNERS



- Non-asbestos
- Top quality white Zetex yarn
- Rated at 1022°F (550°C)
- Brass ferrule terminals
- Heavy-duty clamp attached to runner & chain

PART #	DESCRIPTION			PKG./CTN.
	IPS	DIAMETER	LENGTH	
LJR2-4	2"-4"	3/4"	2'	1
LJR4-6	4"-6"	3/4"	2'6"	1
LJR6-10	6"-10"	1"	3'6"	1
LJR10-14	10"-14"	1"	4'10"	1

OAKUM



- For use in sealing pipes, caulking windows & sealing driveways
- Original cut-length with bentonite (an organic compound that expands to over ten times its original mass when wet)
- In coils or cut lengths for easy use
- Seals leaking joints
- Does not split
- Priced per carton

PART #	DESCRIPTION	PKG./CTN.
OBRC1	Brown, random cut, 1 lb.	1/25
OBRC5	Brown, random cut, 5 lbs.	1/10
OW38-1	White, 3/8" dia. cord, 27" cut length, 1 lb.	1/25
OW38-5	White, 3/8" dia. cord, 27" cut length, 5 lbs.	1/10
OW38-10	White, 3/8" dia. cord, 27" cut length, 10 lbs.	1/6

LEAD WOOL



- 5 lbs. per carton

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LW	Lead wool	1

LEAD POURING PRODUCTS

CAST IRON MELTING POTS



- For melting lead
- With wire handle

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LEAD CAP	
CIMP6	6"	22 lb.	1
CIMP8	8"	58 lb.	1

STEEL POURING LADLES



- For pouring lead

PART #	DESCRIPTION		PKG./CTN.
	SIZE	LEAD CAP.	
SPL3	3"	1.6 lb.	1
SPL312	3-1/2"	3 lb.	1
SPL4	4"	3.5 lb.	1

6.1.25

BRAXTON HARRIS CO., INC.

QUICK REFERENCE GUIDE

SECTION I..... CHEMICALS / HEATING CABLES / PIPE INSULATION / ROOF FLASHINGS / RUBBER SHEET PACKING




CAULK
11



SEALANTS
11



PLUMBER'S PUTTY/
PIPE JOINT COMPOUND
13



ADHESIVES/
CEMENTS
13



PIPE REPAIR
14



LUBRICANTS
15



CLEANERS
15



CHEMICALS
16



HEATING CABLES
16



PIPE INSULATION/
SLEEVING
17



ROOF FLASHINGS
19



RUBBER SHEET PACKING
111

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

BRAXTON HARRIS CO., INC.

6.1.25

QUICK REFERENCE GUIDE

SECTION I..... CHEMICALS / HEATING CABLES / PIPE INSULATION / ROOF FLASHINGS / RUBBER SHEET PACKING

CAULK I1

SEALANTS I1

PLUMBERS PUTTY / PIPE JOINT COMPOUNDS I3

ADHESIVES / CEMENTS I4

PIPE REPAIR I5

LUBRICANTS I6

CLEANERS I6

CHEMICALS I7

HEATING CABLES I7

PIPE INSULATION I8

ROOF FLASHINGS I10

MAKE-A-GASKET RUBBER SHEET / RUBBER SHEET PACKING I12

WE SHIP SAME DAY.

QUICK GUIDE

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

CAULK/SEALANTS

BOSS® 362 100% ACRYLIC LATEX TUB & TILE CAULK (5.5 FL. OZ. TUBE)



- Seals around ceramic tiles, showers, tubs, sinks, plumbing fixtures & backsplashes
- Resists mildew/rust inhibitor
- Bonds & seals
- Waterproof - Used anywhere a weathertight seal is desired
- Less than 25 min. tack-free time
- Paintable

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CTTC5	Clear (5.5 fl. oz. tube)	12
WTTC5	Bright white (5.5 fl. oz. tube)	12
ATTC5	Almond (5.5 fl. oz. tube)	12

BHC TUB & TILE PLUMBERS SILICONE SEALANT (10.1 FL. OZ)



- One-part, fungicidal, acetoxy, RTV silicone
- Seals around ceramic tile, showers, tubs, sinks & plumbing fixtures
- Resists mildew & stains
- Less than 25 min. tack free time
- Remains flexible in environments w/ temperature extremes & high humidity

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CTTSS10B NEW	Clear (10.1 fl. oz. cartridge)	12

BOSS® 362 SILICONIZED ACRYLIC LATEX CAULK (10.1 FL. OZ)



- 35 year durability
- Provides long lasting seals between wood, masonry surfaces, metal & glass
- Interior and exterior uses
- Resists mildew/rust inhibitor
- Meets ASTM C-834-76
- Less than 25 min. tack-free time
- Paintable

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WAL10	White (10.1 fl. oz. cartridge)	12

BOSS® 363 SILICONIZED ACRYLIC LATEX CAULK (10.1 FL. OZ)



- 45 year durability - Provides long lasting seals between wood, masonry surfaces, metal & glass
- Interior and exterior uses
- Water-resistant
- Tough flexible bond
- Meets ASTM C-834-76
- Less than 25 min. tack-free time
- Paintable
- Non-yellowing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CAL10	Clear (10.1 Fl. oz. cartridge)	12

BOSS® 360 ACRYLIC LATEX PAINTERS CAULK (10.1 FL. OZ)



- 25 year durability
- Interior and exterior uses
- Tough flexible bond
- Water-resistant
- 25 min. tack free time
- Paintable
- Non-yellowing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WALPC10	White (10.1 fl. oz. cartridge)	12

BOSS* 357 WHITE LATEX PAINTER'S CAULK (10.1 FL. OZ)



- 20 year durability

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WLPC10	White (10.1 fl. oz. cartridge)	12

BRAXTON HARRIS CO., INC.

6.1.25

SEALANTS

BOSS® 385 TUB & TILE PLUMBERS SILICONE SEALANT (10.1 FL. OZ)



- One-part, fungicidal, acetoxy, RTV silicone
- Seals around ceramic tile, showers, tubs, sinks & plumbing fixtures
- Resists mildew & stains
- Less than 25 min. tack free time
- Remains flexible in environments w/ temperature extremes & high humidity

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CTTSS10	Clear (10.1 fl. oz. cartridge)	12
WTTSS10	White (10.1 fl. oz. cartridge)	12

BHC TUB & TILE PLUMBERS SILICONE SEALANT (10.1 FL. OZ)



- One-part, fungicidal, acetoxy, RTV silicone
- Seals around ceramic tile, showers, tubs, sinks & plumbing fixtures
- Resists mildew & stains
- Less than 25 min. tack free time
- Remains flexible in environments w/ temperature extremes & high humidity

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WTTSS10B NEW	White (10.1 fl. oz. cartridge)	12

BOSS® 376 HVAC/R HI-TEMP RED SILICONE SEALANT (10.1 FL. OZ)



- Provides a protective covering where parts must perform at temperatures up to 500°F
- Used in critical binding, sealing, potting & encapsulating applications
- Paste grade acetoxy silicone
- Meets MIL-A-46106A, type 1, is UL recognized & meets NSF Standard 51
- 20 min. tack free time

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RHTSS10	Red (10.1 fl. oz. cartridge)	12

BOSS® 387 GP SILICONE SEALANTS (10.1 FL. OZ)



- Weatherproof seal
- General glazing sealant
- Insulates thermally
- Permanently flexible

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CSS10	Clear (10.1 fl. oz. cartridge)	12
WSS10	White (10.1 fl. oz. cartridge)	12

BOSS® 315 RTV SILICONE SEALANTS (3 OZ. TUBE)



- One-part, fungicidal, acetoxy, RTV silicone
- Paste-like, one component acetoxy material that cures to a tough rubber solid when exposed to moisture in the air
- Meets MIL-A-46106A, Type 1; UL recognized & meets NSF Std. 51
- Will not sag, slump or runoff. Is excellent for over head, sidewall & joints
- Adheres to clean metal, glass, most types of wood, RTV silicones, vulcanized silicone rubber & ceramics
- Excellent resistance to weather, temp. extremes & caustic environments
- 10-20 min. tack-free time

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CSS3	Clear (3 oz. tube)	12
WSS3	White (3 oz. tube)	12

BOSS® 333 INSTANT SEALANTS/FOAM SEALANTS



- Stop costly energy leaks with energy-saving foam sealant. Eliminates air-infiltration
- For builder, insulator, plumbing, heating & AC contractor use in commercial & residential structures
- Expands 3x original volume
- Fire-retardant • Ideal for insulating, filling & bonding
- Class 1 foam • UL classified • IAPMO approved
- Major building code approvals include: HUD/FHA, SBCCI, CABO, CEC, ASHRAE, BOCA & NBSBCS
- Shelf life of 2 years
- R factor 5.51 per inch at 75°F
- Density 1.5-2.0

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IS12	12 oz. can	12
IS24	24 oz. can	12

BHC INSTANT FOAM SEALANT



- Stop costly energy leaks with energy-saving foam sealant. Eliminates air-infiltration
- For builder, insulator, plumbing, heating & AC contractor use in commercial & residential structures
- Expands 3x original volume
- Fire-retardant • Ideal for insulating, filling & bonding
- Class 1 foam • UL classified • IAPMO approved
- Major building code approvals include: HUD/FHA, SBCCI, CABO, CEC, ASHRAE, BOCA & NBSBCS
- Shelf life of 2 years
- R factor 5.51 per inch at 75°F
- Density 1.5-2.0

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
IS12B NEW	12 oz. can	12

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

SEALANTS

BOSS® 125 MULTI-SEAL BUILDING CONSTRUCTION SEALANT (10.1 FL. OZ)



- VOC compliant in all 50 states
- One part sealant- no mixing required
- Good weatherability
- Non-yellowing & non-staining
- Paintable with most LATEX paints
- Adheres to most damp and non-porous surfaces
- Non-corrosive & non-flammable

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WBCS10	White (10.1 fl. oz. cartridge)	12

BOSS® 136 FIRESTOP/DRAFT-STOP SEALANT (10.1 FL. OZ)



- Non-combustible up to 1700°F
- Passes ASTM E-814 (UL1479) & ASTM E-136
- Aggressive adhesion to almost any substrate

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RFSS10	Red (10.1 fl. oz. cartridge)	12

FIRE BLOCK FOAM (12 OZ.)



PART #	DESCRIPTION	PKG./CTN.
FBF12	12 oz. fire block foam	1

WE SHIP SAME DAY.

PLUMBERS PUTTY/PIPE JOINT COMPOUNDS

PLUMBERS PUTTY



- Stays soft
- Meets federal specifications TT-P-1536A
- Non-hardening, non-drying, non-staining
- Will not crack or crumble
- For setting closet bowls, sink strainers & many other applications
- Do not use on marble
- Do not use with decorative finishes

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PP12	1/2 pint (14 oz. tube)	24
PP5	5 lb. tub	6

PIPE JOINT COMPOUNDS



PJC2



PJC12

- For sealing & lubricating threaded pipe joints.
- In smooth paste form.
- For steam, water, air & natural gas.
- Does not contain lead.
- Wipes clean from hands.
- Not for use on oxygen lines.
- Brush in can/PJC 12.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PJC2	2 oz. tube	12
PJC12	1/2 pint, with brush in cap	12

BRAXTON HARRIS CO., INC.

ADHESIVES/CEMENTS

BOSS® 175 MULTI-SEAL ADHESIVE (10.1 FL. OZ)



- VOC compliant in all 50 states
- One part sealant- no mixing required
- Good weatherability
- Non-yellowing & non-staining
- Paintable with most LATEX paints

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WMSA10	White (10.1 fl. oz. cartridge)	12

BOSS® 347 MULTI-PURPOSE CONSTRUCTION ADHESIVE (10.1 FL. OZ)



- Designed for the bonding and installation of all types of plastic foams & polystyrene
- Will not attack polystyrene or other plastic foams
- Provides excellent adhesion to a wide variety of building substrates
- Fast grab, sets up quickly

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
TMPCA10	Tan (10.1 fl. oz. cartridge)	12

BOSS® 635 SPRAY ADHESIVE (14 OZ SPRAY CAN)



- Develops fast, strong bonds to most materials including duct board, insulation & sheet metal

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SA14	Tan (14 oz. spray can)	12

PVC SHOWER PAN LINER CEMENT



- Three year shelf life
- Not for PE liner use
- Instant contact strength

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PSPC	One pint	12

PLUMBERS GOOP ADHESIVE



- Used to form a watertight bond on PVC, tile or porcelain
- ORM-D

(CARTON QUANTITY ONLY)


PART #	DESCRIPTION	PKG./CTN.
PGA4	One pint	12

PLASTIC ROOF/ASPHALT CEMENTS

PRCC



PRC



(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PRCC	10.5 oz. cartridge	12
PRC	1 gallon can	6

FOUNDATION AND ROOFING COATING



- Non-fibered liquid damp-proof seal
- All weather plastic
- Chemically fortified to bond to water covered, damp or dry surfaces
- Great for emergency repairs under wet conditions

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
FRC1	1 gallon can	6

PIPE REPAIR

POW-R-WRAP FIBERGLASS TAPES



- Strong, permanent, economical repair for water lines, irrigation lines, pipe lines, sewer lines, drainage lines or any other type of fluid or gaseous transporting lines
- Meets EPA requirements for drinking water systems
- An easy alternative to traditional methods such as cementing, soldering, welding, sleeving & replacement
- Works on wet, dry, clean, dirty or corroded pipes; even under water
- Sealed foil pouch contains fiberglass tape, plug & latex gloves

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PW2-30	Repairs up to 1" pipe (2" W x 30" L)	12
PW2-60	Repairs 1"-2' pipe (2" W x 60" L)	12
PW3-108	Repairs 2"-4" pipe (3" W x 108" L)	12

PRIMER FOR PIPE WRAP TAPE



- Maximizes tape performance
- Final step in preparing steel surfaces for taping
- Can more than double adhesion of corrosion tapes to cleaned steel

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PWTP	1 quart container	12/48

POW-R-PATCH FIBERGLASS PATCHES



- Perfect for fast repairs in farming, industry, transportation, marine, plumbing & irrigation as well as around the home
- Repairs overseas containers, chemical & fertilizer tanks, semi-trailers, roofs, drums, pans & many other flat surfaces
- Convenient, pre-measured, fast, 5-minute care, simple to apply, easy mixing, quick clean-up, no mess, no waiting, no tools, no odors
- Will set on wet surfaces & will adhere to PVC, metal, wood, fiberglass, plastic, etc.

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PP2-12	2" x 12" patch	24
PP4-6	4" x 6" patch	24

STIC-O-STEEL



- Steel reinforced epoxy putty
- Strong enough to last a lifetime. When cured, it has the tensile strength of 6000 lbs. per sq. in, which means a repair with a single 1 in. piece of Stic-O-Steel could lift the weight of 3 automobiles
- Set-up time is 4-5 minutes. It becomes steel hard in 15 minutes and is completely cured within 1 hour- ready to be drilled, machined, sanded, taped, primed and painted in any home office or shop
- Will not rust or oxidize. Impervious to chemicals & corrosion
- Will adhere to wet surfaces, under water & within chemicals

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SSW4	White color (4 oz.)	12

WE SHIP SAME DAY.

BRAXTON HARRIS CO., INC.

LUBRICANTS/CLEANERS

WD-40



- The original WD-40 maintenance product cleans, lubricates, protects, penetrates & displaces moisture with just one spray
- Increase your maintenance efficiency & shrink the number of maintenance supplies stocked by ordering WD-40

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
WD40-2	2 oz. spray can	24
WD40-3	3 oz. spray can	24
WD40-8	8 oz. spray can	12
WD40-12	12 oz. spray can	12

BOSS® 606 PENETRATING OIL (12 OZ SPRAY CAN)



- Quickly frees corroded nuts & bolts
- Displaces moisture & protects against rust & corrosion

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PO12	Clear (12 oz. spray can)	12

CUTTING OILS



(CARTON QUANTITY ONLY)

DARK THREAD CUTTING OIL

Recommended for high-speed machines. Contains a high grade mineral oil & a proper balance of lard oil, sulphur, chlorine & a wetting agent.

PART #	DESCRIPTION	PKG./CTN.
DTCOQ	1 quart	12
DTCOG	1 gallon	6

LIGHT THREAD CUTTING OIL

Recommended for hand-threading applications. Contains sulphur, heavy chlorine base.

PART #	DESCRIPTION	PKG./CTN.
LTCOQ	1 quart	12
LTCOG	1 gallon	6

PIPE LUBRICANTS



- For the lubrication of slip-on or o-ring type joints with rubber or synthetic rubber type gaskets
- NSF certified
- In compliance with pipe manufacturers, all gaskets installed on 5" or large pipe must use adhesive lubricant during installation

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PLQ	1 quart	12
PLG	1 gallon	4
PLAQ	1 quart adhesive lube	4

BOSS® 893 BIGGIES DUAL-SIDED ABRASIVE WIPES (80/TUB)



- For home, office, workshop or on-the-go
- Dual-sided, 8" x 12" wipes
- Dermatology tested with added vitamin E and aloe vera (Eye-irritant)
- Cleans oil & water base paint, adhesives & sealants, oil, grease, ink & many other stains
- No need for soap or other cleaners

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BDSAW	80-count dispenser tub	8

BOSS® 894 BIGGIES GREEN WIPES (80/TUB)



- 100% cotton
- Will clean paint, adhesives & oil from hands, tools & surfaces (Eye-irritant)
- Biodegradable

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BGW	80-count dispenser tub	8

BOSS® 891 HAND CLEANER WITH LANOLIN (15 OZ BOTTLE)



- Specially formulated to quickly & easily remove oil, grease, grime & stains without damaging the skin

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HC15	Squeeze bottle (15 oz. bottle)	12

BOSS® 892 BIGGIES INDUSTRIAL WIPES (100/TUB)



- For home, office, workshop or on-the-go
- 8" x 12" wipes
- Dermatology tested with added vitamin E and aloe vera (Eye-irritant)
- Cleans oil & water base paint, adhesives & sealants, oil, grease, ink & many other stains
- No need for soap or other cleaners

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BIW100	100-count dispenser tub	8

PUMIE® SCOURING STICK (HEAVY-DUTY)



- Cleans where chemicals fail
- Versatile 100% natural pumice hard surface cleaning aid for ceramic tile, porcelain, concrete, brick, stone-work, hard metals & hard plastics
- Removes stubborn lime, rust, stains & paint
- Cleans workshop & garden tools, swimming pools & barbecues
- Safe for skin - Safe to use and store around animals

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PSS	6" x 3/4" x 1-1/4" size bar	12

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

CHEMICALS

BORIC ACID ROACH & ANT KILLER



- 100% boric acid
- Lasts for years in attics, walls & crawl spaces if undisturbed
- Dispenser display case

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
BARK	White powder (1 lb. dispenser)	12

JET-ACTION CRAWLING INSECT SPRAY (12.75 OZ SPRAY CAN)



- Kills fleas, roaches, ants, etc...
- LTL transportation only / No UPS or FED EX

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
CIS	Crawling insect spray (12.75 oz. spray can)	12

HOUSEHOLD INDOOR FOGGER (7.5 OZ SPRAY CAN)



- Kills fleas, roaches, houseflies, etc...
- LTL transportation only / No UPS or FED EX

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
HIF	Household indoor fogger (7.5 oz. spray can)	12

LIQUID DRAIN PIPE OPENER



- Opens clogged drains fast
- Dissolves hair, grease, sanitary napkins, sludge, soap, paper, & vegetable matter
- Contains virgin sulfuric acid
- Safe to use on drains, sinks, & septic tanks
- Bagged individually in a chemical resistant, resealable bag

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
LDPOP	1 pint	12
LDPO	1 quart	12
LDPOHG	1 half gallon	6
LDPOG	1 gallon	4

HEATING CABLES

PIPE HEATING CABLES/HEAT TAPES



- Prevents frozen water pipes
- For metal or rigid plastic pipe
- Built-in automatic thermostat & pilot light
- Uses less energy due to low wattage
- UL listed
- Color coded by length
- 120 volts
- 7 watts per foot

PART #	DESCRIPTION		PKG./CTN.
	LENGTH	WATTS	
HT3	3'	21	1/10
HT6	6'	42	1/10
HT9	9'	63	1/10
HT12	12'	84	1/10
HT15	15'	105	1/10
HT18	18'	126	1/5
HT24	24'	168	1/5
HT30	30'	210	1/5
HT40	40'	280	1/5
HT60	60'	420	1/5

BRAXTON HARRIS CO., INC.

6.1.25

PIPE INSULATION

SEMI-SLIT POLYETHYLENE PIPE INSULATION



- Polyethylene-based closed cell, flexible foam insulation
- Semi-slit for retrofit applications
- For use on hot or cold plumbing lines
- For outdoor use, paint with a high quality exterior acrylic latex paint
- High resistance to moisture vapor intrusion; low thermal conductivity

SPECIFICATIONS:

- Temp Range: -200°F (-129°C) to +200°F (93°C)
- Flame/Smoke: ASTM E84 25/50-rated (to 1")
- Water Vapor Permeability: <0.05 perm-in
- Density: 1.5 +/- 0.5 lbs/cubic foot
- Mold growth: None
- Ozone Resistance: Good


**Please order by number of cartons, instead of feet.*
(UPS SHIPPABLE)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION			PKG./CTN.
	NOM. ID	NOM. CTS	NOM. IPS	
3/8" NOMINAL WALL THICKNESS:				
SSPI38-058	5/8"	1/2"	3/8"	396'
SSPI38-034	3/4"	5/8"	-	330'
SSPI38-078	7/8"	3/4"	1/2"	276'
SSPI38-0118	1-1/8"	1"	3/4"	222'
SSPI38-0138	1-3/8"	1-1/4"	1"	180'
SSPI38-0158	1-5/8"	1-1/2"	1-1/4"	138'
SSPI38-0178	1-7/8"	-	1-1/2"	126"
SSPI38-0218	2-1/8"	2"	-	102'
SSPI38-0238	2-3/8"	-	2"	84'
SSPI38-0258	2-5/8"	2-1/2"	-	72'
1/2" NOMINAL WALL THICKNESS:				
SSPI12-058	5/8"	1/2"	3/8"	300'
SSPI12-078	7/8"	3/4"	1/2"	240'
SSPI12-0118	1-1/8"	1"	3/4"	186'
SSPI12-0138	1-3/8"	1-1/4"	1"	150'
SSPI12-0158	1-5/8"	1-1/2"	1-1/4"	120'
SSPI12-0178	1-7/8"	-	1-1/2"	102'
SSPI12-0218	2-1/8"	2"	-	84'
SSPI12-0238	2-3/8"	-	2"	72'
SSPI12-0258	2-5/8"	2-1/2"	-	66'
SSPI12-0318	3-1/8"	-	-	48'
SSPI12-0312	3-1/2"	-	-	36'
SSPI12-0358	3-5/8"	-	-	48'
SSPI12-0418	4-1/8"	-	-	30'

SELF-SEAL LAP POLYETHYLENE PIPE INSULATION





- Polyethylene-based closed cell, flexible foam insulation
- Semi-slit for retrofit applications
- For use on hot or cold plumbing lines
- For outdoor use, paint with a high quality exterior acrylic latex paint
- High resistance to moisture vapor intrusion; low thermal conductivity

SPECIFICATIONS:

- Flame Spread Rating & Smoke Rating: 25/50
- Will Not Contribute Significantly To Fire
- Thermal Conductivity - 75°F (24°C)
- Mean Temp: .27, 120°F (49°C)
- Mean Temp: .295
- Water Vapor Transmission: <.05
- This Insulation Meets: ASTMC1427 (Type I, Type II), ASTM C411, ATSM C177 or C518, ASTM E96, ATSM C209, ATSM C1427, ATSM E84, CDPH Standard Method v1.2, ATSM G21, UL 181, ATSM C1304, ATSM C665, ATSM D1171, NFPA 90A-90B

**Please order by number of cartons, instead of feet.*
(UPS SHIPPABLE)

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION			PKG./CTN.
	NOM. ID	NOM. CTS	NOM. IPS	
3/8" NOMINAL WALL THICKNESS:				
SSLPI38-012	1/2"	3/8"	1/4"	540'
SSLPI38-058	5/8"	1/2"	3/8"	390'
SSLPI38-078	7/8"	3/4"	-	318'
SSLPI38-0118	1-1/8"	1"	-	240'
SSLPI38-0138	1-3/8"	1-1/4"	1"	192'
SSLPI38-0158	1-5/8"	1-1/2"	1-1/4"	132'
SSLPI38-0218	2-1/8"	2"	-	96'
SSLPI38-0238	2-3/8"	-	2"	84'
1/2" NOMINAL WALL THICKNESS:				
SSLPI12-058	5/8"	1/2"	3/8"	324'
SSLPI12-078	7/8"	3/4"	-	210'
SSLPI12-0118	1-1/8"	1"	-	168'
SSLPI12-0138	1-3/8"	1-1/4"	1"	144'
SSLPI12-0158	1-5/8"	1-1/2"	1-1/4"	120'
SSLPI12-0218	2-1/8"	2"	-	84'
SSLPI12-0238	2-3/8"	-	2"	72'
SSLPI12-0258	2-5/8"	2-1/2"	-	60'

PIPE INSULATION/ADHESIVE

SELF-SEAL LAP POLYETHYLENE PIPE INSULATION (CONT'D.)

PART #	DESCRIPTION			PKG./CTN.
	NOM. ID	NOM. CTS	NOM. IPS	
3/4" NOMINAL WALL THICKNESS:				
SSLPI34-012	1/2"	3/8"	1/4"	210'
SSLPI34-058	5/8"	1/2"	3/8"	180'
SSLPI34-034	3/4"	5/8"	1/2"	162'
SSLPI34-078	7/8"	3/4"	1/2"	150'
SSLPI34-0118	1-1/8"	1"	3/4"	120'
SSLPI34-0138	1-3/8"	1-1/4"	1"	96'
SSLPI34-0158	1-5/8"	1-1/2"	1-1/4"	84'
SSLPI34-0178	1-7/8"	1-1/2"	-	66'
SSLPI34-0218	2-1/8"	2"	-	54'
SSLPI34-0238	2-3/8"	2"	-	54'
1" NOMINAL WALL THICKNESS:				
SSLPI1-058	5/8"	1/2"	3/8"	120'
SSLPI1-078	7/8"	3/4"	-	96'
SSLPI1-0118	1-1/8"	1"	-	84'
SSLPI1-0138	1-3/8"	1-1/4"	-	72'
SSLPI1-0158	1-5/8"	1-1/2"	1-1/4"	60'
SSLPI1-0178	1-7/8"	2"	1-1/2"	54'
SSLPI1-0218	2-1/8"	2"	-	54'
SSLPI1-0238	2-3/8"	-	2"	42'

SELF-SEAL POLY PIPE INSULATION FITTINGS





- Polyethylene-based closed cell, flexible foam insulation in factory-made fitting form
- For use on plumbing pipe bends, intersections and curvatures for hot or cold pipe
- Two strips of self-adhesive to seal easily

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
SSPPIE78	Elbow - 7/8" (3/4"cts)	12
SSPPIT78	Tee - 7/8" (3/4"cts)	12

RUBBER CONTACT ADHESIVE



- Used to join seams and butt joints
- Apply to clean, dry, oil-free surfaces
- Meets flammability classification
- Tested by ASTME-84

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RCA12P	1/2 pint with brush top	24
RCAP	1 pint with brush top	24
RCAQ	1 quart	12

RUBBER INSULATION CONTACT ADHESIVE



- Use with rubber insulation only
- Slow tack
- Brush top can

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
ICA12	1/2 pint with brush top can	48

PIPE INSULATION PROTECTIVE COATING



- Water-based coating that provides UV protection on closed cell tubing and sheet insulation
- Resists UV for 2-3 years

PART #	DESCRIPTION	PKG./CTN.
PIPC	1 gallon	1

BRAXTON HARRIS CO., INC.

PIPE WRAP TAPE/ROOF FLASHINGS

PIPE SLEEVING (POLYETHYLENE)



- This underground protective sleeve is a flexible vinyl tubing that slips over water piping during installation. It allows for expansion & contraction for easy movement of piping to help minimize stress
- It gives protection from the lime reaction in concrete
- It is color-coded: ***RED*** for hot & ***BLUE*** for cold

(Individually packaged)

PART #	DESCRIPTION				PKG./CTN.
	WALL THICKNESS	PIPE SIZE	COLOR	LENGTH	
PS6R1-200	6 mil.	1/2"-1"	Red	200'	1
PS6B1-200	6 mil.	1/2"-1"	Blue	200'	1
PS10R1-100	10 mil.	1/2"-1"	Red	100'	1
PS10B1-100	10 mil.	1/2"-1"	Blue	100'	1
PS25R1-100	25 mil.	1/2"-1"	Red	100'	1
PS25B1-100	25 mil.	1/2"-1"	Blue	100'	1

PIPE WRAP



- Fiberglass
- Stops dripping from cold water pipes
- Helps prevent freezing
- Holds heat

(Individually bagged)

PART #	DESCRIPTION	PKG./CTN.
PW3-25	3" x 25', with vapor seal tape	6/24

RUBBER INSULATION TAPE



- 1/8" thick, 2" wide, 30 ft. length
- Provides fast, easy method of insulating fittings, valves or short runs of pipe
- Controls condensation drip on cold water lines
- Material is elastomer thermal insulation
- Withstands temperatures up to 160°F

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
RIT2-30	1/8" x 2" x 30' rubber insulation tape	12/48

PIPE WRAP TAPE



- UPC approved
- With PVC backing

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION	PKG./CTN.
PWT10B2-100	2" x 100' length, black, 10 mil.	1/24
PWT10B4-100	4" x 100' length, black, 10 mil.	1/12
PWT12B2-100	2" x 100' length, black, 12 mil. (Polyken®)	1/24
PWT12B4-100	4" x 100' length, black, 12 mil. (Polyken®)	1/12
PWT20B2-100	2" x 100' length, black, 20 mil.	1/24
PWT20B4-100	4" x 100' length, black, 20 mil.	1/12
PWT10Y2-100	2" x 100' length, yellow, 10 mil.	1/24
PWT10Y4-100	4" x 100' length, yellow, 10 mil.	1/12
PWT12Y2-100	2" x 100' length, yellow, 12 mil. (Polyken®)	1/24
PWT12Y4-100	4" x 100' length, yellow, 12 mil. (Polyken®)	1/12

GALVANIZED ROOF FLASHINGS W/ LEAK-PROOF NEOPRENE COLLAR



- Completely waterproof & leakproof
- Will not crack, chip or peel
- Adjustable to most pitched roofs
- UPC, BOCA & SBCCI approved

PART #	DESCRIPTION			PKG./CTN.
	SIZE	HEIGHT OF BOOT	FLANGE SIZE	
GRF112	1-1/2"	2-1/2"	8-3/4" x 12-1/2"	12
GRF2	2"	2-1/2"	8-3/4" x 12-1/2"	12
GRF3	3"	3"	10-3/4" x 12-1/2"	12
GRF4	4"	3"	12" x 14-3/4"	12

ALUMINUM ROOF FLASHINGS W/ LEAK-PROOF NEOPRENE COLLAR



- Completely waterproof & leakproof
- Will not crack, chip or peel
- Adjustable to most pitched roofs
- UPC, BOCA & SBCCI approved

PART #	DESCRIPTION			PKG./CTN.
	SIZE	HEIGHT OF BOOT	FLANGE SIZE	
ARF112	1-1/2"	2-1/2"	8-3/4" x 12-1/2"	20
ARF2	2"	2-1/2"	8-3/4" x 12-1/2"	20
ARF3	3"	3"	10-3/4" x 12-1/2"	20
ARF4	4"	3"	12" x 14-3/4"	20

ROOF FLASHINGS

POLY-VINYL ROOF FLASHINGS W/ LEAK-PROOF NEOPRENE COLLAR



- Completely waterproof & leakproof
- Will not crack, chip or peel
- Adjustable to most pitched roofs
- UPC, BOCA & SBCCI approved
- Black

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FLANGE SIZE	
PRF112	1-1/2"	10-1/2" x 14-1/4"	12
PRF2	2"	10-1/2" x 14-1/4"	12
PRF3	3"	10-1/2" x 14-1/4"	12
PRF4	4"	10-1/2" x 14-1/4"	12

NEOPRENE ROOF FLASHINGS W/ LEAK-PROOF NEOPRENE COLLAR



- Completely waterproof & leakproof
- Will not crack, chip or peel
- Adjustable to most pitched roofs
- UPC, BOCA & SBCCI approved

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FLANGE SIZE	
NRF112	1-1/2"	9" x 11"	12
NRF2	2"	9" x 11"	12
NRF3	3"	9" x 11"	12
NRF4	4"	9" x 11"	12

LEAD ROOF FLASHINGS



- Completely waterproof & leakproof
- Will not crack, chip or peel
- Adjustable to most pitched roofs
- UPC, BOCA & SBCCI approved

(CARTON QUANTITY ONLY)

PART #	DESCRIPTION		PKG./CTN.
	SIZE	FLANGE SIZE	
LRF112	1-1/2"	9" x 11"	12
LRF2	2"	9" x 11"	12
LRF3	3"	10" x 11"	6
LRF4	4"	10" x 11"	6

ROOF FLASHINGS FOR MULTI-ANGLE ROOF



- Made of long-life, flexible, weather-proof EPDM rubber
- Flexible, corrosion-resistant aluminum base conforms to any panel configuration
- EPDM & silicone will not crack or break
- Pipe diameter markings are clearly indicated for accurate fitting
- Proven resistance to ozone & ultra-violet light
- Ideal for corrugated metal & flat roofs.
- Pleated cone adjust to any roof pitch & allows for complete flexibility
- EPDM has a continuous service temperature range of -65°F to 250°F

PART #	DESCRIPTION			PKG./CTN.
	PIPE OD	DEKTITE BASE DIA.	DEKTITE HEIGHT	
DRF14-4	1/4"-5"	7-3/4"	4"	10
DRF3-6	3"-6"	9-1/4"	5"	10
DRF5-9	5"-9"	12-1/2"	6"	5
DRF6-11	6"-11"	14-1/2"	6"	5
DRF7-13	7"-13"	16-1/2"	6"	5

HIGH-HEAT SILICONE ROOF FLASHINGS FOR MULTI-ANGLE ROOF



- Made of long-life, flexible, weather-proof EPDM rubber
- Flexible, corrosion-resistant aluminum base conforms to any panel configuration
- EPDM & silicone will not crack or break
- Pipe diameter markings are clearly indicated for accurate fitting
- Ideal for corrugated metal & flat roofs
- Proven resistance to ozone & ultra-violet light
- Pleated cone adjust to any roof pitch & allows for complete flexibility
- Silicone has a continuous service temperature range of -40°F to 350°F

PART #	DESCRIPTION			PKG./CTN.
	PIPE OD	DEKTITE BASE DIA.	DEKTITE HEIGHT	
DRF14-4H	1/4"-5"	7-3/4"	4"	10
DRF4-7H	4"-7"	10-3/4"	5"	5
DRF7-13H	7"-13"	16-1/2"	6"	5

BRAXTON HARRIS CO., INC.

RUBBER SHEET/RUBBER SHEET PACKING

ROOF & WALL VENT STACK FLASHINGS/ROOF COLLARS



RC112-2



RC212-3

Ideal for existing roofs without reworking roof

- New heavy-duty, adjustable-fit, fast-fix collar
- Designed for the maintenance trades
- Fixes cracked/leaky vent stack flashings without having to rework the roof
- It's easy - simply load w/ silicon caulk (optional), push over vent pipe, & tighten clamp
- 2 models cover 4 sizes (1.5" - 2") (2.5" - 3")
- SS clamp assures absolute seal, every time
- Allows for quick & easy installation of sheet stock roofing material
- Made from chemical/UV resistant materials
- Unique design works on pitched & flat roofs and wall applications
- With stainless steel radiator clamp

PART #	DESCRIPTION	PKG./CTN.
RC112-2	Fits 1-1/2" - 2" pipe	25/100
RC212-3	Fits 2-1/2" - 3" pipe	25/100

MAKE-A-GASKET RUBBER SHEET



- Cut into gasket, shims, vibration dampers, seals, washers, etc.
- Red rubber
- Kit contains: 1 pc. 6" x 6" red rubber sheet, 1 pc. black fiber sheet, and 1 pc. cork/rubber sheet

PART #	DESCRIPTION	PKG./CTN.
MAGRS	6" x 6" x 1/16" (1 sheet)	1
MAGK	6" x 6" Make-a-gasket kit	1

RUBBER SHEET PACKING/ GASKET MATERIAL



- Red rubber
- Approximately 100 lb. per roll
- Priced per roll

(Full rolls only.)

PART #	DESCRIPTION			PKG./CTN.
	THICKNESS	WIDTH	APPX. YARDS	
RSP116-36	1/16"	36"	20	1
RSP18-36	1/8"	36"	10	1

WE SHIP SAME DAY.

Phone: 800-226-9198 E-mail: sales@BraxtonHarris.com Fax: 800-749-8329

PART NUMBER INDEX

BHC #	Page #
4000	C20
5202	E49
5704	E50
5706	E50
5708	E50
5710	E50
5712	E50
5716	E50
5720	E50
5724	E50
5728	E50
5732	E50
5736	E50
5740	E50
5748	E50
5752	E50
5764	E50
5772	E50
5788	E50
6202	E49
57104	E50
PFCA1P1FS-LF	E43
12TGCI	H34
12TGP	H19
2HPC1	F5
2HPC112	F5
2HPC114	F5
2HPC12	F5
2HPC2	F5
2HPC34	F5
34TGCI	H34
34TGP	H19
3PDS158	B54
3PDS178	B54
3WF	A16
3WF-BX	B23
3WFVS	B23
3WIPC12	F5
3WIPC34	F5
3WT112	G4
4000HL	C20
4100HL	C20
4BFG	C19
4WKW	D4
4WS	D15
4WSPRB	D15
6706-1	E50
6708-1	E50
6710-1	E50
67104-1	E50
6712-1	E50
6716-1	E50
6720-1	E50
6724-1	E50
6728-1	E50
6732-1	E50
6736-1	E50
6740-1	E50
6752-1	E50
6764-1	E50
6772-1	E50
6788-1	E50
6PD	H33
6VFL	D41
6VGPB	D41
6VSTGPB	D41
6WS	D15
6WSC	D15
6WSD	D15
6WSPRB	D15
6WSSRB	D15
9VAB	D42
9WS	D15
A1	A32, B22
A14-34	C5
A14-34W	C5
A38-34W	C5
A50	A32, B22
A52	A32, B22
AAAAB	D42
AAAB	D42
AAS	B3
AASAWB	B6
AASBD	B4
AASBDCP	B4
AASDS	B4
AASDSR	B3
AASFWB	B6
AASR	B6
AASRR	B4
AASRRC	B4
AAVL	B66, C12, G17
AAVS	B66, C12, G17
AB12	D19
AB38	D19
AB916	D19
ABG	D28
ABG14-212	D28
ABGB	B30
ABGP	B30
ACL12F	E59
ACL12M12F	E60
ACL14F	E59
ACL18M18F	E60
ACL38F	E59
ACL38M38F	E60
ACLH14F	E60
ACLH14M	E60
ACLH14M14F	E60
ACLH18F	E60
ACLH18M18F	E60
ACLH38F	E60
ACLH38M38F	E60
ACRH	B6
ACRHDC	B6
ACSW	D2
ACT12M12F	E59
ACT14F	E59
ACT14M14F	E59
ACT18F	E59
ACT38M38F	E59
ACTH14F	E59
ACTH14M	E59
ACTH14M14F	E59
ACTH18F	E59
ACTH18M	E59
ACTH38F	E59
ACTH38M	E59
ADBS2	H19, H34
ADBS3	H19, H34
ADBS4	H19, H34
ADBSCI	H19, H34
ADVD4-25	C2
ADVD4-8	C2
AE3	C2
AE4	C2
AFBS	H19, H34
AFDVD4-25	C1
AFDVD4-5	C1
AFDVD4-50	C1
AFDVD4-8	C1
AFT2-50	D39
AGHP	B66, C12
AGIK	B65, C12
AHPS	D8
AHPSB	D8
AHPSH	D8
AK14	D36, F11
AK316	F11
AK316	D36
AK516	D36, F11
AMH	D7
AMHB	D7
AP	D30
AP3-24	C2
AP4-24	C2
APPG	D30
APTB24	B69
APTB36	B69
APTBEC	B69
APTBW24	B69
APTBW36	B69
APW14	D5
APW18	D5
ARAV	E56
ARF112	I10
ARF2	I10
ARF3	I10
ARF4	I10
AS	D10
AS012-012Q-LF	B42
AS012-038-LF	B42
AS012-038Q-LF	B42
AS058-012-LF	B42
AS058-012Q-LF	B42
AS058-014-LF	B42
AS058-038-LF	B42
AS058-038Q-LF	B42
AS12-014-LF	B42
AS12-014Q-LF	B42
AS12-038-LF	B42
AS12-038Q-LF	B42
AS12-LF	B42
AS12971007	A4
AS12C-038-LF	B42
AS12P-038-LF	B42
AS12P-038Q-LF	B42
AS12Q-LF	B42
AS12W-038Q-LF	B42
AS17414	A4, B64
AS184807	A4
AS2033608	A2
AS2056308	A2
AS33582	A4
AS33642	A5
AS3364307	A4, B29
AS38-LF	B42
AS38Q-LF	B42
AS4424907	A2
AS47089	A5
AS47107	A4
AS5072207	A1
AS5072907	A1
AS5653407	A4,B64
AS5728107	A4, B64
AS5758307	A1
AS5786407	A1
AS6382707	A1
AS6458021	A2
AS6459021	A2
AS64590221	A2
AS6480307	A1
AS6480407	A1
AS6628807	A2
AS665101	A3
AS6933207	A1
AS71527	A4
AS72227	A5
AS7285507	A1
AS7285607	A2
AS7294007	A2
AS7295017	A1
AS7295017L	A1
AS7295117	A1
AS7295117L	A1
AS7301111	A6
AS7301111	B29
AS7306907	A4
AS7307007	A4
AS7338307	A4, B29
AS738254	A7, A59, B18
AS738473	A7, A59, B18
AS738651	A6, A31
AS738651	B28
AS738772	A7, B18
AS73880	A5
AS738903	A7, B18
AS8162	A5
AS832107	A5
AS833907	A4
AS86214	A4, B64
ASA12	B9
ASAS	A3
ASCF BX	B24
ASCF-BP	A6, B24
ASCF-BX	A6
ASCTSVRK	A3
ASDW	A3
ASF-BP	A6, B24
ASF-BX	A6, B24
ASFR-BP	A5, B24
ASFR-BX	A5, B24
ASL	D10
ASL34-234	B44
ASLFRK	A3
ASM961107	A3
ASPDS	A3
ASPUPW	A3
ASR	D10
ASSR1-5	B5
ASSR1-6	B5
ASSRT1-5	B5
ASUFVG	A5
AT014-50	C7
ATPRV	C16
ATR	B69
ATRC	B69
ATSR12-6	F9
ATSR38-10	F9
ATSR38-6	F9
ATSRP12-6	F9
ATSRP38-10	F9
ATSRP38-6	F9
ATTC5	I1
AUFK	H3
AUFKS	H3
AVSSW	D1
AW10	D5
AW12	D5
AW6	D5
AW8	D5
B11B	B35
B11P	B35
B12B	B35
B12P	B35
B13B	B35
B13P	B35
B22092	A9, B64
B22379	A9, B64
B51B	B35
B51P	B35
B52B	B35
B52P	B35
B53B	B35
B53P	B35
B877	A9, B64
B91	A9, B64
BA049	A55
BA049N	A55
BA14-25	D30
BARK	D46, I7
BAST17-112	G6
BASW	D2
BB10	A39, B22
BB12-12	D38
BB4-12	D38
BBA1-1M	E41
BBA1-34F	E41
BBA1-34M	E41
BBA12-12F	E41
BBA12-12FS	E40
BBA12-12M	E41
BBA12-14F	E41
BBA12-14M	E41
BBA12-34M	E41
BBA12-38F	E41
BBA12-38M	E41
BBA14-12M	E41
BBA14-14F	E41
BBA14-14FS	E40
BBA14-14M	E41
BBA14-18F	E41
BBA14-18M	E41
BBA14-38F	E41
BBA14-38M	E41
BBA18-18F	E41
BBA18-18M	E41
BBA316-14F	E41

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
BBA316-14M	E41
BBA316-18F	E41
BBA316-18M	E41
BBA34-12M	E41
BBA34-34F	E41
BBA34-34M	E41
BBA38-12F	E41
BBA38-12M	E41
BBA38-14F	E41
BBA38-14M	E41
BBA38-18F	E41
BBA38-18M	E41
BBA38-34M	E41
BBA38-38F	E41
BBA38-38FS	E40
BBA38-38M	E41
BBA516-14F	E41
BBA516-14M	E41
BBA516-18F	E41
BBA516-18M	E41
BBA516-38F	E41
BBA516-38M	E41
BBA58-12M	E41
BBA58-34M	E41
BBA58-38M	E41
BBE12-12M	E41
BBE12-14M	E41
BBE12-38M	E41
BBE14-14M	E41
BBE14-18M	E41
BBE38-12M	E41
BBE38-14M	E41
BBE38-18M	E41
BBE38-38M	E41
BBE58-12M	E41
BBS	B62
BBS12	E40
BBS14	E40
BBS316	E40
BBS38	E40
BBS516	E40
BBS58	E40
BBSEK	B62
BBT112	G8
BBTE112	G8
BBVFP1-LF	E51
BBVFP112-LF	E51
BBVFP114-LF	E51
BBVFP12-LF	E51
BBVFP2-LF	E51
BBVFP34-LF	E51
BBVT12PFP-LF	E52
BBVT1PFP-LF	E52
BBVT34PFP-LF	E52
BBVTFP1-LF	E51
BBVTFP112-LF	E51
BBVTFP114-LF	E51
BBVTFP12-LF	E51
BBVTFP14-LF	E51
BBVTFP2-LF	E51
BBVTFP34-LF	E51
BBVTFP38-LF	E51
BBWB	D14
BC100	B15
BC11	B15
BC12	D18
BC15	B15
BC24	D18
BC36	D18
BC5	D17
BC5L	D17
BC5LT	D17
BCC01-LF	E45
BCC0112-LF	E45
BCC0114-LF	E45
BCC012-LF	E45
BCC034-LF	E45
BCC112-LF	E45
BCCL01-LF	E45
BCCL0112-LF	E45
BCCL0114-LF	E45
BCCL012-LF	E45
BCCL02-LF	E45
BCCL034-LF	E45
BCCL112-LF	E45
BCCL2-LF	E45
BCF12	F9
BCF38	F9
BCLT	D17
BCN	B22
BCNB	B22
BCNP	B22
BCOCW16	G6
BCOCW17-16	G6
BCOCW20-16	G6
BCOCWD16	G6
BCP	D37
BCST	D17
BCT01-12-LF	E46
BCT01-34-LF	E46
BCT012-12-LF	E46
BCT034-12-LF	E46
BCT034-34-LF	E46
BCT112-3	G8
BCT114-3	G8
BCT134-3	G8
BCT138-3	G8
BCT2-3	G8
BCVT1-LF	E55
BCVT12-LF	E55
BCVT34-LF	E55
BD	E48
BD12	E52
BD12F	E52
BD2	H15, H32
BD34	E52
BD34F	E52
BDBT34-8	G7
BDBT6	G7
BDBT8	G7
BDBTSJ12	G7
BDBTSJ34-8	G7
BDFST16	G8
BDIM15	D37
BDIM200	D37
BDIM25	D37
BDIM55	D37
BDO112	G7
BDO114	G7
BDP2	H15, H32
BDQ12	E53
BDS112	B13
BDS112-FB	G13
BDS112-NP	G13
BDS112-OB	G13
BDS112-PB	G13
BDS112-SB	G13
BDS112-SN	G13
BDS114	B13
BDSAW	D45, I6
BDSB12	E52
BDSB34	E52
BDSB34F	E52
BDT112	B13
BDT114	B13
BDTST114-12	G8
BDTST114-6	G8
BDTST114-8	G8
BDTST12	G8
BDTST17-114-12	G8
BDTST17-114-6	G8
BDTST17-114-8	G8
BDTST17-12	G8
BDTST6	G8
BDTST8	G8
BEOCW16	G6
BEOCW17-16	G6
BEOCW20-16	G6
BEOCWD16	G6
BEODK	G6
BEODK17	G6
BETDE114-16	G7
BETDE16	G7
BETOE114-12	G7
BETOE114-6	G7
BETOE114-8	G7
BETOE12	G7
BETOE17-114-12	G7
BETOE17-114-6	G7
BETOE17-114-8	G7
BETOE17-12	G7
BETOE17-8	G7
BETOE20-114-8	G7
BETOE6	G7
BETOE8	G7
BEWWMAT	D29
BF-LF	B57
BF0112	B1
BF0114	B1
BF012	B1
BF0138	B1
BF038	B1
BF058	B1
BF059	A55
BF059N	A55
BF060	A55
BF060N	A55
BF1	B1
BF112	B1
BF114	B1
BF12	B1
BF34	B1
BF38	B1
BFCE	B5
BFHP-LF	B57
BFP	E58
BFP-CP	E58
BGTB1	D28
BGTB1-PART	D28
BGTB34	D28
BGTB34-PART	D28
BGTG1-100	D28
BGTG1-15	D28
BGTG1-30	D28
BGTG1-60	D28
BGTG34-100	D28
BGTG34-15	D28
BGTG34-30	D28
BGTG34-60	D28
BGV1	E52
BGV12	E52
BGV34	E52
BGVT1	E52
BGVT112	E52
BGVT114	E52
BGVT12	E52
BGVT2	E52
BGVT34	E52
BGW	D45, I6
BH	B44
BIK112A	E19
BIK112B	E19
BIK112D	E19
BIK114A	E19
BIK114B	E19
BIK114D	E19
BIK12A	E19
BIK12B	E19
BIK12C	E19
BIK12D	E19
BIK1A	E19
BIK1B	E19
BIK1C	E19
BIK1D	E19
BIK2A	E19
BIK2B	E19
BIK2D	E19
BIK34A	E19
BIK34B	E19
BIK34C	E19
BIK34D	E19
BIPSSD112	H24
BIPSSD112-PB	H24
BIPSSD2	H24
BIPSSD2-PB	H24
BIW100	D45, I6
BJB112	G6
BJB114	G6
BJB17-112	G6
BJB17-114	G6
BJBC112	G6
BJBC114	G6
BJBC22-112	G6
BJG	D42
BJGE	D42
BLA	G13
BLC	D37
BLCC	B54
BLLC	D37
BLN	B22
BLN12	B45
BLNF12	B45
BLNP	B22
BLTW	G10
BLTW1	G10
BM45E1	E10
BM45E112	E10
BM45E114	E10
BM45E12	E10
BM45E14	E10
BM45E18	E10
BM45E2	E10
BM45E212	E10
BM45E3	E10
BM45E34	E10
BM45E38	E10
BM45E4	E10
BM45SE1	E11
BM45SE112	E11
BM45SE114	E11
BM45SE12	E11
BM45SE14	E11
BM45SE18	E11
BM45SE2	E11
BM45SE212	E11
BM45SE3	E11
BM45SE34	E11
BM45SE38	E11
BM45SE4	E11
BMC1	E12
BMC112	E12
BMC114	E12
BMC12	E12
BMC14	E12
BMC18	E12
BMC2	E12
BMC212	E12
BMC3	E12
BMC34	E12
BMC38	E12
BMC4	E12
BMC6	E12
BMCA1	E14
BMCA112	E14
BMCA114	E14
BMCA12	E14
BMCA14	E14
BMCA18	E14
BMCA2	E14
BMCA212	E14
BMCA3	E14
BMCA34	E14
BMCA38	E14
BMCA4	E14
BMCA5	E14
BMCA6	E14
BMCR1	E14
BMCR112	E14
BMCR114	E14
BMCR12	E14
BMCR14	E14
BMCR34	E14
BMCR38	E14
BMDT	D28
BMDTS	D28
BME1	E11
BME112	E11
BME114	E11

PART NUMBER INDEX

BHC #	Page #
BME12	E11
BME14	E11
BME18	E11
BME2	E11
BME212	E11
BME3	E11
BME34	E11
BME38	E11
BME4	E11
BME5	E11
BME6	E11
BMEP1	E14
BMEP114	E14
BMEP12	E14
BMEP2	E14
BMEP34	E14
BMFF1	E15
BMFF112	E15
BMFF114	E15
BMFF12	E15
BMFF2	E15
BMFF34	E15
BMFF38	E15
BMHB1-12	E15
BMHB1-14	E15
BMHB1-34	E15
BMHB1-38	E15
BMHB112-1	E15
BMHB112-114	E15
BMHB112-12	E15
BMHB112-14	E15
BMHB112-34	E15
BMHB112-38	E15
BMHB114-1	E15
BMHB114-12	E15
BMHB114-14	E15
BMHB114-34	E15
BMHB114-38	E15
BMHB12-14	E15
BMHB12-18	E15
BMHB12-38	E15
BMHB14-18	E15
BMHB2-1	E15
BMHB2-112	E15
BMHB2-114	E15
BMHB2-12	E15
BMHB2-34	E15
BMHB2-38	E15
BMHB212-1	E15
BMHB212-112	E16
BMHB212-114	E15
BMHB212-12	E15
BMHB212-2	E16
BMHB212-34	E15
BMHB3-1	E16
BMHB3-112	E16
BMHB3-114	E16
BMHB3-2	E16
BMHB3-212	E16
BMHB3-34	E16
BMHB312-3	E16
BMHB34-12	E15
BMHB34-14	E15
BMHB34-18	E15
BMHB34-38	E15
BMHB38-14	E15
BMHB38-18	E15
BMHB4-1	E16
BMHB4-112	E16
BMHB4-2	E16
BMHB4-212	E16
BMHB4-3	E16
BMHB6-3	E16
BMHB6-4	E16
BMP1	E15
BMP112	E15
BMP114	E15
BMP12	E15
BMP14	E15
BMP18	E15
BMP2	E15
BMP212	E15
BMP3	E15
BMP34	E15
BMP38	E15
BMP4	E15
BMP6	E15
BMRC1-12	E12
BMRC1-14	E12
BMRC1-34	E12
BMRC1-38	E12
BMRC112-1	E12
BMRC112-114	E12
BMRC112-12	E12
BMRC112-34	E12
BMRC112-38	E12
BMRC114-1	E12
BMRC114-12	E12
BMRC114-34	E12
BMRC12-14	E12
BMRC12-18	E12
BMRC12-38	E12
BMRC14-18	E12
BMRC2-1	E12
BMRC2-112	E12
BMRC2-114	E12
BMRC2-12	E12
BMRC2-34	E12
BMRC212-1	E12
BMRC212-112	E12
BMRC212-114	E12
BMRC212-2	E12
BMRC212-34	E12
BMRC3-1	E12
BMRC3-112	E12
BMRC3-114	E12
BMRC3-2	E12
BMRC3-212	E12
BMRC34-12	E12
BMRC34-14	E12
BMRC34-18	E12
BMRC34-38	E12
BMRC38-14	E12
BMRC38-18	E12
BMRC4-112	E12
BMRC4-2	E12
BMRC4-212	E12
BMRC4-3	E12
BMRE1-12	E11
BMRE1-34	E11
BMRE112-1	E11
BMRE112-114	E11
BMRE112-12	E11
BMRE112-34	E11
BMRE114-1	E11
BMRE114-12	E11
BMRE114-34	E11
BMRE12-14	E11
BMRE12-18	E11
BMRE12-38	E11
BMRE14-18	E11
BMRE2-1	E11
BMRE2-112	E11
BMRE2-114	E11
BMRE2-12	E11
BMRE2-34	E11
BMRE212-112	E11
BMRE212-114	E11
BMRE212-2	E11
BMRE3-2	E11
BMRE3-212	E11
BMRE34-12	E11
BMRE34-38	E11
BMRE38-14	E11
BMSE1	E12
BMSE112	E12
BMSE114	E12
BMSE12	E12
BMSE14	E12
BMSE18	E12
BMSE2	E12
BMSE212	E12
BMSE3	E12
BMSE34	E12
BMSE38	E12
BMSE4	E12
BMST1	E13
BMST12	E13
BMST34	E13
BMT1	E13
BMT1-1-114	E13
BMT1-1-12	E13
BMT1-1-14	E13
BMT1-1-34	E13
BMT1-12-1	E13
BMT1-12-12	E13
BMT1-12-34	E13
BMT1-34-1	E13
BMT1-34-12	E13
BMT1-34-34	E13
BMT112	E13
BMT112-1-1	E14
BMT112-1-112	E14
BMT112-1-114	E14
BMT112-1-34	E14
BMT112-112-1	E14
BMT112-112-114	E14
BMT112-112-12	E14
BMT112-112-2	E14
BMT112-112-34	E14
BMT112-114-1	E14
BMT112-114-112	E14
BMT112-114-114	E14
BMT112-114-12	E14
BMT112-114-34	E14
BMT112-12-112	E13
BMT112-34-112	E13
BMT112-34-114	E13
BMT112-34-34	E13
BMT114	E13
BMT114-1-1	E13
BMT114-1-114	E13
BMT114-1-12	E13
BMT114-1-34	E13
BMT114-114-1	E13
BMT114-114-112	E13
BMT114-114-12	E13
BMT114-114-34	E13
BMT114-12-1	E13
BMT114-12-114	E13
BMT114-12-12	E13
BMT114-12-34	E13
BMT114-34-1	E13
BMT114-34-114	E13
BMT114-34-12	E13
BMT114-34-34	E13
BMT12	E13
BMT12-12-1	E13
BMT12-12-14	E13
BMT12-12-34	E13
BMT12-12-38	E13
BMT14	E13
BMT18	E13
BMT2	E13
BMT2-1-1	E14
BMT2-1-2	E14
BMT2-112-1	E14
BMT2-112-112	E14
BMT2-112-114	E14
BMT2-112-2	E14
BMT2-112-34	E14
BMT2-114-112	E14
BMT2-114-114	E14
BMT2-114-2	E14
BMT2-12-2	E14
BMT2-2-1	E14
BMT2-2-112	E14
BMT2-2-114	E14
BMT2-2-12	E14
BMT2-2-34	E14
BMT2-34-2	E14
BMT212	E13
BMT212-212-1	E14
BMT212-212-112	E14
BMT212-212-114	E14
BMT212-212-12	E14
BMT212-212-2	E14
BMT212-212-34	E14
BMT3	E13
BMT3-3-1	E14
BMT3-3-112	E14
BMT3-3-114	E14
BMT3-3-2	E14
BMT3-3-212	E14
BMT3-3-34	E14
BMT34	E13
BMT34-12-1	E13
BMT34-12-12	E13
BMT34-12-34	E13
BMT34-34-1	E13
BMT34-34-12	E13
BMT34-34-14	E13
BMT34-34-38	E13
BMT38	E13
BMT38-38-14	E13
BMT4	E13
BMT4-4-112	E14
BMT4-4-2	E14
BMT4-4-212	E14
BMT4-4-3	E14
BMT6	E13
BMU1	E16
BMU112	E16
BMU114	E16
BMU12	E16
BMU14	E16
BMU18	E16
BMU2	E16
BMU212	E16
BMU3	E16
BMU34	E16
BMU38	E16
BMU4	E16
BMW	B45
BMWS	B45
BN1-10	E17
BN1-11	E17
BN1-12	E17
BN1-14	E17
BN1-2	E17
BN1-212	E17
BN1-3	E17
BN1-312	E17
BN1-4	E17
BN1-412	E17
BN1-5	E17
BN1-512	E17
BN1-6	E17
BN1-612	E17
BN1-7	E17
BN1-712	E17
BN1-8	E17
BN1-9	E17
BN112-11	E18
BN112-12	E18
BN112-14	E18
BN112-2	E18
BN112-212	E18
BN112-3	E18
BN112-312	E18
BN112-4	E18
BN112-412	E18
BN112-5	E18
BN112-512	E18
BN112-6	E18
BN112-7	E18
BN112-8	E18
BN112-9	E18
BN112C	E18
BN114-10	E18
BN114-11	E18
BN114-12	E18
BN114-13	E18
BN114-14	E18
BN114-2	E17
BN114-212	E17
BN114-3	E18
BN114-312	E18

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
BN114-4	E18
BN114-412	E18
BN114-5	E18
BN114-512	E18
BN114-6	E18
BN114-7	E18
BN114-8	E18
BN114-812	E18
BN114-9	E18
BN114C	E17
BN12	B45
BN12-10	E17
BN12-11	E17
BN12-112	E17
BN12-12	E17
BN12-2	E17
BN12-212	E17
BN12-3	E17
BN12-312	E17
BN12-38	B45
BN12-38T	B45
BN12-4	E17
BN12-412	E17
BN12-5	E17
BN12-512	E17
BN12-6	E17
BN12-7	E17
BN12-712	E17
BN12-716	B45
BN12-8	E17
BN12-9	E17
BN12-916	B45
BN12-916B	B45
BN12C	E17
BN12P	B45
BN14-10	E17
BN14-11	E17
BN14-112	E17
BN14-12	E17
BN14-2	E17
BN14-212	E17
BN14-3	E17
BN14-312	E17
BN14-4	E17
BN14-412	E17
BN14-5	E17
BN14-512	E17
BN14-6	E17
BN14-7	E17
BN14-8	E17
BN14-9	E17
BN14C	E17
BN18-10	E17
BN18-112	E17
BN18-12	E17
BN18-2	E17
BN18-212	E17
BN18-3	E17
BN18-312	E17
BN18-4	E17
BN18-412	E17
BN18-5	E17
BN18-512	E17
BN18-6	E17
BN18-7	E17
BN18-8	E17
BN18C	E17
BN1C	E17
BN2-10	E18
BN2-11	E18
BN2-12	E18
BN2-13	E18
BN2-212	E18
BN2-3	E18
BN2-312	E18
BN2-4	E18
BN2-412	E18
BN2-5	E18
BN2-512	E18
BN2-6	E18
BN2-612	E18
BN2-7	E18
BN2-712	E18
BN2-8	E18
BN2-9	E18
BN212-10	E18
BN212-11	E18
BN212-12	E18
BN212-3	E18
BN212-312	E18
BN212-4	E18
BN212-412	E18
BN212-5	E18
BN212-512	E18
BN212-6	E18
BN212-7	E18
BN212-8	E18
BN212-9	E18
BN212C	E18
BN2C	E18
BN3-10	E18
BN3-11	E18
BN3-12	E18
BN3-3	E18
BN3-312	E18
BN3-4	E18
BN3-412	E18
BN3-5	E18
BN3-512	E18
BN3-6	E18
BN3-7	E18
BN3-8	E18
BN3-9	E18
BN312-4	E18
BN312-5	E18
BN312C	E18
BN34-10	E17
BN34-11	E17
BN34-112	E17
BN34-12	E17
BN34-2	E17
BN34-212	E17
BN34-3	E17
BN34-312	E17
BN34-4	E17
BN34-412	E17
BN34-5	E17
BN34-512	E17
BN34-6	E17
BN34-612	E17
BN34-7	E17
BN34-712	E17
BN34-8	E17
BN34-9	E17
BN34C	E17
BN38-10	E17
BN38-11	E17
BN38-112	E17
BN38-12	E17
BN38-2	E17
BN38-212	E17
BN38-3	E17
BN38-312	E17
BN38-4	E17
BN38-412	E17
BN38-5	E17
BN38-512	E17
BN38-6	E17
BN38-7	E17
BN38-8	E17
BN38C	E17
BN3C	E18
BN4-10	E18
BN4-11	E18
BN4-12	E18
BN4-312	E18
BN4-4	E18
BN4-412	E18
BN4-5	E18
BN4-512	E18
BN4-6	E18
BN4-7	E18
BN4-8	E18
BN4-9	E18
BN4C	E18
BN5-412	E18
BN5-5	E18
BN5-512	E18
BN5-6	E18
BN5-7	E18
BN5-8	E18
BN6-10	E18
BN6-11	E18
BN6-12	E18
BN6-412	E18
BN6-6	E18
BN6-7	E18
BN6-8	E18
BN6-9	E18
BN6C	E18
BNCSD2	H24
BOK	D35
BOR5	D46
BP071	A54
BP072	A55
BP2NH	H42
BP303	A8, A32, A61
BP3NH	H42
BP3SW	H42
BP4NH	H42
BP4SW	H42
BP737	A9, A55
BP740	A9, A55
BP740D	A9, A55
BPSW2	H42
BPT112	G5
BPT112B	G5
BPT114	G5
BPT114B	G5
BPT114D-OB	G5
BPT114D-PB	G5
BPT114D-SN	G5
BPT17-112	G5
BPT17-112C	G5
BPT17-112CC	G5
BPT17-114	G5
BPT17-114C	G5
BPT17-114CC	G5
BPT20-112	G5
BPT20-112B	G5
BPT20-112C	G5
BPT20-114	G5
BPT20-114B	G5
BPT20-114C	G5
BRD	B45
BRF	B45
BRP0356561	A8
BRP056625	A8
BRS650001	A8
BRS65074	A8
BRS65115	A8
BRVK	C3
BS12	D14
BS14	D14
BS38	D14
BS58	D14
BSCV1-LF	E55
BSCV12-LF	E55
BSCV34-LF	E55
BSCVT1-LF	E55
BSCVT12-LF	E55
BSCVT34-LF	E55
BSCWV-LF	E62
BSET114-12	G7
BSFC-LF	B57
BSFST114-12	G8
BSFST114-8	G8
BSFST12	G8
BSFST17-12	G8
BSFST17-6	G8
BSFST17-8	G8
BSFST17114-12	G8
BSFST17114-8	G8
BSFST4	G8
BSFST6	G8
BSFST8	G8
BSG	B64, D2
BSH134	B7
BSH214	B7
BSH3	B7
BSL112	B59
BSL2	B59
BSL338	B59
BSL338-RB	B59
BSLH338	B59
BSMC1	E16
BSMC112	E16
BSMC114	E16
BSMC12	E16
BSMC14	E16
BSMC18	E16
BSMC2	E16
BSMC212	E16
BSMC3	E16
BSMC34	E16
BSMC38	E16
BSMC4	E16
BSMHC1	E16
BSMHC12	E16
BSMHC2	E16
BSMHC34	E16
BST112	G6
BST114	G6
BST17-112	G6
BST17-112D	G6
BST17-114	G6
BST17-114D	G6
BSV12-LF	E52
BSV34-LF	E52
BSVC12-LF	E52
BSVC34-LF	E52
BSVT12-LF	E52
BSVT34-LF	E52
BSW	B22
BSWVC12-LF	E52
BSWVC34-LF	E52
BT112	G4
BTCIH12-4	H33
BTCIH6-2	H33
BTCIH9-3	H33
BTCNH12-4	H33
BTCNH9-3	H33
BTCSL12-4	H33
BTCSL6-2	H33
BTCSL9-3	H33
BTD112	G4
BTD112-2	H14
BTD3-4	H14
BTD4	H14
BTE112	G4
BTLW	G10
BTSBD	B10
BTSBD-PB	B10
BTSO	B10
BTTW	G10
BTTW1	G10
BVF-BP	B23
BW	D1
BW17FRK1	G13
BW17FRK2	G13
BW40FRK1	G13
BW40FRK2	G13
BWA	D1
BWA17-112	G6
BWA17-114	G6
BWLA	D1
BWPFRK1	G13
BWPFRK2	G13
BWPFRK3	G13
BWPFRK4	G13
BWT1	G13
BWT12	G7
BWT15	G7
BWT2	G13
BWT20	G7
BWT7	G7
BWTD12	G7
BWTD15	G7

BRAXTON HARRIS CO., INC.

PART NUMBER INDEX

BHC #	Page #
BWTD20	G7
BWTD7	G7
BWTK2	G13
BWTPK1-38	G14
BWV3	E61
BWV4	E61
BWV6	E61
BWVK	C3
BWWMAT	D29
C112-114	G4
C1B1AK	A12
C53316-BP	A5, A13, A36, A68, B24
C53316-BX	A5, A13, A36, A68, B24
C53356-BP	A5, A13, A36, A68, B24
C53356-BX	A5, A13, A36, A68, B24
C53366-BP	A13, A37, B24
C53366-BX	A13, A37, B24
C53376-BP	A13, B24
C53376-BX	A13, B24
C55010	A12
C55074	A12
C55114	A12
C55194	A12
C55214	A4, A9, A12, A37, A70
C60-10	E31
C60-12	E31
C60-14	E31
C60-2	E31
C60-3	E31
C60-4	E31
C60-5	E31
C60-6	E31
C60-8	E31
C60P10	E31
C60P4	E31
C60P6	E31
C60P8	E31
C61-10	E31
C61-10CP	E3
C61-12	E31
C61-14	E31
C61-2	E31
C61-3	E31
C61-4	E31
C61-5	E31
C61-6	E31
C61-6CP	E3
C61-8	E31
C61-8CP	E3
C61C10-LF	E31
C61C4-LF	E31
C61C6-LF	E31
C61C8-LF	E31
C62-10-LF	E31
C62-106CP-LF	E3
C62-12-LF	E31
C62-14-LF	E31
C62-2-LF	E31
C62-3-LF	E31
C62-4-LF	C5, E31
C62-5-LF	E31
C62-6-LF	E31
C62-6CP-LF	E3
C62-8-LF	E31
C62R106-LF	E32
C62R108-LF	E32
C62R64-LF	E32
C62R86-LF	E32
C63P10-LF	E31
C63P4-LF	E31
C63P6-LF	E31
C63P8-LF	E31
C64-10-LF	E32
C64-12-LF	E32
C64-14-LF	E32
C64-4-LF	E32
C64-5-LF	E32
C64-6-LF	E32
C64-64-LF	E32
C64-8-LF	E32
C65-10-LF	E32
C65-106-LF	E32
C65-12-LF	E32
C65-14-LF	E32
C65-4-LF	E32
C65-6-LF	E32
C65-8-LF	E32
C66-1012-LF	E32
C66-108-LF	E32
C66-1412-LF	C17, E32
C66-42-LF	E32
C66-44-LF	C5, E32
C66-46-LF	E32
C66-48-LF	E32
C66-54-LF	E32
C66-62-LF	E32
C66-64-LF	E32
C66-66-LF	E32
C66-66CP-LF	E3
C66-68-LF	E32
C66-68CP-LF	E3
C66-812-LF	E32
C66-86-LF	E32
C66-88-LF	E32
C666-6-LF	E32
C666-6CP-LF	E3
C68-1012-LF	E32
C68-106-LF	E32
C68-108-LF	E32
C68-1412-LF	C17, E32
C68-42-LF	C5, E32
C68-44-LF	C5, E32
C68-46-LF	E32
C68-48-LF	E32
C68-52-LF	E32
C68-54-LF	E32
C68-612-LF	E32
C68-62-LF	E32
C68-64-LF	E32
C68-64CP-LF	E3
C68-66-LF	E32
C68-66CP-LF	E3
C68-68-LF	E32
C68-68CP-LF	E3
C68-84-LF	E32
C68-86-LF	E32
C68-88-LF	E32
C68-88CP-LF	E3
C69-108-LF	E33
C69-42-LF	E33
C69-44-LF	E33
C69-46-LF	E33
C69-54-LF	E33
C69-64-LF	E33
C69-66-LF	E33
C69-68-LF	E33
C69-68CP-LF	E3
C69-86-LF	E33
C69-88-LF	E33
C70-108-LF	E33
C70-42-LF	E33
C70-44-LF	E33
C70-612-LF	E33
C70-64-LF	E33
C70-66-LF	E33
C70-68-LF	E33
C70-68CP-LF	E3
C70-88-LF	E33
C71666	A12
C71736	A12
C71866	A12, A37
CA	B15
CA14-15	D30
CA14-25	D30
CAL10	I1
CB	B15
CB11BO	B34
CB11BO2	B34
CB11BR	B34
CB11BR2	B34
CB11PO	B34
CB11PO2	B34
CB11PR	B34
CB11PR2	B34
CB12BO	B34
CB12BO2	B34
CB12BO2-4	B35
CB12BO2CD	B33
CB12BO2SN	B33
CB12BR	B34
CB12BR2	B34
CB12BR2-4	B35
CB12BR2-4H	B35
CB12BR2CD	B33
CB12BR2SN	B33
CB12PO	B34
CB12PO2	B34
CB12PO2-4	B35
CB12PO2CD	B33
CB12PO2SN	B33
CB12PR	B34
CB12PR2	B34
CB12PR2-4	B35
CB12PR2-4H	B35
CB12PR2CD	B33
CB12PR2SN	B33
CB13BO	B34
CB13BO2	B34
CB13BO2-4	B35
CB13BO2SN	B33
CB13BR	B34
CB13BR2	B34
CB13BR2-4	B35
CB13BR2SN	B33
CB13PO	B34
CB13PO2	B34
CB13PO2-4	B35
CB13PO2SN	B33
CB13PR	B34
CB13PR2	B34
CB13PR2-4	B35
CB13PR2SN	B33
CB51BO	B34
CB51BO2	B34
CB51BR	B34
CB51BR2	B34
CB51PO	B34
CB51PO2	B34
CB51PR	B34
CB51PR2	B34
CB51PR2-4	B35
CB51PR2SN	B33
CB52BO	B34
CB52BO2	B34
CB52BO2CD	B33
CB52BO2SN	B33
CB52BR	B34
CB52BR2	B34
CB52BR2CD	B33
CB52BR2SN	B33
CB52N2	B32
CB52N2CD	B32
CB52PO	B34
CB52PO2	B34
CB52PO2CD	B33
CB52PO2SN	B33
CB52PR	B34
CB52PR2	B34
CB52PR2-4	B35
CB52PR2CD	B33
CB52PR2SN	B33
CB53BO	B34
CB53BO2	B34
CB53BR	B34
CB53BR2	B34
CB53BR2SN	B33
CB53PO	B34
CB53PO2	B34
CB53PO2CD	B33
CB53PR	B34
CB53PR2	B34
CB53PR2SN	B33
CBB	D31
CBBI	D31
CBD112	D20
CBD2	D20
CBF	D31
CBFI	D31
CBK	D31
CBLZB12	D45
CBLZB12XL	D45
CBLZB14	D45
CBM	D31
CBMI	D31
CBS	D31
CBS6-4	B16
CBSI	D31
CBV12	E51
CBV34	E51
CC5NB	H17
CCAB	D42
CCC12	E46
CCC34	E46
CCF38	F9
CCFVS	A12, A15, B29
CCG	D42
CCHDB	D42
CCN114	F2
CCP	D24
CCPBC0414	H21
CCPBC0514	H21
CCPBC0714	H21
CCPBC0914	H21
CCPBW0414	H21
CCPBW0514	H21
CCPBW0714	H21
CCPBW0914	H21
CCPFC0414	H21
CCPFC0514	H21
CCPFC0714	H21
CCPFC0914	H21
CCPFW0414	H21
CCPFW0514	H21
CCPFW0714	H21
CCPFW0914	H21
CD	G11
CD-OB	G11
CD-PB	G11
CD-SN	G11
CD-WH	G11
CD427A	A13
CD6-2IC-2M-4CP	H35
CD6-2IC-2M-4NB	H35
CD6-2IC-2M-4SCP	H35
CD6-2IC-2M-4SLCP	H35
CD6-2IC-2M-4SNB	H35
CD6-2IC-2M-4SPB	H35
CD6-2IC-2M-4SS	H35
CD6-2IPS-2M-4CP	H35
CD6-2IPS-2M-4NB	H35
CD6-2IPS-2M-4SCP	H35
CD6-2IPS-2M-4SLCP	H35
CD6-2IPS-2M-4SNB	H35
CD6-2IPS-2M-4SPB	H35
CD6-2IPS-2M-4SS	H35
CD6-2NH-2M-4CP	H35
CD6-2NH-2M-4NB	H35
CD6-2NH-2M-4SCP	H35
CD6-2NH-2M-4SLCP	H35
CD6-2NH-2M-4SNB	H35
CD6-2NH-2M-4SPB	H35
CD6-2NH-2M-4SS	H35
CD7-2IPS-312M-4NB	H36
CD7-2IPS-312M-4PB	H36
CD7-2IPS-312M-5CP	H36
CD7-2IPS-312M-5NB	H36
CD7-2IPS-312M-5PB	H36
CD7-2IPS-312M-5SCP	H37
CD7-2IPS-312M-5SNB	H37
CD7-2IPS-312M-5SPB	H37
CD7-2IPS-312M-6CP	H37
CD7-2IPS-312M-6NB	H37
CD7-2IPS-312M-6PB	H37
CD7-2IPS-312M-6SNB	H37
CD7-2IPS-312M-6SPB	H37
CD7-2NC-312M-4NB	H36
CD7-2NC-312M-4PB	H36
CD7-2NC-312M-5CP	H36

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
CD7-2NC-312M-5NB	H36
CD7-2NC-312M-5PB	H36
CD7-2NC-312M-5SCP	H37
CD7-2NC-312M-5SNB	H37
CD7-2NC-312M-5SPB	H37
CD7-2NC-312M-6CP	H37
CD7-2NC-312M-6NB	H37
CD7-2NC-312M-6PB	H37
CD7-2NC-312M-6SNB	H37
CD7-2NC-312M-6SPB	H37
CD7-2NH-312M-4NB	H36
CD7-2NH-312M-4PB	H36
CD7-2NH-312M-5CP	H36
CD7-2NH-312M-5NB	H36
CD7-2NH-312M-5PB	H36
CD7-2NH-312M-5SCP	H37
CD7-2NH-312M-5SNB	H37
CD7-2NH-312M-5SPB	H37
CD7-2NH-312M-6CP	H37
CD7-2NH-312M-6NB	H37
CD7-2NH-312M-6PB	H37
CD7-2NH-312M-6SNB	H37
CD7-2NH-312M-6SPB	H37
CD7-3IPS-312M-4NB	H36
CD7-3IPS-312M-4PB	H36
CD7-3IPS-312M-5CP	H36
CD7-3IPS-312M-5NB	H36
CD7-3IPS-312M-5PB	H36
CD7-3IPS-312M-5SCP	H37
CD7-3IPS-312M-5SNB	H37
CD7-3IPS-312M-5SPB	H37
CD7-3IPS-312M-6CP	H37
CD7-3IPS-312M-6NB	H37
CD7-3IPS-312M-6PB	H37
CD7-3IPS-312M-6SNB	H37
CD7-3IPS-312M-6SPB	H37
CD7-3NC-312M-4NB	H36
CD7-3NC-312M-4PB	H36
CD7-3NC-312M-5CP	H36
CD7-3NC-312M-5NB	H36
CD7-3NC-312M-5PB	H36
CD7-3NC-312M-5SCP	H37
CD7-3NC-312M-5SNB	H37
CD7-3NC-312M-5SPB	H37
CD7-3NC-312M-6CP	H37
CD7-3NC-312M-6NB	H37
CD7-3NC-312M-6PB	H37
CD7-3NC-312M-6SNB	H37
CD7-3NC-312M-6SPB	H37
CD7-3NH-312M-4NB	H36
CD7-3NH-312M-4PB	H36
CD7-3NH-312M-5CP	H36
CD7-3NH-312M-5NB	H36
CD7-3NH-312M-5PB	H36
CD7-3NH-312M-5SCP	H37
CD7-3NH-312M-5SNB	H37
CD7-3NH-312M-5SPB	H37
CD7-3NH-312M-6CP	H37
CD7-3NH-312M-6NB	H37
CD7-3NH-312M-6PB	H37
CD7-3NH-312M-6SNB	H37
CD7-3NH-312M-6SPB	H37
CD7-4NH-312M-4NB	H36
CD7-4NH-312M-4PB	H36
CD7-4NH-312M-5CP	H36
CD7-4NH-312M-5NB	H36
CD7-4NH-312M-5PB	H36
CD7-4NH-312M-5SCP	H37
CD7-4NH-312M-5SNB	H37
CD7-4NH-312M-5SPB	H37
CD7-4NH-312M-6CP	H37
CD7-4NH-312M-6NB	H37
CD7-4NH-312M-6PB	H37
CD7-4NH-312M-6SNB	H37
CD7-4NH-312M-6SPB	H37
CD9-2IPS-312M-4NB	H38
CD9-2IPS-312M-4PB	H38
CD9-2IPS-312M-5CP	H38
CD9-2IPS-312M-5NB	H38
CD9-2IPS-312M-5PB	H38
CD9-2IPS-312M-5SCP	H39
CD9-2IPS-312M-5SNB	H39
CD9-2IPS-312M-5SPB	H39
CD9-2IPS-312M-6CP	H39
CD9-2IPS-312M-6NB	H39
CD9-2IPS-312M-6PB	H39
CD9-2IPS-312M-6SNB	H39
CD9-2IPS-312M-6SPB	H39
CD9-2NC-312M-4NB	H38
CD9-2NC-312M-4PB	H38
CD9-2NC-312M-5CP	H38
CD9-2NC-312M-5NB	H38
CD9-2NC-312M-5PB	H38
CD9-2NC-312M-5SCP	H39
CD9-2NC-312M-5SNB	H39
CD9-2NC-312M-5SPB	H39
CD9-2NC-312M-6CP	H39
CD9-2NC-312M-6NB	H39
CD9-2NC-312M-6PB	H39
CD9-2NC-312M-6SNB	H39
CD9-2NC-312M-6SPB	H39
CD9-2NH-312M-4NB	H38
CD9-2NH-312M-4PB	H38
CD9-2NH-312M-5CP	H38
CD9-2NH-312M-5NB	H38
CD9-2NH-312M-5PB	H38
CD9-2NH-312M-5SCP	H39
CD9-2NH-312M-5SNB	H39
CD9-2NH-312M-5SPB	H39
CD9-2NH-312M-6CP	H39
CD9-2NH-312M-6NB	H39
CD9-2NH-312M-6PB	H39
CD9-2NH-312M-6SNB	H39
CD9-2NH-312M-6SPB	H39
CD9-2P-312M-4NB	H38
CD9-2P-312M-4PB	H38
CD9-2P-312M-5CP	H38
CD9-2P-312M-5NB	H38
CD9-2P-312M-5PB	H38
CD9-2P-312M-5SCP	H39
CD9-2P-312M-5SNB	H39
CD9-2P-312M-5SPB	H39
CD9-2P-312M-6CP	H39
CD9-2P-312M-6NB	H39
CD9-2P-312M-6PB	H39
CD9-2P-312M-6SNB	H39
CD9-2P-312M-6SPB	H39
CD9-3IPS-312M-4NB	H38
CD9-3IPS-312M-4PB	H38
CD9-3IPS-312M-5CP	H38
CD9-3IPS-312M-5NB	H38
CD9-3IPS-312M-5PB	H38
CD9-3IPS-312M-5SCP	H39
CD9-3IPS-312M-5SNB	H39
CD9-3IPS-312M-5SPB	H39
CD9-3IPS-312M-6CP	H39
CD9-3IPS-312M-6NB	H39
CD9-3IPS-312M-6PB	H39
CD9-3IPS-312M-6SNB	H39
CD9-3IPS-312M-6SPB	H39
CD9-3NC-312M-4NB	H38
CD9-3NC-312M-4PB	H38
CD9-3NC-312M-5CP	H38
CD9-3NC-312M-5NB	H38
CD9-3NC-312M-5PB	H38
CD9-3NC-312M-5SCP	H39
CD9-3NC-312M-5SNB	H39
CD9-3NC-312M-5SPB	H39
CD9-3NC-312M-6CP	H39
CD9-3NC-312M-6NB	H39
CD9-3NC-312M-6PB	H39
CD9-3NC-312M-6SNB	H39
CD9-3NC-312M-6SPB	H39
CD9-3NH-312M-4NB	H38
CD9-3NH-312M-4PB	H38
CD9-3NH-312M-5CP	H38
CD9-3NH-312M-5NB	H38
CD9-3NH-312M-5PB	H38
CD9-3NH-312M-5SCP	H39
CD9-3NH-312M-5SNB	H39
CD9-3NH-312M-5SPB	H39
CD9-3NH-312M-6CP	H39
CD9-3NH-312M-6NB	H39
CD9-3NH-312M-6PB	H39
CD9-3NH-312M-6SNB	H39
CD9-3NH-312M-6SPB	H39
CD9-4IPS-312M-4NB	H38
CD9-4IPS-312M-4PB	H38
CD9-4IPS-312M-5CP	H38
CD9-4IPS-312M-5NB	H38
CD9-4IPS-312M-5PB	H38
CD9-4IPS-312M-5SCP	H39
CD9-4IPS-312M-5SNB	H39
CD9-4IPS-312M-5SPB	H39
CD9-4IPS-312M-6CP	H39
CD9-4IPS-312M-6NB	H39
CD9-4IPS-312M-6PB	H39
CD9-4IPS-312M-6SNB	H39
CD9-4IPS-312M-6SPB	H39
CD9-4NC-312M-4NB	H38
CD9-4NC-312M-4PB	H38
CD9-4NC-312M-5CP	H38
CD9-4NC-312M-5NB	H38
CD9-4NC-312M-5PB	H38
CD9-4NC-312M-5SCP	H39
CD9-4NC-312M-5SNB	H39
CD9-4NC-312M-5SPB	H39
CD9-4NC-312M-6CP	H39
CD9-4NC-312M-6NB	H39
CD9-4NC-312M-6PB	H39
CD9-4NC-312M-6SNB	H39
CD9-4NC-312M-6SPB	H39
CD9-4NH-312M-4NB	H38
CD9-4NH-312M-4PB	H38
CD9-4NH-312M-5CP	H38
CD9-4NH-312M-5NB	H38
CD9-4NH-312M-5PB	H38
CD9-4NH-312M-5SCP	H39
CD9-4NH-312M-5SNB	H39
CD9-4NH-312M-5SPB	H39
CD9-4NH-312M-6CP	H39
CD9-4NH-312M-6NB	H39
CD9-4NH-312M-6PB	H39
CD9-4NH-312M-6SNB	H39
CD9-4NH-312M-6SPB	H39
CD9-4P-312M-4NB	H38
CD9-4P-312M-4PB	H38
CD9-4P-312M-5CP	H38
CD9-4P-312M-5NB	H38
CD9-4P-312M-5PB	H38
CD9-4P-312M-5SCP	H39
CD9-4P-312M-5SNB	H39
CD9-4P-312M-5SPB	H39
CD9-4P-312M-6CP	H39
CD9-4P-312M-6NB	H39
CD9-4P-312M-6PB	H39
CD9-4P-312M-6SNB	H39
CD9-4P-312M-6SPB	H39
CDB6-2IC-2M-4CP	H35
CDB6-2IC-2M-4NB	H35
CDB6-2IC-2M-4SCP	H35
CDB6-2IC-2M-4SLCP	H35
CDB6-2IC-2M-4SNB	H35
CDB6-2IC-2M-4SPB	H35
CDB6-2IC-2M-4SS	H35
CDB6-2IPS-2M-4CP	H35
CDB6-2IPS-2M-4NB	H35
CDB6-2IPS-2M-4SCP	H35
CDB6-2IPS-2M-4SLCP	H35
CDB6-2IPS-2M-4SNB	H35
CDB6-2IPS-2M-4SPB	H35
CDB6-2IPS-2M-4SS	H35
CDB6-2NH-2M-4CP	H35
CDB6-2NH-2M-4NB	H35
CDB6-2NH-2M-4SCP	H35
CDB6-2NH-2M-4SLCP	H35
CDB6-2NH-2M-4SNB	H35
CDB6-2NH-2M-4SPB	H35
CDB6-2NH-2M-4SS	H35
CDC6-9	D21
CDC9-12	D21
CDF1413ACQ	A14
CDF141AU	A14
CDF141KC	A14
CDF141KU	A14
CDF20	A13
CDF2223	A14
CDF2232	A14
CDILO-WH	B44
CDILR-WH	B43
cdp10716acq	A15, A16
CDP1071KU	A14
CDP1073ACQ	A15, A16
CDP107KC	A14
CDR10716AC	A14
CDR1073AC	A14
CDR4CP	H15
CDR4NB	H15
CDR5CP	H15
CDR5NB	H15
CDR6CP	H15
CDR6NB	H15
CDR6PB	H15
CDSOVRK	A14
CE165	A11, B64
CE263	A11, B64
CE4MA	A11
CE521B	A11
CE523HC	A11
CE59	A11, B64
CEK2CS	A10
CEK2CT	A10
CEK2DT	A10
CEK3CT	A10
CELFRK	A10
CERK	A10
CESU353EL	A10
CESU353ER	A10
CESU353EWC	A10
CESU353EWH	A10
CETEN	A2, A11, A22
CF1100XT	A11
CF12975	A16
CF199XT	A11
CF277	A11
CF3-2CG	H32
CF3-2CQS	H32
CF3-312CNH	H31
CF3-3CQST	H32
CF3-3G	H2
CF3-4-45APR	H1
CF3-4-45PPR	H1
CF3-4A	H1
CF3-4AK	H1
CF3-4AKMR	H1
CF3-4AMR	H1
CF3-4AO	H1
CF3-4AOMR	H1
CF3-4CG	H32
CF3-4LB	H2
CF3-4LB6A	H2
CF3-4LB6AA	H2
CF3-4LB6AMR	H2
CF3-4LB6AMRA	H2
CF3-4LB6ASR	H2
CF3-4P	H1
CF3-4PK	H1
CF3-4PKMR	H1
CF3-4PKSMR	H1
CF3-4PKSR	H1
CF3-4PMR	H1
CF3-4PO	H1
CF3-4PO4-2	H1
CF3-4POMR	H1
CF3-4POSR	H1
CF3-4PSMR	H1
CF3-4PSR	H1
CF3A	H1
CF3AK	H1
CF3LB	H2
CF3LB6A	H2
CF3LB6AA	H2
CF3LB6AMR	H2
CF3LB6AMRA	H2
CF3LBA	H2
CF3LBAMR	H2
CF3LBASR	H2
CF3P	H1

BRAXTON HARRIS CO., INC.

PART NUMBER INDEX

BHC #	Page #
CF3PK	H1
CF3SP	H1
CF4-112C	H31
CF4-1C	H31
CF4-1CQSO	H32
CF4-212C	H31
CF4-212CEH	H31
CF4-2C	H31
CF4-2CAFWO	H32
CF4-2CAFWON	H32
CF4-2CFWO	H32
CF4-2CG	H32
CF4-2CQS	H32
CF4-2CQST	H32
CF4-2CT	H31
CF4-3-3CR	H32
CF4-312CNH	H31
CF4-3C	H31
CF4-3CG	H32
CF4-3CQS	H32
CF4-3G	H2
CF4-4C	H31
CF4-4CEH	H31
CF4-4CFWO	H32
CF4-4CG	H32
CF4-4CQS	H32
CF4-6C	H31
CF4-6CEH	H31
CF4-6CG	H32
CF4-6CQS	H32
CF4B	H25
CF4BD	H25
CF4BH	H25
CF4BO	H26
CF4PKSR	H1
CF4PMR	H1
CF4PSR	H1
CF892202	A11
CFB8552	A16
CFB8553	A16
CFE12	B39, H3
CFE12LG	B39, H3
CFE14	B39, H3
CFE14LG	B39, H3
CFEK	H2
CFEK12	B39, H3
CFEK14	B39, H3
CFH	C6
CFHS	C6
CFHV	C6
CFHVSW	C7
CFSC	B39, H26
CFSK	B39, H2
CFSP	B39, H26
CG	D21
CH16	D18
CH8	D18
CHB1	F8
CHB112	F8
CHB114	F8
CHB12	F8
CHB2	F8
CHB212	F8
CHB3	F8
CHB34	F8
CHB4	F8
CHCT1	F8
CHCT112	F8
CHCT114	F8
CHCT12	F8
CHCT2	F8
CHCT212	F8
CHCT3	F8
CHCT34	F8
CHIG1	F8
CHIG112	F8
CHIG114	F8
CHIG12	F8
CHIG2	F8
CHIG3	F8
CHIG34	F8
CHIG4	F8
CHWB	D14
CHWBSC	D14
CIBP2	E56
CIBP212	E56
CIBP3	E56
CIMP6	D48, H44
CIMP8	D48, H44
CIS	D46, I7
CISC	B60
CLD114	B47, G16
CLD114NF	B47, G16
CMDB	D41
CMT1-25	D16
CMT12-10	D16
CMT12-12	D16
CMT34-16	D16
CN14	B35
CN516	B35
CNWK	B33
CNWKE	B33
COCW16	G2
COCWD16	G2
COCWU16	G2
COL	D41
COPB5	B47, G16
COPP5	B47, G16
CP	D37
CP1	B15
CP1MF	B15
CP2	B15
CP2MF	B15
CP3	B15
CP3MF	B15
CPB-WH	B44
CPB100	D16
CPBA-WH	B44
CPD4	D31
CPHB1	F8
CPHB12	F8
CPHB34	F8
CPNOCR112	H28
CPNOCR212	H28
CPNOCR3	H28
CPNOCR312	H28
CPNOCR5	H28
CPOCC112	H29
CPOCC2	H29
CPOCC212	H29
CPOCC3	H29
CPOCC312	H29
CPOCC4	H29
CPOCC5	H29
CPOCC6	H29
CPOCC8	H29
CPOCR112	H29
CPOCR2	H29
CPOCR3	H29
CPOCR312	H29
CPOCR4	H29
CPOCR5	H29
CPPK	D21
CPRCCT1	F6
CPRCCT112	F6
CPRCCT114	F6
CPRCCT12	F6
CPRCCT2	F6
CPRCCT212	F6
CPRCCT3	F6
CPRCCT34	F6
CPSCC112	H29
CPSCC2	H29
CPSCC212	H29
CPSCC3	H29
CPSCC312	H29
CPSCC4	H29
CPSCC5	H29
CPSCC6	H29
CPSCC8	H29
CPSCR1	H29
CPSCR10	H29
CPSCR112	H29
CPSCR114	H29
CPSCR2	H29
CPSCR212	H29
CPSCR3	H29
CPSCR312	H29
CPSCR4	H29
CPSCR5	H29
CPSCR512	H29
CPSCR6	H29
CPSCR8	H29
CPSO12	D1
CPSR1	F7
CPSR112	F7
CPSR114	F7
CPSR12	F7
CPSR2	F7
CPSR212	F7
CPSR3	F7
CPSR34	F7
CPST112	H27
CPST2	H27
CPST212	H27
CPST3	H27
CPST312	H27
CPST4	H27
CPT	D45
CPTD	B68
CPTDW	B68
CPTSMF	B15
CPUT	D14
CPW	D1, H28
CPW4	D1, H28
CQH	D8
CQHB	D8
CRC12	E46
CRC34	E46
CRD3IC	H34
CRD3NH	H34
CRD4IC	H34
CRD4NH	H34
CRDD512	H34
CRDS2NH	H34
CRDS3NH	H34
CRDS4NH	H34
CRDS6NH	H34
CRF-BP	A16, B25
CRF-BX	A16, B25
CRF1	B6
CRF12	B57
CS	D46
CS1-10N	D36
CS1-12O	D36
CS1-20B	D36
CS1-2B	D36
CS1-34	B31
CS1-36	B6
CS1-48	B6
CS1-4R	D36
CS1-6Y	D36
CS1-8G	D36
CS112	B31
CS112-114	B31
CS112-34	B31
CS114	B31
CS114-34	B31
CS12BO	B36
CS12BO2	B36
CS12BR	B36
CS12BR2	B36
CS12PO	B36
CS12PO2	B36
CS12PR	B36
CS12PR2	B36
CS13BO2	B36
CS13BR	B36
CS13BR2	B36
CS13PR2	B36
CS2	B31
CS2-112	B31
CS2-114	B31
CS36	D7
CS36D	D7
CS48	D7
CS48D	D7
CS52BO	B36
CS52BO2	B36
CS52BR	B36
CS52BR2	B36
CS52PO	B36
CS52PO2	B36
CS52PR	B36
CS52PR2	B36
CSBC12	F6
CSBC38	F6
CSD7-2NC-312M-4NB	H40
CSD7-2NC-312M-4PB	H40
CSD7-2NC-312M-5CP	H40
CSD7-2NC-312M-5NB	H40
CSD7-2NC-312M-5PB	H40
CSD7-2NC-312M-5SCP	H41
CSD7-2NC-312M-5SNB	H41
CSD7-2NC-312M-5SPB	H41
CSD7-2NC-312M-6CP	H41
CSD7-2NC-312M-6NB	H41
CSD7-2NC-312M-6PB	H41
CSD7-2NC-312M-6SNB	H41
CSD7-2NC-312M-6SPB	H41
CSD7-2NH-312M-4NB	H40
CSD7-2NH-312M-4PB	H40
CSD7-2NH-312M-5CP	H40
CSD7-2NH-312M-5NB	H40
CSD7-2NH-312M-5PB	H40
CSD7-2NH-312M-5SCP	H41
CSD7-2NH-312M-5SNB	H41
CSD7-2NH-312M-5SPB	H41
CSD7-2NH-312M-6CP	H41
CSD7-2NH-312M-6NB	H41
CSD7-2NH-312M-6PB	H41
CSD7-2NH-312M-6SNB	H41
CSD7-2NH-312M-6SPB	H41
CSD7-3NH-312M-4NB	H40
CSD7-3NH-312M-4PB	H40
CSD7-3NH-312M-5CP	H40
CSD7-3NH-312M-5NB	H40
CSD7-3NH-312M-5PB	H40
CSD7-3NH-312M-5SCP	H41
CSD7-3NH-312M-5SNB	H41
CSD7-3NH-312M-5SPB	H41
CSD7-3NH-312M-6CP	H41
CSD7-3NH-312M-6NB	H41
CSD7-3NH-312M-6PB	H41
CSD7-3NH-312M-6SNB	H41
CSD7-3NH-312M-6SPB	H41
CSD7-4NH-312M-4NB	H40
CSD7-4NH-312M-4PB	H40
CSD7-4NH-312M-5CP	H40
CSD7-4NH-312M-5NB	H40
CSD7-4NH-312M-5PB	H40
CSD7-4NH-312M-5SCP	H41
CSD7-4NH-312M-5SNB	H41
CSD7-4NH-312M-5SPB	H41
CSD7-4NH-312M-6CP	H41
CSD7-4NH-312M-6NB	H41
CSD7-4NH-312M-6PB	H41
CSD7-4NH-312M-6SNB	H41
CSD7-4NH-312M-6SPB	H41
CSK	A15
CSL	D46
CSP	D13
CSR1-5	B5
CSR1-5S	B5
CSRF	B5
CSS1-10N	D36
CSS1-2B	D36
CSS1-4R	D36
CSS1-6Y	D36
CSS1-8G	D36
CSS10	I2
CSS3	I2
CST	D11
CST1	D11
CST12	D11
CST2-110	D38
CST2-55	D38
CST24	D7

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
CST34	D11
CST36	D7
CST48	D7
CSW	D3
CT3-1000	D39
CT3-300	D39
CTC12	D11
CTC34	D11
CTCRB	D11
CTCT8	D45
CTP12	D10, E44
CTP12-34	D10, E44
CTP34	D10, E44
CTP38	D10, E44
CTP38-12-34	D10
CTPO	D10, E44
CTPO3	D10, E44
CTTC5	I1
CTTSS10	I2
CTTSS10B	I1
CUMLO-WH	B44
CV114-112	E55
CV2	E55
CWC	B66, G15
CWH34-50	D19, E30
CWH58-50	D19, E30
CWH58-50H	D19
CWH58-50H	E30
CWOW	B13, G14
CWP	B63
D3510	C20
DA62N1285	A22, A25, A75, A76
DAG	B65, C12
DAGC	B65, C12
DAGC-OB	C12
DAGC-OB	B65
DAGC-PB	C12
DAGC-PB	B65
DAGC-SN	C12
DAGC-SN	B65
DAGC-WH	C12
DAGC-WH	B65
DAWB1-6	D18
DAWB118-6	D18
DAWB34-6	D18
DAWB78-6	D18
DBCR1-5	B6
DBF0112	B1
DBF0114	B1
DBF02	B1
DBF112	B1
DBF114	B1
DBFP0112	B1, G1
DBFP0114	B1, G1
DBS	B51
DBS-AL	B52
DBS-BI	B52
DBS-BL	B52
DBS-WH	B52
DBSB	B51
DBSD	B52
DBSFW4	B59
DBSH	B51
DBSHCP	B51
DBSL	B51
DBSLB	B51
DBSM	B51
DBSS	B51
DBSSB	B51
DBSW4	B59
DBSWK4	B59
DBTDH12	G3
DBTDH34	G3
DBTSJ12	G3
DBTSJ34	G3
DBTU12	G3
DBTU34	G3
DC	E53
DCA	D44
DCAB	D42
DCBS	B51
DCBSB	B51
DCBSD	B51
DCBSDB	B51
DCBSDL	B51
DCBSDLB	B51
DCBSDS	B51
DCBSDSB	B51
DCBSL	B51
DCBSLB	B51
DCBSS	B51
DCBSSB	B51
Dccdh	A20, A45
dcch	A20, A45
DCG	D42
DCL14M-LF	E58
DCP-EO-WH	B20
DCP-RO-WH	B20
DCS48	C12
DCS60	C12
DCS60G	C13
DCS72	C12
DCS72G	C13
DDBS	B51
DDC	B55, C12
DDC2	B55, C12
DDH58	C13
DDH78	C13
DDM	D44
DDT112	G14
DE90CE	B9, E4, E27
DE90E	B9, E4, E27
DE90E-LF	B9, E4, E27
DE90EF-LF	B9, E4, E27
DE90ES-LF	B9, E4, E27
DE90TE	B9, E4, E27
DEF	B8
DET12C12C12	E4
DFF-LF	B59
DFFFG	B59
DFFRC-LF	B59
DFFSC-LF	B59
DFHA	A21, A44
DFHC-AL	B48
DFHC-BI	B48
DFHC-BL	B48
DFHC-CP	B48
DFHC-OB	B48
DFHC-SN	B48
DFHC-WH	B48
DFHRPMS	D25
DFHTS	D25
DFST16	G2
DFTC112-2	D34, H23
DFTC3-4	D34, H23
DIA12	F9
DIA34	F9
DIA38	F9
DIA58	F9
DIK10	F14
DIK112	F14
DIK12	F14
DIK2	F14
DIK212	F14
DIK3	F14
DIK4	F14
DIK5	F14
DIK6	F14
DIK8	F14
DJDBS	B52
DJDBSRB	B52
DK34-112	D30
DKFRK	A20
DLF2RK	A20
DLFRK	A19
DMM	D44
DMN95	D44
DMPFD3	H33
DMSH	B7
DN1-3	C17
DN1-4	C17
DN112-4	C17
DN114-4	C17
DN12-3	C17
DN2-4	C17
DN212-6	C17
DN3-6	C17
DN34-3	C17
DN34-3-PR	C17
DN34-4	C17
DO112	G2
DPH	B68
DPS10-1	F9
DPS10-112	F9
DPS10-34	F9
DPS12-1	F9
DPS12-2	F9
DPS13	D8
DPS13RB	D8
DPS8	D8
DPS8-12	F9
DPS8-34	F9
DPS8RB	D8
DPTL	D20
DPUSR	A21
DRF14-4	I11
DRF14-4H	I11
DRF3-6	I11
DRF4-7H	I11
DRF5-9	I11
DRF6-11	I11
DRF7-13	I11
DRF7-13H	I11
DRP-SE-WH	B20
DRP-SR-WH	B20
DRP12631	A20
DRP1740	A20, A45
DRP17730	A20
DRP19659	A21, A45
DRP1974	A20, A45
DRP19804	A17
DRP1991	A17
DRP212	A18, A43
DRP212B	A18, A43
DRP212P	A18, A43
DRP2389	A18, A44
DRP2390	A21
DRP2391	A18, A44
DRP2392	A18
DRP2393	A18, A44, A71
drp2865	A17, A44
DRP320	A17
DRP320B	A17
DRP3550	A17
DRP3614	A19, A44
DRP3616	A19, A44
DRP4993	A21, A44
DRP50	A19
DRP5648	A21, A45, B45
DRP5649	A17, A44
DRP5693	A21, A45
DRP5883K	A19
DRP6062	A21
DRP6399	A17
DRP70	A18, A43
DRP70B	A18, A43
DRP70P	A18, A43
DRP8230	A20, A45
DRP90	A18, A44, A71
DS34	D35
DS6	D8
DS6RB	D8
DSC	G3
DSE112	G3
DSE45-112	G3
DSGML	D43
DSGSC	D43
DSH134	B6
DSHIB	A19
DSSW	D1
DT	D11
DT112	G14
DT2-60	D38
DTB2-12	E57
DTB2-38	E57
DTB2-60	D38
DTBC2-60	D38
DTC	H28
DTC2-60	D38
DTC212	D11
DTCOG	I6
DTCOQ	I6
DTCRW	D11
DTFT	D11
DTG10	E49
DTG12	E49
DTG15	E49
DTG2	E49
DTG3	E49
DTG4	E49
DTG5	E49
DTG6	E49
DTG8	E49
DTGHAA-LF	B50
DTIOGHAA-LF	B50
DTLN	B50, C13
DTPW	D1, H28
DTSHA	A19
DTT240	D28
DTT240-34	D28
DTT240W	D28
DTVRK	A19
DTW2-60	D38
DU1-01-LF	C17
DU112-0112-LF	C17
DU114-0114-LF	C17
DU12-012-LF	C17
DU2-02-LF	C17
DU34-012-LF	C17
DU34-034-LF	C17
DU34M-012-LF	C17
DU34M-034-LF	C17
DUIS1	C18
DUIS112	C18
DUIS114	C18
DUIS12	C18
DUIS2	C18
DUIS34	C18
DUW1	C18
DUW112	C18
DUW114	C18
DUW12	C18
DUW2	C18
DUW34	C18
DVB	C2
DVBP	C2
DVH4-20	C1
DVH4-5	C1
DVHL4-12	C1
DVHL4-12B	C1
DVHW4-12	C1
DVHWA4-12	C1
DVKL4-5	C1
DVKL4-8	C1
DVKLA4-8	C1
DVKW4-5	C1
DVKW4-8	C1
DVKWA4-8	C1
DW	B54, C13, D5
DWC34	C13
DWC34-5	C13
DWC34-6	C13
DWC34-LF	C13
DWC34N	C13
DWC34N-LF	C13
DWF-LF	B58
DWFLR-LF	B58
DWHRPS	D25
DWHTS	D25
DWS6-2	F10
E2734	A23, B64
E5257	A23, B64
EAD338	H5
EAD438	H5
EB1	D23
EC10	H28
EC10B1-4	H27
EC12B1-4	H27

BRAXTON HARRIS CO., INC.

PART NUMBER INDEX

BHC #	Page #
EC3	H28
EC3B1-4	H27
EC4	H28
EC4B1-4	H27
EC5	H28
EC5B1-4	H27
EC6	H28
EC6B1-4	H27
EC7	H28
EC7B1-4	H27
EC8	H28
EC8B1-4	H27
ECB1-212	H27
ECB1-4	H27
ECB1-6	H27
ECBP112	H27
ECBP2	H27
ECBP212	H27
ECBP3	H27
ECBP312	H27
ECBP4	H27
ECBP5	H27
ECBP6	H27
ECBP8	H27
ECBS	B51
ECBSB	B51
ECD34M12F	E28
ECD4	H21
ECD6	H21
ECD8	H21
ECPP112	H18
ECPP2	H18
ECPP212	H18
ECPP3	H18
ECPP312	H18
ECPP4	H18
ECS112-3	H26
ECS2-4	H26
ECS2-4H	H18, H27
ECS212-5	H26
ECS3-5	H26
ECS3-5H	H18, H27
ECS3-6	H26
ECS312-6	H26
ECS312-7	H26
ECS312P-6	H18, H27
ECS3P-5	H18, H27
ECS4-7	H26
ECS5-8	H26
ECS6-10	H26
ECS6-8	H26
ECS8-10	H26
ECT38-38-14-LF	B41
ECT38-38-38-LF	B41
EDC3-4	C3, D40
EDC3-5	C3, D40
EDC3-6	C3, D40
EDC4-4	C3, D40
EDC4-5	C3, D40
EDC4-6	C3, D40
EFHA	A23
ELSIK	B44
EOCWD16	G1
EOCWU16	G1
EODK	G2
EODKTT	G2
EOKB	C21
eomsrt	A15, A17, D12
EOTW16	G1
EOTWD16	G1
EOTWDB12-16 EOTWDDB16	G1
EOTWDB16	G1
EOTWDBU12-16	G1
EOTWDBU16	G1
EOTWU16	G1
EPC	D44
ERC3-4	C20, D40
ERC3-5	C20, D40
ERC3-6	C20, D40
ERC4-4	C20, D40
ERC4-6	C20, D40
ERF-BP	A23, B25
ERF-BX	A23, B25
ERKSB	C21
ERSUX6750L	A22
ERSUX6750R	A22
ERTB	A23, B29
ET34-60	D38
ETDE114-16	G3
ETDE16	G3
ETF-BP	A23, B25
ETF-BX	A23, B25
ETFA	A23, B25
ETOE114-12	G3
ETOE114-6	G3
ETOE12	G3
ETOE6	G3
ETOE8	G3
EW	C19, D3
EWBB	C19, D4
EWH	C19, D3
EWHS	C19, D3
F1-BX	B23
F1150	A75
F39-10	E33
F39-4	E33
F39-6	E33
F39-8	E33
F40-10	E33
F40-4	E33
F40-6	E33
F40-8	E33
F41-6	E33
F41FS10	E33
F41FS4	E33
F41FS5	E33
F41FS6	E33
F41FS8	E33
F41FSR108	E34
F41FSR64	E34
F41FSR86	E34
F41S10	E33
F41S12	E33
F41S14	E33
F41S3	E33
F41S4	E33
F41S5	E33
F41S6	E33
F41S8	E33
F42-10	E34
F42-4	E34
F42-5	E34
F42-6	E34
F42-8	E34
F42R106	E34
F42R108	E34
F42R64	E34
F42R84	E34
F42R86	E34
F44-10	E34
F44-4	E34
F44-5	E34
F44-6	E34
F44-8	E34
F44R10108	E35
F44R664	E35
F44R886	E35
F46-1012	E34
F46-108	E34
F46-42	E34
F46-44	E34
F46-46	E34
F46-48	E34
F46-52	E34
F46-54	E34
F46-612	E34
F46-62	E34
F46-64	E34
F46-66	E34
F46-68	E34
F46-812	E34
F46-84	E34
F46-86	E34
F46-88	E34
F48-1012	E34
F48-106	E34
F48-108	E34
F48-1212	E34
F48-1412	E34
F48-32	E34
F48-42	E34
F48-44	E34
F48-46	E34
F48-48	E34
F48-52	E34
F48-54	E34
F48-612	E34
F48-62	E34
F48-64	E34
F48-66	E34
F48-68	E34
F48-812	E34
F48-84	E34
F48-86	E34
F48-88	E34
F49-1012	E35
F49-108	E35
F49-42	E35
F49-44	E35
F49-52	E35
F49-612	E35
F49-62	E35
F49-64	E35
F49-66	E35
F49-68	E35
F49-812	E35
F49-86	E35
F49-88	E35
F50-1012	E35
F50-108	E35
F50-44	E35
F50-46	E35
F50-48	E35
F50-64	E35
F50-66	E35
F50-68	E35
F50-812	E35
F50-86	E35
F50-88	E35
F55-10	E35
F55-2	E35
F55-6	E35
F55-8	E35
F70-10	E35
F70-4	E35
F70-6	E35
F70-8	E35
FABRP	E57
FABS	B14
FADP	H5
FADT-LF	B49
FADT-PB	B50
FADT12-LF	B48
FADT15-6-LF	B49
FADT15-LF	B49
FADT15D-LF	B49
FADT22-6-LF	B49
FADT22-LF	B49
FADT22D-LF	B49
FADT6-LF	B49
FADTD-LF	B49
FADTFF-LF	B49
FADTFF6-LF	B49
FADTFFD-LF	B49
FADTLF-LF	B48
FADTS-LF	B49
FADTS22-6-LF	B49
FADTS22-LF	B49
FADTS22D-LF	B49
FADTS6-LF	B49
FADTSD-LF	B49
FADTSFF-LF	B49
FADTSFF6-LF	B49
FADTSFFD-LF	B49
FADTVF-LF	B50
FADTVM-LF	B50
FAFHAD	B58
FAFHC	B58
FAFHL	B58
FAFRD	B50
FAFT-LF	B48
FAFT34	A11, A35, A53, A60, A66, A69
FAFT34-LF	B48
FAHH	C11
FAI3	H33
FAI4	H33
FAMT-LF	B48
FAMT1316-LF	B48
FAN	A2, A9, A15, A27, A34, A50, A54, A62
FATB	B29
FATBLG	B29
FATLS	B14
FATTC	B21
FBF12	I3
FBWB0	B63
FBWB00	B63
FBWB12	B63
FBWB12L	B63
FBWB14	B63
FBWB14L	B63
FBWB38	B63
FBWB38L	B63
FBWB38M	B63
FBWB58	B63
FBWBA100	B62
FBWBA200	B62
FBWBA48	B62
FBWF0	B63
FBWF00	B63
FBWF12	B63
FBWF12L	B63
FBWF14	B63
FBWF14L	B63
FBWF38	B63
FBWF38L	B63
FBWF38M	B63
FBWF58	B63
FBWFA100	B62
FBWFA200	B62
FBWFA48	B62
FBWFBA200	B62
FBWFBA48	B62
FC01	F5
FC012	F5
FC034	F5
FC112	D34, E48
FC2	D34, E48
FC3	D34, E48
FC4	D34, E48
FC5	D34, E48
FC6	D34, E48
FC8	D34, E48
FCH112	E49
FCH2	E49
FCH3	E49
FCH4	E49
FCK1	F11
FCK10	F11
FCK112	F11
FCK114	F11
FCK120	F11
FCK2	F11
FCK212	F11
FCK3	F11
FCK4	F11
FCK5	F11
FCK6	F11
FCK8	F11
FCKFF10	F11
FCKFF112	F11
FCKFF120	F11
FCKFF2	F11
FCKFF212	F11
FCKFF3	F11
FCKFF4	F11
FCKFF5	F11
FCKFF6	F11
FCKFF8	F11

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
FCKFFP10	F12
FCKFFP112	F12
FCKFFP120	F12
FCKFFP2	F12
FCKFFP212	F12
FCKFFP3	F12
FCKFFP4	F12
FCKFFP5	F12
FCKFFP6	F12
FCKFFP8	F12
FCKFFRG1	F12
FCKFFRG10	F12
FCKFFRG112	F12
FCKFFRG114	F12
FCKFFRG120	F12
FCKFFRG2	F12
FCKFFRG212	F12
FCKFFRG3	F12
FCKFFRG312	F12
FCKFFRG34	F12
FCKFFRG4	F12
FCKFFRG5	F12
FCKFFRG6	F12
FCKFFRG8	F12
FCKFFRGP1	F13
FCKFFRGP10	F13
FCKFFRGP112	F13
FCKFFRGP114	F13
FCKFFRGP120	F13
FCKFFRGP2	F13
FCKFFRGP212	F13
FCKFFRGP3	F13
FCKFFRGP312	F13
FCKFFRGP34	F13
FCKFFRGP4	F13
FCKFFRGP5	F13
FCKFFRGP6	F13
FCKFFRGP8	F13
FCKP1	F12
FCKP10	F12
FCKP112	F12
FCKP114	F12
FCKP120	F12
FCKP2	F12
FCKP212	F12
FCKP3	F12
FCKP4	F12
FCKP5	F12
FCKP6	F12
FCKP8	F12
FCKRG1	F12
FCKRG10	F12
FCKRG112	F12
FCKRG120	F12
FCKRG2	F12
FCKRG212	F12
FCKRG3	F12
FCKRG4	F12
FCKRG5	F12
FCKRG6	F12
FCKRG8	F12
FCKRGP1	F13
FCKRGP10	F13
FCKRGP112	F13
FCKRGP120	F13
FCKRGP2	F13
FCKRGP212	F13
FCKRGP3	F13
FCKRGP4	F13
FCKRGP5	F13
FCKRGP6	F13
FCKRGP8	F13
FCP0118	B1
FCP012	B1
FCP0138	B1
FCP0158	B1
FCP058	B1
FCP078	B1
FCP1	B1
FCP112	B1
FCP114	B1
FCP12	B1
FCP2	B1
FCP34	B1
FCP38	B1
FCP4	D31
FCP6	D31
FCPH	D31
FCPH0118	B2
FCPH012	B2
FCPH0138	B2
FCPH0158	B2
FCPH0218	B2
FCPH0258	B2
FCPH0318	B2
FCPH0418	B2
FCPH058	B2
FCPH078	B2
FCPH1	B2
FCPH10	B2
FCPH112	B2
FCPH114	B2
FCPH12	B2
FCPH2	B2
FCPH212	B2
FCPH3	B2
FCPH312	B2
FCPH34	B2
FCPH38	B2
FCPH4	B2
FCPH5	B2
FCPH6	B2
FCPH8	B2
FCPP0118	B2
FCPP0138	B2
FCPP0158	B2
FCPP0218	B2
FCPP058	B2
FCPP078	B2
FCPP1	B2
FCPP112	B2
FCPP114	B2
FCPP12	B2
FCPP2	B2
FCPP212	B2
FCPP3	B2
FCPP34	B2
FCPP4	B2
FCPP5	B2
FCPP6	B2
FCPP8	B2
FCPPC0118	B3
FCPPC0138	B3
FCPPC0158	B3
FCPPC0218	B3
FCPPC0318	B3
FCPPC058	B3
FCPPC078	B3
FCPPC1	B3
FCPPC112	B3
FCPPC114	B3
FCPPC12	B3
FCPPC2	B3
FCPPC212	B3
FCPPC3	B3
FCPPC34	B3
FCPPC4	B3
FCPPC5	B3
FCPPC6	B3
FCPPC8	B3
FCPPP	D31
FCRC3-12	B40
FCRC3-12-PB	B40
FCRC3-20	B40
FCRP3-12P	B41
FCRP3-15P	B41
FCRP3-20P	B41
FD2	H33
FDCC2	H33
FDRS	H33
FDT112-114	E48
FDTC1	B62, E48
FDTC2	B62, E48
FDTC3	B62, E48
FDTC4	B62, E48
FEC10	H28
FEC10B1-4	H27
FEC3	H28
FEC3B1-4	H27
FEC4	H28
FEC4B1-4	H27
FEC5	H28
FEC5B1-4	H27
FEC6	H28
FEC6B1-4	H27
FEC7	H28
FEC7B1-4	H27
FEC8	H28
FEC8B1-4	H27
FFCP012-LF	A21, B40
FFCP016-LF	A21, B40
FFCP020-LF	A21, B40
FFCP12-LF	B40
FFCP16-LF	B40
FFCP20-LF	B40
FFCP24-LF	B40
FFCP30-LF	B40
FFCP36-LF	B40
FFCS012-12-12-LF	B39
FFCS012-12-16-LF	B39
FFCS012-12-20-LF	B39
FFCS012-12-30-LF	B39
FFCS012-12-36-LF	B39
FFCS012-LF	A21, B39
FFCS016-LF	A21, B39
FFCS020-LF	A21, B39
FFCS12-12-12-LF	B39
FFCS12-12-16-LF	B39
FFCS12-12-20-LF	B39
FFCS12-12-30-LF	B39
FFCS12-12-36-LF	B39
FFCS12-LF	B39
FFCS16-LF	B39
FFCS20-LF	B39
FFCS24-LF	B39
FFCS30-LF	B39
FFCS36-LF	B39
FFCS38-12-LF	B39
FFCS38-16-LF	B39
FFCS38-20-LF	B39
FFCS38-48-LF	B39
FFCS48-LF	B39
FFCS9-LF	B39
FFG1	F14
FFG10	F14
FFG112	F14
FFG114	F14
FFG120	F14
FFG2	F14
FFG212	F14
FFG3	F14
FFG312	F14
FFG34	F14
FFG4	F14
FFG5	F14
FFG6	F14
FFG8	F14
FFH1512	C18
FFH3524	C18
FFH4524	C18
FFS10	E57
FFS12	E57
FFS34-10	E57
FFS34-12	E57
FFS34-4	E57
FFS34-6	E57
FFS34-8	E57
FFS4	E57
FFS6	E57
FFS8	E57
FFSA10	E57
FFSA12	E57
FFSA4	E57
FFSA6	E57
FFSA8	E57
FHA	E30, E58
FHAS12	F4
FHAS18	F4
FHAS24	F4
FHAS9	F4
FHASL12	F4
FHASL18	F4
FHASL24	F4
FHASL3-12-6V	F4
FHASL3-18-6V	F4
FHASL3-24-6V	F4
FHASL3-9-6V	F4
FHASL9	F4
FHASM12	F4
FHASM18	F4
FHASM24	F4
FHASM3-18	F4
FHASM3-6-3S	F4
FHASM5-18-6O	F4
FHASM9	F4
FHC134	B47
FHC134-WH	B48
FHCH134	B48
FHCH2	B48
FHGC12	E54
FHLN	B50, C13
FHMBK	C7
FHN12-13	F11
FHN14-20	F11
FHN34-10	F11
FHN38-16	F11
FHN516-18	F11
FHN58-11	F11
FHNP12-13	F11
FHNP14-20	F11
FHNP34-10	F11
FHNP38-16	F11
FHNP58-11	F11
FHO	C7
FHP	D11
FHPD	D11
FHPHD	D12
FHPL	D12
FHS	B14, B53
FHSMBK	C7
FHSO	C7
FHSW	C7
FHWI	G4
FIPSD112	H24
FIPSD2	H24
FITS	B14
FL	D22
FL3	D22
FL3RF	D22
FLNP	B45
FLRC3-12-LF	B40
FLRC3-15-LF	B40
FLRC3-20-LF	B40
FLRC3-30-LF	B40
FLRC3-30-PB	B40
FLRC3-36-LF	B40
FLRP3-12P	B40
FLRP3-15P	B40
FLRP3-20P	B40
FLRP3-30P	B40
FLRP3-36P	B40
FM242	A25
FM242HD	A25
FM542	A25
FMK	B56
FMTAA1316	A35, A53
FMTAA1316-LF	B50
FNP	D44
FP1	D47
FP4	D47
FPF141553	A75
FPR4	D26
FPRRT	D26
FPYH1	E58
FPYH2	E58
FPYH3	E58
FPYH4	E58
FPYH5	E58

PART NUMBER INDEX

BHC #	Page #
FPYH6	E58
FPYH8	E58
FPYHP	E58
FR1-34	B31
FR112	B31
FR114	B31
FR14-10	B29
FR14-12	B29
FR14-8	B29
FR2	B31
FR2-112	B31
FR2-114	B31
FRC	B41
FRC1	I4
FRK	D12
FRL	B41
FRR	B39, H26
FRR2	B39, H26
FS12	E29
FS2NH	H34
FS34	E29
FS3NH	H34
FS44	B16
FS4NH	H34
FS58	E29
FS90E	B62, E4
FSE12	B9
FSFGC	E47
FSG	D12
FSK-LF	B64
FSKC058-038-20	B41
FSKL058-038-20	B41
FSPS2	H34
FSPS3	H34
FSPS4	H34
FSPS6	H34
FSR12-100	D30
FSR12-50	D30
FSS	D22
FSSD2	H3
FSSS	B14
FST34-60	D39
FST4	E47
FST6	E47
FSW4	E47
FSW6	E47
FT	D11
FT112-12	G4
FTAA1316	A11
FTAA1316-LF	B50
FTC112	E48
FTC112-114	E48
FTC2	E48
FTC2-112	E48
FTC3	E48
FTC3-2	E48
FTC4	E48
FTC4-2	E48
FTC4-3	E48
FTC5-4	E48
FTC6	E48
FTC6-4	E48
FTC8	E48
FTCP12	B40
FTCP16	B40
FTCP20	B40
FTCS12	B40
FTCS12-12	B40
FTCS12-16	B40
FTCS16	B40
FTCS20	B40
FTCS9	B40
FTCSB12	B40
FTCSB20	B40
FTGCI	H34
FTGP	H19
FTSS212	B52
FTSS412	B52
FTT	D17
FV	A32, B22
FV12	E58
FV34	E58
FVGA	B23
FVI	A32, B22
FVPS	B30
FVW	B23
FW	A15, A31, A59, D5
FW12	F10
FW34	F10
FW38	F10
FW58	F10
FWFD2IC	H33
FWFD2NH	H33
FWFD3IC	H33
FWFD3NH	H33
FWFD4IC	H33
FWFD4NH	H33
FWFDS2	H33
FWFDS3	H33
FWFDS4	H33
FWP12	F10
FWP12-112	F11
FWP14-112	F11
FWP34	F10
FWP38	F10
FWP38-112	F11
FWP58	F10
FWW	H22
FWW350CD	H22
G90021	A9, A26
G90116	A25, A41
G90160	A28, B64
G90380	A27, A62
G90400D	A27
G90400HC	A27
G91590HC	A27
G97142	A25
G97600	A9, A26, A35
G98673	A26
G98688	A26
G98688OS	A26
G98689	A26
G98689OS	A26
G98710	A26
G98711	A26
G98726	A26
G98794D	A28
G98797HC	A27
G98813D	A28
G98900PR	A28
G98902PR	A28
G99571KT	A28, A59, B18
G99770-BP	A29
G99770-BP	B25
G99788-BP	A29, B25
GABV12	C26, E53
GABV12-12	C25, E53
GABV12-12M	C26, E53
GABV1516-12	C25, E53
GABV1516-34	C25, E53
GABV38	C26, E53
GABV38-12	C25, E53
GABV58	C26, E53
GABV916-12	E53
GABV916-12	C26
GABVA12-12F	C26, E54
GABVA38-12F	C26, E54
GABVA58-34F	C26, E54
GABVH12	C25, E53
GABVH12-12	C25, E53
GABVH38	C25, E53
GABVH38-12	C25, E53
GB112-12	B67
GB112-18	B67
GB112-24	B67
GB112-30	B67
GB112-36	B67
GB112-42	B67
GB112-48	B67
GB12-12F12F12	C25
GB12-12F12F18	C25
GB12-12F12F24	C25
GB12-12F12F30	C25
GB12-12F12F36	C25
GB12-12F12M12	C25
GB12-12F12M18	C25
GB12-12F12M24	C25
GB12-12F12M30	C25
GB12-12F12M36	C25
GB38-12F12F12	C24
GB38-12F12F18	C24
GB38-12F12F24	C24
GB38-12F12F30	C24
GB38-12F12F36	C24
GBC112-12	B67
GBC112-12P	B67
GBC112-16	B67
GBC112-16P	B67
GBC112-18	B67
GBC112-18P	B67
GBC112-24	B67
GBC112-24P	B67
GBC112-30	B67
GBC112-30P	B67
GBC112-32	B67
GBC112-32P	B67
GBC112-36	B67
GBC112-36P	B67
GBC112-42	B67
GBC112-42P	B67
GBC112-48	B67
GBC112-48P	B67
GBC114-12	B67
GBC114-16	B67
GBC114-18	B67
GBC114-24	B67
GBC114-36	B67
GBC114-42	B67
GBDB	A31, B14
GBDS	A31, B14
GBV1	E53
GBV112	E53
GBV114	E53
GBV12	E53
GBV2	E53
GBV34	E53
GBV38	E53
GBVH12	E53
GBVH34	E53
GBVSH12	E53
GBVSH34	E53
GBVTP12-18	C26
GCA12-12F	C25
GCA12-12F	E36
GCA12-12M	C25, E35
GCA1516-12F	C25, E36
GCA1516-12M	C25, E35
GCA1516-34F	C25, E36
GCA1516-34M	C25, E35
GCA1516-34M12F	C25, E35
GCA1516-34M12F	C25
GCA38-12F	C25, E36
GCA38-12M	C25, E35
GCA38-38F	C25, E36
GCA38-38M	C25, E35
GCC1	E45
GCC112	E45
GCC114	E45
GCC12	E45
GCC2	E45
GCC212	E45
GCC3	E45
GCC34	E45
GCC38	E45
GCC4	E45
GCCL1	E45
GCCL112	E45
GCCL114	E45
GCCL12	E45
GCCL2	E45
GCCL212	E45
GCCL3	E45
GCCL34	E45
GCF12	F9
GCF38	F9
GCVSP	B64, D13
GCVSPS	B64, D13
GCVSPS-8	B64, D13
GDC3	B56, C14, D40
GDC6	B56, C14, D40
GDCA3	B56, C14, D40
GDCA6	B56, C14, D40
GDFM	B54, C13
GDFSKM	B54, C13
GDFWM	B54, C13
GDHCI	B55, C13
GDHCW	B55, C14
GDS	B55, C14
GDSG	B55, C14
GDSGI	B55, C13
GDSGIE	B55
GDSM	B54, C13
GDW	B54, D5
GDWKA3	B56
GDWKA6	B56
GDWKS3	B56
GDWKS6	B56
GFCII	D41
GFCIW	D41
GH58-100	D19, E30
GH58-50	D19, E30
GH58-50H	D19, E30
GH58-75	E30
GHAN	D19, E30
GHC12	E29
GHC34	E29
GHC58	E29
GHP	E28
GHW	E29
GHWR	E29
GIA1-1F	E40
GIA1-1M	E40
GIA112-112F	E40
GIA112-112M	E40
GIA114-114F	E40
GIA114-114M	E40
GIA12-12F	E40
GIA12-12M	E40
GIA2-2M	E40
GIA34-34F	E40
GIA34-34M	E40
GIC1	E40
GIC112	E40
GIC114	E40
GIC12	E40
GIC2	E40
GIC34	E40
GIK112A	E19
GIK112B	E19
GIK112D	E19
GIK114A	E19
GIK114B	E19
GIK114D	E19
GIK12A	E19
GIK12B	E19
GIK12C	E19
GIK12D	E19
GIK1A	E19
GIK1B	E19
GIK1C	E19
GIK1D	E19
GIK2A	E19
GIK2B	E19
GIK2D	E19
GIK34A	E19
GIK34B	E19
GIK34C	E19
GIK34D	E19
GLFRK	A27
GLML	D15
GLML2	D15
GM45E1	E10
GM45E112	E10
GM45E114	E10
GM45E12	E10
GM45E14	E10
GM45E18	E10
GM45E2	E10

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
GM45E212	E10
GM45E3	E10
GM45E34	E10
GM45E38	E10
GM45E4	E10
GM45SE1	E11
GM45SE112	E11
GM45SE114	E11
GM45SE12	E11
GM45SE14	E11
GM45SE2	E11
GM45SE3	E11
GM45SE34	E11
GMC1	E12
GMC112	E12
GMC114	E12
GMC12	E12
GMC14	E12
GMC18	E12
GMC2	E12
GMC212	E12
GMC3	E12
GMC34	E12
GMC38	E12
GMC4	E12
GMC6	E12
GMCA1	E14
GMCA112	E14
GMCA114	E14
GMCA12	E14
GMCA14	E14
GMCA18	E14
GMCA2	E14
GMCA212	E14
GMCA3	E14
GMCA34	E14
GMCA38	E14
GMCA4	E14
GMCA5	E14
GMCA6	E14
GMCR1	E14
GMCR112	E14
GMCR114	E14
GMCR12	E14
GMCR2	E14
GMCR34	E14
GMCR38	E14
GME1	E11
GME112	E11
GME114	E11
GME12	E11
GME14	E11
GME18	E11
GME2	E11
GME212	E11
GME3	E11
GME34	E11
GME38	E11
GME4	E11
GMEP1	E14
GMEP114	E14
GMEP12	E14
GMEP34	E14
GMFF1	E15
GMFF112	E15
GMFF114	E15
GMFF12	E15
GMFF2	E15
GMFF34	E15
GMFF38	E15
GMHB1-12	E15
GMHB1-14	E15
GMHB1-34	E15
GMHB1-38	E15
GMHB112-1	E15
GMHB112-114	E15
GMHB112-12	E15
GMHB112-14	E15
GMHB112-34	E15
GMHB112-38	E15
GMHB114-1	E15
GMHB114-12	E15
GMHB114-14	E15
GMHB114-34	E15
GMHB114-38	E15
GMHB12-14	E15
GMHB12-18	E15
GMHB12-38	E15
GMHB14-18	E15
GMHB2-1	E15
GMHB2-112	E15
GMHB2-114	E15
GMHB2-12	E15
GMHB2-34	E15
GMHB212-1	E15
GMHB212-112	E16
GMHB212-114	E15
GMHB212-2	E16
GMHB212-34	E15
GMHB3-1	E16
GMHB3-112	E16
GMHB3-114	E16
GMHB3-2	E16
GMHB3-212	E16
GMHB312-3	E16
GMHB34-12	E15
GMHB34-14	E15
GMHB34-18	E15
GMHB34-38	E15
GMHB38-14	E15
GMHB38-18	E15
GMHB4-112	E16
GMHB4-2	E16
GMHB4-212	E16
GMHB4-3	E16
GMHB6-4	E16
GMLN1	E15
GMLN112	E15
GMLN114	E15
GMLN12	E15
GMLN14	E15
GMLN2	E15
GMP1	E15
GMP112	E15
GMP114	E15
GMP12	E15
GMP14	E15
GMP18	E15
GMP2	E15
GMP212	E15
GMP3	E15
GMP34	E15
GMP38	E15
GMP4	E15
GMRC1-12	E12
GMRC1-14	E12
GMRC1-34	E12
GMRC1-38	E12
GMRC112-1	E12
GMRC112-114	E12
GMRC112-12	E12
GMRC112-34	E12
GMRC112-38	E12
GMRC114-1	E12
GMRC114-12	E12
GMRC114-34	E12
GMRC12-14	E12
GMRC12-18	E12
GMRC12-38	E12
GMRC14-18	E12
GMRC2-1	E12
GMRC2-112	E12
GMRC2-114	E12
GMRC2-12	E12
GMRC2-34	E12
GMRC212-1	E12
GMRC212-112	E12
GMRC212-114	E12
GMRC212-2	E12
GMRC3-1	E12
GMRC3-112	E12
GMRC3-114	E12
GMRC3-2	E12
GMRC3-212	E12
GMRC34-12	E12
GMRC34-14	E12
GMRC34-38	E12
GMRC38-14	E12
GMRC38-18	E12
GMRC4-2	E12
GMRC4-3	E12
GMRE1-12	E11
GMRE1-34	E11
GMRE112-1	E11
GMRE112-114	E11
GMRE112-12	E11
GMRE112-34	E11
GMRE114-1	E11
GMRE114-12	E11
GMRE114-34	E11
GMRE12-14	E11
GMRE12-38	E11
GMRE2-1	E11
GMRE2-112	E11
GMRE2-114	E11
GMRE2-34	E11
GMRE212-112	E11
GMRE212-114	E11
GMRE3-2	E11
GMRE3-212	E11
GMRE34-12	E11
GMRE34-38	E11
GMSE1	E12
GMSE112	E12
GMSE114	E12
GMSE12	E12
GMSE14	E12
GMSE18	E12
GMSE2	E12
GMSE212	E12
GMSE3	E12
GMSE34	E12
GMSE38	E12
GMSE4	E12
GMST1	E13
GMST34	E13
GMT1	E13
GMT1-1-112	E13
GMT1-1-14	E13
GMT1-1-34	E13
GMT1-12-1	E13
GMT1-12-12	E13
GMT1-12-34	E13
GMT1-34-1	E13
GMT1-34-12	E13
GMT1-34-34	E13
GMT112	E13
GMT112-1-1	E14
GMT112-1-112	E14
GMT112-112-1	E14
GMT112-112-114	E14
GMT112-112-12	E14
GMT112-112-34	E14
GMT112-114-1	E14
GMT112-114-112	E14
GMT112-114-114	E14
GMT112-114-12	E14
GMT112-114-34	E14
GMT112-12-112	E13
GMT112-34-114	E13
GMT114	E13
GMT114-1-1	E13
GMT114-1-114	E13
GMT114-1-12	E13
GMT114-1-34	E13
GMT114-114-1	E13
GMT114-114-112	E13
GMT114-114-12	E13
GMT114-114-2	E13
GMT114-114-34	E13
GMT114-12-34	E13
GMT114-34-1	E13
GMT114-34-114	E13
GMT114-34-34	E13
GMT12	E13
GMT12-12-14	E13
GMT12-12-34	E13
GMT12-12-38	E13
GMT14	E13
GMT18	E13
GMT2	E13
GMT2-1-1	E14
GMT2-1-2	E14
GMT2-112-1	E14
GMT2-112-112	E14
GMT2-112-114	E14
GMT2-114-112	E14
GMT2-114-114	E14
GMT2-114-2	E14
GMT2-12-2	E14
GMT2-2-1	E14
GMT2-2-112	E14
GMT2-2-114	E14
GMT2-2-12	E14
GMT2-2-34	E14
GMT212	E13
GMT212-212-1	E14
GMT212-212-112	E14
GMT212-212-12	E14
GMT212-212-2	E14
GMT3	E13
GMT3-3-1	E14
GMT3-3-114	E14
GMT3-3-2	E14
GMT3-3-212	E14
GMT34	E13
GMT34-12-1	E13
GMT34-12-12	E13
GMT34-12-34	E13
GMT34-34-1	E13
GMT34-34-12	E13
GMT34-34-14	E13
GMT34-34-38	E13
GMT38	E13
GMT4	E13
GMT4-4-2	E14
GMT4-4-3	E14
GMU1	E16
GMU112	E16
GMU114	E16
GMU12	E16
GMU14	E16
GMU18	E16
GMU2	E16
GMU212	E16
GMU3	E16
GMU34	E16
GMU38	E16
GMU4	E16
GN1-10	E17
GN1-11	E17
GN1-12	E17
GN1-14	E17
GN1-2	E17
GN1-212	E17
GN1-3	E17
GN1-312	E17
GN1-4	E17
GN1-412	E17
GN1-5	E17
GN1-512	E17
GN1-6	E17
GN1-7	E17
GN1-8	E17
GN1-9	E17
GN112-11	E18
GN112-12	E18
GN112-2	E18
GN112-212	E18
GN112-3	E18
GN112-4	E18
GN112-412	E18
GN112-5	E18
GN112-512	E18
GN112-6	E18
GN112-7	E18
GN112-8	E18
GN112-9	E18

BRAXTON HARRIS CO., INC.

PART NUMBER INDEX

BHC #	Page #
GN112C	E18
GN114-10	E18
GN114-11	E18
GN114-12	E18
GN114-2	E17
GN114-3	E18
GN114-4	E18
GN114-5	E18
GN114-6	E18
GN114-7	E18
GN114-8	E18
GN114-9	E18
GN114C	E17
GN12-10	E17
GN12-11	E17
GN12-112	E17
GN12-12	E17
GN12-2	E17
GN12-212	E17
GN12-3	E17
GN12-312	E17
GN12-4	E17
GN12-412	E17
GN12-5	E17
GN12-512	E17
GN12-6	E17
GN12-7	E17
GN12-8	E17
GN12-9	E17
GN12C	E17
GN14-10	E17
GN14-11	E17
GN14-112	E17
GN14-12	E17
GN14-2	E17
GN14-212	E17
GN14-3	E17
GN14-312	E17
GN14-4	E17
GN14-412	E17
GN14-5	E17
GN14-512	E17
GN14-6	E17
GN14-7	E17
GN14-8	E17
GN14C	E17
GN18-10	E17
GN18-112	E17
GN18-12	E17
GN18-2	E17
GN18-212	E17
GN18-3	E17
GN18-312	E17
GN18-4	E17
GN18-412	E17
GN18-5	E17
GN18-512	E17
GN18-6	E17
GN18-7	E17
GN18-8	E17
GN18C	E17
GN1C	E17
GN2-10	E18
GN2-11	E18
GN2-12	E18
GN2-212	E18
GN2-3	E18
GN2-312	E18
GN2-4	E18
GN2-412	E18
GN2-5	E18
GN2-512	E18
GN2-6	E18
GN2-7	E18
GN2-8	E18
GN2-9	E18
GN212-10	E18
GN212-11	E18
GN212-12	E18
GN212-3	E18
GN212-312	E18
GN212-4	E18
GN212-412	E18
GN212-5	E18
GN212-512	E18
GN212-6	E18
GN212-7	E18
GN212-8	E18
GN212-9	E18
GN212C	E18
GN2C	E18
GN3-10	E18
GN3-11	E18
GN3-12	E18
GN3-3	E18
GN3-312	E18
GN3-4	E18
GN3-412	E18
GN3-5	E18
GN3-512	E18
GN3-6	E18
GN3-7	E18
GN3-8	E18
GN34-10	E17
GN34-11	E17
GN34-112	E17
GN34-12	E17
GN34-2	E17
GN34-212	E17
GN34-3	E17
GN34-312	E17
GN34-4	E17
GN34-412	E17
GN34-5	E17
GN34-512	E17
GN34-6	E17
GN34-7	E17
GN34-712	E17
GN34-8	E17
GN34-9	E17
GN34C	E17
GN38-10	E17
GN38-112	E17
GN38-12	E17
GN38-2	E17
GN38-212	E17
GN38-3	E17
GN38-312	E17
GN38-4	E17
GN38-412	E17
GN38-5	E17
GN38-512	E17
GN38-6	E17
GN38-7	E17
GN38-8	E17
GN38C	E17
GN3C	E18
GN4-10	E18
GN4-11	E18
GN4-12	E18
GN4-312	E18
GN4-4	E18
GN4-412	E18
GN4-5	E18
GN4-512	E18
GN4-6	E18
GN4-7	E18
GN4-8	E18
GN4-9	E18
GN4C	E18
GN6-10	E18
GN6-11	E18
GN6-12	E18
GN6-412	E18
GN6-5	E18
GN6-6	E18
GN6C	E18
GNGG	D10, E44
GOB	C26
GPAF3-4NB	H18
GPAF3-4PB	H18
GPAF3-4RNB	H18
GPAF3-4RPB	H18
GPAF4NB	H18
GPAF4PB	H18
GPAF4RNB	H18
GPAF4RPB	H18
GPC3-4NB	H17
GPC3-4RNB	H17
GPD2-3	H13
GPD2-3-4CP	H13
GPD2-3-4NB	H13
GPD2-3-4RCP	H13
GPD2-3-4RNB	H13
GPD2-3-4SS	H13
GPD3-4	H13
GPD3-4-5CP	H13
GPD3-4-5NB	H13
GPD3-4-5PB	H13
GPD3-4-5RCP	H13
GPD3-4-5RNB	H13
GPD3-4-5RPB	H13
GPD3-4-5SS	H13
GPD4-6CP	H13
GPD4-6NB	H13
GPD4-6PB	H13
GPD4-6RCP	H13
GPD4-6RNB	H13
GPD4-6RPB	H13
GPD4-6SS	H13
GPDL2-3-4CP	H13
GPDL2-3-4NB	H13
GPDL2-3-4RCP	H13
GPDL2-3-4RNB	H13
GPDL2-3-4SS	H13
GPH112-12	F7
GPH2-12	F7
GPH3-12	F7
GPH4-12	F7
GPHTD3	H15
GPHTD4	H15
GRF	A29
GRF112	I10
GRF2	I10
GRF3	I10
GRF4	I10
GRK	A27
GSMC1	E16
GSMC112	E16
GSMC114	E16
GSMC12	E16
GSMC14	E16
GSMC18	E16
GSMC2	E16
GSMC212	E16
GSMC3	E16
GSMC34	E16
GSMC38	E16
GSMC4	E16
GSR1	F7
GSR112	F7
GSR114	F7
GSR12	F7
GSR2	F7
GSR212	F7
GSR3	F7
GSR34	F7
GSR4	F7
GSW	D5
GTB	D27
GTB-PART	D27
GTG1-15	D27
GTG1-30	D27
GTG1-60	D27
GTG100	D27
GTG15	D27
GTG160	D27
GTG200	D27, D28
GTG30	D27
GTG300	D27
GTG4-15	D28
GTG4-5	D28
GTG5	D27
GTG60	D27
GTSVRK	A27
GU12-12F12F12	C22
GU12-12F12F18	C22
GU12-12F12F24	C22
GU12-12F12F36	C22
GU12-12F12M12	C22
GU12-12F12M18	C22
GU12-12F12M24	C22
GU12-12F12M30	C22
GU12-12F12M36	C22
GU12-12F12M48	C22
GU12-12F12M60	C22
GU12-12F12M72	C22
GU12-12F38F12	C22
GU12-12F38F18	C22
GU12-12F38F24	C22
GU12-12F38F36	C22
GU12-12F38F48	C22
GU12-12F38M18	C22
GU12-12F38M24	C22
GU12-12M12M12	C22
GU12-12M12M18	C22
GU12-12M12M24	C22
GU12-12M12M30	C22
GU12-12M12M36	C22
GU12-12M12M72	C22
GU12-12M38M18	C22
GU12-12M38M24	C22
GU12-12M38M36	C22
GU12-12M38M48	C22
GU12-38F12M18	C22
GU12-38F12M24	C22
GU12-38F12M30	C22
GU12-38F12M36	C22
GU12-38F12M48	C22
GU12-38M38M12	C22
GU12-38M38M18	C22
GU12-38M38M24	C22
GU12-38M38M36	C22
GU38-12F12F12	C21
GU38-12F12F18	C21
GU38-12F12F24	C21
GU38-12F12F30	C21
GU38-12F12F36	C21
GU38-12F12F48	C21
GU38-12F12F60	C21
GU38-12F12F72	C21
GU38-12F12M12	C21
GU38-12F12M18	C21
GU38-12F12M24	C21
GU38-12F12M30	C21
GU38-12F12M36	C21
GU38-12F12M48	C21
GU38-12F12M60	C21
GU38-12F12M72	C21
GU38-12F38M12	C21
GU38-12F38M18	C21
GU38-12F38M24	C21
GU38-12F38M30	C21
GU38-12F38M36	C21
GU38-12F38M48	C21
GU38-12F38M60	C21
GU38-12F38M72	C21
GU38-12M12M12	C21
GU38-12M12M18	C21
GU38-12M12M24	C21
GU38-12M12M30	C21
GU38-12M12M36	C21
GU38-12M12M48	C21
GU38-12M12M60	C21
GU38-12M12M72	C21
GU38-38F12M12	C21
GU38-38F12M18	C21
GU38-38F12M24	C21
GU38-38F12M30	C21
GU38-38F12M36	C21
GU38-38F12M48	C21
GU38-38F12M60	C21
GU38-38F12M72	C21
GU38-38F38F12	C21
GU38-38F38F18	C21
GU38-38F38F24	C21
GU38-38F38F30	C21
GU38-38F38F36	C21

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
GU38-38F38F48	C21
GU38-38F38F60	C21
GU38-38F38F72	C21
GU38-38F38M12	C21
GU38-38F38M24	C21
GU38-38F38M36	C21
GU38-38F38M60	C21
GU38-38F38M72	C21
GU58-12F12F12	C22
GU58-12F12F18	C22
GU58-12F12F24	C22
GU58-12F12F36	C22
GU58-12F12F48	C22
GU58-12F12M12	C22
GU58-12F12M18	C22
GU58-12F12M24	C22
GU58-12F12M30	C22
GU58-12F12M36	C22
GU58-12F12M48	C22
GU58-12F12M60	C22
GU58-12F12M72	C22
GU58-12F34M12	C22
GU58-12F34M18	C22
GU58-12F34M24	C22
GU58-12F34M36	C22
GU58-12F34M48	C22
GU58-12F34M60	C22
GU58-12F34M72	C22
GU58-12M12M12	C22
GU58-12M12M18	C22
GU58-12M12M24	C22
GU58-12M12M30	C22
GU58-12M12M36	C22
GU58-12M12M48	C22
GU58-12M12M60	C22
GU58-12M12M72	C22
GU58-34F12M24	C22
GU58-34F12M36	C22
GU58-34F12M48	C22
GU58-34F34F18	C22
GU58-34F34F24	C22
GU58-34F34F30	C22
GU58-34F34F36	C22
GU58-34F34F48	C22
GU58-34F34M12	C22
GU58-34F34M18	C22
GU58-34F34M24	C22
GU58-34F34M30	C22
GU58-34F34M36	C22
GU58-34F34M48	C22
GU58-34F34M60	C22
GU58-34F34M72	C22
GU58-34M12M12	C22
GU58-34M12M18	C22
GU58-34M12M24	C22
GU58-34M12M30	C22
GU58-34M12M36	C22
GU58-34M12M48	C22
GU58-34M12M72	C22
GU58-34M34M12	C22
GU58-34M34M18	C22
GU58-34M34M24	C22
GU58-34M34M36	C22
GU58-34M34M48	C22
GU58-34M34M60	C22
GUW12	D36
GUW14	D36
GUW16	D36
GUW18	D36
GUW20	D36
GY1-1F1M12	C24
GY1-1F1M24	C24
GY1-1F1M36	C24
GY1-34F34F12	C24
GY1-34F34F18	C24
GY1-34F34F24	C24
GY1-34F34F36	C24
GY1-34F34F48	C24
GY1-34F34F72	C24
GY1-34F34M12	C24
GY1-34F34M18	C24
GY1-34F34M24	C24
GY1-34F34M36	C24
GY1-34F34M48	C24
GY1-34F34M60	C24
GY1-34F34M72	C24
GY1-34M34M12	C24
GY1-34M34M18	C24
GY1-34M34M24	C24
GY1-34M34M36	C24
GY1-34M34M48	C24
GY12-12F12F12	C23
GY12-12F12F24	C23
GY12-12F12F30	C23
GY12-12F12F36	C23
GY12-12F12F48	C23
GY12-12F12M12	C23
GY12-12F12M18	C23
GY12-12F12M24	C23
GY12-12F12M30	C23
GY12-12F12M36	C23
GY12-12F38F18	C23
GY12-12F38F24	C23
GY12-12F38F36	C23
GY12-12F38F48	C23
GY12-12F38M18	C23
GY12-12F38M24	C23
GY12-12M12M12	C23
GY12-12M12M18	C23
GY12-12M12M24	C23
GY12-12M12M30	C23
GY12-12M12M36	C23
GY12-12M12M48	C23
GY12-12M38M12	C23
GY12-12M38M18	C23
GY12-12M38M24	C23
GY12-12M38M36	C23
GY12-12M38M48	C23
GY12-38F12M18	C23
GY12-38F12M24	C23
GY12-38M12M36	C23
GY12-38M38M12	C23
GY12-38M38M18	C23
GY12-38M38M24	C23
GY12-38M38M30	C23
GY12-38M38M36	C23
GY38-12F12F12	C23
GY38-12F12F18	C23
GY38-12F12F24	C23
GY38-12F12F30	C23
GY38-12F12F36	C23
GY38-12F12F48	C23
GY38-12F12F60	C23
GY38-12F12F72	C23
GY38-12F12M12	C23
GY38-12F12M18	C23
GY38-12F12M24	C23
GY38-12F12M30	C23
GY38-12F12M36	C23
GY38-12F12M48	C23
GY38-12F12M60	C23
GY38-12F12M72	C23
GY38-12F38M12	C23
GY38-12F38M18	C23
GY38-12F38M24	C23
GY38-12F38M30	C23
GY38-12F38M36	C23
GY38-12F38M48	C23
GY38-12F38M60	C23
GY38-12F38M72	C23
GY38-12M12M12	C23
GY38-12M12M18	C23
GY38-12M12M24	C23
GY38-12M12M30	C23
GY38-12M12M36	C23
GY38-12M12M48	C23
GY38-12M12M60	C23
GY38-12M12M72	C23
GY38-38F12M12	C23
GY38-38F12M18	C23
GY38-38F12M24	C23
GY38-38F12M30	C23
GY38-38F12M36	C23
GY38-38F12M48	C23
GY38-38F12M60	C23
GY38-38F12M72	C23
GY38-38F38F12	C23
GY38-38F38F18	C23
GY38-38F38F24	C23
GY38-38F38F30	C23
GY38-38F38F36	C23
GY38-38F38F48	C23
GY38-38F38F60	C23
GY38-38F38F72	C23
GY38-38F38M12	C23
GY38-38F38M18	C23
GY38-38F38M24	C23
GY38-38F38M30	C23
GY38-38F38M36	C23
GY38-38F38M48	C23
GY38-38F38M60	C23
GY38-38F38M72	C23
GY58-12F12F12	C24
GY58-12F12F18	C24
GY58-12F12F24	C24
GY58-12F12F36	C24
GY58-12F12F48	C24
GY58-12F12M12	C24
GY58-12F12M18	C24
GY58-12F12M24	C24
GY58-12F12M30	C24
GY58-12F12M36	C24
GY58-12F12M48	C24
GY58-12F12M60	C24
GY58-12F12M72	C24
GY58-12F34M18	C24
GY58-12F34M24	C24
GY58-12F34M36	C24
GY58-12F34M48	C24
GY58-12M12M12	C24
GY58-12M12M18	C24
GY58-12M12M24	C24
GY58-12M12M30	C24
GY58-12M12M36	C24
GY58-12M12M48	C24
GY58-12M12M60	C24
GY58-12M12M72	C24
GY58-34F12F24	C24
GY58-34F12F48	C24
GY58-34F12F72	C24
GY58-34F12M12	C24
GY58-34F12M36	C24
GY58-34F12M48	C24
GY58-34F34F12	C24
GY58-34F34F18	C24
GY58-34F34F24	C24
GY58-34F34F30	C24
GY58-34F34F36	C24
GY58-34F34F48	C24
GY58-34F34M12	C24
GY58-34F34M18	C24
GY58-34F34M24	C24
GY58-34F34M30	C24
GY58-34F34M36	C24
GY58-34F34M48	C24
GY58-34F34M72	C24
GY58-34M12M18	C24
GY58-34M12M24	C24
GY58-34M12M30	C24
GY58-34M12M36	C24
GY58-34M12M48	C24
GY58-34M12M60	C24
GY58-34M34M12	C24
GY58-34M34M18	C24
GY58-34M34M24	C24
GY58-34M34M30	C24
GY58-34M34M36	C24
GY58-34M34M48	C24
GY58-34M34M60	C24
GY58-34M34M72	C24
H11868	A32
H118693	A32
H118694	A32
H48	B56
HB12	E57
HB18	D7
HB24	D7
HB32	D7
HB34	E57
HB34-12	C17
HBC12	B58
HBC34	B58
HBCP12-LF	B58
HBMP	B58
HBQ12	E57
HBQ34	E57
HBRH	E57
HC01	F5
HC012	F5
HC034	F5
HC038	F5
HC15	D45, I6
HDCQH	D7
HDHS	D7
HDJG	D42
HDL24	D16
HDT1620	D37
HDTF	D22
HDTFS	D22
HEC	E28
HECB	E28
HECB-LF	E28
HECBC	E28
HFW	C12, E29
HG	B56
HHMB12-134	F10
HHMB12-214	F10
HHMB34-312	F10
HHMB34-314	F10
HHMB58-212	F10
HHMB58-234	F10
HHMB58-3	F10
HHMB78-334	F10
HHMB78-4	F10
HHMBP12-214	F10
HHMBP34-312	F10
HHMBP34-314	F10
HHMBP58-234	F10
HHMBP58-3	F10
HHMBP78-334	F10
HHMBP78-4	F10
HHS	B7
HHWF	D38
HI34-100CC	F1
HI34-100H	F1
HI34-100L	F1
HI34-100M	F1
HI34-10CC	F1
HI34-10H	F1
HI34-10L	F1
HI34-10M	F1
HI34-50H	F1
HI34-50L	F1
HI34-50M	F1
HIF	D46, I7
HIPC	D6
HIPCRB	D6
HKWS14	D5
HKWS8	D5
HKWS9	D5
HL	D41
HLS38-1	F9
HLS38-112	F9
HLS38-2	F9
HLS38-212	F9
HLS38-3	F9
HN	B38
HN34F12F	E28
HN34F12M	E28
HN34F12M12S	E28
HN34F34M	E28
HN34F34M-LF	E28
HN34F34M12F	D28, E28
HN34FF	E28
HN34M	E28
HN34M12F	E28
HN34M12M	E28
HN34M12M12S	E28

PART NUMBER INDEX

BHC #	Page #
HN34M34F	E28
HN34M34M12F	E28
HNB	B38
HNS34F	E28
HNS34F12F	E28
HNS34F12M	E28
HNS34F34F	E28
HP	B12
HPG1	B63
HPG2	B63
HRCF	E29
HRCM	E29
HRF12	D18
HRF8	D18
HS	D7
HSB	D17
HSCG	D21
HSDB12	D18
HSDB14	D18
HSDB18	D18
HSDB316	D18
HSDB38	D18
HSDB516	D18
HSGBM	D44
HSGSB	D44
HSLD114	B47, G16
HSLD114NF	B47
HSM	B7
HSOV	E29
HT12	I7
HT15	I7
HT18	I7
HT2-100P	F1
HT24	I7
HT3	I7
HT30	I7
HT34-100P	F1
HT34-10P	F1
HT34-25P	F1
HT34-50P	F1
HT40	I7
HT6	I7
HT60	I7
HT9	I7
HTN34-3	C17
HTS10-1	F9
HTS10-34	F9
HTS7-12	F9
HTS8-1	F9
HTS8-112	F9
HTS8-12	F9
HTS8-2	F9
HTS8-34	F9
HTU12	E36
HW2-40	B66, G15
HWP3	D32
HWS	D46
IB	C3, C4
IB-FP	C3, C4
IB12C14C-A-LF	C3
IB12C14C-AH-LF	C3
IB12C14C-U-LF	C4
IB12C14C-UH-LF	C4
IB12M14C-A-LF	C3
IB12M14C-AH-LF	C3
IB12M14C-U-LF	C4
IB12M14C-UH-LF	C4
IB12P14C-A-LF	C3
IB12P14C-AH-LF	C3
IB12P14C-U-LF	C4
IB12P14C-UH-LF	C4
IB12W14C-A-LF	C3
IB12W14C-AH-LF	C3
IB12W14C-U-LF	C4
IB12W14C-UH-LF	C4
IB5900	B65
IB6380	B65
IBF-FP	C4
IBF12C14C-A-LF	C4
IBF12C14C-AH-LF	C4
IBF12M14C-A-LF	C4
IBF12M14C-AH-LF	C4
IBF12P14C-A-LF	C4
IBF12P14C-AH-LF	C4
IBF12W14C-A-LF	C4
IBF12W14C-AH-LF	C4
IBM	C3
IBM-FP	C3
IBM12C14C-A-LF	C3
IBM12C14C-AH-LF	C3
IBM12M14C-A-LF	C3
IBM12M14C-AH-LF	C3
IBM12P14C-A-LF	C3
IBM12P14C-AH-LF	C3
IBM12W14C-A-LF	C3
IBM12W14C-AH-LF	C3
IC	B67
ICA12	I9
ICFD2	H25
ICFDB2	H25
ICFDB3	H25
ICSD2	H24
ICSD2-PB	H24
ICT58-7	D14
IDVK	C3
IFFH4524	C19
IFFH5524	C19
IGHLN	D19, E30
IGHLNCB	D19, E30
IMCS10-LF	C5
IMCS5-LF	C5
IMCS6-LF	C5
IMCS7-LF	C5
IMF-LF	C7
IMFB-LF	C7
IMFK25-LF	C4
IMK25-LF	C4
IMKC15-LF	C4
IMKC25-LF	C4
IMKS25-LF	C4
IMPW	D37
IPC3	D6
IPC3-312NB	H17
IPC4-412NB	H17
IPCRB	D6
IPD3-312CP	H14
IPD3-312NB	H14
IPD4-412CP	H14
IPD4-412NB	H14
IPPB	D37
IPPBL	D37
IPPR	D37
IPPW	D37
IPPY	D37
IR3-4	C1
IRA3-4	C1
IRHS	H5
IRWG	D43
IS058-012	B43
IS12	I2
IS12B	I2
IS24	I2
ISC1	F5
ISC112	F5
ISC114	F5
ISC12	F5
ISC2	F5
ISC34	F5
ISH4524	C18
ISP16G312-6	F3
ISP16G6	F3
ISP20G6	F3
ITP10-12	D33
ITP114-2	D33
ITP3-4	D33
ITP4-6	D33
ITP5-8	D33
JB112	G2
JBC112	G2
JBT112-114	G4
JDBS	B52
JDBSRB	B53
JDBSRB	B52
JDBSW	B59
JH01	F6
JH012	F6
JH034	F6
JHD112	F6
JHD2	F6
JHD3	F6
JHD4	F6
JHT012-034	F6
JNCC12	F2
JNCC34	F2
JNF1	F2
JNF34	F2
JSRF	B6
JWMB	H23
JWMBE6	H24
JWMBL	H23
JWMBMRL	H23
K10-101-0050	E27
K10-101-0100	E27
K10-101-0295	E27
K10-101-0390	E27
K10-255-0050	E27
K10-257-0050	E27
K10-257-0058	E27
K10-257-0100	E27
K10-257-0150	E27
K10-480-0057	E27
K10-480-0107	E27
K10-480-0159	E27
K10-492-0143	E27
K15-101-0001	E25
K15-101-0002	E25
K15-101-0005	E25
K15-101-0006	E25
K15-101-0007	E25
K15-101-0025	E25
K15-101-0031	E25
K15-101-0032	E25
K15-101-0050	E25
K15-101-0056	E25
K15-101-0057	E25
K15-101-0058	E25
K15-101-0059	E25
K15-101-0100	E25
K15-101-0106	E25
K15-101-0107	E25
K15-101-0150	E25
K15-101-0157	E25
K15-101-0158	E25
K15-101-0159	E25
K15-101-0160	E25
K15-101-0215	E25
K15-101-0221	E25
K15-101-0222	E25
K15-101-0223	E25
K15-101-0295	E25
K15-101-0302	E25
K15-101-0303	E25
K15-101-0304	E25
K15-101-0390	E25
K15-101-0398	E25
K15-101-0399	E25
K15-101-0520	E25
K15-101-0531	E25
K15-101-0650	E25
K15-101-0860	E25
K15-105-0001	E24
K15-105-0002	E24
K15-105-0025	E24
K15-105-0031	E24
K15-105-0032	E24
K15-105-0050	E24
K15-105-0056	E24
K15-105-0057	E24
K15-105-0058	E24
K15-105-0059	E24
K15-105-0060	E24
K15-105-0100	E24
K15-105-0106	E24
K15-105-0107	E24
K15-105-0150	E24
K15-105-0158	E25
K15-105-0159	E25
K15-105-0160	E25
K15-105-0215	E25
K15-105-0221	E25
K15-105-0222	E25
K15-105-0223	E25
K15-105-0295	E25
K15-105-0302	E25
K15-105-0303	E25
K15-105-0390	E25
K15-105-0398	E25
K15-105-0520	E25
K15-105-0650	E25
K15-114-0002	E25
K15-114-0025	E25
K15-114-0050	E25
K15-114-0057	E25
K15-114-0100	E25
K15-114-0150	E25
K15-114-0215	E25
K15-114-0295	E25
K15-114-0390	E25
K15-115-0002	E24
K15-115-0025	E24
K15-115-0050	E24
K15-115-0057	E24
K15-115-0058	E24
K15-115-0100	E24
K15-115-0150	E24
K15-115-0215	E24
K15-115-0295	E24
K15-115-0390	E24
K15-140-0007	E27
K15-140-0032	E27
K15-140-0058	E27
K15-140-0059	E27
K15-140-0107	E27
K15-140-0109	E27
K15-140-0149	E27
K15-140-0159	E27
K15-140-0160	E27
K15-140-0222	E27
K15-140-0223	E27
K15-140-0303	E27
K15-140-0398	E27
K15-140-1498	E27
K15-154-0001	E23
K15-154-0002	E23
K15-154-0025	E23
K15-154-0050	E23
K15-154-0090	E23
K15-154-0100	E23
K15-154-0150	E23
K15-154-0215	E23
K15-154-0295	E23
K15-154-0390	E23
K15-154-0520	E23
K15-154-0650	E23
K15-154-0860	E23
K15-154-1100	E23
K15-165-0001	E24
K15-165-0002	E24
K15-165-0007	E26
K15-165-0025	E24
K15-165-0032	E26
K15-165-0033	E26
K15-165-0050	E24
K15-165-0058	E26
K15-165-0059	E26
K15-165-0060	E26
K15-165-0090	E24
K15-165-0093	E26
K15-165-0094	E26
K15-165-0095	E26
K15-165-0100	E24
K15-165-0107	E26
K15-165-0108	E26
K15-165-0109	E26
K15-165-0149	E26
K15-165-0150	E24
K15-165-0159	E26
K15-165-0160	E26

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
K15-165-0215	E24
K15-165-0222	E26
K15-165-0223	E26
K15-165-0224	E26
K15-165-0295	E24
K15-165-0303	E26
K15-165-0304	E26
K15-165-0305	E26
K15-165-0306	E26
K15-165-0390	E24
K15-165-0398	E26
K15-165-0399	E26
K15-165-0400	E26
K15-165-0401	E26
K15-165-0402	E26
K15-165-0520	E24
K15-165-0531	E26
K15-165-0532	E26
K15-165-0533	E26
K15-165-0534	E26
K15-165-0650	E24
K15-165-0662	E26
K15-165-0663	E26
K15-165-0664	E26
K15-165-0780	E24
K15-165-0860	E24
K15-165-0870	E26
K15-165-0871	E26
K15-165-0872	E26
K15-165-0873	E26
K15-165-0874	E26
K15-165-0975	E24
K15-165-1100	E24
K15-165-1225	E24
K15-167-0050	E24
K15-170-0001	E24
K15-170-0002	E24
K15-170-0025	E24
K15-170-0050	E24
K15-170-0090	E24
K15-170-0100	E24
K15-170-0150	E24
K15-170-0215	E24
K15-170-0295	E24
K15-170-0390	E24
K15-170-0520	E24
K15-170-0650	E24
K15-170-0860	E24
K15-170-0975	E24
K15-170-1100	E24
K15-170-1225	E24
K15-172-0001	E23
K15-172-0002	E23
K15-172-0025	E23
K15-172-0050	E23
K15-172-0100	E23
K15-172-0150	E23
K15-172-0215	E23
K15-172-0295	E23
K15-172-0390	E23
K15-172-0520	E23
K15-172-0650	E23
K15-172-0860	E23
K15-172-0975	E23
K15-235-0001	E22
K15-235-0002	E22
K15-235-0025	E22
K15-235-0032	E22
K15-235-0050	E22
K15-235-0058	E22
K15-235-0059	E22
K15-235-0090	E22
K15-235-0100	E22
K15-235-0107	E22
K15-235-0150	E22
K15-235-0159	E22
K15-235-0160	E22
K15-235-0215	E22
K15-235-0295	E22
K15-235-0303	E22
K15-235-0390	E22
K15-235-0398	E22
K15-235-0520	E22
K15-235-0650	E22
K15-235-0860	E22
K15-235-0975	E22
K15-235-1100	E22
K15-235-1225	E22
K15-242-0001	E22
K15-242-0002	E22
K15-242-0015	E22
K15-242-0025	E22
K15-242-0050	E22
K15-242-0090	E22
K15-242-0100	E22
K15-242-0150	E22
K15-242-0215	E22
K15-242-0295	E22
K15-242-0390	E22
K15-242-0520	E22
K15-242-0650	E22
K15-254-0002	E23
K15-254-0025	E23
K15-254-0050	E23
K15-254-0090	E23
K15-254-0100	E23
K15-254-0150	E23
K15-254-0215	E23
K15-254-0295	E23
K15-254-0390	E23
K15-254-0520	E23
K15-254-0650	E23
K15-254-0860	E23
K15-272-0001	E23
K15-272-0002	E23
K15-272-0025	E23
K15-272-0050	E23
K15-272-0090	E23
K15-272-0100	E23
K15-272-0150	E23
K15-272-0215	E23
K15-272-0295	E23
K15-290-0001	E22
K15-290-0002	E22
K15-290-0025	E22
K15-290-0050	E22
K15-290-0090	E22
K15-290-0100	E22
K15-290-0150	E22
K15-290-0215	E22
K15-290-0295	E22
K15-290-0390	E22
K15-290-0520	E22
K15-290-0650	E22
K15-290-0860	E22
K15-290-0975	E22
K15-290-1100	E22
K15-290-1225	E22
K15-295-0002	E22
K15-295-0025	E22
K15-295-0050	E22
K15-295-0090	E22
K15-295-0100	E22
K15-295-0150	E22
K15-295-0215	E22
K15-295-0295	E22
K15-295-0390	E22
K15-295-0520	E22
K15-295-0650	E22
K15-295-0860	E22
K15-295-1100	E22
K15-396-0050	E27
K15-396-0100	E27
K15-396-0150	E27
K15-410-0007	E26
K15-410-0032	E26
K15-410-0033	E26
K15-410-0058	E26
K15-410-0059	E26
K15-410-0093	E26
K15-410-0107	E26
K15-410-0108	E26
K15-410-0109	E26
K15-410-0149	E26
K15-410-0159	E26
K15-410-0160	E26
K15-410-0161	E26
K15-410-0222	E26
K15-410-0223	E26
K15-410-0224	E26
K15-410-0303	E26
K15-410-0304	E26
K15-410-0305	E26
K15-410-0306	E26
K15-410-0398	E26
K15-410-0399	E26
K15-410-0400	E26
K15-410-0401	E26
K15-410-0402	E26
K15-410-0531	E26
K15-410-0532	E26
K15-410-0533	E26
K15-410-0534	E26
K15-410-0662	E26
K15-410-0663	E26
K15-410-0664	E26
K15-410-0665	E26
K15-410-0870	E26
K15-410-0871	E26
K15-410-0872	E26
K15-410-1498	E26
K15-460-0001	E20
K15-460-0002	E20
K15-460-0013	E20
K15-460-0025	E20
K15-460-0031	E20
K15-460-0032	E20
K15-460-0050	E20
K15-460-0056	E20
K15-460-0057	E20
K15-460-0058	E20
K15-460-0059	E20
K15-460-0066	E20
K15-460-0067	E20
K15-460-0075	E20
K15-460-0090	E20
K15-460-0098	E20
K15-460-0100	E20
K15-460-0106	E20
K15-460-0107	E20
K15-460-0109	E20
K15-460-0117	E20
K15-460-0118	E20
K15-460-0149	E20
K15-460-0150	E20
K15-460-0157	E20
K15-460-0158	E20
K15-460-0159	E20
K15-460-0160	E20
K15-460-0161	E20
K15-460-0169	E20
K15-460-0170	E20
K15-460-0171	E20
K15-460-0180	E20
K15-460-0181	E20
K15-460-0182	E20
K15-460-0215	E20
K15-460-0220	E20
K15-460-0221	E20
K15-460-0222	E20
K15-460-0223	E20
K15-460-0224	E20
K15-460-0234	E20
K15-460-0235	E20
K15-460-0236	E20
K15-460-0237	E20
K15-460-0245	E20
K15-460-0246	E20
K15-460-0247	E20
K15-460-0248	E20
K15-460-0256	E20
K15-460-0257	E20
K15-460-0295	E20
K15-460-0302	E20
K15-460-0303	E20
K15-460-0304	E20
K15-460-0305	E20
K15-460-0306	E20
K15-460-0315	E20
K15-460-0316	E20
K15-460-0317	E20
K15-460-0318	E20
K15-460-0319	E20
K15-460-0328	E20
K15-460-0329	E20
K15-460-0330	E20
K15-460-0331	E20
K15-460-0332	E20
K15-460-0339	E20
K15-460-0340	E20
K15-460-0341	E20
K15-460-0342	E20
K15-460-0343	E21
K15-460-0350	E21
K15-460-0352	E21
K15-460-0390	E21
K15-460-0397	E21
K15-460-0398	E21
K15-460-0399	E21
K15-460-0400	E21
K15-460-0401	E21
K15-460-0402	E21
K15-460-0413	E21
K15-460-0414	E21
K15-460-0415	E21
K15-460-0416	E21
K15-460-0417	E21
K15-460-0418	E21
K15-460-0429	E21
K15-460-0430	E21
K15-460-0431	E21
K15-460-0432	E21
K15-460-0433	E21
K15-460-0444	E21
K15-460-0445	E21
K15-460-0447	E21
K15-460-0457	E21
K15-460-0470	E21
K15-460-0520	E21
K15-460-0531	E21
K15-460-0532	E21
K15-460-0533	E21
K15-460-0534	E21
K15-460-0535	E21
K15-460-0536	E21
K15-460-0548	E21
K15-460-0549	E21
K15-460-0550	E21
K15-460-0551	E21
K15-460-0552	E21
K15-460-0553	E21
K15-460-0554	E21
K15-460-0564	E21
K15-460-0580	E21
K15-460-0583	E21
K15-460-0595	E21
K15-460-0608	E21
K15-460-0650	E21
K15-460-0662	E21
K15-460-0663	E21
K15-460-0664	E21
K15-460-0665	E21
K15-460-0666	E21
K15-460-0667	E21
K15-460-0668	E21
K15-460-0677	E21
K15-460-0678	E21
K15-460-0679	E21
K15-460-0680	E21
K15-460-0683	E21
K15-460-0693	E21
K15-460-0694	E21
K15-460-0695	E21
K15-460-0696	E21
K15-460-0860	E21
K15-460-0870	E21
K15-460-0871	E21
K15-460-0872	E21

BRAXTON HARRIS CO., INC.

PART NUMBER INDEX

BHC #	Page #
K15-460-0873	E21
K15-460-0874	E21
K15-460-0875	E21
K15-460-0876	E21
K15-460-0877	E21
K15-460-0893	E21
K15-460-0895	E21
K15-460-0914	E21
K15-460-0975	E21
K15-460-1100	E21
K15-460-1225	E21
K15-460-1498	E20
K20774	A35, B65
K20785	A33
K20786	A33
K20904	A33
K20905	A33
K20986HC	A34
K23004	A35, B65
K30000C	A34
K30000H	A34
K30005D	A34
K30005HC	A34
K30100	A37
K30134	A33
K30135	A33
k30166	A37
k30253	A35
K40602	A35, B65
k71906	A33, A61
k76671	A33
k76672	A33
k76851	A33
k77548	A32
K77886	A33
K81609	A38, B17
K83650	A37
K84499	A37
k84499bf	A37
KAF-BP	B28
KASCF-BP	B28
KCF-BP	A36, B25
KCF-BX	A36, B25
KCFF-BP	A36, B26
KCFF-BX	A36, B26
KCFVS	A36, B29
KCP	D44
kcw	A38
KD3	H33
KD4	H33
KDS3	H33
KDS4	H33
KETF-BP	B28
KF-BP	B27
KFK-BP	B28
kHF-bp	A36, B26
kHF-bx	A36, B26
KKCFF-BP	B28
KKSFF-BP	B28
KOP112	D34, H22
KOP2	D34, H22
KOP3	D34, H22
KOP4	D34, H22
KORF-BP	B28
KP	D31
KPAF-BP	B27
KPCF-BP	B27
KPF-BP	B27
KPUF3-BP	B27
KPVF-BULK	B27
KRF-BP	A36, B26
KRF-BX	A36, B26
KRFN-BP	A36, B26
KRFN-BX	A36, B26
kSFF-BP	A36, B26
KSFF-BX	A36, B26
KSGDS	B55, C14
KSGDSI	B55, C13
KSGDSW	B55, C14
KSHS	B56
KSHS-BL	B56
KSHS-CP	B56
KSHS-OB	B56
KSHS-SN	B56
KSHS-WH	B56
KW	D4
L42A	D9
L42ASK	D9
L48	D9
L48SK	D9
L50	D9
L50SK	D9
L528R	A76
LB42A	D9
LB48	D9
LB50	D9
LBCR1-5	B6
LBCR1-6	B6
LC	B63
LDCHIP1	F7
LDCHIP112	F7
LDCHIP114	F7
LDCHIP12	F7
LDCHIP2	F7
LDCHIP212	F7
LDCHIP3	F7
LDCHIP34	F7
LDCHIP4	F7
LDCHIP6	F7
LDCHIPG1	F8
LDCHIPG12	F8
LDCHIPG34	F8
LDMN-RB	B45
LDPO	I7
LDPOG	D46
LDPOG	I7
LDPOHG	D46
LDPOHG	I7
LDPOP	I7
LDPOP LDPO	D46
LFAP2	H29
LFAP212	H29
LFAP3	H29
LFAP312	H29
LFAP4	H29
LFAP412	H29
LFAP5	H29
LFAP512	H29
LFAP6	H29
LFHRPS	D25
LFHSPS	D25
LFHTS	D25
LFML	D41
LH	B44
LH7	B44
LHCI	B44
LHCI2	B44
LHGC1	E54
LHGC112	E54
LHGC114	E54
LHGC12	E54
LHGC2	E54
LHGC34	E54
LHGC38	E54
LHRPS	D24
LHSPS	D24
LI	D48, H43
LI5	D48
LITP2-3	D33
LITP3-4	D33
LJR10-14	D47, H44
LJR2-4	D47, H44
LJR4-6	D47, H44
LJR6-10	D47, H44
LLA	H43
LLE	B44
LLK12-14	D4, E54
LLK12-516	D4, E54
LLK3-14	D4, E54
LLK3-14B	D4, E54
LLK3-516	D4, E54
LLK3-516B	D4, E54
LLK6-14B	D4, E54
LLK6-516B	D4, E54
LLK7-516	D4, E54
LLR	H43
LLRLP	H43
LLRRL	H43
LLRRLLP	H43
LLS	H43
LLSLP	H43
LLT	H43
LLTC	H43
LLTCLP	H43
LLTL	H43
LLTLLP	H43
LLVA	E54
LLVA-PB	E54
LLVAK	E54
LLVAQ	E54
LLVS	E54
LLVS-PB	E54
LLVSK	E54
LLVSQ	E54
LLW412	B30
LLW512	B30
LMT1-25	D16
LMT114-33	D16
LNG	D43
LNRT	D1
LPF0112	B1
LPF0114	B1
LPF0118	B1
LPF012	B1
LPF0138	B1
LPF0158	B1
LPF02	B1
LPF058	B1
LPF078	B1
LPF1	B1
LPF112	B1
LPF112-312	B1
LPF114	B1
LPF12	B1
LPF2	B1
LPF34	B1
LPF38	B1
LPFP0112	B2, G1
LPFP0114	B2, G1
LPFP012	B2
LPFP058	B2
LPFP078	B2
LPFP112	B2
LPFP12	B2
LPFP2	B2
LPFP34	B2
LPFP38	B2
LPGKC	D42
LPGSC	D42
LPMBG	D43
LRF112	I11
LRF2	I11
LRF3	I11
LRF4	I11
LSD	B57, B68
LSDC	B57, B68
LSDEK	B57, B68
LTCOG	I6
LTCOQ	I6
LTD112	B13
LTD114	B13
LTD114-112	B13
LTDP138	A53
LTF	B4
LTF6	B58
LTFCS	B4
LTFCSO	B4
LTFH6	B58
LTLG	D43
LTSND1	B11
LTSND10-2	B11
LTSND2	B11
LTSND7	B11
LTSNDC7	B11
LTSO1	B11
LTSO7	B11
LTSOC7	B11
LTWT	G12
LTWT-AP	G12
LTWT-CP	G12
LTWT-FB	G12
LTWT-NP	G12
LTWT-OB	G12
LTWT-PB	G12
LTWT-SB	G12
LTWT-SN	G12
LTWT1	G12
LTWT1-AP	G12
LTWT1-CP	G12
LTWT1-FB	G12
LTWT1-NP	G12
LTWT1-OB	G12
LTWT1-PB	G12
LTWT1-SB	G12
LTWT1-SN	G12
LTWT112-114	G12
LTWT112-114-1	G12
LTWT112-114-1-AP	G12
LTWT112-114-1-CP	G12
LTWT112-114-1-FB	G12
LTWT112-114-1-NP	G12
LTWT112-114-1-OB	G12
LTWT112-114-1-PB	G12
LTWT112-114-1-SB	G12
LTWT112-114-1-SN	G12
LTWT112-114-AP	G12
LTWT112-114-CP	G12
LTWT112-114-FB	G12
LTWT112-114-NP	G12
LTWT112-114-OB	G12
LTWT112-114-PB	G12
LTWT112-114-SB	G12
LTWT112-114-SN	G12
LW	D47, H44
LWHRPS	D25
LWHSPS	D25
LWHTS	D25
LWHTSS	D25
M15613	A40
M210	A39, B23
M6304837	A39
M6305699	A39
M6305702	A39
M6307066	A39
M6307984	A39
M7410009	A39
MA112	B11
MA112-114	B11
MA114	B11
MA114-0114 MA112-0112	B11
MA2	B11
MAF-BP	A39, B26
MAF-BX	A39, B26
MAGRS	F14
MB1	D20
MB2	D20
MB3	D20
MBH14	D15
MCP	A43, D12
MDB12-6	D17
MDB14-4	D17
MDB14-6	D17
MDB316-4	D17
MDB38-6	D17
MDB516-4	D17
MDB516-6	D17
MDB716-6	D17
MDS	D31
MF10	D18
MF8	D18
MGC	D22
MGHLN	D19, E30
MGL	D43
MGM	D43
MGXL	D43
MHCL25	D13
MHSC	B50, C13
MNHTW38-80	D4, E49

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
MNHTW60	D4, E49
MNHTW80	D4, E49
MO10089	A42
MO101099	A42
MO101310	A42
MO1200B	A40
MO1222B	A40
MO1224B	A42
MO1225B	A40
MO13092	A40
MO13094	A40
MO13106	A41
mo13291	A42
mo13291s	A42
mo14732	A42
MO14800	A42, A76
MO3270	A41
MO96791	A41
MO96884	A41
MOEK	A41
MOKFRK	A42
mopcc	A40
MOPTCP	A43, D13
MOPUSR	A43
MOSLFH	A42
MOT470	A41
mothak	A42
MPB	D37
MPF	D31
MPG	D37
MPNS14	D15
MPNS516	D15
MPNSL14	D15
MPNSL516	D15
MPO	D37
MPR	D37
MPW	D37
MPY	D37
MR4	B56
MRGE	A24, B32
MRGK	A38, B32
MRK	A41
MS12	E29
MS34	E29
MS58	E29
MSC112-10	D23
MSC112-25	D23
MSC112-5	D23
MSH	B7
MSI1	F5
MSI12	F5
MSI12C	F5
MSI34	F5
MSI34C	F5
MSI38-12-34	F5
MT1-25	D16
MT34-12	D16
MT34-16	D16
MTAA1316	A35, A53, A69
MTAA1316-LF	B50
MTAA1516	A3, A21
MTAA1516-LF	B50
MTC118	D10
MTC58	D10
MTC78	D10
MTG10	E49
MTG12	E49
MTG15	E49
MTG2	E49
MTG3	E49
MTG4	E49
MTG5	E49
MTG6	E49
MTG8	E49
MTSG	B16
MTVRK	A41
MVC3-4	H20
MXTSG	B16
N85501	A64, A76
NBA12M-12	E36
NBA12M-14	E36
NBA12M-34	E36
NBA12M-38	E36
NBA12M-58	E36
NBA14M-12	E36
NBA14M-14	E36
NBA14M-38	E36
NBA1M-1	E36
NBA1M-58	E36
NBA34M-1	E36
NBA34M-12	E36
NBA34M-34	E36
NBA34M-38	E36
NBA34M-58	E36
NBA38M-12	E36
NBA38M-14	E36
NBA38M-38	E36
NBA38M-58	E36
NBE12	E36
NBE14	E36
NBE38	E36
NBE38M-12	E37
NBE38M-38	E37
NBE38M-58	E37
NBS12	E36
NBS14	E36
NBS18	E36
NBS34	E36
NBS38	E36
NBS516	E36
NBS58	E36
NBT12	E36
NBT14	E36
NBT18	E36
NBT34	E36
NBT38	E36
NBT58	E36
NC1	D16
NC112	D16
NC12	D16
NC12-34	D16
NC2	D16
NC34	D16
NCC	B41
NCL	B41
NCM1	D17
NCM112	D17
NCM114	D17
NCM12	D17
NCM12-34	D17
NCM2	D17
NCM34	D17
NCSD2	H3
NCSDRG	H24
NCSDRGC	H24
NCSDW	D3
NCSSD2	H3
NCT11	D34
NCT14	D34
NCT15	D34
NCT17	D34
NCT4	D34
NCT7	D34
NCTB11	D34
NCTB14	D34
NCTB15	D34
NCTB17	D34
NCTB4	D34
NCTB7	D34
ND12	D15
ND516	D15
NDURSE	B45
NE1	D13
NE12	D13
NE34	D13
NE38	D13
NES	D13
NES38-12-34-1	D13
NHBV2	E61
NHBV3	E61
NHBV4	E61
NHBV6	E61
NHC10	E47
NHC112	E47
NHC2	E47
NHC2-112	E47
NHC3	E47
NHC3-2	E47
NHC4	E47
NHC4-2	E47
NHC4-3	E47
NHC5	E47
NHC6	E47
NHC8	E47
NHCC2-112	H30
NHCC3-212	H30
NHCC4-312	H30
NHCH10	E47
NHCH112	E47
NHCH2	E47
NHCH3	E47
NHCH4	E47
NHCH5	E47
NHCH6	E47
NHCH8	E47
NHCR2-112	H30
NHCR3-212	H30
NHCR4-312	H30
NHN34M12F	E28, E37
NHN34M12M	E28, E37
NHN34M34B	E28, E37
NHN34M34F	E28, E37
NHN34M34M	E28, E37
NHN34MH34F	E28, E37
NHTFB2	H31
NHTFB3	H31
NHTFB4	H31
NHTW	D4, E49
NIC1	E37
NIC112	E37
NIC114	E37
NIC12	E37
NIC2	E37
NIC34	E37
NIE1	E37
NIE112	E37
NIE114	E37
NIE12	E37
NIE2	E37
NIE34	E37
NIEM1	E37
NIEM114	E37
NIEM12	E37
NIEM34	E37
NIT1	E37
NIT112	E37
NIT114	E37
NIT12	E37
NIT2	E37
NIT34	E37
NMIA1	E37
NMIA112	E37
NMIA114	E37
NMIA12	E37
NMIA2	E37
NMIA34	E37
NNP634	D6
NP	D18
NRF112	I11
NRF2	I11
NRF3	I11
NRF4	I11
NSE1	D13
NSE12	D13
NSE14	D13
NSE34	D13
NSE38	D13
NSGBB	D44
NSGCB	D44
NSGCBD	D44
NSGCLB	D44
NSGSB	D44
NT225	D35
NT800	D35
NTY1050	D35
NTY225	D35
NV14-LF	E61
NV14C-LF	C5, E60
NV14C14M-LF	E60
NV14C18M-LF	E60
NV38C-LF	C5, E60
NVA14C14M-LF	C5, E61
NVA14C18M-LF	C5, E61
NVPG	D27
OBRC1	D47, H44
OBRC5	D47, H44
OBS	B5
OBSD	B5
OC	B66, G15
OCT58-7	D14
OEC100-12	D40
OEC100-14	D40
OEC100-16	D40
OEC15-16	D40
OEC25-12	D40
OEC25-14	D40
OEC25-16	D40
OEC50-12	D40
OEC50-14	D40
OEC50-16	D40
OFH	C6
OFP	B12
OFP1	B12
OFP1LS	B12
OFPCB	B13, G14
OFPLS	B12
OFPOS	B12
OFPS	B12
OFPSR	B12
OFPTL	B12
OFPTLLS	B12
OFSSD2	H3
OFT1	B30
OFT2	B30
OFT3	B30
ON14	B35
ON516	B35
ONB516	B35
OR	B63
ork1	D12
ork12	D12
ork34	D12
ORP	B63
OTB	B37
OTB1	D24
OTB12	D24
OTB34	D24
ovtsrk12	B42, D12
OW	B35
OW38-1	D47, H44
OW38-10	D47, H44
OW38-5	D47, H44
OWZ	B35
PAC	H21
PACET	A6, A29, A59, D12
PAN4-312	H31
PAN4-312P	H31
PAN6-4	H31
PAP14	H21
PAP8	H21
PAPSI14	H21
PAPSI14-29	H21
PAPSI6-9	H21
PAPSI8	H21
PB	D18
PB1	D19
PB2S	D19
PB3	D19
PB3-16	D40
PB4	D19
PB5	D21
PB8	D16
PBP1-LF	E43
PBP12-LF	E43
PBP34-LF	E43
PBS38-12	F3
PBTCI9-4	H33
PBV1	E51

BRAXTON HARRIS CO., INC.

PART NUMBER INDEX

BHC #	Page #
PBV112	E51
PBV114	E51
PBV12	E51
PBV2	E51
PBV212	E51
PBV3	E51
PBV34	E51
PBV4	E51
PBVT1	E51
PBVT112	E51
PBVT114	E51
PBVT12	E51
PBVT2	E51
PBVT212	E51
PBVT3	E51
PBVT34	E51
PBVT4	E51
PBWV112	H20
PBWV112	E62
PBWV2	H20
PBWV2	E62
PBWV2F	H20
PBWV2F	E62, H20
PBWV3	E62, H20
PBWV3ES	E62, H20
PBWV3ESC	E62, H20
PBWV3F	H20
PBWV3F	E62, H20
PBWV4	E62, H20
PBWV4ES	E62, H20
PBWV4F	H20
PBWV4F	E62, H20
PBWV6	E62, H20
PBWVA2	H20
PBWVA2	E62
PBWVA3	H20
PBWVA3	E62
PBWVA4	H20
PBWVA4	E62
PBWVA6	H20
PBWVA6	E62
PC1-LF	E42
PC12-LF	E42
PC34-LF	E42
PC38-LF	E42
PCC1	E46
PCC112	E46
PCC114	E46
PCC12	E46
PCC2	E46
PCC212	E46
PCC3	E46
PCC34	E46
PCC38	E46
PCC4	E46
PCC4-312	H30
PCC4-312G	H30
PCC4-312S	H30
PCC4-312SG	H30
PCC6	E46
PCC6-4	H30
PCG	D21
PCL18M	E60
PCOTP112	D33
PCOTP2	D33
PCOTP3	D33
PCOTP4	D33
PCPH112-12	F7
PCPH2-12	F7
PCPH3-12	F7
PCPH4-12	F7
PCR1	E43
PCR12	E43
PCR34	E43
PCR38	E43
PCR4-312	H30
PCR4-312G	H30
PCR4-312S	H30
PCR4-312SG	H30
PCRC	D10, E44
PCT1	E46
PCT112	E46
PCT114	E46
PCT12	E46
PCT14M	E59
PCT18M	E59
PCT2	E46
PCT34	E46
PCTH14M	E59
PCTH18M	E59
PCTH38M	E59
PCV1	E55
PCV112	E55
PCV114	E55
PCV12	E55
PCV2	E55
PCV34	E55
PCVT1	E55
PCVT112	E55
PCVT114	E55
PCVT12	E55
PCVT2	E55
PCVT34	E55
PD8C2-3-312M-4NB	H6
PD8C2-3-312M-4PB	H6
PD8C2-3-312M-5CP	H6
PD8C2-3-312M-5NB	H6
PD8C2-3-312M-5PB	H6
PD8C2-3-312M-5SCP	H7
PD8C2-3-312M-5SNB	H7
PD8C2-3-312M-5SPB	H7
PD8C2-3-312M-6CP	H7
PD8C2-3-312M-6NB	H7
PD8C2-3-312M-6PB	H7
PD8C2-3-312M-6SNB	H7
PD8C2-3-312M-6SPB	H7
PD8C2-3-312P-5CP	H6
PD8C2-3-312P-5NB	H6
PD8C2-3-312P-5PB	H6
PD8C2-3-312P-5RCP	H6
PD8C2-3-312P-5RNB	H6
PD8C2-3-312P-5RPB	H6
PD8C2-3-312P-5SS	H6
PD8C2-3-312P-6CP	H7
PD8C2-3-312P-6NB	H7
PD8C2-3-312P-6PB	H7
PD8C2-3-312P-6RCP	H7
PD8C2-3-312P-6RNB	H7
PD8C2-3-312P-6RPB	H7
PD8C2-3-312P-6SS	H7
PD8C3-4-312M-4NB	H6
PD8C3-4-312M-4PB	H6
PD8C3-4-312M-5CP	H6
PD8C3-4-312M-5NB	H6
PD8C3-4-312M-5PB	H6
PD8C3-4-312M-5SCP	H7
PD8C3-4-312M-5SNB	H7
PD8C3-4-312M-5SPB	H7
PD8C3-4-312M-6CP	H7
PD8C3-4-312M-6NB	H7
PD8C3-4-312M-6PB	H7
PD8C3-4-312M-6SNB	H7
PD8C3-4-312M-6SPB	H7
PD8C3-4-312P-5CP	H6
PD8C3-4-312P-5NB	H6
PD8C3-4-312P-5PB	H6
PD8C3-4-312P-5RCP	H6
PD8C3-4-312P-5RNB	H6
PD8C3-4-312P-5RPB	H6
PD8C3-4-312P-5SS	H6
PD8C3-4-312P-6CP	H7
PD8C3-4-312P-6NB	H7
PD8C3-4-312P-6PB	H7
PD8C3-4-312P-6RCP	H7
PD8C3-4-312P-6RNB	H7
PD8C3-4-312P-6RPB	H7
PD8C3-4-312P-6SS	H7
PDC9-12	D21
PDCH9-12	D21
PDEE12-LF	B9, E4, E27, E42
PDEE34-12-LF	E42
PDEI4	B55, C13
PDH	D31
pDSE	A23, B46
PDSGE	A28, A56, B46
PDSK	A35, B45
PDSM	A43, B46
PDSM435	A43, B46
pdsm5	A43, B46
PDSP	A53, B46
PDSS	A63, B46
PDSSA	A56, B46
PDSSB	A63, B46
PDSU	B45
PDSV	A64, A69, A72, B46
PDW	D3
PE1-LF	E42
PE12-LF	E42
PE12P12M-LF	E42
PE34-12-LF	E42
PE34-LF	E42
PE38-LF	E42
PE38P38M-LF	E42
PEH2	D33
PERC1	E46
PERC112	E46
PERC114	E46
PERC12	E46
PERC2	E46
PERC212	E46
PERC3	E46
PERC34	E46
PERC4	E46
PFA12P12F-LF	E43
PFA12P18F-LF	E43
PFA12P34F-LF	E43
PFA1P1F-LF	E43
PFA34P34F-LF	E43
PFB1	D24
PFB112	D24
PFB114	D24
PFB12	D24
PFB12BK	D24
PFB14	D24
PFB2	D24
PFB34	D24
PFB34BK	D24
PFB38	D24
PFB4N1C	D24
PFBSA12-LF	E43
PFBSA34-LF	E43
PFBSE12-LF	E43
PFC3-4-312M-5NB	H16
PFC3-4-312P-5NB	H16
PFC3-4-312P-5RNB	H16
PFC3-4-312P-6NB	H16
PFC3-4-312P-6RNB	H16
PFC3-4-3M-5NB	H16
PFC4-312M-5NB	H16
PFC4-312P-5NB	H16
PFC4-312P-5RNB	H16
PFC4-312P-6NB	H16
PFC4-312P-6RNB	H16
PFC4-4M-5NB	H16
PFC4H-312M-5NB	H16
PFC4H-312P-5NB	H16
PFC4H-312P-5RNB	H16
PFC4H-312P-6NB	H16
PFC4H-312P-6PB	H16
PFC4H-312P-6RNB	H16
PFCA12P12FS-LF	E43
PFCA12P34FS-LF	E43
PFCA34P12FS-LF	E43
PFCA34P34FS-LF	E43
PFD2-2M-4CP	H12
PFD2-2M-4NB	H12
PFD2-2M-4SCP	H12
PFD2-2M-4SLCP	H12
PFD2-2M-4SNB	H12
PFD2-2M-4SPB	H12
PFD2-2M-4SS	H12
PFD2-2P-4CP	H12
PFD2-2P-4NB	H12
PFD2-2P-4RCP	H12
PFD2-2P-4RNB	H12
PFD2-2P-4SCP	H12
PFD2-2P-4SS	H12
PFD2-2P-4SSS	H12
PFD3-4-312M-5CP	H10
PFD3-4-312M-5NB	H10
PFD3-4-312M-5PB	H10
PFD3-4-312M-5SCP	H11
PFD3-4-312M-5SNB	H11
PFD3-4-312M-5SPB	H11
PFD3-4-312M-6CP	H10
PFD3-4-312M-6NB	H10
PFD3-4-312M-6PB	H10
PFD3-4-312M-6SNB	H11
PFD3-4-312M-6SPB	H11
PFD3-4-312P-5CP	H10
PFD3-4-312P-5NB	H10
PFD3-4-312P-5PB	H10
PFD3-4-312P-5RCP	H10
PFD3-4-312P-5RNB	H10
PFD3-4-312P-5RPB	H10
PFD3-4-312P-5SS	H10
PFD3-4-312P-6CP	H11
PFD3-4-312P-6NB	H11
PFD3-4-312P-6PB	H11
PFD3-4-312P-6RCP	H11
PFD3-4-312P-6RNB	H11
PFD3-4-312P-6RPB	H11
PFD3-4-312P-6SS	H11
PFD4-312M-5CP	H10
PFD4-312M-5NB	H10
PFD4-312M-5PB	H10
PFD4-312M-5SCP	H11
PFD4-312M-5SNB	H11
PFD4-312M-5SPB	H11
PFD4-312M-6CP	H10
PFD4-312M-6NB	H10
PFD4-312M-6PB	H10
PFD4-312M-6SNB	H11
PFD4-312M-6SPB	H11
PFD4-312P-5CP	H10
PFD4-312P-5NB	H10
PFD4-312P-5PB	H10
PFD4-312P-5RCP	H10
PFD4-312P-5RNB	H10
PFD4-312P-5RPB	H10
PFD4-312P-5SS	H10
PFD4-312P-6CP	H11
PFD4-312P-6NB	H11
PFD4-312P-6PB	H11
PFD4-312P-6RCP	H11
PFD4-312P-6RNB	H11
PFD4-312P-6RPB	H11
PFD4-312P-6SS	H11
PFD4H-312M-5CP	H10
PFD4H-312M-5NB	H10
PFD4H-312M-5PB	H10
PFD4H-312M-5SCP	H11
PFD4H-312M-5SNB	H11
PFD4H-312M-5SPB	H11
PFD4H-312M-6CP	H10
PFD4H-312M-6NB	H10
PFD4H-312M-6PB	H10
PFD4H-312M-6SNB	H11
PFD4H-312M-6SPB	H11
PFD4H-312P-5CP	H10
PFD4H-312P-5NB	H10
PFD4H-312P-5PB	H10
PFD4H-312P-5RCP	H10
PFD4H-312P-5RNB	H10
PFD4H-312P-5RPB	H10
PFD4H-312P-5SS	H10
PFD4H-312P-6CP	H11
PFD4H-312P-6NB	H11
PFD4H-312P-6PB	H11
PFD4H-312P-6RCP	H11
PFD4H-312P-6RNB	H11
PFD4H-312P-6RPB	H11
PFD4H-312P-6SS	H11
PFDT2	H14
PFPSA12-LF	E43
PFPSE12-LF	E43
PFR	D12
PFS2-3	H19

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
PFS2-3-12D	H19
PFS2-3-12F	H19
PFS2-3-34D	H19
PFS2-3-34F	H19
PFS2-3-FD	H19
PFS2-3-FF	H19
PFS2H	H19
PFS2H-12D	H19
PFS2H-12F	H19
PFS2H-34D	H19
PFS2H-34F	H19
PFS2H-FD	H19
PFS2H-FF	H19
PFS3-4	H19
PFS3-4-12D	H19
PFS3-4-12F	H19
PFS3-4-34D	H19
PFS3-4-34F	H19
PFS3-4-FD	H19
PFS3-4-FF	H19
PFS3H	H19
PFS3H-12D	H19
PFS3H-12F	H19
PFS3H-34D	H19
PFS3H-34F	H19
PFS3H-FD	H19
PFS3H-FF	H19
PFS4	H19
PFS4-12D	H19
PFS4-12F	H19
PFS4-34D	H19
PFS4-34F	H19
PFS4-FD	H19
PFS4-FF	H19
PFS4H	H19
PFS4H-12D	H19
PFS4H-12F	H19
PFS4H-34D	H19
PFS4H-34F	H19
PFS4H-FD	H19
PFS4H-FF	H19
PFST1	D7
PFST112	D7
PFST12	D7
PFST2	D7
PFST3	D7
PFST34	D7
PFST4	D7
PFTT	D22
PG2-100	D26
PG2-15	D26
PG2-160	D26
PG2-200	D26
PG2-30	D26
PG2-300	D26
PG2-400	D26
PG2-60	D26
PG2-600	D26
PG212-100	D26
PG212-15	D26
PG212-160	D26
PG212-200	D26
PG212-30	D26
PG212-300	D26
PG212-400	D26
PG212-5	D27
PG212-60	D26
PG212-600	D26
PG312-100	D26
PG312-160	D26
PG312-200	D26
PG312-30	D26
PG312-300	D26
PG312-400	D26
PG312-60	D26
PGA4	I4
PGC	D22
pglf212-100	D28
PGLF212-200	D28
PGLF212-30	D28
PGLF212-300	D28
PGLF212-60	D28
PH	B68
PHC1-10	F2
PHC1-4	F2
PHC1-6	F2
PHC1-8	F2
PHC112-6	F2
PHC112-8	F2
PHC114-6	F2
PHC114-8	F2
PHC12-212	F2
PHC12-4	F2
PHC12-6	F2
PHC12-8	F2
PHC2-8	F2
PHC34-10	F2
PHC34-212	F2
PHC34-4	F2
PHC34-6	F2
PHC34-8	F2
PHRC12-134	F9
PHRC14-78	F9
PHRC38-134	F9
PHRC58-218	F9
PHS1-10	F2
PHS1-4	F2
PHS1-6	F2
PHS1-8	F2
PHS112-6	F2
PHS112-8	F2
PHS114-10	F2
PHS114-6	F2
PHS114-8	F2
PHS12-10	F2
PHS12-4	F2
PHS12-6	F2
PHS12-8	F2
PHS2-8	F2
PHS34-10	F2
PHS34-4	F2
PHS34-6	F2
PHS34-8	F2
PHV12-6	F2
PHV34-6	F2
PI1	F5
PI12	F5
PI34	F5
PIAF1	E38
PIAF112	E38
PIAF114	E38
PIAF12	E38
PIAF34	E38
PIAM1	E38
PIAM112	E38
PIAM114	E38
PIAM12	E38
PIAM2	E38
PIAM34	E38
PIC1	E38
PIC112	E38
PIC114	E38
PIC12	E38
PIC2	E38
PIC34	E38
PIE1	E39
PIE112	E39
PIE114	E39
PIE12	E39
PIE34	E39
PIEF12	E38
PIEF34	E38
PIEM1	E38
PIEM112	E38
PIEM114	E38
PIEM12	E38
PIEM34	E38
PIPC	I9
PIPS	D41
PIRC1-12	E38
PIRC1-34	E38
PIRC112-114	E38
PIRC114-1	E38
PIRC2-112	E38
PIRC34-12	E38
PIRFB4	H2
PIRFG4	H2
PIRFO3	H2
PIRFO4	H2
PIRT1-12	E38
PIRT1-34	E38
PIRT1-34-34	E38
PIRT112-1	E38
PIRT2-1	E38
PIRT34-12	E38
PIRT34-12-12	E38
PIT1	E38
PIT112	E38
PIT114	E38
PIT12	E38
PIT34	E38
PITPC112	D33
PITPC2	D33
PITPC3	D33
PITPC4	D33
PJC12	I3
PJC2	I3
PK	D21
PK112	D21
PK114	D21
PK2	D21
PK3	D21
PL112	D37
PL2	D37
PLAQ	E49, I6
PLE	D38
PLG	E49, I6
PLQ	E49, I6
PLTAFW	G10
PLTAFW1	G10
PLTSOW	G10
PLTSOW1	G10
PLTW	G10
PLTW1	G10
PLTW40	G10
PLTW40-1	G10
PLTW40-1K	G10
PLTW40K	G10
PLTWC	G11
PLTWC-BX	G11
PLTWDHK1	G10
PLTWDHK1K	G10
PLTWDHK2	G10
PLTWDHK2K	G10
PLTWDTHK1	G10
PLTWDTHK1K	G10
PLTWDTHK2	G10
PLTWDTHK2K	G10
PLTWHK1	G10
PLTWHK1K	G10
PLTWHK2	G10
PLTWHK2K	G10
PM5	D25
PMA12P12M-LF	E43
PMA12P34M-LF	E43
PMA1P1M-LF	E43
PMA34P12M-LF	E43
PMA34P1M-LF	E43
PMA34P34M-LF	E43
PMCA12P12MS-LF	E43
PMCA12P34MS-LF	E43
PMCA1P1MS-LF	E43
PMCA34P34MS-LF	E43
PMCA38P12MS-LF	E43
PNDPGL	D43
PO12	D46, I6
POFRF112	H20
POFRF2	H20
POFRF3	H20
POFRFA112	H20
POFRFA2	H20
POPB12	B47, G16
POPB12-2	B47, G16
POPB5	B47, G16
POPB5-2	B47, G16
POPB8	G16
POPB8-2	G16
POPBLT	B47
POPBLTNF	B47
POPP5	B47, G16
POPW	D2, H28
PP12	I3
PP16G112-6	F4
PP16G312-18	F4
PP16G312-5	F4
PP16G312-6	F4
PP16G312-6-6O	F4
PP16G5-18	F4
PP16G5-8	F4
PP2-12	I5
PP4-6	I5
PP5	I3
PP910372	A47
PP910374	A47
PP910385	A47
PP910392	A47
PP910900	A47
PP940090	A51
PP940090D	A51
PP940120	A51
PP940240	A46
PP940510A	A52
PP940510AD	A52
PP940520A	A52
PP940730A	A51
PP940740A	A51
PP940740AD	A51
PP940950A	A47
PP941320	A52
PP941330	A52
PP941340	A52
PP960080A	A49
PP960110A	A49
PP960160A	A50
PP960280A	A49
pp960370	A46
pp962260	A46
PP970500	A53, B65
PP970510	A53, B65
PP971100A	A50
PP972110	A50
pp972692a	A53
PP974292	A46
pp974292n	A46
PPA14-14M	E1
PPA38-12M	E1
PPA38-38M	E1
PPAE14-14M	E1
PPAE14-38M	E1
PPAE38-14M	E1
PPB1	D20
PPB112	D20
PPB112S	D20
PPB2	D20
PPB212	D20
PPB2S	D20
PPB3	D20
PPB4	D20
PPC	D8
PPC112	H18
PPC14	E1
PPC2	H18
PPC212	H18
PPC3	H18
PPC312	H18
PPC38	E1
PPC4	H18
PPE12	E1
PPE14	E1
PPE38	E1
PPEN	A48
ppfre	A46
PPMLFRK	A49
PPNSF	A50
PPPFN	A49
pppupw	A53
PPR112	H18
PPR2	H18

PART NUMBER INDEX

BHC #	Page #
PPR3	H18
PPR312	H18
PPR4	H18
PPR6	H18
PPRC12-38	E1
PPRC38-14	E1
PPRE	A50, A55, A60, A63, A64
PPSPL6-5	B15
PPSPL6-5K	B15
PPSPL6-8	B15
PPSPL6-8K	B15
PPSPLIC	B15
PPSPLOC	B15
PPSV14	E1
PPSV38	E1
PPT12	E1
PPT14	E1
PPT38	E1
PPT38-38-14	E1
PPVLFRK	A49
PPVTSVRK	A48
PPVTSVRKD	A48
PPWLFRK	A49
PPWTSVRK	A48
PRC	I4
PRC1-34-LF	E42
PRC12	E56
PRC12-38-LF	E42
PRC12C	E56
PRC34	E56
PRC34-12-LF	E42
PRC34C	E56
PRCC	I4
PRD3	H15
PRD4	H15
PRDP3	H15
PRDP4	H15
PRF112	I11
PRF2	I11
PRF3	I11
PRF4	I11
PRR4-12	D20
PRR4-34	D20
PRR4-38	D20
PRR9-12	D20
PRR9-14	D20
PRR9-34	D20
PRR9-38	D20
PRV12-LF	C16
PRV34-LF	C16
PRVB4	H42
PRVBC	H42
PS	B8
PS10-100	D21
PS10B1-100	I10
PS10R1-100	I10
PS25B1-100	I10
PS25R1-100	I10
PS6B1-200	I10
PS6R1-200	I10
PS8-100	D21
PSC	D44
PSC-PR	D44
PSC1	E44
PSC12	E44
PSC34	E44
PSC38	E44
PSCS	D44
PSD2-3-312M-4NB	H8
PSD2-3-312M-4PB	H8
PSD2-3-312M-5CP	H8
PSD2-3-312M-5NB	H8
PSD2-3-312M-5PB	H8
PSD2-3-312M-5SCP	H9
PSD2-3-312M-5SNB	H9
PSD2-3-312M-5SPB	H9
PSD2-3-312M-6CP	H9
PSD2-3-312M-6NB	H9
PSD2-3-312M-6PB	H9
PSD2-3-312M-6SNB	H9
PSD2-3-312M-6SPB	H9
PSD2-3-312P-5CP	H8
PSD2-3-312P-5NB	H8
PSD2-3-312P-5PB	H8
PSD2-3-312P-5RCP	H8
PSD2-3-312P-5RNB	H8
PSD2-3-312P-5RPB	H8
PSD2-3-312P-5SS	H8
PSD2-3-312P-6CP	H9
PSD2-3-312P-6NB	H9
PSD2-3-312P-6PB	H9
PSD2-3-312P-6RCP	H9
PSD2-3-312P-6RNB	H9
PSD2-3-312P-6RPB	H9
PSD2-3-312P-6SS	H9
PSD3-4-312M-4NB	H8
PSD3-4-312M-4PB	H8
PSD3-4-312M-5CP	H8
PSD3-4-312M-5NB	H8
PSD3-4-312M-5PB	H8
PSD3-4-312M-5SCP	H9
PSD3-4-312M-5SNB	H9
PSD3-4-312M-5SPB	H9
PSD3-4-312M-6CP	H9
PSD3-4-312M-6NB	H9
PSD3-4-312M-6PB	H9
PSD3-4-312M-6SNB	H9
PSD3-4-312M-6SPB	H9
PSD3-4-312P-5CP	H8
PSD3-4-312P-5NB	H8
PSD3-4-312P-5PB	H8
PSD3-4-312P-5RCP	H8
PSD3-4-312P-5RNB	H8
PSD3-4-312P-5RPB	H8
PSD3-4-312P-5SS	H8
PSD3-4-312P-6CP	H9
PSD3-4-312P-6NB	H9
PSD3-4-312P-6PB	H9
PSD3-4-312P-6RCP	H9
PSD3-4-312P-6RNB	H9
PSD3-4-312P-6RPB	H9
PSD3-4-312P-6SS	H9
PSG	D44
PSG1H1	F1
PSG1H112	F1
PSG1H114	F1
PSG1H12	F1
PSG1H2	F1
PSG1H34	F1
PSG2H1	F1
PSG2H112	F1
PSG2H114	F1
PSG2H12	F1
PSG2H2	F1
PSG2H212	F1
PSG2H3	F1
PSG2H312	F1
PSG2H34	F1
PSG2H38	F1
PSG2H4	F1
PSG2H6	F1
PSH134	B6
PSHH134	B6
PSMSH	B7
PSPC	B15, I4
PSPL4-50	B15
PSPL5-100	B15
PSPL5-40	B15
PSPL5-50	B15
PSPL6-100	B15
PSPL6-50	B15
PSS	D45, I6
PSSL10	H34
PSSL12	H34
PSSL4	H34
PSSL6	H34
PSSL8	H34
PST3-2-PART	H22
PST4-2-PART	H22
PST4-3-PART	H22
PSTK3-2	H22
PSTK4-2	H22
PSTK4-3	H22
PSTK4-4	H22
PSTKG	H22
PSTKG3-2	H22
PSTKG4-2	H22
PSTKG4-3	H22
PSTKG4-4	H22
PT012-100	C7
PT014-100	C7
PT038-100	C7
PT058-100	C7
PT1-1-1-LF	E42
PT1-1-12-LF	E42
PT1-1-34-LF	E42
PT1-34-34-LF	E42
PT112	G1
PT112-CP	G1
PT112-PB	G1
PT112-SN	G1
PT112PW	G1
PT114	G1
PT114-CP	G1
PT114PW	G1
PT12-12-12-LF	E42
PT12-12-34-LF	E42
PT34	H22
PT34-12-12-LF	E42
PT34-12-34-LF	E42
PT34-34-1-LF	E42
PT34-34-12-LF	E42
PT34-34-34-LF	E42
PT38-38-38-LF	E42
PTCS1	D17
PTCS12	D17
PTCS34	D17
PTF12-LF	E43
PTF34-LF	E43
PTLW	G10
PTM	D20
PTP	D20
PTP112	D32
PTP2	D32
PTP3	D32
PTP4	D32
PTP6	D32
PTT1	D29
PTT2	D29
PTTAFW	G10
PTTL	D17
PTTM	D17
PTTS	D17
PTTSOW	G10
PTTSOW1	G10
PTTW	G10
PTTW1	G10
PTTW40	G10
PTTW40-1	G10
PTTW40-1K	G10
PTTW40K	G10
PTTWDHK1	G10
PTTWDHK1K	G10
PTTWDHK2	G10
PTTWDHK2K	G10
PTTWDTHK1	G10
PTTWDTHK1K	G10
PTTWDTHK2	G10
PTTWDTHK2K	G10
PTTWHK1	G10
PTTWHK1K	G10
PTTWHK2	G10
PTTWHK2K	G10
PUA	B46, G16
PUABR	B46, G16
PUAP	B46
PUR	B46, G16
PURC	B46, G16
PV112	B66, C12, G17
PVB6	H43
PVTP112	B66, ,G17
PW	H22
PW10	D5
PW1000CD	H22
PW12	D5
PW14	D5
PW18	D5
PW2-30	I5
PW2-60	I5
PW24	D5
PW3-108	I5
PW3-25	D39, I10
PW36	D5
PW400CD	H22
PW8	D5
PWP10	D6
PWS	H22
PWT10B2-100	D39
PWT10B2-100	I10
PWT10B4-100	D39
PWT10B4-100	I10
PWT10Y2-100	D39
PWT10Y2-100	I10
PWT10Y4-100	D39
PWT10Y4-100	I10
PWT12B2-100	D39, I10
PWT12B4-100	D39, I10
PWT12Y2-100	D39, I10
PWT12Y4-100	D39, I10
PWT20B2-100	D39, I10
PWT20B4-100	D39, I10
PWTP	D39, D47, I5
QHM	E29
QTF	E58
RAUFK	H3
RAV	E56
RAVWK	E56
RBAP	B53
RBAPP	B53
RBFIA1-LF	E39
RBFIA112-LF	E39
RBFIA114-LF	E39
RBFIA34-LF	E39
RBIC1-LF	E39
RBIC112-LF	E39
RBIC114-LF	E39
RBIC2-LF	E39
RBIC34-LF	E39
RBIE1-LF	E39
RBIE114-LF	E39
RBIE34-LF	E39
RBISA1-LF	E39
RBISA34-LF	E39
RBIT1-LF	E39
RBIT114-LF	E39
RBIT34-LF	E39
RBMIA1-34M-LF	E39
RBMIA1-LF	E39
RBMIA112-LF	E39
RBMIA114-LF	E39
RBMIA12-LF	E39
RBMIA2-LF	E39
RBMIA34-LF	E39
RBMIE1-34-LF	E39
RBMIE1-LF	E39
RBMIE34-LF	E39
RBMIRA1-114-LF	E40
RBSP	B53
RBSS	B53
RC112-2	I12
RC212-3	I12
RC8	D16
RCA12P	I9
RCAP	I9
RCAQ	I9
RCFC4	E48
RCIP1	F6
RCIP112	F6
RCIP114	F6
RCIP2	F6
RCIP212	F6
RCIP3	F6
RCIP312	F6
RCIP34	F6
RCIP4	F6
RCKAV	E56
RCKAVK	D4, E56
RDCW	G2

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
RE916-28-1132	A76
RE916-28-1132	B65
RF	D22
RF4	D20
RF9	D20
RFSS10	I3
RFT9	B30
RG1	F14
RG10	F14
RG112	F14
RG114	F14
RG12	F14
RG120	F14
RG2	F14
RG212	F14
RG3	F14
RG312	F14
RG34	F14
RG4	F14
RG5	F14
RG6	F14
RG8	F14
RGB78-24	B67
RGFFR1	F13
RGFFR10	F13
RGFFR112	F13
RGFFR114	F13
RGFFR12	F13
RGFFR120	F13
RGFFR2	F13
RGFFR212	F13
RGFFR3	F13
RGFFR312	F13
RGFFR34	F13
RGFFR4	F13
RGFFR5	F13
RGFFR6	F13
RGFFR8	F13
RGG	D43
RGR1	F13
RGR10	F13
RGR112	F13
RGR114	F13
RGR12	F13
RGR2	F13
RGR212	F13
RGR3	F13
RGR312	F13
RGR34	F13
RGR4	F13
RGR5	F13
RGR6	F13
RGR8	F13
RH	B69
RH3524	C18
RH4524	C18
RHC	B69
RHTSS10	I2
RIT2-30	I10
RKDFF-LF	B59
RLC	D37
RNW	D2, E57
ROTSM	C16
ROTTM	C16
RRT	D2, E57
RRW	B38
RS-WH	H5, H25
RSC238-312CP	H15, H42
RSC238-312NB	H15, H42
RSC314-412CP	H15, H42
RSC314-412NB	H15, H42
RSC338-414CP	H15, H42
RSC338-414NB	H15, H42
RSC338-4CP	H15, H42
RSC338-4NB	H15, H42
RSC438-514CP	H15, H42
RSC438-514NB	H15, H42
RSC438-514PB	H15, H42
RSC478-618CP	H15, H42
RSC478-618NB	H15, H42
RSC478-618PB	H15, H42
RSCCI4	H33
RSD	B67
RSG	B60
RSH4	B7
RSP116-36	I12
RSP18-36	I12
RSS	D22
RSS2	H34
RSSC338	H5, H15, H25, H42
RSSI	H5, H25
RSSI338	H5, H25
RSSI338-414	H5, H25
RSSI438-514SS	H15, H42
RSSI478-618SS	H15, H42
RSSIS	H5, H25
RSSS	H5, H25
RSW1-34	B31
RSW112	B31
RSW114	B31
RSW114-34	B31
RSW2	B31
RSW2-112	B31
RSW2-114	B31
RT	B21
RT34	H22
RTBH	B68
RTDS1-16	D36
RTDSC1-9	D36
RTI	B21
RTP	D10, E44
RTPH	B67
RTPHC	B67
RUE1	E56
RUE114	E56
RUE34	E56
RVHW1	E56
RVHW114	E56
RVHW34	E56
RVS1	E56
RVS114	E56
RVS12	E56
RVS34	E56
RW	B35, B38
RWCI	B38
RWW	H22
RWW350CD	H22
RWZ	B35
S05010	A26, A61
S05020	A26, A61
S05030	A61
S05050	A61
s05200	A33, A61
s05300	A33, A61
S112	B14
S114	B14
S118	B14
S12B	B36
S12P	B36
S134	B14
S138	B14
S13B	B36
S13P	B36
S158	B14
S2	B14
S25	D8
S25SK	D8
S2990HC	A63
S52B	B36
S52P	B36
S53B	B36
S53P	B36
S99B0493	A63
s99s0369	A63, B65
SA055	A56
SA056	A55
SA092	A56
SA12-6	B9
SA12-6-F	B9
SA12-6F	B9
SA12-8	B9
SA12-8F	B9
SA14	I4
SA156A	A29, A58, A73
SA15A	A29, A56, A73
SA163AP	A58, A75
SA19AC	A29, A57, A73
SA19AU	A29, A57, A73
SA36A	A30, A58, A74
SA37A	A30, A58, A74
SA38A	A30, A58, A74
SA41A	A30
SA42A	A30
SA5013	A62
SA5023	A62
SA71	A30, A57, A74
SA8079	A61
SA8080	A61
SA8105	A61
SA8106	A62
SA8250HC	A62
SA8252	A62
SA8253HC	A62
SA8676HC	A63
SAA003	A56, B65
SAF	B9
SAFO12	B9
SAFS12	B9
SAFSP12	B9
SAK13C	A54
SAK13D	A54
SAK13H	A54
SAK4500C	A54
SAK4500H	A54
SALFRK	A54
SAP12-6	B9
SAP300	A54
SAR12-15	B9
SAS12-10	B9
SAS12-8	B9
SATSVRK	A54
SB10	H31
SB14-1	F10
SB14-112	F10
SB14-114	F10
SB14-2	F10
SB14-34	F10
SB16	D38
SB16-20-12-1C	F3
SB16-20-12C	F3
SB16-26-12-1C	F3
SB16-26-12C	F3
SB25	D8
SB32A	A57, A73
SB39	A56, A73
SB50A	A57, A73
SB8	H31
SBC12	B58
SBCP12	B58
SBD	A31, B14
SBD138	A31, B14
SBG	D28
SBI14-20G	F3
SBI20-18G	F3
SBI20-26G	F3
SBNS18-18-12-1C	F4
SBP10	H31
SBP8	H31
SBW10	H31
SBW112	G11
SBW134-20	F4
SBW8	H31
SC	B66, G15
SC100500K	A6, A29, A59
SC112-10	D23
SC112-25	D23
SC112-5	D23
SC12	E57
SC12C	E57
SC20	C6
SC34	E57
SC34C	E57
SC5C	C6
SCB12BO2	B35
SCB12BR2	B35
SCB52BO2	B35
SCB52BR2	B35
SCBF	B57
SCC	B54
SCC2-112	H30
SCC3-212	H30
SCC4-3	H30
SCC4-312	H30
SCC5-4	H30
SCC6-5	H30
SCCP	B54
SCFS3	B16
SCFS4	B16
SCG1-634	B38
SCG12-514	B38
SCG34-514	B38
SCG34-538	B38
SCG34-634	B38
SCG38-634	B38
SCG916-634	B38
SCGOF	E58
SCHC2-112	H30
SCHC3-212	H30
SCHC4-3	H30
SCHC4-312	H30
SCHC5-4	H30
SCHC6-5	H30
SCHR2-112	H30
SCHR3-212	H30
SCHR4-3	H30
SCHR4-312	H30
SCHR5-4	H30
SCHR6-5	H30
SCMPK	A57, A74
SCP	B5
SCP-EO-WH	B21
SCR2-112	H30
SCR3-212	H30
SCR4-3	H30
SCR4-312	H30
SCR5-4	H30
SCR6-5	H30
SCSUV	B8
SCSUVC	B8
SCZ2000	F15
SD	B69
SD112	G14
SD2-3-2M-4CP	H4
SD2-3-2M-4NB	H4
SD2-3-2M-4SCP	H4
SD2-3-2M-4SLCP	H4
SD2-3-2M-4SNB	H4
SD2-3-2M-4SPB	H4
SD2-3-2M-4SS	H4
SD2-3-2P-4CCP	H4
SD2-3-2P-4CNB	H4
SD2-3-2P-4CRCP	H4
SD2-3-2P-4CRNB	H4
SD2-3-2P-4SCCP	H4
SD2-3-2P-4SS	H4
SD2-3-2P-4SSSS	H4
SDC	B69
SDMAK10	D36
SDTBC	A4, B29
SDV	B8
SDW	D3
SE112	G14
SEIRB	D21, D35
SEL128A	A56
SET112-12	G3
SET112-6	G3
SET114-8	G3
SET214	A63
SF	B38, H26
SF112-6	B60
SFADT-LF	B48
SFADTD-LF	B48
SFDB	D30
SFHC112	B48
SFHC138	B48
SFK	B39, H26
SFSKC058-038-20	B41
SFSKL058-038-20	B41

PART NUMBER INDEX

BHC #	Page #
SFST114-12	G2
SFST12	G2
SFST4	G2
SFST6	G2
SFST8	G2
SFTT	D22
sfv	B23
SG	D18
SG1002A	A57
SG1003A	A57
SGC	D45
SGS	D18
SGSM	D45
SH10	B44
SH1009A	A58, A75
SH1010A	A58, A75
SH541ASD	A30, A58, A74
SH543ASD	A30, A58, A74
SHBS1	D47
SHBS1P	D47
SHFR	B8
SHGC1	E55
SHGC114	E55
SHGC12	E55
SHGC34	E55
SHH-WH	D44
SHH-YE	D44
SHP59	B8
SHPRC1	E51
SHPRC112	E51
SHPRC114	E51
SHPRC12	E51
SHPRC2	E51
SHPRC212	E51
SHPRC3	E51
SHPRC34	E51
SHS72	B8
SHWB	D14
SHWBSC	D14
SIC2	H18
SIC2-3	H17
SIC2-3BP	H17
SIC2BI	H18
SIC3	H18
SIC3-4	H17
SIC3-4BP	H17
SIC3BI	H18
SIC4	H18
SIC4BI	H18
SIC4H	H17
SICH3	H18
SICH4	H18
SID2	H15
SID3	H15
SID4	H15
SIDC112	H5
SIDC2	H5
SIDC3	H5
SIDC4	H5
SIDS3	H15
SIDS4	H15
SJE112-12	G4
SJE114-9	G4
SJN112	B60, G9
SJN112-114	B60, G9
SJN114	B60, G9
SJN2	B60, G9
SJN2-112	B60, G9
SJNB112	B60, G9
SJNB112-114	B60, G9
SJNB114	B60, G9
SJNB2	B60, G9
SJNBW112	B60, G9
SJNBW112-114	B60, G9
SJNBW114	B60, G9
SJNBW2	B60, G9
SJNP112	B60, G4
SJNP114	B60, G4
SJNPA112	B60
SJNPS112	B60, G4
SJNPS114	B60, G4
SJNW112	B60, G9
SJNW112-114	B60, G9
SJNW114	B60, G9
SJNW2	B60, G9
SJP10	D6
SJW112	B60, G9
SJW112-114	B60, G9
SJW114	B60, G9
SJW2	B60, G9
SJW2-112	B60
SJWP112	B61, G5
SJWP112-114	B61, G5
SJWP114	B61, G5
SJWP2	B61, G5
SJWS112	B61
SJWS112	G5
SJWS112-114	B61, G5
SJWS114	B61, G5
SJWSJ10	D6
SKC058-038-20C	B41
SKL058-038-20C	B41
SLCC58-112	B44
SLCD3	H33
SLCDS	H33
SLDG	D42
SLFRK	A62
SLNW	D2
SLSD	B68
SMA1	B11
SMA12	B11
SMA34	B11
SMG	C19
SMHA	B8
SMW-E-WH	B20
SMW-R-WH	B20
SN14	B35
SN516	B35
SO12-6M	B12, E44
SO12-8L	B12, E44
SOBS	B4
SOBS16-12-34C	F3
SOBSI16	F3
SOC14F	E60
SOE12-6	B12, E44
SOE12-8	B12, E44
SOE12P-6	B12, E44
SOE12P-6F	B12, E44
SOE12P-8	B12, E44
SOE34P-8	B12, E44
SOPC112	D34, H23
SOPC2	D34, H23
SOPC3	D34, H23
SOPC4	D34, H23
SOPC6	D34
SP040407HC	A60
SP050305	A60, B65
SP050775	A60, B65
SP16G12	F3
SP16G3	F3
SP16G3-5	F3
SP16G5-8	F3
SP16G6	F3
SP18G3	F3
SP18G3-5	F3
SP18G5	F3
SP18G6	F3
SP22G3	F3
SP22G6	F3
SPA12	B8
SPCFVB	A60
SPCV	E55
SPDK	E55
SPG050349	A60
SPG050350	A60
SPL3	D48, H44
SPL312	D48, H44
SPL4	D48, H44
SPR4	D26
SPR5	D26
SPRM4	D26
SPRRT	D26
SPSA14	D27
SPSS14	D27
SPTSRH	A60
SPUV	H18
SR1001A	A30, A58, A74
SR1002A	A30, A58, A74
SR1003A	A30, A58, A75
SR45-112	B61, G9
SR45-114	B61, G9
SRC112	B61, G9
SRC114	B61, G9
SRCTCP1	F9
SRCTCP112	F9
SRCTCP114	F9
SRCTCP12	F9
SRCTCP2	F9
SRCTCP34	F9
SRCTCP38	F9
SRE112	B61, G9
SRE114	B61, G9
SRG	B31
SRGAKC	A6, A9, A16, A38, A39, B32
SRGC	A16, B32
SRGG	A29, B32
SRGK	A38, B31
SRGM	A39, B32
SRIPB1	F8
SRIPB112	F8
SRIPB114	F8
SRIPB12	F8
SRIPB2	F8
SRIPB34	F8
SRIPG1	F8
SRIPG112	F8
SRIPG114	F8
SRIPG12	F8
SRIPG2	F8
SRIPG3	F8
SRIPG34	F8
SRK	A62
SRP-E-WH	B20
SRP-R-WH	B20
SRP-SE-WH	B20
SRP-SR-WH	B20
SRT112	B61, G9
SRV112	H18
SRV112	E61
SRV2	E61, H18
SRV3	E61, H18
SRV312	E61, H18
SRV4	E61, H18
SRVC4	E61
SS012-012Q-LF	B43
SS012-038-LF	B43
SS012-038Q-LF	B43
SS038-LF	B43
SS058-012-LF	B43
SS058-012Q-LF	B43
SS058-038-LF	B43
SS058-038Q-LF	B43
SS12-038-LF	B43
SS12-038Q-LF	B43
SS12-LF	B43
SS12C-038Q-LF	B43
SS12P-038-LF	B43
SS12P-038Q-LF	B43
SS12Q-LF	B43
SS12W-038-LF	B43
SS12W-038Q-LF	B43
SS15	D23
SS2	D23
SS38-LF	B43
SS38Q-LF	B43
SS5	D23
SSBS	B52
SSD	F3
SSDPP12	D15
SSDPP34	D15
SSF	B57
SSH	B56
SSH-CP	B56
SSH-WH	B56
SSH12	F4
SSH34	F4
SSH4524	C19
SSHF	D22
SSHR	D22
SSLPI1-0118	I9
SSLPI1-0138	I9
SSLPI1-0158	I9
SSLPI1-0178	I9
SSLPI1-0218	I9
SSLPI1-0238	I9
SSLPI1-058	I9
SSLPI1-078	I9
SSLPI12-0118	I8
SSLPI12-0138	I8
SSLPI12-0158	I8
SSLPI12-0218	I8
SSLPI12-0238	I8
SSLPI12-0258	I8
SSLPI12-058	I8
SSLPI12-078	I8
SSLPI34-0118	I9
SSLPI34-012	I9
SSLPI34-0138	I9
SSLPI34-0158	I9
SSLPI34-0178	I9
SSLPI34-0218	I9
SSLPI34-0238	I9
SSLPI34-034	I9
SSLPI34-058	I9
SSLPI34-078	I9
SSLPI38-0118	I8
SSLPI38-012	I8
SSLPI38-0138	I8
SSLPI38-0158	I8
SSLPI38-0218	I8
SSLPI38-0238	I8
SSLPI38-058	I8
SSLPI38-078	I8
SSMH	B58
SSPI12-0118	I8
SSPI12-0138	I8
SSPI12-0158	I8
SSPI12-0178	I8
SSPI12-0218	I8
SSPI12-0238	I8
SSPI12-0258	I8
SSPI12-0312	I8
SSPI12-0318	I8
SSPI12-0358	I8
SSPI12-0418	I8
SSPI12-058	I8
SSPI12-078	I8
SSPI38-0118	I8
SSPI38-0138	I8
SSPI38-0158	I8
SSPI38-0178	I8
SSPI38-0218	I8
SSPI38-0238	I8
SSPI38-0258	I8
SSPI38-034	I8
SSPI38-058	I8
SSPI38-078	I8
SSPPIE78	I9
SSPPIT78	I9
SSR1-5	B5
SSR1-5ACRH	B5
SSR1-5ACRHDC	B5
SSR1-5CRF1	B5
SSR1-5M	B5
SSR1-6	B5
SSR1-6CRF1	B5
SSR1-6M	B5
SSRC1	E50
SSRC112	E50
SSRC114	E50
SSRC12	E50
SSRC2	E50
SSRC212	E50
SSRC3	E50
SSRC34	E50
SSRC38	E50
SSRC4	E50
SSRC6	E50

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
SSRCL1	E50
SSRCL112	E50
SSRCL114	E50
SSRCL12	E50
SSRCL2	E50
SSRCL212	E50
SSRCL3	E50
SSRCL34	E50
SSRCL38	E50
SSRCL4	E50
SSRCL6	E50
SSRS1-5	B5
SSRT	D3
SSRV38Q	B43
SSS	F3
SSSS	H5, H25
SST	F3
SSTSF	G2
SSTSS	G2
SSTSSW	G2
SSU1	F6
SSU112	F6
SSU114	F6
SSU12	F6
SSU2	F6
SSU3	F6
SSU34	F6
SSU4	F6
SSW4	I5
SSWXP35	F15
SSXP20	F15
SSXP35	F15
ST10825	A64, B65
ST112	G1
ST114	G1
ST15003HC	A64
ST1805C	A64
ST1805H	A64
ST35003HC	A64
STBRP14	E57
STBRP38	E57
STBRP516	E57
STC112	D11
STC118	D11
STC218	D11
STCH	A64
STHC	E29
STLFRK	A64
STSVRK	A62
SUXPIT	F15
SV14-LF	C5, E62
SV500AA112	A13, A31, A57, A72
SV500AA114	A13, A31, A57, A72
SV500AA34	A13, A31, A57, A72
SV551A	A29, A56, A73
SV553A	A59
SVI14-LF	C5, E62
SW	D3
SW1	D3
SW11	D4
SW14	F10
SW2932	D1
SW316	F10
SW38	F10
SW4	D3
SW7	D4
SWD	D38
SWF	D21
SWS	D1
SWSD	B53
SWSSD2	H3
SWTB14-3	F10
SWTB14-4	F10
SWTB14-6	F10
SWTB316-4	F10
SWTB38-4	F10
SWTB38-6	F10
SWVF	D21
SXP20	F15
SXP35	F15
SYC5	A65
SYCB	E29
SYCB-LF	E29
SYCH	A65
SYCSO	E29
SYCSOB	E29
SYCSOM	E29
SYT1920	A65
SYT29A	A65
SYT29C	A65
SYT30	A65
SYT31	A65
SYT65	A65
SYTA10	A65
SYTA4	A65
T53B	B38
T53P	B38
TANW	G3
TAV112	B66, G17
TB	B16
TB14-3	F10
TB14-4	F10
TB14-6	F10
TB18	B70
TB18C	B70
TB24	B70
TB24C	B70
TB30C	B70
TB38-4	F10
TB38-6	F10
TB42-3	D37
TB45E1-LF	E5
TB45E112-LF	E5
TB45E114-LF	E5
TB45E12-LF	E5
TB45E12CP-LF	E3
TB45E14-LF	E5
TB45E18-LF	E5
TB45E1CP-LF	E3
TB45E2-LF	E5
TB45E34-LF	E5
TB45E34CP-LF	E3
TB45E38-LF	E5
TB45SE1-LF	E5
TB45SE112-LF	E5
TB45SE114-LF	E5
TB45SE12-LF	E5
TB45SE14-LF	E5
TB45SE18-LF	E5
TB45SE2-LF	E5
TB45SE34-LF	E5
TB45SE38-LF	E5
TB4N1	D14
TB58-18	B70
TB58-24	B70
TB58-30	B70
TBB58	B70
TBBC58	B70
TBBH2	B36
TBBH2S	B37
TBBH3	B37
TBBHA2	A6, A16, A23, A38, B37
TBBP2	B37
TBBP2S	B37
TBBW2	B36
TBBW2S	B37
TBBW3	B37
TBBWA2	A6, A16, A23, A38, B37
TBBWM3	A39, B38
TBC	B16
TBC1-LF	E5
TBC112-LF	E5
TBC114-LF	E5
TBC12-12-12	B16
TBC12-12-9	B16
TBC12-LF	E5
TBC12CP-LF	E2
TBC14-LF	E5
TBC18-LF	E5
TBC2-LF	E5
TBC34-LF	E5
TBC34CP-LF	E2
TBC38-LF	E5
TBC38CP-LF	E2
TBCA1-LF	E7
TBCA112-LF	E7
TBCA114-LF	E7
TBCA12-LF	E7
TBCA12CP-LF	E2
TBCA14-LF	E7
TBCA18-LF	E7
TBCA2-LF	E7
TBCA34-LF	E7
TBCA34CP-LF	E2
TBCA38-LF	E7
TBCA38CP-LF	E2
TBCO	B33
TBCOB	B33
TBCR	B32
TBCR-BI	B32
TBCR1-LF	E5
TBCR112-LF	E5
TBCR114-LF	E5
TBCR12-LF	E5
TBCR14-LF	E5
TBCR2-LF	E5
TBCR34-LF	E5
TBCR38-LF	E5
TBCRB	B32
TBCW	B16
TBCW2	B16
TBE1-LF	E4
TBE112-LF	E4
TBE114-LF	E4
TBE12-LF	E4
TBE12CP-LF	E2
TBE14-LF	E4
TBE18-LF	E4
TBE1CP-LF	E2
TBE2-LF	E4
TBE34-LF	E4
TBE34CP-LF	E2
TBE38-LF	E4
TBE38CP-LF	E2
TBFB12-38	B11, E6
TBFB34-12	B11, E6
TBFB38-14	E6
TBH	B69
TBHB1-12-LF	E6
TBHB1-14-LF	E6
TBHB1-34-LF	E6
TBHB1-38-LF	E6
TBHB112-1-LF	E6
TBHB112-114-LF	E6
TBHB112-12-LF	E6
TBHB112-14-LF	E6
TBHB112-34-LF	E6
TBHB112-38-LF	E6
TBHB114-1-LF	E6
TBHB114-12-LF	E6
TBHB114-14-LF	E6
TBHB114-34-LF	E6
TBHB12-14-LF	E6
TBHB12-18-LF	E6
TBHB12-38-LF	E6
TBHB12-38CP-LF	E3
TBHB14-18-LF	E6
TBHB2-1-LF	E6
TBHB2-112-LF	E6
TBHB2-114-LF	E6
TBHB2-12-LF	E6
TBHB2-34-LF	E6
TBHB212-2-LF	E6
TBHB34-12-LF	E6
TBHB34-12CP-LF	E3
TBHB34-14-LF	E6
TBHB34-18-LF	E6
TBHB34-38-LF	E6
TBHB38-14-LF	E6
TBHB38-18-LF	E6
TBHC	B69
TBHN12	E10
TBHN18	E10
TBHN34	E10
TBN1-2-LF	E8
TBN1-212-LF	E8
TBN1-3-LF	E8
TBN1-312-LF	E8
TBN1-312CP-LF	E2
TBN1-3CP-LF	E2
TBN1-4-LF	E8
TBN1-412-LF	E8
TBN1-4CP-LF	E2
TBN1-5-LF	E8
TBN1-512-LF	E8
TBN1-5CP-LF	E2
TBN1-6-LF	E8
TBN1-6CP-LF	E2
TBN112-10-LF	E9
TBN112-12-LF	E9
TBN112-2-LF	E9
TBN112-212-LF	E9
TBN112-3-LF	E9
TBN112-312-LF	E9
TBN112-4-LF	E9
TBN112-412-LF	E9
TBN112-5-LF	E9
TBN112-512-LF	E9
TBN112-6-LF	E9
TBN112-8-LF	E9
TBN112C-LF	E9
TBN114-2-LF	E9
TBN114-212-LF	E9
TBN114-3-LF	E9
TBN114-312-LF	E9
TBN114-4-LF	E9
TBN114-412-LF	E9
TBN114-5-LF	E9
TBN114-512-LF	E9
TBN114-6-LF	E9
TBN114C-LF	E9
TBN12-10-F	B9
TBN12-10-LF	E8
TBN12-10CP	E2
TBN12-112-LF	E8
TBN12-112CP-LF	E2
TBN12-12-LF	E8
TBN12-12CP	E2
TBN12-13CP	E2
TBN12-14CP	E2
TBN12-16CP	E2
TBN12-18	E8
TBN12-18CP	E2
TBN12-19CP	E2
TBN12-2-LF	E8
TBN12-212-LF	E8
TBN12-212CP-LF	E2
TBN12-24	E8
TBN12-24CP	E2
TBN12-2CP-LF	E2
TBN12-3-LF	E8
TBN12-30	E8
TBN12-30CP	E2
TBN12-312-LF	E8
TBN12-312CP-LF	E2
TBN12-36CP	E2
TBN12-3CP-LF	E2
TBN12-4-LF	E8
TBN12-412-LF	E8
TBN12-412CP-LF	E2
TBN12-4CP-LF	E2
TBN12-5-LF	E8
TBN12-512-LF	E8
TBN12-512CP-LF	E2
TBN12-5CP-LF	E2
TBN12-6-LF	E8
TBN12-6CP-LF	E2
TBN12C-LF	E8
TBN12CCP-LF	E2
TBN14-112-LF	E8
TBN14-2-LF	E8
TBN14-212-LF	E8
TBN14-3-LF	E8
TBN14-312-LF	E8
TBN14-4-LF	E8
TBN14-412-LF	E8
TBN14-5-LF	E8
TBN14-512-LF	E8

PART NUMBER INDEX

BHC #	Page #
TBN14-6-LF	E8
TBN14C-LF	E8
TBN18-112-LF	E8
TBN18-2-LF	E8
TBN18-212-LF	E8
TBN18-3-LF	E8
TBN18-312-LF	E8
TBN18-4-LF	E8
TBN18-412-LF	E8
TBN18-5-LF	E8
TBN18-512-LF	E8
TBN18-6-LF	E8
TBN18C-LF	E8
TBN1C-LF	E8
TBN2-212-LF	E9
TBN2-3-LF	E9
TBN2-312-LF	E9
TBN2-4-LF	E9
TBN2-412-LF	E9
TBN2-5-LF	E9
TBN2-512-LF	E9
TBN2-6-LF	E9
TBN212-4-LF	E9
TBN2C-LF	E9
TBN34-112-LF	E8
TBN34-12-F	B9
TBN34-2-LF	E8
TBN34-212-LF	E8
TBN34-2CP-LF	E2
TBN34-3-LF	E8
TBN34-312-LF	E8
TBN34-3CP-LF	E2
TBN34-4-LF	E8
TBN34-412-LF	E8
TBN34-4CP-LF	E2
TBN34-5-LF	E8
TBN34-512-LF	E8
TBN34-5CP-LF	E2
TBN34-6-LF	E8
TBN34-6CP-LF	E2
TBN34C-LF	E8
TBN38-112-LF	E8
TBN38-112CP-LF	E2
TBN38-12CP	E2
TBN38-2-LF	E8
TBN38-212-LF	E8
TBN38-212CP-LF	E2
TBN38-2CP-LF	E2
TBN38-3-LF	E8
TBN38-312-LF	E8
TBN38-312CP-LF	E2
TBN38-3CP-LF	E2
TBN38-4-LF	E8
TBN38-412-LF	E8
TBN38-412CP-LF	E2
TBN38-4CP-LF	E2
TBN38-5-LF	E8
TBN38-512-LF	E8
TBN38-512CP-LF	E2
TBN38-5CP-LF	E2
TBN38-6-LF	E8
TBN38-6CP-LF	E2
TBN38C-LF	E8
TBN38CCP-LF	E2
TBPC1	E7
TBPC112	E7
TBPC114	E7
TBPC12	E7
TBPC14	E7
TBPC2	E7
TBPC34	E7
TBPC38	E7
TBPH2	B36
TBPH2S	B37
TBPHA2	A6, A16, A23, A38, B37
TBPHA3S	A6, B37
TBPP2	B37
TBPP2S	B37
TBPR	B21
TBPR1-LF	E7
TBPR112-LF	E7
TBPR114-LF	E7
TBPR12-LF	E7
TBPR14-LF	E7
TBPR18-LF	E7
TBPR2-LF	E7
TBPR34-LF	E7
TBPR38-LF	E7
TBPS	B21
TBPW2	B36
TBPW2S	B37
TBPW3	B37
TBPWA2	A6, A16, A23, A38, B37
TBPWA3S	A6, B38
TBPWM3	A39, B38
TBRB	B33, D38
TBRC1-12-LF	E6
TBRC1-34-LF	E6
TBRC112-1-LF	E6
TBRC112-114-LF	E6
TBRC112-12-LF	E6
TBRC112-34-LF	E6
TBRC114-1-LF	E6
TBRC114-12-LF	E6
TBRC114-34-LF	E6
TBRC12-14-LF	E6
TBRC12-18-LF	E6
TBRC12-38-LF	E6
TBRC12-38CP-LF	E2
TBRC14-18-LF	E6
TBRC2-1-LF	E6
TBRC2-112-LF	E6
TBRC2-114-LF	E6
TBRC2-34-LF	E6
TBRC34-12-LF	E6
TBRC34-14-LF	E6
TBRC34-38-LF	E6
TBRC38-14-LF	E6
TBRC38-18-LF	E6
TBRE1-12-LF	E4
TBRE1-34-LF	E4
TBRE1-38-LF	E4
TBRE12-38-LF	E4
TBRE34-12-LF	E4
TBRE34-38-LF	E4
TBS24	B69
TBS24C	B69
TBS58-24	B70
TBSE1-LF	E4
TBSE112-LF	E4
TBSE114-LF	E4
TBSE12-LF	E4
TBSE12CP-LF	E2
TBSE14-LF	E4
TBSE18-LF	E4
TBSE2-LF	E4
TBSE34-LF	E4
TBSE34CP-LF	E2
TBSE38-LF	E4
TBT1-34-LF	E5
TBT1-LF	E5
TBT112-LF	E5
TBT114-LF	E5
TBT12-LF	E5
TBT12C12C12	E5
TBT12CP-LF	E2
TBT14-LF	E5
TBT18-LF	E5
TBT2-LF	E5
TBT34-LF	E5
TBT34C34C34	E5
TBT38-LF	E5
TBT38CP-LF	E2
TBU1-LF	E7
TBU112-LF	E7
TBU112C	E7
TBU114-LF	E7
TBU114C-LF	E7
TBU12-LF	E7
TBU12C	E7
TBU12CP-LF	E3
TBU14-LF	E7
TBU14C	E7
TBU18	E7
TBU18C	E7
TBU1C	E7
TBU1CP-LF	E3
TBU2-LF	E7
TBU34-LF	E7
TBU34C	E7
TBU34CP-LF	E3
TBU38-LF	E7
TBU38C	E7
TC	B66, G15
TC4	C2
TC5	C6
TCCRP112	D33
TCCRP2	D33
TCCRP3	D33
TCCRP312	D33
TCCRP4	D33
TCF112	B61, G17
TCF114	B61, G17
TCF114-112	B61, G17
TCM112	B61, G17
TCM114	B61, G17
TCM114-112	B61, G17
TCS5	C6
TCT12-3	D30
TCT38-3	D30
TCTP112	D32
TCTP2	D32
TCTP3	D32
TCTP4	D32
TCTPC2	D32
TCTPC3	D32
TCTPC4	D32
TCVSP	B64, D13
TD	D38
TDB112-114	B14, G14
TDB2316-178	A35
TDB2316-178	B14, G14
TDRT	D2
TDSW	D2
TDVD18-30	C2
TDVD24-41	C2
TE112	G14
TE112-2	G14
TE112-2C	G14
TE12-34	B11
TET2	C20
TET4	C20
tfa1-LF	E36
Tfa12-LF	E36
tfa34-LF	E36
TFAK	A37, B17
TFB	B30
TFBC	B30
TFVW	D2
TG	D22
TGP10	D6
TGP12	D6
TGP16	D6
TGP7	D6
TGP912	D6
TGPS10	D6
TH1512	C18
TH2524	C18
TH3524	C18
TH4524	C18
TH5524	C18
TL1	B17
TL10	B17
TL12	A38, B19
TL13	B17
TL1D	B17
TL1DM	B17
TL2	B17
TL25-16	D40
TL2P	B17
TL3	B17
TL4	A7, A9, B18
TL5	A40, B19
TL50-16	D40
TL6	A40, B19
TL7	A24, B20
TL8	A38, B19
TL9	B17
TLA	D16
TLAS28	A7, B19
TLAS28W	A7, B19
TLAS4-8	A7, A16, A24, A25, A28, B18
TLAS4-8W	A7, A16, A24, A25, A28, B18
TLAS6	A7, B18
TLASN4-8	A7, B19
TLASN4-8W	A7, B19
TLASS	A7, B19
TLCC	B54
TLFA	B18
TLFA-BO	B18
TLFA-OB	B18
TLFA-PB	B18
TLFA-SN	B18
TLFA-WH	B18
TLOF	B17
TLP	D16
TLT	A24, A68, B19
TLT2	A24, B20
TLU	B20
TLUR	A70, B20
Tma12-LF	E36
tma34-LF	E36
TMH	D22
TMPCA10	I4
TOBF-BP	A68, B27
TOBF-BX	A68, B27
TORF-BP	A68, B27
TORF-BX	A68, B27
TP112	D32
TP112-8	B62
TP114-8	B62
TP14	G14
TP14-60-30	B16
TP16-60-30	B16
TP16-60-30NF	B16
TP16-60-42	B16
TP16-66-30	B16
TP18-60-32R	B16
TP18-72-36	B16
TP2	D32
TP20-60-42	B16
TP20-72-42	B16
TP3	D32
TP38	G14
TP4	D32
TP516	G14
TP6	D32
TPH	B68
TPHC	B68
TPHS	D9
TPHSB	D9
TPHSM	D9
TPOFP	G14
TPR3	B68
TPR38	B68
TPRC38	B68
TPWF112	B61, G5
TPWFS112	B61
TPWFS112	G5
TR50	D35
TS058-038-014-LF	B42
TS058-038-014Q-LF	B42
TS058-038-LF	B42
TS060X	A67
TS061X	A67
TS063X	A67
TS068X	A67
TS10	D10
TS112145	A66
TS12	D10
TS2	H32
TS2140	A66
TS238A	A67
TS271140	A68
TS271240	A68
TS285140	A67
TS285640	A66
TS3	H32

BRAXTON HARRIS CO., INC.

6.1.25

PART NUMBER INDEX

BHC #	Page #
TS64L	A68
TS66L	A68
TS786145	A66
TS8	D10
TS82140	A66
TS88845	A66
TSA	B10
TSAND	B11
TSB	B69
TSB0107	A66
TSB010901	A66
TSB0502	A67
TSB0509	A67
TSB0968RK01	A67
TSB0969rk01	A67
TSB212	B21
TSB44H	A66
TSB60H	A66
TSB72H	A66
TSB9K	A67
TSBD	B10
TSBSA	B10
TSBWH4CH	A67
TSC01	F1
TSC012	F1
TSC014	F1
TSC034	F1
TSC038	F1
TSC112	F1
TSC114	F1
TSCP1	F1
TSCP112	F1
TSCP114	F1
TSCP12	F1
TSCP12-10	F1
TSCP2	F1
TSCP34	F1
TSCP34-10	F1
TSE3	B11
TSE434	B11
TSF2-112	H31
TSF3-212	H31
TSF4-3	H31
TSF4-312	H31
TSF5-4	H31
TSF6-5	H31
TSH	B21
TSHB	B21
TSHS	B21
TSND	B10
TSNDC	B10
TSO	B10
TSO-PB	B10
TSOC	B10
TSSSA	B10
TST4-2	H34
TSTB	B29
TSTB3	B29
TSTSA	B10
TT1-260	D39
TT1-520	D39
TT12-260	D39
TT12-260CD	D39
TT12-520	D39
TT12-520CD	D39
TT18	D46
TT34-260	D39
TT34-520	D39
TTD	B13
TTD138	B13
TTL	A38, A68, B19
TTPC112	D34, H22
TTPC2	D34, H22
TTPC3	D34, H22
TTPC4	D34, H22
TTPC6	D34, H22
TTPCD112	D34
TTPCD112	H23
TTPCD2	D34
TTPCD2	H23
TTPCD3	D34
TTPCD3	H23
TTPCD4	D34
TTPCD4	H23
TTRC38	B13
TTRC516	B13
TTRCG	B13
TTWT	G11
TTWT-AP	G11
TTWT-CP	G11
TTWT-FB	G11
TTWT-NP	G11
TTWT-OB	G11
TTWT-PB	G11
TTWT-SB	G11
TTWT-SN	G11
TTWT1	G11
TTWT1-AP	G11
TTWT1-CP	G11
TTWT1-FB	G11
TTWT1-NP	G11
TTWT1-OB	G11
TTWT1-PB	G11
TTWT1-SB	G11
TTWT1-SN	G11
TTY12-260	D39
TW1SC	B66, G15
TW2S1OC	B66, G15
TW2SC	B66, G15
TYBC12-LF	E9
TYBC14-LF	E9
TYBC18-LF	E9
TYBC34-LF	E9
TYBC38-LF	E9
TYBCA12-LF	E10
TYBCA14-LF	E10
TYBCA18-LF	E10
TYBCA34-LF	E10
TYBCA38-LF	E10
TYBE12-LF	E9
TYBE14-LF	E9
TYBE18-LF	E9
TYBE38-LF	E9
TYBHB12-14-LF	E10
TYBHB12-18-LF	E10
TYBHB12-38-LF	E10
TYBHB14-18-LF	E10
TYBHB34-12-LF	E10
TYBHB34-14-LF	E10
TYBHB34-38-LF	E10
TYBHB38-14-LF	E10
TYBHB38-18-LF	E10
TYBN12C-LF	E10
TYBN14-112-LF	E10
TYBN14-2-LF	E10
TYBN14C-LF	E10
TYBN18-112-LF	E10
TYBN18-2-LF	E10
TYBN18C-LF	E10
TYBN38-112-LF	E10
TYBN38-2-LF	E10
TYBN38C-LF	E10
TYBPR12-LF	E10
TYBPR14-LF	E10
TYBPR18-LF	E10
TYBPR34-LF	E10
TYBPR38-LF	E10
TYBSE12-LF	E9
TYBSE14-LF	E9
TYBSE18-LF	E9
TYBSE38-LF	E9
TYBT12-LF	E9
TYBT14-LF	E9
TYBT18-LF	E9
TYBT38-LF	E9
UB1709	A69
UB1839A	A69
UB2632	A69, B65
UB2634	A69, B65
UBC12	F6
UBC38	F6
UD2D	H25
UD2I	H25
UDC	H15
UEK4	C2
UFH1512	C18
UFH4524	C18
UFK	A6, A17, A24, A31, A38, H25
UH5	C11
UHB	D36
UHH	D36
UHL	D36
UHT	D36
UK6	D35
UK7	D35
UKB	D35
ULLWS	B30
ULW8	B30
ULW9	B30
UMW-E-WH	B20
UN1732-24-38	A76
UN1732-24-38	B65
UR263	A70
UR267	A70
UR50	D35
URP9354	A69
URR1003	A70
URR1005	A69
URR1019	A70
URRB6	C20
URRB8	C20
URRP6	C20
URRP8	C20
URRR6	C20
URRR8	C20
US	B4
US15	D36
US21	D36
US31	D36
US41	D36
USIK	B45
USRG	B31
USRGF	B31
UT18	C19
UT24	C19
UT30	C19
UT36	C19
UT48	C19
UTT	D17
VB-CP	B8, E58
VB10	H23
VB612	H23
VBL10	H23
VBL612	H23
VBOLT3-PART	H22
VBOLT4-PART	H22
VC	H43
VCFVS	A75, A76, B29
VG2	D27
VHCM4	C2
VHCN3-4	C2
VHWGC4	C2
VLFRK	A71
VSC	D27
VSC14	D27
VSH2-12	D4, E58
VSH2-16	D4, E58
VSH2-325	D4, E58
VSWAS	D1
VSWAT	D1
VSWSS	D1
VSWST	D1
VT01-50	C7
VT0114-50	C7
VT0118-50	C7
VT012-100	C7
VT012-14-100	C7
VT012-38-100	C7
VT014-100	C7
VT0316-100	C7
VT034-100	C7
VT034-58-100	C7
VT038-100	C7
VT0516-100	C7
VT058-100	C7
VT058-38-100	C7
VT0716-100	C7
VT078-100	C7
VT0916-100	C7
VV1001	A71
VV4268	A71
VV5002	A61, A71
VV6679	A22, A71
VV6680	A10, A22, A70
VV6804	A22, A71
VV6860	A71
VV7059	A71
VV7800	A72
VV7815	A72
VV7815D	A72
VVP1964-LF	A10, A22, A70
VVP1965	A10, A22, A71
WA887170	A76
WA887171	A76
WA887172	A76
WAL10	I1
WALPC10	I1
WB	C8, C9
WB-FP	C8, C9
WB-LH	C8
WB30	D18
WBB1	D18
WBB112	D18
WBB114	D18
WBB118	D18
WBB12	D18
WBB34	D18
WBB38	D18
WBB58	D18
WBB78	D18
WBBD	C10, E52
WBBD58	C10, E52
WBC-AC	C8
WBC-ACH	C8
WBC-AL	C8
WBC-ALH	C8
WBC-AR	C8
WBC-ARH	C8
WBC-ARL	C8
WBC-ARLH	C8
WBC-U	C9
WBC-UH	C9
WBCS10	I3
WBF	C9, C10
WBF-FP	C9, C10
WBFC-AC	C9
WBFC-ACH	C9
WBFC-U	C10
WBFC-UH	C10
WBFM-AC	C9
WBFM-ACH	C9
WBFM-U	C10
WBFM-UH	C10
WBFP-AC	C9
WBFP-ACH	C9
WBFP-U	C10
WBFP-UH	C10
WBFW-AC	C9
WBFW-ACH	C9
WBFW-U	C10
WBFW-UH	C10
WBM-AC	C8
WBM-ACH	C8
WBM-AL	C8
WBM-ALH	C8
WBM-AR	C8
WBM-ARH	C8
WBM-ARL	C8
WBM-ARLH	C8
WBM-U	C9
WBM-UH	C9
WBMF	C9
WBP-AC	C8
WBP-ACH	C8
WBP-AL	C8
WBP-ALH	C8
WBP-AR	C8
WBP-ARH	C8

PART NUMBER INDEX

BHC #	Page #
WBP-ARL	C8
WBP-ARLH	C8
WBP-U	C9
WBP-UH	C9
WBW-AC	C8
WBW-ACH	C8
WBW-AL	C8
WBW-ALH	C8
WBW-AR	C8
WBW-ARH	C8
WBW-ARL	C8
WBW-ARLH	C8
WBW-U	C9
WBW-UH	C9
WC1	D15
WC12	D15
WC34	D15
WD40-12	D47, I6
WD40-2	I6
WD40-3	I6
WD40-8	D47, I6
WFB1	D24
WFB112	D24
WFB114	D24
WFB12	D24
WFB12BK	D24
WFB14	D24
WFB2	D24
WFB34	D24
WFB34BK	D24
WFB38	D24
WGG58-10	D29
WGG58-12	D29
WGG58-14	D29
WGG58-24	D29
WGGC	D30
WGGN	D30
WGGW	D30
WGS	D29
WGTG	D28
WH7	C20
WH72	C20
WH74	C20
WH84	C20
WHA12M-LF	E45
WHA34M-LF	E45
WHAC12-LF	E45
WHACT38-LF	E45
WHAFSMH34-LF	E45
WHAMC12-LF	E45
WHAP12-LF	E45
WHC34-12-LF	C15
WHC34-15-LF	C15
WHC34-18-LF	C15
WHC34-24-LF	C15
WHC34FC12-LF	C15
WHC34FC15-LF	C15
WHC34FC18-LF	C15
WHC34FC24-LF	C15
WHC34FM12-LF	C15
WHC34FM15-LF	C15
WHC34FM18-LF	C15
WHC34FM24-LF	C15
WHCCS34-12-LF	C16
WHCCS34-15-LF	C16
WHCCS34-18-LF	C16
WHCCS34-24-LF	C16
WHCCS34M-12-LF	C16
WHCCS34M-15-LF	C16
WHCCS34M-18-LF	C16
WHCCS34M-24-LF	C16
WHCMA-LF	C16
WHCS34-12-LF	C16
WHCS34-15-LF	C16
WHCS34-18-LF	C16
WHCS34-24-LF	C16
WHCW	C16
WHDV	C16
WHDVB-LF	C16
WHP	H5
WHP18	C15
WHP20	C15
WHP22	C15
WHP24	C15
WHP26	C15
WHP30	C15
WHPF	C15
WHPFC	C15
WHPG22	C15
WHPG24	C15
WHPG26	C15
WHPG28	C15
WHPG30	C15
WHPRA22	C15
WHPRA24	C15
WHPRA26	C15
WHPRA30	C15
WHPRAC22	C15
WHPRAC24	C15
WHPRAC26	C15
WHPRAC30	C15
WHS	C14
WHS20	C14
WHS27	C14
WHTA	C19, D29
WHTAS	D29
WHTGK	B33
WHTS	C19, D29
WHTSS	D29
WHUGK	B33
WLPC10	I1
WM	C11
WMATC	D29
WMATH	D29
WMB	H23
WMB10	H23
WMB10L	H23
WMBE6	H24
WMBK	D13, H24
WMBL	H23
WMBLCI	H23
WMBMRL	H23
WMBRLCI	H23
WMBSC	H23
WMBSCL	H23
WMBWK	D13, H24
WMC1-LF	E47
WMC12-LF	E47
WMC34-LF	E47
WMCBW	D13
WMCG1	E47
WMCG12	E47
WMCG34	E47
WMDH1	C11
WMDHC	C11
WMIH12-4-BG	C11
WMIH12-5-BG	C11
WMIH12-6-BG	C11
WMIH4-BG	C11
WMIH5-BG	C11
WMIH6-BG	C11
WMIHE4-BG	C11
WMIHE5-BG	C11
WMIHE6-BG	C11
WMIHSS4	C11
WMIHSS5	C11
WMIHSS6	C11
WMIHSSE4	C11
WMIHSSE4-BG	C11
WMIHSSE5	C11
WMIHSSE5-BG	C11
WMIHSSE6	C11
WMIHSSE6-BG	C11
WMK12-27	D14, H24
WMK12-3	D14
WMK12-30C	D14, H24
WMK12-36	H24
WMK34-36	D14, H24
WMK34-60	D14, H24
WMK58-27	D14, H24
WMK58-30C	D14, H24
WMK58-36	D14, H24
WMK58-60	D14, H24
WMSA10	I4
WMSF12-LF	B57
WMSF8-LF	B57
WMSP	C12
WN	B38
WNB	D41
WNO	D41
WNP	B38
WNR	D41
WNR50	D41
WNTPA2	H42
WNTPA3	H42
WNTPA4	H42
WNTPA6	H42
WNTPS10	H42
WNTPS12	H42
WNTPS2	H42
WNTPS3	H42
WNTPS4	H42
WNTPS5	H42
WNTPS6	H42
WNTPS8	H42
WNY	D41
WOSW	B13
WOW	B13, G14
WPK	D32
WPP10	D6
WPP11	D6
WPP7	D6
WR	B38
WRJ	B38
WRP	B38
WRPJ	B38
WRU	B38
WS10-112	F10
WS12-1	F10
WS12-112	F10
WS12-114	F10
WS12-2	F10
WS12-212	F10
WS12-3	F10
WS14-112	F10
WS14-114	F10
WS14-2	F10
WS14-212	F10
WS14-3	F10
WS14-4	F10
WSC112-10	D23
WSC112-25	D23
WSC112-5	D23
WSH4	D44
WSS10	I2
WSS3	I2
WSSH1	B7
WSSHVC1	B7
WT15	G3
WT20	G3
WT3	D40
WT7	G3
WTD15	G3
WTD20	G3
WTD7	G3
WTG300	D29
WTGI160	D29
WTGI300	D29
WTP	B53
WTS112	H5
WTS114	H5
WTS2	H5
WTS3	H5
WTS312	H5
WTS4	H5
WTS6	H5
WTTC5	I1
WTTSS10	I2
WTTSS10B	I2
WV12C-PR	C10
WV12CB	C10
WV12CH-PR	C10
WV12CHB	C10
WV12CHR	C10
WV12CR	C10
WV12M-PR	C10
WV12MB	C10
WV12MH-PR	C10
WV12MHB	C10
WV12MHR	C10
WV12MR	C10
WV12P-PR	C10
WV12PB	C10
WV12PH-PR	C10
WV12PHB	C10
WV12PHR	C10
WV12PR	C10
WV12W-PR	C10
WV12WB	C10
WV12WH-PR	C10
WV12WHB	C10
WV12WHR	C10
WV12WR	C10
WVC	B8
WVCP	B8
XLLG	D43
XLNG	D43
YLC	D37
ZIPZB12	D45
ZIPZB12XL	D45
ZIPZB14	D45
ZSH2	B7
ZVB	A72
ZZ6000	A72
ZZ6000EC	A72
ZZ6000EU	A73

BRAXTON HARRIS CO., INC.

6.1.25

PRODUCT INDEX

Symbols

2" offset closet flange H1
4-way offset closet flange H1
6 volt battery D41
6 volt waterproof flashlight D41
45° closet flange H1

A

Access cover H21
Access panel H21
Acid brushes D19
Acorn cap nuts B35
Actuating unit
High profile A5
Low profile A4,A5
Actuator
Lift chain kit A5
Adapter
Chrome plated E3
Compression E32
Female, copper E24
Garden hose E28
Gas connector, flare E35
Hose barb, brass E40
Hose barb, nylon E36
Insert, red brass E39
Male, copper E25
Male, forged brass E27
Male, plastic push-on E1
Marvel B11,G3
PEX, brass E43
Poly E38
Transition female E36
Transition male E36
Trap G3
Add-a-shower B4,B6
..... 3
Adhesive
Construction I4
Multi-seal I4
Plumbers goop I4
Spray I4
Adjustable sink trap G6
Adjustable urinal flange H3
Aerator
Adapter A3,A21,A35,A53,A69,B50
Dual thread B48
Female adapter A11
Flow restrictor disc B50
Non-slotted A11,A35,A53,A60,A66,A69,B48
Slotted B49
Snap fitting B50
Swivel spray B50
Vandal proof B50
Air admittance valve B66,C12,G17
Air cock E59
Air gap B65,C12
Air pump D30
Air vent G17
Allen wrench D5
Aluminum foil tape D39
Anchor
Faucet hose E30
Anchor kit D36
Angle pattern wing nut test plug H42
Angle valve supply stop wrench D1
Asbestos-free gasket F14
Aviation snips D10

B

Backwater device H15
Backwater valve E61,H20
Backwater valve flapper with seal E62
Ballcock A32,B22
Brass A39,B22
Coupling nut B22
Diaphragm A16
Kit/float assemlby A37
Piston repair kit A12
Plunger with cap seal A37
Repair kit A12,A32,A37,A39,A70
Shank locknut B22
Shank washer B22
Ballcock repair A4
kit A9
Kit A24
Ball valve
CPVC E51
Full port, brass E51
Full port, PEX E52
Gas appliance E53
PVC E51
Bar plug B53
Bar sink faucet B57
Bar sink waste socket drain B53
Basin
Drain stopper A3
Basin faucet B57
Basin locknuts B45
Basin nut, plastic B45
Basin rosettes B45
Basin & tub stopper B14
Basin wrench D1
Basket strainer B51
Deep cup B52
Double cup B51
Easy connect B51
Flat-top grid B52
Friction washer B59
Junior duo B52
Locknut B59
Relacement basket B53
Spin & seal B52
Washer kit B59
Bastard file D18
Bath drain stopper G13
Bath drain strainer A31
Bath drain strainer body A31
Bath faucet coupling elbows B5
Bathroom fan vent kit C3
Bathtub protectors B16
Bath waste G10
Bath waste fitting G14
Bath waste trim kit G13
Batteries D42
Beaded chains B15
Beam clamp F6
Bell gas test gauge assembly D28
Bell style copper clad pipe hanger F8
Bell trap H33
Bending spring D14
Bibb screw B62
Bibb washer B63
Bimetal dial thermometer D28
Binder twine D35
Bit holder, magnetic D15
Blind plug H42
Boiler drain E52
Boiler gauge D28
Boiler plug E56
Bolt cutter D18
Bonnet A12,A32
Bore donut E48
Boric acid roach & ant killer D46
Box
Corrugated tub B16
Plastic tub B16
Sewer H31
Storage D17
Valve H23
Water meter H23
White bin D38
Box of rags D46
Brass shower arm B9
Brazzing rods D23
Bucket D21
Bucket caddy D17
Bushing
Double tap E57
Tub drain conversion G14

C

Cable drive drain G11
Cable saw D7
Cable tie D34
Cablz® eyewear retainer D45
Cam strap D36
Candle/lamp wick packing B63
Canister auger drain cleaning tool D30
Canister seal B28
Canister seal for flush valves A75,A76
Cap
Bronze E7
Chrome plated E2
Compression E31
Copper E23
Flare E33
Garden hose E28
Malleable iron E14
Yellow brass E10
Cap assembly A19
Carbon monoxide detector D41
Carpenters pencil D37
Carton sealing tape D38
Cartridge
Pressure balancing A75
Cartridge extractor tool D12
Cartridge puller A43,D12
Caulk
Acrylic latex I1
Painters I1
Siliconized acrylic latex I1
Tub & tile I1
Caulk gun D21
Caulking tool D14
Caution tape D39
Cement
Asphalt I4
Plastic roof I4
Shower pan liner I4
Chalk line plumb bob D16
Check valve E55
Chip brush D20
Clamp-on lamp D41
Claw pick-up tool D14
Cleanout
Cast Iron H30
Cast iron, push-on H30,H31
Cover plate H21
Extension cover set H18,H26
Flush-fit H17
General purpose H17
Inside caulk reading style H33
Inside pipe fit H17
Pipe fit base H16
Plug H27
Snap-in H17,H18
Cleanout plug H29
Cleanout repair plug D33
Cleanout ring H15
Clean-out/test cap D34
Clean-out test plug D33
Clevis hanger F7
Clog buster D30
Close-quarter mini hacksaw D8
Closet
Base plate B21
Bolt B32,B33
Bolt cap B32
Cleaning tool D30
Flange, 2" offset H1
Flange, 4-way offset H1,H32
Flange, 45° H1
Flange, brass H25
Flange, cast iron H31
Flange, extension kit H2

PRODUCT INDEX

Flange, fat-fit H1
Flange, long barrel H2
Flange, no-hub H31
Flange, push-in H2,H32
Flange, push-in repair H2
Flange, quick set H32
Flange, reducing H32
Flange repair ring H26
Flange, spacer kit H2
Flange support H26
Flush valve repair kit A74
Flush vavle repair kit A30
Foam bend spacer B16
Gasket kit B33
Inside parts kit A72
Leather repair kit A14
Nose cone B41
Paper holder B67
Piston assembly cartridge A57
Rebuild kit A14,A16
Relief valve A29,A57,A73
Repair kit A30
Screw B36
Shut-off valve repair kit A30,A74
Shut-off vavle repair kit A58
Sponge gasket B38
Spud B31
Spud friction ring B31
Spud replacement washer B31
Styrofoam flange spacer B16
Supply kit B41
Tall bend spacer B16
Water-saver repair kit A30
Wax ring gasket B38

Closet connector
PVC B40
Stainless steel B40

Closet flange repair ring B39
Closet flange spacer kit B33,B39
Closet flange support B39

Closet riser tube
Copper B40
PEX B41

Cloth plunger disc D31
Combination test plug D32
Commercial drain H6
Commercial lavatory grid drain G16
Commercial sponge D46
Commercial swing-spout A67
Compound pressure/vacuum gauge D27

Compression coupling
Bronze E45
CPVC E46
Malleable iron E45
PVC E46

Compression sleeve puller D1,D13

Compression tee
Bronze E46
PVC E46

Connector
Compression E32

Continuous waste
Center outlet G2,G6
End outlet G1,G6

Continuous waste cover G15
Conversion bar B13,G14
Conversion trim kit G11
C.O. Plug G16
"Copper boy" pipe hook F2
Copper cleaning pads D24
Copper coated nail F2
Copper sizing tool D11
Copper swedge tool D11
Corrugated tub boxes B16
Cotton plumbers towels D45
Cotton terry towels D46
Countersunk plug H18

Coupling
Bronze E5
Chrome plated E2,E3
Compression E32
Compression, bronze E45
Compression, CPVC E46
Compression, malleable iron E45
Compression, PVC E46
Copper E23
Crossover, copper E24
Double-slip G3
Expanding repair, PVC E46
Flare E34
Garden hose, repair E29
Hose barb, nylon E37
Insert, red brass E39
Malleable iron E12
No-hub E47
PEX, brass E42
Plastic push-on E1
Poly E38
Reducer, copper E26
Reducing, bronze E6
Reducing, chrome plated E3
Reducing, malleable iron E12
Reducing, plastic push-on E1
Repair B61
Repair, copper E46
Repair, slip G9
Water meter E47
Yellow brass E9

Cover plates B15
Cover tube, brass G8
Cowl nut A59
Crescent wrench D5

Cross
Bronze E5
Malleable iron E14

Crumb cup B54
Cutting oil I6

D

Deburring tool D11
Delrin compression sleeve E31
Deluxe pipe saw D8
Dial thermometer D28
Diaphragm A25
Dielectric insulation kit F14
Dielectric nipple C17
Dielectric union C17

Dielectric union sleeve/insert
SLEEVES/INSERTS C18

Dielectric union washer/gasket C18

Dishwasher
Air gap B65,C12

Dishwasher branch tailpiece G3,G7
Dishwasher connector C13
Dishwasher/disposal connector C12
Dishwasher drain hose C13
Dishwasher inlet hose C12
Disposable coveralls D44
Disposal kit G2,G6
Disposal wrench D5
Dissolvable pipe plug D15
Diverter converter plug A44
Diverter stem A62
Double offset G2,G7
Double offset bath supplies B5
Double-slip coupling G3
Double slip elbow B61
Double-slip elbow G9
..... G3
Double tap bushing E57

Drain
Bell trap H14
Commercial H6,H36
Floor H14
General purpose H13
Heavy traffic commercial H15
Inside pipe fit H14
Kentucky inside caulk H33
Lift & turn tub B13
Pipe fit base H10
Pipe with Ohio sytle grate H33
Roof H15,H34
Slab H40
Snap-in H15
St. Louis code H33
Toe-touch tub B13
Trip lever tub B14

Drain brush, super flexible D30
Drain cap E53
Drain cock E58

Drain cover
Snap-in H5

Drain pipe opener D46
Drain protector H5
Drain ring H15
Drain trap connector, flexible B62
Drill bit, masonry D17
Drill point tech screw F9
Drinking fountain bubbler B59
Drinking fountain faucet/bubbler B59
Drop cloth D21
Drop-ear elbow B9,E27
Drop-in anchor F9
Drum trap cover H28
Drum trap plug wrench D1,H28
Dryer cord C3
Dryer vent box C2
Dryer vent duct C1
Dryer vent duct, telescoping C2
Dryer vent hood C1
Dryer vent hose C1
Dryer vent hose clamp C2
Dryer vent kit C3
Drywall saw D8
Dual auger wood bit D18
Dual-fit test cap D34
Dual supply stop wrench D1
Dual-tite gasket E49
Duct strap for HVAC D35
Duct tape D38
Dust mask D44

E

Ear plug D44

Elbow
45°, bronze E5
45°, Copper E22
45°, malleable iron E10
90°, bronze E4
90°, compression E32
90°, copper E22
90° flanged sink, brass E4
90°, flare E35
90°, forged brass E27
90°, hose barb, nylon E36
90°, malleable iron E11
90°, PEX, brass E42
90°, plastic push-on E1
90°, poly E38
90° street, chrome plated E2
90°, yellow brass E9
Baffle twin G4
Compression, 90° chrome plated E3
Double slip B61,G9
Double-slip G3
Drop-ear B9,E4,E27
Drop-ear, PEX, brass E42
Flanged sink 90° B62
Hose barb, brass E41
Insert, red brass E39
Male adapter, plastic push-on E1
Reducing 90°, malleable iron E11
Shower-stall B9
Stub out B12
Twin B11

Electrical tape D38
Electric range cord C20
Electric range knob C21
Electric range reflector pan C20

BRAXTON HARRIS CO., INC.

6.1.25

PRODUCT INDEX

Element wrench breaker bar D4
Escutcheon
- Bell A11
- Deep box G1
- Nipple for shower valve A48
- Nipple, nylon A9
- Nipple, rubber A15,A27
- Nipple, threaded A11,A22
- Sleeve A9,A26,A42,A50
- Threaded dome A65
- Tub/shower valves, hexagon A49
- Tub/shower valves, new-style A50
- Tub/shower valves, oval A56
- Tub/shower valves, round A49
- Tub/shower valves, teardrop A49
- with set screw A9,A26

Escutcheon Nipple A2
Evaporation cooler drain E28
Expansion tank C20
Extension cover H28
Extension kit
- Extend-a-drain H5

Extension kit, closet flange H2
Extension piece
- Malleable iron E14

Extension tube G3,G7

F

Face bushing B11,E6
Faucet
- Barrel A2
- Bar sink B57
- Basin B57
- Bibb washer B62
- Brass ball A18
- Cap assembly A19
- Cartridge A1,A8,A10,A11,A20,A22,A25,A26,A32,A45,A46,A70
- Commercial Chinese range B57
- Diverter stem A20,A26,A47
- Drinking water B58
- Fit-all handle B58
- Handle A2,A18
- Heat-proof grease B63
- Hole cover B47
- Kitchen handle A42
- Laundry tray B58
- Leg tub B4
- Locknut B45
- Metering cartridge A8
- Mounting kit B56
- Plastic ball A18
- PVC Connectors A21
- Rebuild kit A3,A19,A20,A27,A42,A49,A62
- Repair kit A3,A10,A26,A61
- Replacement handle adapter A21
- Seal A1,A15
- Seat A4,A9,A11,A23,A28,A35,A53,A56,A63,A69,A76,B64
- Seat assembly A21
- Seat gauge B64,D2
- Seat kit B64
- Seat repair kit A65
- Service sink B57
- Stainless steel ball A18
- Stainless steel connectors A21
- Stem A1,A2,A16,A33,A47,A54,A60,A61,A64
- Stem & cartridge lubricant B63
- Stem extender A20
- Stem repair kit A11
- Wall mount B57

Faucet connector
- PVC B40
- Stainless steel B39

Faucet handle puller D12
Faucet hose anchor E30,E58
Faucet reseater D12
Faucet riser tube
- Copper B40
- PEX B40

Faucet/valve handle puller D11
Ferrule H31
FHA strap F4
Fiberglass/acrylic shower stall drain H3
Fiberglass patch I5
Filament strapping tape D39
Fill valve wrench D2
Fit-all stopper B14
Fitting brush D24
Fitting removal key B42,D12
Fitting saver tool D7
Flange
- Garbage disposal B54
- Jumbo shower rod B6
- Low pattern G1
- Shower arm B9
- Shower rod B6

Flange connection kit F11
Flanged hi-way insert G4
Flanges
- Bell pattern B1
- Deep box B1
- Low pattern B1
- Low pattern, plastic B2

Flapper A16,A23,A29
- 3-way A16,B23
- Adjustable B28
- Backwater valve, with seal H20
- Blue A13,A37,B23,B24
- Blue, jumbo A39
- Blue, with foam float A6,B24
- for one-piece closet A5,A13,A36,A68,B24
- High dome A29
- Hinged "T" back B26
- Jumbo A6,A23,A36,B24
- Jumbo blue A68
- Jumbo red A68
- Korky® B27
- Red A5,B24
- Red, shark-fin B26
- Regular B23

Flaring tool D11
Flat-fit closet flange H1
Flat sewer rod D30
Flat washer F10
Flexible clean-out cap E48
Flexible coupling replacement clamp E48
Flexible drain & trap connector E48
Flexible drain trap J-bend E48
Flexible reinforced PVC faucet connectors A21
Flexible saddle fitting E47
Flexible stainless steel faucet connectors A21
Flexible strainer B53
Flexible test cap E49
Flexible transition coupling E48
Flexi-extension G4
Flint lighter D22
Flip-it tub stopper B14
Float ball B30
Float rod B29
Float valve E58
Floor & ceiling plates B1
- Heavy gauge B2
- Plastic B2

Floor drain
- Des Moines pattern H33
- Fresh air inlet H33
- Full waterway H33
- Inside caulk H25
- with P-trap H33

Floor flange
- Malleable iron E15

Floor sink, bottom strainer H19
Floor sink, porcelain coated H34
Floor sink, PVC H19
Floor sink, top grate H19
Flush assembly A23,B25
Flush bushing, copper E27
Flush handle assembly A23
Flushometer wrench D5
Flush valve
- Brass B23
- Canister seal A75,A76
- Complete A4,A5
- Diaphragm A58,A73
- Disc A70,A73
- Disk/seal A39
- Flexer/handle seal A14
- Gasket A5
- Handle operating stem A14
- Hycar handle seal A56
- Inside parts repair kit A58
- Kit A37
- Molded disc A56
- Pipe support B30
- Plastic A32,B22
- Plastic inside cover A30,A57
- Plastic support legs A5
- Replacement A39,B23
- Seal ring A6,A12,A15,A31,A36,B29
- Seals A4
- Shank washer B23
- strap A70
- Supercharged B23

FLUSH VALVE A76
Flush valve diaphragm A29
Flux paste D47
Foam
- Fire block I3

Foam closet bend spacer B16
Fogger, indoor I7
Foot valve A8
- Repair kit A8

Force cup plunger D31
Foundation and roofing coating I4
Friction ring B41
Frost-free sillcock E57

G

Garbage disposal
- cord B56
- Flange & stopper B54
- Hush cushion B55
- Replacement parts B55
- Splash guard B55
- stopper B55
- Strainer B55
- Wiring kit B56
- Wrench B54

Garbage disposal wrench D5
Garden hose D19,E30
Garden hose nozzle D19,E30
Gas appliance ball valve C25
Gas cock E54
Gas connector
- Adapter C25
- Black coated C24
- Uncoated C21
- Yellow coated C23

Gas connector adapter E36
Gas faucet E58
Gasket
- Asbestos-free F14
- Dual-tite E49
- Multi-tite E49
- Red rubber F13
- Rubber sink B60
- Water meter coupling E47

Gas leak detector D47
Gas line marking label D15
Gas outlet box with gas valve C26
Gas test gauge D27
Gas test gauge assembly D27
Gate valve E52
GBV1 ..... E53
GBV2 ..... E53
GBV12 ..... E53
GBV34 ..... E53
GBV38 ..... E53
GBV112 ..... E53

PRODUCT INDEX

GBV114 ..... E53
GBVSH12 ..... E53
GBVSH34 ..... E53
Gear clamp E49
Gloves
Brown jersey D42
Canvas D42
Drain snake D43
Latex D43
Leather driving D42
Leather palm D42
Mechanic D43
Nitrile D43
Rubber D43
Go/no-go gauge D10
Grab bar B67
Ground fault circuit interrupter D41

H

Hacksaw D7
Hacksaw, mini D7
Hair strainer H5
Flexible B14
Hammer D18
Hand cleaner D45
Hand held wrapping film w/ handle D38
Handicap covers G15
Handicap wrap B66,G15
Handi-plug B12
Handle A2
Acrylic index button A19,A52,A55
Assembly, ADA replacement A57
Bi-canopy A65
Canopy for diverter A9
Canopy for lavatory A9,A54,A55
Canopy for lavatory/kitchen A34
Canopy for tub/shower A9,A55
Canopy for Tub/shower A34
Canopy, lever A11,A21,A27
Clear acrylic A20,A44,A46,A51,A54,A61,A63,A64,A72
Commercial A42
Fit-all B58
Kitchen A52
Kitchen faucet A42
Lavatory A18,A52
Lever A63
Pivot repair kit A42
Repair kit A44
Replacement A60
Replacement cartridge A40
Tri-canopy A65
Tub/shower A52
Tub/Shower A18
Tub/shower trim plate A41
Wheel D4
Yoke A46
Hand water pump D32
Hanger iron F1
Hanger tape F1
Heating cable I7
Heat tape I7
Heat trap nipple C17
Hex bushing C17
Bronze E6
Chrome plated E3
Malleable iron E15
Yellow brass E10
Hex-head screw F9
Hex key wrench D5
Hex nut F11
Hex rod coupling F9
Hex transition union E36
Hood vent C1
Hornet and wasp spray D46
Hose
Dishwasher drain C13
Dishwasher inlet C12
Fit-all hook hose C11
Utility sink C11
Washing machine drain C11
Washing machine inlet C11
Water mixer C11
Hose bibb B58
Hose bibb mounting plate B58
Hose filter washer C12
Hot water/refrigerant line thermometer D29
Hycar handle seal
HYCAR HANDLE SEAL A56

I

Icemaker box C3
Ice maker filter C7
Ice maker filter kit C4
Index button A19
Indoor fogger D46
Industrial wipes D45
Inflatable hydraulic/pneumatic test plug D33
In-line check valve E55
Insect spray D46,I7
Insert
Brass compression E31
Inside pipe cutter D6
Insulating suspension clamp F5
Inverted marking paint wand D37

J

J-bend G2,G4,G6
"J" hook F6
Jiffy flange B6
"J" Nail F2

K

Key wrench/hose bibb key D4
Kitchen
Sink hose & spray B56
Knee pad D44
Knock-out plug H22
Korky® flapper B27

L

Lag screw F9
Lavatory
Canopy handles A9
Drain mounting nut B45
Hanger B44
Legs B44
Rebuild kit A19
Sink B43
Sink, undermount B44
Supply kit B41
Lavatory grid drain B47
Lavatory nut removal tool D1
Lead fit-all plug H29
Lead ingot D48,H43
Lead joint runner D47,H44
Lead wool D47,H44
Leather repair kit A14
LED flashlight D41
LED head light D41
Leg tub faucet B4
Level D16
Lift & turn drain A53
Lift & turn tub drain B13
Lift wire B30
Lift wire guide B30
Linkage assembly G13
Liquid-filled pressure gauge D28
Lock D37
Locknut
Basin B45
Basket strainer B59
Faucet B45
Locknut/backnut
Malleable iron E15
Log lighter burner H43
Log lighter burner bar H43
Log lighter key D4,E54
Log lighter valve E54

M

Machine bolt F10
Mack washer B45
Main seat removal tool A15,A17
Make-a-gasket rubber sheet F14
Male adapter
Plastic push-on E1
Manhole cover lifter bar D13
MAPP gas D22
Marking crayon D37
Marking paint D37
Marvel adapter B11,G3
Masonry drill bit D17
Mason's nylon twine, yellow D35
Match holder D22
Measuring tape D16
Mechanical test plug D32
Melting pot D48,H44
Merchant coupling
Malleable iron E16
Merchant half coupling
Malleable iron E16
Mini drain snake D31
Mop hanger B58
Multi-tite gasket E49

N

Needle nose pliers D6
Needle valve C5,E60
Needle valve for pressure gauge D27
New orleans code cleanout plug H28
Nipple
Chrome plated E2
Dielectric C17
Escutcheon A2
Heat trap C17
Malleable iron E17
Red brass E8
Nipple caddy tray D16
Nipple extractor D13
Nipple installation kit
Malleable iron E19
No-caulk shower drain H3
No-hub coupling E47
No-hub torque wrench D4
Nose cone B41
Nut
Compression E31
Compression, chrome plated E3
Flare E33
Slip-joint G4,G9
Split G4
Nut driver D15

O

Oakum D47,H44
Offset bath supplies B4
Offset closet flange H1
Offset grid drain cover G15
Offset shower stall drain H3
Offset tank bolt B37
Ohio code cleanout plug H29
Oil faucet E58
O-ring kit B63
O-ring pick/remover B63
Overflow face plate B12
Overflow face plate screw B12
Overflow tube B30

P

BRAXTON HARRIS CO., INC.

6.1.25

PRODUCT INDEX

Packing list envelope D38
Padlock D37
Paint brush D19
Paint pen D37
Paint roller D20
Paint tray D20
Paper towel dispenser B68
Penetrating oil D46,I6
Perforated sewer strainer with legs H34
Perforated vent box H43
Petcock E59
PEX bend support F3
PEX clamps E44
Pex crimping tool D10
PEX crimp rings E43
PEX transition fitting E43
Philadelphia style vent box H42
Pick Mattock D25
Pigtail syphon D27
Pipe clamp F5
Pipe hanger F7
Pipe heating cable I7
Pipe hook F2
Pipe insulation I8
Pipe insulation protective coating I9
Pipe insulator F5
Pipe joint compound I3
Pipe lubricant I6
Pipe saw D8
Pipe sleeving I10
Pipe strap F1
Pipe tap D17
Pipe wrap D39,I10
Pipe wrap tape D39,I10
Pipe wrap tape primer D39
Pipe wrench D5
Plastic over fitting repair fitting H20
Plastic tub box B16
Plastic wire nut D41
Pliers
- Needle nose D6
- Pipe wrench D6
- Slip jaw D6
- Tonge & groove D6
- Water pump D6

Plug
- Blind H42
- Copper E27
- Countersunk H18
- Countersunk, bronze E7
- Extension cover H27
- Flare E33
- Garden hose E28
- Malleable iron E15
- PEX, brass E43
- Raised head, bronze E7

Plumb bob D16
Plumber's drain wrench D3
Plumbers putty I3
Plumbers saw D8
Plunger D31
Pneumatic clean-out test plug D33
Pneumatic test plug D33
Pocket test thermometer D29
Poly sheeting D21
P.O. Plug B47,G16
P.O. plug wrench D2,H28
Pop-up assembly B46,G16
Pop-up basin drain stopper A3,A21,A23,A43,A53,A56,A63,A69
Pop-up drain basin stopper A45
Pop-up seal ring A21,A43
Pouring ladle H44
Power strip D41
Pre-rinse hose assemblies A66
Pre-rinse spray valve assembly A66
Pre-rinse unit
- Hose assembly A66
- Retainer A66
- Riser hook A66
- Spring A66
- Wall bracket A66

Pressure assist cartridge A6,A29
Pressure balancing cartridge A75
Pressure regulator E56
Pressure relief valve C16
Pressure/utility gauge D26
Primer for pipe wrap tape I5
Probing rod D26
Propane gas D22
Protective plate F4
Pry bar D18
P-trap G1,G5
P-trap assembly cover G15
Pumie® scouring stick D45
Push-in closet flange H2
Putty knife D21
PVC floor sink H19
PVC pipe cutter D8

R

Radially adjustable urinal flange H3
Radiator coin key E56
Radiator key D4
Radiator nipple wrench E57
Radiator repair tool D2,E57
Radiator valve E56
Raised head plug H18
Ratchet tie down strap D36
Razor blade D21,D35
Receptor base H3
Red rubber gasket F13
Refrigerant line thermometer C19
Relief auxiliary valve
- RELIEF AUXILIARY VALVE A13

Repair clamp E50
Repair clamp, hinged E51
Repair closet flange H2
Repair coupling
- Copper E46
- Expanding, PVC E46

Replacement strainer H15
Ring
- Drain & cleanout H15

Riser clamp F6
Riser tube B40
Roach & ant killer I7
Robe hook B69
Roof flashing I10
Rope D35
Rope adapter
- Insert, red brass E40

Round slop sink H34
Rubber insulation contact adhesive I9
Rubber insulation tape I10
Running trap H22

S

Saddle fitting E47
Saddle tee H22
Saddle tee, tapped H34
Saddle valve C5,E62
Safety glasses D44
Safety goggles D44
Safety hard hat D44
Sammy Saddle® cable/pipe/conduit hanger F15
Sammy X-press® hanger F15
Sand cloth D23
Scouring stick D45
Screw
- Extension cover H27

Screwdriver D15
Seal
- Canister B28
- Flush valve A4

Sealant
- Firestop I3
- Foam I2
- Hi-temp red I2
- Multi-seal building construction I3
- Silicone I1,I2
- Tub & tile I1,I2

Seal ring A3
Seat disc tank ball B29
Seat disc tank balls A4
Seat removal tool D12
Sediment cartridge C6
Service sink faucet B57
Sewer box H31
Sewer pop-up valve H18
Sewer relief valve cleanout E61
Sewer relief valve/plug E61,H18
Shoe covers D44
Shovel D24
Shower
- Diverter valve B8
- Self-closing valve B8
- Thin-wall stall elbow B9
- Valve A3
- Valve, Rebuild kit A48

Shower arm
- 90° B9
- Adjustable B9
- Brass B9
- Ceiling mount, with flange B9
- Flange B9
- Plastic, with flange B9
- "S" style B9

Shower diverter cartridge A17
Shower diverter converter plug A17
Shower diverter washer A11
Shower drain
- Brass no-caulk H24
- Inside caulk H24
- IPS H24
- Residential H4

Shower Drain
- Residential H35

Shower drain, female iron pipe H24
Shower drain strainer H5
Shower head
- Die cast B6
- Economy B6
- Flow restricter B8
- Hand-held B7
- Heavy-duty B6
- Massage B7
- Rain B7
- Select-a-flow B7
- Water saver B7

Shower pan liner
- Cement B15
- Corner, pre-cut B15
- Pre-cut B15
- Roll B15

Shower pan liner cement I4
Shower rod
- Adjustable flange/holder B6
- Curtain pins B5
- "D" bar B6
- Flange B6
- Jumbo flange B6

Shower rods
- Adjustable B5
- Aluminum with holders B5
- Curved B5
- "L" Bar B6
- Stainless steel B5
- Straight B5

Shower stall drain H3
Shower-stall elbow B9
Shut-off stop
- Straight integtral B43

Shut-off valve
- Rebuild kit A14

Sillcock E57
Sillcock/water test gauge assembly D28
Silver solder D23
Sink B43
- Clips/lugs B44

PRODUCT INDEX

Hose & spray ... B56
Sink bibbs ... B58
Sink collar & funnel ... B60
Sink strainer removal tool ... D3
Sink tailpiece ... G2
Sink Tailpiece ... G8
Sink trap ... G2,G6
Sleeve
Compression ... E31
Slip jaw pliers ... D6
Slip joint nut ... B60
Slip-joint nut ... G4,G9
Slip joint washer ... B60
Slip-joint washer ... G5,G9
Slip-on plastic cap ... D34
Slip repair couplings ... B61
Slip repair tee ... B61
Slop sink ... H34
Soap dish ... B69
Soap dispenser ... B68
Soap & lotion dispenser ... B57
Soap stone & holder ... D22
Socket wrench set ... D1
Soil pipe strainer for hub opening ... H34
Soldering heat barrier spray ... D47
Solenoid sub-assembly actuator cartridge ... A56
Southern code cleanout plug ... H29
Spacer kit, closet flange ... H2
Spanner flange ... B38,H26
Spanner flange kit ... B39
Splash guard ... B16
Splicer
Hose barb, brass ... E40
Hose barb, nylon ... E36
Split ring ... F8
Sponge closet gasket ... B38
Spray bottle ... D38
Spray diverter ... A17
Spray valve bonnet assembly ... A66
Spud wrench ... D3
Standing bath waste ... G11
Staple gun ... D18
Steam pigtail syphon ... D27
Steel pouring ladle ... D48
Steel rod, threaded ... F9
Steel wool ... D21
Stem
Extender ... A33,A61
Stop cover ... G15
Stopper ... B45
Basin & tub ... B14
Bath drain ... G13
Fit-all ... B14
Flat suction sink ... B14
Flip-it tub ... B14
Universal fit ... B45
Stop & waste valve ... E52
Stove bolt ... F10
Straight pattern wing nut test plug ... H42
Straight valve
Plastic push-on ... E1
Strainer
Replacement ... H15
Screw-in ... H5
Snap-in ... H5
S-trap ... G1,G6
Strap wrench ... D4
Stretch wrap dispenser ... D38
Stub out ... B12
Elbow ... B12
Stub out bracket ... F3
Stud bracket ... F3
Stud guard ... F3
Stud protector ... F3
Stud shoe ... F3
Sump pump check valve ... E55
Sump pump discharge kit ... E55
Supply kit ... B41
Supply stop
Multi-turn, angle ... B42
Multi-turn, straight ... B43
Quarter-turn, angle ... B42
Quarter-turn, straight ... B43
Three-way, angle ... B42
Sure Sweat™ dissolvable pipe plug ... D15
Suspension clamp ... F5
Swivel ring ... F7
Swivel sink trap ... G2

T

Tailpiece ... G2
Flexi-flange ... G4
Tailpiece washer ... G5
Tall closet bend spacer ... B16
Tank ball ... A23,B29
Tank bolt ... B38
Tank bolt nut ... B38
Tank bolt washer ... B38
Tank float ball ... B30
Tank lever ... A7,A24,A38,A40
28° plastic arm ... B19
45° Neo-angle ... B19
Bendable ... B18
Brass ... B17
Combination ... A7,A16,A28,B18
Fit-all ... B17,B18
for one-piece closet ... A9,B18
Front-mount ... A38,A68,A70,B17,B20
Pressure assist ... A7,A28,B18
Pressure assist with linkage ... A59
Side mount ... A7,A24,B17
Side-mount ... A38,A68,B19
Side-mount, pre-bent arm ... B20
Standard ... B17
Top-mount ... B17
Top-mount flush-actuator ... A37
Universal ... B17
Tank-to-bowl
Bolts ... A6,A16,A23,A38,B36
Bolts, 3-piece ... A6
Conversion washers ... A38
Gasket ... A6,A16,A24,A29,A38,B31,B32
Recessed gasket ... A9,B32
Tape ... D38
Fiberglass ... I5
Tape dispenser ... D38
Tapped saddle tee ... H34
Tapping screw ... F9
Tarp ... D37
T-cone cleanout repair plug ... D33
T-cone combination test plug ... D32
Tee
3-Way ... G4
Baffle ... G8
Baseboard, forged brass ... E27
Bronze ... E5
Center outlet ... G4
Compression ... E32
Compression, bronze ... E46
Compression, PVC ... E46
Copper ... E20
Drop ear ... E4
Easy connect ... B41
End outlet ... G4
Flare ... E34
Forged brass ... E27
Hose barb, nylon ... E36
Insert, red brass ... E39
Malleable iron ... E13
PEX, brass ... E42
Plastic push-on ... E1
Poly ... E38
Reducing, malleable iron ... E13
Repair ... B61
Repair, slip ... G9
Saddle ... H22
Yellow brass ... E9
Tee, chrome plated ... E2
Teflon tape ... D39
Telescopic waste
End outlet ... G1
Test cap ... H22
Test plug ... D32,H23
Bath waste ... G14
Wing nut ... H42
Test plug cap ... D34
Thermal expansion tank ... C20
Thermocouple ... C19
Thermometer
Bimetal dial ... D28
Dial ... D28
Hot water ... D29
Pocket test ... D29
Refrigerant line ... C19,D29
Weksler multi-angle ... D29
Thread seal tape ... D39
Tie down strap ... D36
Tinnerman nut ... B35
Tin snips ... D10
Toe-touch tub drain ... B13
Toggle bolt ... F10
Toilet
Replacement tank ... B21
Tank cover, fit-all ... B21
Toilet paper holder ... B67
Toilet removal bag ... D38
Toilet seat
Bolt ... B21
Commercial ... B21
Hinge ... B21
Hinge stabilizer ... B21
Residential ... B20
Wooden ... B20
Tonge & groove pliers ... D6
Top-hat washer ... A2
Top-mount flush-actuator tank lever ... A37
Top seat washer for diverter ... A27
Torch ... D22
Torch/flame guard ... D22
Tote tray ... D17
Towel bar ... B69
Towel ring ... B69
Trap adapter ... G3
Trap air vent ... G17
Trap primer ... B62
Trap standard ... H32
Trap waste connector ... B61,G17
Trash bag ... D37
Trim kit ... G11
Trip lever drain ... A31
Trip lever tub drain ... B14
Trouble light ... D40
Truck rope ... D35
Tub
Hanger ... B44
Protector ... B16
Stem ... A33
Valve ... A3
Valve rebuild kit ... A19
Tub drain bushing ... B14
Tub Drain Bushing
Brass ... A35
Tub drain conversion bushing ... G14
Tub drain removal tool ... D2
Tube strap ... F1
Tubing
Clear vinyl ... C7
Copper ... C4
Poly ... C4
Polyethylene ... C7
Soft aluminum ... C7
Tubing bender ... D14
Tubing cutter ... D10
Tub/Shower
Cartridge, pressure balancing ... A22,A25
Cover plate ... B15
Mixer valve ... A33
Replacement handle adapter ... A19
Splash guard ... B16
Stem ... A10,A22,A26,A54
Trim kit ... A19

BRAXTON HARRIS CO., INC.

6.1.25

PRODUCT INDEX

- Trim plate A41
- Valve rebuild kit A27,A62

Tub spout
- Adapter B11
- Adjustable B10
- Back-diverter B10
- Brass B10
- Extender B11
- Long B11
- Nose-diverter B10
- with shower adapter B10
- with slide-on inlet B10

Tubular bath waste kit G13
Tubular piping cover, undersink B66
Twine D35
Twin elbow B11

U

Union
- Bronze E7
- Compression E31,E32
- Compression, chrome plated E3
- Flare E34
- Malleable iron E16
- Reducing, chrome plated E3

Urinal
- Drain, brass H25
- Flange H25
- Flange, adjustable H3
- Flush valve repair kit A30,A74
- Gasket kit B33
- Inside parts kit A73
- Leather repair kit A14
- Piston assembly cartridge A57
- Rebuild kit A16
- Relief valve A29,A57,A73
- Repair kit A30
- Self-closing valve B8
- Shut-off valve repair kit A30,A58,A74
- Sponge rubber gasket B31
- Spud B31
- Spud friction ring B31
- Spud replacement washer B31
- Wax ring gasket B38

Urinal flange kit
- Brass A6,A17,A24,A31

Utility gauge D26
Utility knife D35
Utility rope D35
Utility shower B4
Utility sink hose C11
Utility strap D36
Utility wire D36
Utillity hook D36

V

Vacuum breaker A3,A13,A31,A35,A57,A72,B8,E58
- Assembly A13,A29,A56
- Commercial A11,A60,A67,A76
- Repair kit A75

Vacuum gauge D27
Valve
- Tub & shower A3

Valve box H23
Valve stem packing B64,D13
Vandal-proof shut-off covers A58
Vavle seat wrench D1
Vent box H42
Vent cap H43
Vent stack I12

W

Wall arm G6
Washer B35
- Flat F10
- Garden hose E29
- Hose filter C12,E29
- P.O. Plug basin mack B45
- Slip joint B61
- Slip-joint G5,G9
- Tailpiece B61,G5
- Top-hat A2
- Waste & overflow G14

Washing machine box C8
Washing machine box arrester valve C10
Washing machine box boiler drain C10
Washing machine box valve C10
Washing machine drain hose C11
Washing machine inlet hose C11
Washing machine safety pan C12
Wash tray plug B53
Waste arm G3,G7
Waste & overflow washer B13,G14
Water filter C7
Water filter housing C6
Water gauge glass D29
Water gauge glass cutter D30
Water gauge glass nut D30
Water gauge glass washer D30
Water gauge set D29
Water hammer arrester E45
Water heater connector
- Adapter C16
- Braided stainless steel C16
- Corrugated copper C15
- Corrugated stainless steel C16
- Washer C16

Water heater drain valve C16
Water heater element C18
Water heater element wrench C19,D3
Water heater pan fitting/adapter C15
Water heater run off tube C16
Water heater safety pan C15
Water heater stand C14
Water heater thermostat C20
Water meter box H23
Water meter box key D13,H24
Water meter coupling E47
Water meter coupling gasket E47
Water meter key D14,H24
Water mixer hose C11
Water pump D32
Water pump pliers D6
Water test gauge D29
Water volume control B8
Wax ring gasket B38
Wedge H22
Weep hole protector H5
Weksler multi-angle thermometer D29
Wheel handle D4
White nylon twine D35
Wipes I6
Wire brush D14
Wood boring bit D18
Wood chisel D15
Wood screw F10
Wrench
- 4-way key D4
- Adjustable spud & strainer D2
- Allen D5
- Basin D1
- Basket strainer nut D2
- Cleanout plug D1,H28
- Closet fill valve D2
- Crescent D5
- Disposal C13
- Drum trap plug D1,H28
- Faucet/shower valve seat D1
- Flushometer A15,A31
- Garbage disposal B54,D5
- Hex key set D5
- No caulk shower drain D3
- No-hub torque D4
- Pipe D5
- P.O. plug D2,H28
- Radiator nipple D2
- Sink drain D3
- Socket set D1
- Strainer D3
- Strainer locknut D2
- Strap D4
- Supply stop D1
- Tub drain & spud D2
- Water heater element C19,D3
- Water meter curb box D13

Y

Yard hydrant E58
"Y" Connector E29